acc. to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 regulations

Printing date: June 29, 2017

Revision: June 29, 2017

1 Identificatio	n
-----------------	---

- · Product identifier
- · Trade name: Black Tire Lube
- · Article number: 14-748E, 14-749E
- · Recommended use and restriction on use
- Recommended use: Lubricant
- Tire maintenance.
- · Restrictions on use: No relevant information available.
- · Details of the supplier of the Safety Data Sheet
- · Manufacturer/Supplier:
- 31 Incorporated

2 Hazard(s) identification

• **Classification of the substance or mixture** The product is not classified as hazardous according to the Globally Harmonized System (GHS).

· Label elements

- · GHS label elements None.
- · Hazard pictograms: None.
- · Signal word: None.
- · Hazard statements: None.
- · Precautionary statements: None.

• Other hazards There are no other hazards not otherwise classified that have been identified.

3 Composition/information on ingredients

- · Chemical characterization: Mixtures
- · Components: None in reportable quantities.

4 First-aid measures

- · Description of first aid measures
- · After inhalation: Supply fresh air; consult doctor in case of complaints.
- After skin contact: Immediately wash with water and soap and rinse thoroughly. Seek medical treatment in case of complaints.

(Cont'd. on page 2)

acc. to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 regulations

Printing date: June 29, 2017

Revision: June 29, 2017

Trade name: Black Tire Lube

(Cont'd. of page 1)

• After eye contact: Rinse opened eye for several minutes under running water. Seek medical treatment in case of complaints.

- After swallowing: Rinse out mouth and then drink plenty of water. Do not induce vomiting; immediately call for medical help.
- \cdot Most important symptoms and effects, both acute and delayed:
- Gastric or intestinal disorders when ingested.
- Danger: No relevant information available.
- Indication of any immediate medical attention and special treatment needed: No relevant information available.

5 Fire-fighting measures

- · Extinguishing media
- Suitable extinguishing agents: Use fire fighting measures that suit the environment.
- For safety reasons unsuitable extinguishing agents: Water stream.
- Special hazards arising from the substance or mixture
- Formation of toxic gases is possible during heating or in case of fire.
- Advice for firefighters
- · Protective equipment:

Wear self-contained respiratory protective device.

Wear fully protective suit.

· Additional information: No relevant information available.

6 Accidental release measures

• Personal precautions, protective equipment and emergency procedures Ensure adequate ventilation.

Wear protective equipment. Keep unprotected persons away.

For large spills, use respiratory protective device against the effects of fumes/dust/aerosol. Particular danger of slipping on leaked/spilled product.

• Environmental precautions

Do not allow to enter sewers/ surface or ground water.

- Prevent from spreading (e.g. by damming-in or oil barriers).
- · Methods and material for containment and cleaning up

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Send for recovery or disposal in suitable receptacles.

· Reference to other sections

- See Section 7 for information on safe handling.
- See Section 8 for information on personal protection equipment.
- See Section 13 for disposal information.

(Cont'd. on page 3)

acc. to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 regulations

Printing date: June 29, 2017

Revision: June 29, 2017

Trade name: Black Tire Lube

(Cont'd. of page 2)

7 Handling and storage

· Handling

- · Precautions for safe handling:
- Avoid the formation of oil haze.
- Prevent formation of aerosols.
- Avoid splashes or spray in enclosed areas.
- Use only in well ventilated areas.
- Information about protection against explosions and fires: No special measures required.

· Conditions for safe storage, including any incompatibilities

- · Storage
- Requirements to be met by storerooms and receptacles: Store in a cool location.
- Information about storage in one common storage facility: Store away from foodstuffs. Store away from oxidizing agents.
- Further information about storage conditions: Store in cool, dry conditions in well sealed receptacles.
- Specific end use(s) No relevant information available.

8 Exposure controls/personal protection

Control parameters

 Components with limit values that require monitoring at the workplace: The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

· Exposure controls

- · Personal protective equipment:
- · General protective and hygienic measures:
- The usual precautionary measures for handling chemicals should be followed.
- Keep away from foodstuffs, beverages and feed.
- Immediately remove all soiled and contaminated clothing.

Wash hands before breaks and at the end of work.

- Do not inhale gases / fumes / aerosols.
- Avoid contact with the eyes and skin.
- Engineering controls: Provide adequate ventilation.
- · Breathing equipment:
- Not required under normal conditions of use. For spills, respiratory protection may be advisable.
- · Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

(Cont'd. on page 4)

acc. to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 regulations

Printing date: June 29, 2017

Revision: June 29, 2017

Trade name: Black Tire Lube

(Cont'd. of page 3)

· Eye protection:



Safety glasses

Follow relevant national guidelines concerning the use of protective eyewear.

- Body protection: Oil resistant protective clothing
- · Limitation and supervision of exposure into the environment No special requirements.
- · Risk management measures No special requirements.

Information on basic physical a	and chemical properties	
Appearance: Form:	Liquid	
Color:	Dark grey	
Odor:	Petroleum-like	
Odor threshold:	Not determined.	
pH-value:	Not determined.	
Melting point/Melting range:	Not determined.	
Boiling point/Boiling range:	Not determined.	
Flash point:	> 203 °C (> 397 °F)	
Flammability (solid, gaseous):	Not applicable.	
Auto-ignition temperature:	Not determined.	
Decomposition temperature:	Not determined.	
Danger of explosion:	Product does not present an explosion hazard.	
Explosion limits		
Lower:	Not determined.	
Upper:	Not determined.	
Vapor pressure:	Not determined.	
Density:	Not determined.	
Relative density:	Not determined.	
Vapor density:	Not determined.	
Evaporation rate:	Not determined.	
Solubility in / Miscibility with		
Water:	Not miscible or difficult to mix.	
Partition coefficient (n-octanol/wa	ter): Not determined.	
Viscosity		
Dynamic:	Not determined.	
Kinematic:	Not determined.	

acc. to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 regulations

Printing date: June 29, 2017

Revision: June 29, 2017

Trade name: Black Tire Lube

(Cont'd. of page 4)

Other information

No relevant information available.

10 Stability and reactivity

· Reactivity: No relevant information available.

- · Chemical stability:
- Thermal decomposition / conditions to be avoided:
- No decomposition if used and stored according to specifications.
- · Possibility of hazardous reactions
- Toxic fumes may be released if heated above the decomposition point.
- · Conditions to avoid Excessive heat and contact with oxidizers.
- · Incompatible materials Oxidizing agents
- · Hazardous decomposition products

Carbon monoxide and carbon dioxide

Hydrocarbons

11 Toxicological information

· Information on toxicological effects

- · Acute toxicity:
- · LD/LC50 values that are relevant for classification: None.
- · Primary irritant effect:
- · On the skin: Based on available data, the classification criteria are not met.
- On the eye: Based on available data, the classification criteria are not met.
- · Sensitization: No sensitizing effects known.

· IARC (International Agency for Research on Cancer):

None of the ingredients are listed.

• NTP (National Toxicology Program):

None of the ingredients are listed.

· OSHA-Ca (Occupational Safety & Health Administration):

None of the ingredients are listed.

- · Probable route(s) of exposure:
- Ingestion.
- Inhalation.
- Eye contact.
- Skin contact.
- Acute effects (acute toxicity, irritation and corrosivity): No relevant information available.
- Repeated dose toxicity: No relevant information available.
- · Germ cell mutagenicity: Based on available data, the classification criteria are not met.
- · Carcinogenicity: Based on available data, the classification criteria are not met.
- Reproductive toxicity: Based on available data, the classification criteria are not met.
- \cdot STOT-single exposure: Based on available data, the classification criteria are not met.
- STOT-repeated exposure: Based on available data, the classification criteria are not met.

(Cont'd. on page 6)

acc. to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 regulations

Printing date: June 29, 2017

Revision: June 29, 2017

Trade name: Black Tire Lube

(Cont'd. of page 5)

· Aspiration hazard: Based on available data, the classification criteria are not met.

12 Ecological information

- · Toxicity
- · Aquatic toxicity No relevant information available.
- · Persistence and degradability No relevant information available.
- · Bioaccumulative potential: No relevant information available.
- Mobility in soil: No relevant information available.
- · Additional ecological information
- · General notes:

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

- · Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- · **vPvB:** Not applicable.
- · Other adverse effects No relevant information available.

13 Disposal considerations

· Waste treatment methods

· Recommendation:

Product is recyclable as a waste oil. Deliver unused and/or contaminated product to waste oil collectors. The user of this material has the responsibility to dispose of unused material, residues and containers in compliance with all relevant local, state and federal laws and regulations regarding treatment, storage and disposal for hazardous and nonhazardous wastes.

· Uncleaned packagings

• Recommendation: Disposal must be made according to official regulations.

· UN-Number		
· DOT, ADR, IMDG, IATA	Not regulated.	
 UN proper shipping name DOT, ADR, IMDG, IATA 	Not regulated.	
· Transport hazard class(es)		
· DOT, ADR, IMDG, IATA · Class	Not regulated.	
 Packing group DOT, ADR, IMDG, IATA 	Not regulated.	

Safety Data Sheet acc. to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 regulations

Printing date: June 29, 2017

Revision: June 29, 2017

Trade name: Black Tire Lube

rade name: Black Tire Lube	
	(Cont'd. of page
· Environmental hazards	
· Marine pollutant:	No
 Special precautions for user 	Not applicable.
 Transport in bulk according to Annex II MARPOL73/78 and the IBC Code 	of Not applicable.
5 Regulatory information	
 Safety, health and environmental regunization Winted States (USA) SARA 	ulations/legislation specific for the substance of
· Section 302 (extremely hazardous substance	ces):
None of the ingredients are listed.	
· Section 355 (extremely hazardous substanc	es):
None of the ingredients are listed.	
· Section 313 (Specific toxic chemical listings	5):
None of the ingredients are listed.	
· TSCA (Toxic Substances Control Act)	
All ingredients are listed.	
· Proposition 65 (California)	
· Chemicals known to cause cancer:	
None of the ingredients are listed.	
· Chemicals known to cause reproductive to	xicity for females:
None of the ingredients are listed.	
· Chemicals known to cause reproductive to	kicity for males:
None of the ingredients are listed.	
· Chemicals known to cause developmental t	oxicity:
None of the ingredients are listed.	-
· Carcinogenic categories	
· EPA (Environmental Protection Agency):	
None of the ingredients are listed.	
None of the ingreatents are instea.	
· IARC (International Agency for Research on	Cancer):
	Cancer):

None of the ingredients are listed.

(Cont'd. on page 8)

acc. to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 regulations

Printing date: June 29, 2017

Revision: June 29, 2017

Trade name: Black Tire Lube

(Cont'd. of page 7)

· Canadian Domestic Substances List (DSL):

All ingredients are listed.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Date of preparation / last revision June 29, 2017 / -

· Abbreviations and acronyms:

ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road IMDG: International Maritime Code for Dangerous Goods DOT: US Department of Transportation IATA: International Air Transport Association CAS: Chemical Abstracts Service (division of the American Chemical Society) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent PBT: Persistant, Bio-accumulable, Toxique vPvB: very Persistent and very Bioaccumulative NIOSH: National Institute for Occupational Safety and Health OSHA: Occupational Safety & Health Administration