









Car Entertainment System With Built-In DVD Player / Game

FEATURES

- · High Resolution Digital Panel
- · Works with most cars
- · Multimedia DVD Player
- . Supports 3-In-1 SD Card Slot, USB, DVD
- · HDMI Input
- · Dual IR Wireless Headphone Transmitter Built-in
- · Game Controller and remote
- · Slim Design
- . Touch Button Controls



Interchangeable color skins (Gray & Tan)







W	Fi)
intion	

PART #	Description
DVD9850	9* Portable Car System
DVD9850WFK	9" Portable Car System with WiFi

8.5" Center Console Mount LCD with Built-In Multimedia Player

FEATURES

- · 8.5" Color TFT LCD Screen
- · IR Remote OSD
- · 1 A/V In, 1 A/V Out
- · Built-In Multimedia DVD Player
- · USB/SD Card Reader
- · Built-In IR Transmitters







Solutions Particularly for Mecedes 2006 and Newer



ART#	Description
DMBZ85B	8.5" Center Console Player

Industry First!

Wireless (VOD) Video On Demand Entertainment System

FEATURES

- · Video on demand just like on airplanes
- · Supports up to 6 users at the same time
- · Individually control play, stop, pause, etc.
- · Supports up to 1TB hard drive or USB Storage
- WiFi (2.4Ghz / 5.8Ghz)
- · 3G or 4G internet option









Mercedes Mount



PART # AXVOD10UNI Androld System
Universal Dual 10° Android Monitor Kit



HDMI INPUT FLIPDOWN

10.2" or 13" Widescreen Multi-Media Flipdown Monitor

FEATURES

- · 10.2" / 13" Widescreen 16:9
- · Built-In Multi-media DVD player
- · Built-In FM Modulator
- · Built-In IR Audio
- · Dual Dome Light
- · Black/Grey/Tan Skins Included
- · SD Card Reader
- · USB Input
- · Video + HDMI Inputs









Black/Grey/Tan Skins Included



22" Widescreen Flipdown Monitor with HDMI

FEATURES

- · 22" Ceiling-Mount flip down LCD monitor
- · 16:9 widescreen display
- 1920 x 1080 Display makes it perfect for Bluray disc players and will display 1080p video
- · Easily connect your smart-phone via HDMI to the overhead screen so you can enjoy all the movies on your phone or tablet and in beautiful HD video
- · HDMI input for direct video connections
- · 2 RCA audio video inputs
- · SD and Micro-USB input for media stored on jump drives
- · Built in LED dome lights
- · Built in IR headphone transmitter
- · Dimensions: 1-5/8" (H) x 21-5/8" (W) x 15-13/16" (D)

ZFD22WHDMI

WIDESCREENS



- 14" TFT Active Matrix
- · NTSC/PAL
- 1280 X 768 Pixels
- · Two Video Inputs
- · Dual Dome Lights
- · Wireless Remote Control
- · On Screen Display (OSD)







- . 15.4" TFT Active Matrix
- · NTSC/PAL
- 1280 x 854 Pixels
- · Dome Lights
- · IR Headphone Transmitter
- · 2/V and 1/A Inputs
- · Remote Control
- · On Screen Display (OSD)
- 1311/16*(H) x 13516*(W) x 112*(D)



9" Pre-Fab, Dual Disc Headrest Monitors

FEATURES

- . Display Size: 9" Widescreen 16:9
- · Resolution: 1440 x 234 Pixels
- . Built-in Multi-media Player
- . High Resolution and Brightness
- · Universal Adjustable Headrest Posts
- · IR Headphone Transmitter
- · FM Wireless Transmitter
- · Last Memory Function
- · A/V Output and Input
- · Anti-Shock Built in
- · Includes Black, Tan or Grey

USB SD









Front USB port

LED BackLight!



01111111111

ZHD900

HEADREST WIDESCREENS

19" Motorized Widescreen Flipdown Monitor

FEATURES `

- · Motorized up/down trigger
- · HDMI / Video Input
- 19" Widescreen
- · 12V 24V DC





LCDBFD19WM

9" Sun Visor Monitor

FEATURES

- 9" TFT LCD Color
- · High Resolution
- · PAL / NTSC
- · Wireless Remote Control
- · Wide View Angle
- 4 Display Modes

Available in Black, Tan or Grey for Passenger Side



ZSV9PRB

ZSV9PRT

ZSV9PRG

Accele Custom

LED BACKLIT RAW MODULES

LCD MODULES WITH HDMI

LCD18L

- 1.8" TFT LCD Screen
- · NTSC/PAL
- · Mirror/Flip Image



LCD25L

- · 2.5" TFT LCD Screen
- · NTSC/PAL
- · Mirror/Flip Image
- · LED Backlight
- 480 x 234 pixels
- · Brightness: 200 nit
- 2"(H) x 212"(W) x 7/16"(D)



LCD35LWVGA

- 3.5" Color TFT LCD Screen
- · NTSC/PAL
- · Mirror/Flip Image Switch
- LED Backlight
- 480 x 234 pixels
- · Brightness: 200 nit
- * 236" (H) x 314"(W) x 1/2"(D)



LCD5VGAC

- . 5" TFT LCD Screen
- · NTSC / PAL/ Computer
- 640 x 480 Pixels
- · Brightness: 300 nit
- LED Backlight
- · Auto Power On, OSD
- * 310"(H) x 458"(W) x 7/8"(D)



LCD7WVGAC

- · 7° TFT LCD Screen
- · NTSC / Computer
- 800 x 480 Pixels
- · Brightness: 300 nit
- LED Backlight
- 4^{VI6"}(H) x 6^{TITG"}(W) x 9/16"(D



LCD8VGAF - VGA

- · 8" Color TFT LCD Screen
- · NTSC/PAL
- · Mirror/Flip Image Switch
- LED Backlight
- 800 x 600 pixels
- 510° (H) x 7316°(W) x 1/2°(D)



LCDSWHDMI

- 5" Widescreen Color TFT LCD
- · NTSC / PAL / VGA / HDMI
- 800 x 480 pixels
- · Brightness: 300 nit
- + 12VDC @ 300 mA
- 5"(W) x 3 1/4" (H) x 1/2"(D)

HDMI input!



- 7" Widescreen Color TFT LCD
- · NTSC / PAL / HDMI
- 1024 x 600 pixels
- · Brightness: 230 nit
- 12VDC @ 450 mA
- +6.5" (W) x 4.25" (H) x 0.11" (D)

HDMI input!



LCD7WHDMI






LCD5N

- . 5" TFT LCD Screen
- NTSC/PAL/Auto Switching
- 4 Mounting Posts on Back
- 960 x 234 pixels
- · Brightness: 300 nit
- · 3"""(H) x 5"(W) x 1""(D)



- 7" TFT LCD Widescreen
- NTSC/PAL/VGA
- · 2 Video Inputs
- 800 x 400 pixels
- · Brightness: 300 nit





LCD8WVGA

- · 8" TFT LCD Screen
- · NTSC/PAL/VGA
- · 2 Video Inputs
- 640 x 480 pixels
- · Brightness: 220 nit
- · 413/18"(H) x 738"(W) ₹ 1"(D)



10.2" TFT LCD Screen

- · NTSC / PAL / Computer
- 800 x 480 Pixels
- · Brightness: 300 nit
- · LED Backlight
- · 534"(H) x 914"(W) x 5/8"(D) HDMI input!



LCD17WLX

LCDP7WM

LCD102WVGA

LCD154VGAT

- 15.4" TFT LCD Widescreen
- NTSC/PAL/VGA/S-Video
- · Remote Control
- 1280 x 800 pixels
- Brightness: 220 nit
- 95/8"(H) x 135/16"(W) x 5/8"(L)



17" TFT LCD Screen

- · NTSC / PAL / Computer / S-Video/ DVI
- 1440 x 900 Pixels
- · Brightness: 250 nit
- · LED Backlight
- 10°(H) x 15²⁹°(W) x 7/8°(D)



LCDP7HDMI

- 7" Widescreen TFT LCD
- NTSC/PAL/HDMI -800 X 480
- · LED
- 230 nit
- 12VDC @ 450 mA HDMI input!




· 7" TFT LCD Metal Housed · NTSC

- 800 X 480 pixels Brightness: 300 nit
- IR Remote Control

· Video Composite / VGA





LCDP700VGATS - Touchscreen

- 7" TFT LCD Widescreen
- · NTSC / PAL / VGA · 2 Video Inputs
- 1440 x 234 pixels
- · Brightness: 300 nit
- · Auto Video On .5 56"(H) x 7 176"(W) x 1 18"(D)



· 7" TFT LCD

- · NTSC
- · Video Composite / VGA
- 800 X 480 pixels
- · Brightness : 300 nit
- IR Remote Control
- 4 ^{7,9°} (H) x 7 ^{50°} (W) x 1 ^{1Q°} (D)







Accele Custom

HOUSED MONITORS

.CDM7WPN -2 Video In .CDM7WPQUAD -4 Video Quad

- 2 Video In
- 7" TFT LCD Widescreen
- · NTSC / PAL
- · 2 Video Inputs
- · 1440 x 234 pixels
- WATERPROOF
- 55e*(H) x 7*1e*(W) x 1*9*(D)



LCDP10WVGAW

- 10.1" TFT LCD
- · NTSC
- · Video Composite, VGA
- · 1024 X 600 pixels
- · Brightness : 300 nit
- · IR Remote Control
- 9 70° (W) x 6 ^{376°} (H) x 5/8° (D)



Highest Quality Made in Korea

- 8.4" TFT LCD
- · NTSC / PAL / VGA
- · 2 Video Inputs
- · 800 x 600 pixels
- · Brightness: 300 nit.
- 556°(H) x 7116°(W) x 116°(D)



LCDP104LX

LCDP8L

- 10.4" TFT LCD Screen
- · (2) 1/2 Watt Speakers
- XGA 1024 x 768 Pixels
- · Brightness: 230 nit
- NTSC/PAL/VGA/S-Video/Audio
- 10"(H) x 7"5"(W) x 1"8"(D)



INFRARED WIRELESS STEREO **DUAL CHANNEL HEADPHONES**

- . Touch On/Off Switch + Volume Control
- · Extra Padded Ear & Headband Cushion
- Impedance: 32 Ohms +/- 4 Ohms
- · Power Input Tolerance: 40mm Mylar Cone
- . Automatic Power Off & Mute



ZHIR20 - 1CH

ZHIR22 - 2CH

DUAL CHANNEL TRANSMITTER

- · Dual Channel IR Transmitters
- 12VDC
- 75 ma
- 40 feet range



ZHIR22T - 2 Channel Transmitter

DIGITAL 4 CHANNEL IR HEADPHONES

- · Layflat Swivel Design Auto power On /Off when in use
- · Digital FM 4 Channel Demodulator
- · Auto muting

MODULATOR

FM Stereo Antenna

· Support Frequencies : 2.3MHz / 2.8MHz , 3.2MHz / 3.8MHz 4.3MHz / 4.8MHz , 5.3MHz / 5.8MHz

Replaces AC Delco 84201995 GM Original Equipment Headphones

WIRELESS OR WIRED FM

· Easily Add Audio to Any Video

FM Modulator 88.9/88.5MHz

System Through the Existing Car



Fold Flat Design for Easy Storage

AVIR20

STEERING WHEEL MOUNTED REMOTE CONTROL

Steering Wheel Mounted IR Code Learning Remote Control. Will Work with Video, Head Units, Navigation, Satellite Systems, etc.



WIR888

VIDEO AMPLIFIERS

- · Individual Fine Tune Signal Sharpness
- 4 or 8 Composite Video Outputs
- · Single Composite Video Input
- . 13/16" (H) x 6 9/16" (W) x 3 1/2" (D)



ZVA300 - 3 Out

ZVA400 - 4 Out ZVA800 - 8 Out

DIGITAL VIDEO NOISE FILTERS

Eliminates Noise on Video !

- Engine alternator Video Noise
- Stabilizes Vertical Sync
- Stabilizes Horizontal Sync



VF100

GAME KIT \ POWER INVERTERS

Direct Connect 2 Frequency PLL Drift-Free

- GAME110K125 125 Watt Game Kit
- GAME110K450 450 Watt Game Kit
- 76125 125 Watt Inverter



M450 M800 M1000 M2000

RFMWL4 - Wireless

RFM37 - Wired

VIDEO FILTER / STABILIZER

- Video Filter and Stabilizer
- Video Amplifier
- 1 input, 10 output
- 12 VDC

Great for Video Displays, Vans, Buses, Etc.



VF1000

cele Custom

"M" SERIES HOUSED MONITORS

LCDM84VGA - Video, VGA LCDM84VGATS - Video, VGA, Touchscreen

- · 8.4" TFT LCD Color Monitor
- IR Remote OSD
- · 2 Video Inputs / 1 Computer Input
- 800 X 600 Pixels
- 325 nit
- 67/0" (H) X 83/4" (W) X 11/4" (D)
- V. Area: 5¹⁰ (H) x 7° (W)



- 15" TFT LCD Screen
- · IR Remote Control
- 1024 X 768 Pixels
- · Brightness: 300 nit
- 10³⁸ (H) X 14" (W) X 1¹⁸ (D)
- . This model does not include brackets. Brackets included is Model: LCDM15HNBS



Video, VGA -

Video, VGA - LCDM15LED

LCDM15HS

LCDM102WVGA LCDM102WVGATS - Video, VGA, HDMI - Video, VGA, HDMI Touchscreen

- Video Only

- 10.2" Widescreen TFT LCD Screen
- · NTSC / PAL
- 3 Input Signals
- 800 X 480 Pixels
- · Brightness: 300 nit
- 634" (H) X 1038" (W) X 1106" (D)

HDMI input I



LED Back Light!

- 15" LED LCD
- · Video Composite / VGA
- 1024 X 768 Pixels
- · Brightness: 700 nit
- IR Remote Control
- · Membrane Control Panel
- 10 34" (H) x 14" (W) x 1 14" (D)



Video, VGA, HDMI- LCDM154VGAH

LCDM104SVGA LCDM104SVGATS

- Video, VGA
- Video, VGA, Touchscreen
- 10.4" LCD Screen Monitor
- Touchscreen
- · Video Composite / VGA
- 800 x 600 Pixels
- · Brightness : 360 nit
- 818" (H) X 1034" (W) X 138" (D)



• 15.4" TFT LCD Screen

- · NTSC /PAL / VGA / S-Video / HDMI
- 3 Input Signals
- 1280 X 800 Pixels
- · Brightness: 220 nit
- · 97/9" (H) X 1334" (W) X 7/8" (D)

HDMI input!



Video, VGA, HDMI, Touchscreen-

Video, VGA , HDMI - LCDM17WVGA LCDM17WVGATS

· 12" TFT LCD Screen

· NTSC / PAL / VGA / S-Video / HDMI

LCDM12WVGA - Video, VGA, HDMI

- · IR Remote Control
- 1440 X 900 Pixels
- Brightness: 300 nit

HDMI input!



· 17" TFT LCD Screen

- · NTSC / PAL / VGA / S-Video / HDMI
- · IR Remote Control
- 1440 X 900 Pixels
- · Brightness: 300 nit HDMI input!



LCDM19SAW

- . 19" TFT LCD Monitor with SAW Touch Screen
- IR Remote Control
- 1 Video / 1 VGA Input
- · Screen Ratio 16:9
- · 1440 X 900 Pixels . Brightness: 300 nit
- + 1110" (H) X 17" (W) X 110" (D)



· 22"Widescreen TFT LCD

- NTSC/PAL/VGA/HDMI
- + 1080p
- · Brightness: 300 nit
- 12VDC @ 450 mA
- · 22-3/4 X 12-1/2 X 1-3/4 HDMI input!



Special Order Available 20" 4:3 1600 x 1200 resolution Video VGA HDMI


LCDM20HD

VAN AND BUS ACCESSORIES











USBS1

Triple USB 4.2amp



Flush Mount Double USB Blue Light 3.1 Amp



Flush Mount Double USB Dual 2.1 Amp



Bus / Van Hand Rail USB Power run through pipe



Modular Flush Mount USB, HDMI Pod

Audio Transmitter up to 35 Smartphones



USBPODK

νEW

USBB

Video on Demand



- · Video on demand just like on Airplanes
- WiFi 2.4 gHz / 5.8 gHz
- · Supports 60 users at one time
- · Multimedia Movie / Music / Games / Photos
- with Programmable Advertisement serving functions
- 4G internet access

Bus Seatback Touchscreen Monitors



- Touchscreen Control Forward, Back, Pause, Play. etc
- · Back of seat mounting
- · Adjustable Angle
- · 3.5mm Headphone jack
- · USB for charging phones

LCDPB7 - 7 inch LCDPB10 - 10 inch Bus multichannel wifi audio transmitter can support up to 35 smart phone users

No more need for passing out headphones to passengers



BAWIE

NEW

- · 11" Widescreen
- · NTSC/PAL
- · 12V
- · Brightness: 250 nit



ZFD11W

- 12" Metal Widescreen · NTSC/PAL
- 1024 x 800 Pixels
- · 12V 24V DC · Brightness: 250 nit
- · Heavy Duty Metal Housing



LCDBFD12W





Motorized



Motorized Up / Down Screen

LCDBFD19WM

· 19" 16:9 Widescreen

- · NTSC/PAL
- 12V 24V DC · Wireless Remote
- · Brightness: 350 nit
- + 12" x 18" x 1"



19" 16:9 Lockable Widescreen with Key

MVP1080P

- · NTSC/PAL
- · 12V 24V DC · Wireless Remote
- · Brightness: 350 nit
- · 14 1/8" x 20 1/4" x 2 1/2"



LCDBFD19WS LCDBFD19WW

Multi-Format 1080i Player with HDMI Output



- SD card and USB storage media slots
- Multimedia format support including MPEG 1, MPEG 2, · MPEG 4, VOM, MKB, AVI, H.264
- Specific video file play option through external switches
- Auto continuous play function

Bus Radio with Video **Entertainment Systems**



- · 4 x 50 Watt Power · Audio Video RCA Output Preset EQ Modes · Microphone Input
- · From Aux Input · USB / SD Inputs

AM / FM / CD / DVD

· IR Remote Control



DINBUS300

Customize your own Camera Monitoring System Choose a Camera and a Monitor to create a Kit that works for you.

LICENSE PLATE CAMERAS







Camera









- 120° View · Waterproof
- Reverse Image



Parking Lines On / Off

- Metal License Plate CMOS
 - · Waterproof
 - 120° View
 - 420 TV Lines



RVC400NR (Standard)

RVC400R (Reverse) RVC100 (B/W)

parking assist lines !



3.6mm Standard - 2.96mm Mirror









- Lense 2.96mm
- 120°View
- Mirror Image
- 380 TV Lines
- Waterpoof
- 3^{3/8}" X 1/6"





- IR Flush Mount Camera CMOS
- · Color Image
- Mirror Image
- 120° View
- Waterproof
- IR Illumination



RVC1200IRN (Standard) RVC1200IR (Reverse)

- Flush Mount Camera CCD
- Mirror Image
- 120° View
- Lens 2.96mm
- · Waterproof
- IR Senders . Hole Size 11/10" X 2" Deep
- Image Sensor 380 TV Lines
- . Goes to B/W when Low Light

True CANBUS Camera with Intelligent Parking Lines!

No need to get backup wire... Unit detects transmission position and gives trigger out to turn on monitor ! All from OBD2 Sensor !





RVCOBD-T1150

Backup lines follow steering wheel position like OEM !!

















optix

REAR VIEW CAMERAS

RVC1500

Mini Surface Mount Camera

with incredible low light performance

- VDC12, 60mA
- · Resolution : >316,000 pixels
- 0.6LUX / F1.5
- Temp: -20°C to 70°C

Four way wire guide or wires disappears straight through behind the camera. I



-

NEW

RVC1000

- · Mini Super Wide CCD Lens
- Color
- 150° Viewing
- 380 TV Lines
- · Waterproof

RVC500SE

· IR night vision

• 380 TV Lines

0.5 Lux

Standard or Mirror Image

5 - 15V

RVC1150 RVC1150T

- TV Lines : 420
- Viewing Angle: 170°
- IP67 Waterproof
- Sensitivity: 0.2 lux
 Current: 300mA
- · Voltage : 12VDC
- Operating Temp: -20°C ~ 60°C



RVC910W

- · Stick Mount Super Wide Viewing
- · Mirror Image on/off
- · Parking Line on/off
- 160° Viewing
- · 380 TV Lines
- WaterProof
- 0.5 Lux







RVC180FM RVC180SM

RVCSTAR

Mini Moonlight Camera

with incredible low light performance

• 0.006 lux

RVC1300L

- option wire to turn on IR illuminators if needed
- objects can be seen under moonlight

(W) 1.9" x (H) 2.1" x (D) 1.8"

Surface / Flush Mount Camera

· Resolution : 380TV lines

· Dimensions : 22mm x 26mm

7/8" x 1"

· Waterproof: IP67

Power : DC 9 - 16 V

with included interchangeable mounts



Surface Moun

- Mini

· Flexible Rubber Housed Camera

· Commerical Grade metal housing

150 Degree Viewing angle

- Resolution : 420TV lines
- · Waterproof: IP67
- · Power : DC 12V

RVCLRM

- 0.2 Luv / F1.8
- -20°C ~ 60°C



Programmable

Front or Rear 180° Camera

- · Specs
- · 180 degree horizontal view
- •.5 Lux
- 5 to 15vdc
- · IP68



RVC1150K

RVC1150RK

SVC600

Mini Drilless Side View Camera



- Mini Drilless!
- Side View Camera Set
- Dual low light side view cameras are designed to install without any drilling!
- Can be installed on side fenders or under side view mirrors!

SVC200SW

- Left / Right Cameras
- Switcher Only for Cameras

Side View Camera with Side Marker



Camera and Side Marker lights

Left / Right Cameras with time delay relay kit Flush Mounting Cameras

TV Lines: 420

Viewing Angle: 170°

IP67 Waterproof
 Sensitivity: 0.2 lux
 Current: 300mA

Voltage: 12VDC
 Operating Temp: -20°C ~ 60°C



Left / Right Cameras

SVC950

 Side Mount or Under Bumper Camera

- Standard Wide Viewing
 120° View
- 380 TV Lines
- Waterproof
- 112" X 112" X 214"
- Mirror Image



LCDRV700CCDS

- · Side Mount IR Camera
- 1/3" Sharp CCD
- 102° View
- 420 TV LinesWaterproof



2 3/8" (H) x 4 1/4" (W) x 4 3/8" (L)



All Cameras can come with Rear View Mirror as a Kit (Please contact us for more information)

TRUCK / VAN OEM BACK UP CAMERA



Chevrolet, GMC, Silverado, Sierra, Colorado (2014 - 2016)







Chevrolet, GMC, Silverado, Sierra, Colorado (Chrome 2014 - 2016)







- Chevrolet Silverado (2013 or older)







RVCF150 - Ford F150 (2014 or older)





Ford F150 (New 2015 - 2016) with Tailgate Key Lock







- Toyota Tundra







Toyota Tacoma











OE VEHICLE SPECIFIC CAMERA / ACCESSORIES

RVCCRV12 RVCCIVIC12

For CRV For Civic

Vehicle specific mount Mirror Image 160 degree viewing angle 380 TV lines Waterproof .5 LUX



2012 Honda Backup Camera

RVCTOY4

2015-2016 Scion FRS/IM/TC 2014-2016 Toyota 4 Runner 2015-2016 Toyota Avalon

2014-2016 Toyota Corolla 2014-2016 Toyota Highlander 2016 Toyota Prius C 2015-2016 Toyota RV4 2014-2016 Toyota Sequoia

2015-2016 Toyota Sienna 2014-2016 Toyota Tacoma

2014-2016 Toyota Tundra 2015-2016 Toyota Venza

Toyota 24PIN Cable







VAN OEM BACK UP CAMERA







RVCNV200 - Nissan NV200 (2013 - 2019)














RVCEXP - Chevy Express, GM Savana Vans (2012 - 2019)


















MULTIPURPOSE CAMERAS

RVC-3D

Skyview 3D Back-Up Camera System

- 4 Camera System
- 360 Degree 3D Viewing
- · Eight different view points
- Easy 20 minute calibration · Surface mount front / back
- 180 degree cameras
- Flush mount under side view mirror 180 degree cameras







Programmable Mirror / Standard Image Adjustmen Programmable Parking Lines and Top Down / Bottom Up ADJ

RVC1150 - Rear RVC1150T* - Top / Rear RVC1150L - Left RVC1150R - Right

OEM Look! Flush Mounting Cameras



- TV Lines : 420
- Viewing Angle : 170°
 IP67 Waterproof
- · Sensitivity: 0.2 lux
- · Current: 300mA Voltage: 12VDC
- Operating Temp : -20°C ~ 60°C



RVC1150T Only



BUF200BMW BUF200HON **BUF200TOY**

BMW Honda Toyota

OBDII Plug in Front Obsticle Sensor with Auto On below 10 miles/hour

Great for dealer work

Plugs right into OBDII

No need for any wiring !!!



Plug in Front sensor !!

- . No Wiring !
- · Dual Sensors
- · Audio only or with Display
- · Turns on when car is traveling below 10 mph
- "T" Harness to plug into OBDII

World's Smallest Waterproof Camera with surface & flush mount adaptor!

- 165" View
- 0.5 Lux
- 5 0 13 VDC @ 80ma
- · 380 TV Lines
- Size 12 X 18mm · Flush Mount Hole - 18mm





RVC1300 - 165° RVC1300N - 165° Non-Mirror RVC1307 - 70° RVC1307N - 70° Non-Mirror







Mini Camera with Surface Flush Adapter

HEADS UP DISPLAY

NEVER TAKE YOUR EYES OFF THE ROAD

HUD Displays vehicle speed, RPM, water temperature battery voltage, low voltage alarm, high temperature alarm and even has a speed alarm. Auto powers on and off.

HUD300

- 3" Display ODB2





HUD300GPS



18.8 888



HUD500BT

android



HUD200GPS

High bright florecent display Does not require glass reflector ! Voltage, Speed, Compass







HUD550GPS

5.5" Display with GPS 12 VDC (no ODB2) Voltage, Speed, Altitude





OBD2 T Harness -

OBD2T





DVR CAMERAS



- DVR 720P / 1080P
- Video out to LCD.
- Auto Recycle Record



- · Rear Camera 720P WiFi Download
 - to 600 Feet Video out to LCD

DVR200GSM Two Camera DVR System with GPS + 3G GSM Internet Monitoring NEW GSM Dual Camera 1080P front ,VGA rear Live 2way talk with built in speaker ,Mic.

- Live streaming video
- Live GPS tracking through 3G GSM
- APP to monitor and communicate with DVR.
- Fleet Management software available





- · Records Video to SD Card
- · Alarm In/Out
- . Records only when in motion

VIDEO

DVRUSB20 Android USB Camera



- USB Camera for Androids
- . Full function controls on android app

LCDP9QUADDVR

Quad 9" Monitor + DVR with built in speakers



- QUAD with 4 Video / Audio inputs
- + Built in speaker
- Image control up / down, left / right
- · 4 Input triggers + IR remote

Waterproof! Removable Mini DVR for open air vehicles



Waterproof! Great for Jeeps, motorcycles, golf carts etc.



- 2 wire installation
- · Records when power is on

DVRCVP720P


 Auto loop recording · Removable theft prevention design

Vandal Proof AHD

Metal Dome Cameras

12 vdc power





DVRC720PSL AHD Cameras for DVR



- · Aviation Connector
- Size 94 x 69mm

DVRC720PBUR DVRC720PBUS





- Size 94 x 69mm



DVRC720PB



- 720P AHD Camera with 20M range IR Illuminato
- Aviation Connector
- Size 94 x 69mm

DVRC720PW



- 720P AHD Camera with 20M range IR illuminators
- Aviation Connector
- Size 94 x 69mm



- Vandal Proof, 2.8mm Lens · Metal Dome Camera
 - + 720P AHD Camera
 - with IR Illuminators
 - Size 94 x 69mm

RVC1500IRA

Front Windshield Car Interior IR NTSC Camera with Audio output



- 1/3" High Sensitivity CCD
- 420TV Lines
- 3.6mm Lens, 6 IR LED
- Audio output

DC 12V

VIDEO

DVRWP



- Dual SD
- Dual SD + GPS
- Hard drive
- Hard drive + GPS



- . H.264 Video Compression, 4 CH 720P
- . High Quality real time recording, 720P
- + Quality Adjustable
- + 10 36V Wide Voltage, Dual SD Card Storage : 128 GB X 2 or Hard Drive
- Aviation Connector Plugs
- Key Lockable SD Storage
- Records AHD and Standard Video Cameras



HD DVR GPS Dual SD or Hard drive







RVC1500TAXI

Dual AHD Camera Front Windshield Mount designed for Taxi / Bus





- AHD 720P 2.1mm Front Facing Camera
- 2.5mm Rear Facing Camera 30(L) × 25(W) × 30(H)mm
- 10 pcs IR Illuminators





Step 2 : Choose a Monitor

RVM102N

10.2" Widescreen Lcd Monitor Split Screen Video



- 10.2" Ultra Wide LCD Screen
- · 2 Video Input Switcher
- Easy Mounting
- Split Screen Video

RVMP5W

5" Glass Mount LCD Great for Vans/Trucks with no Rear windows



- · High Brightness Widescreen LCD
- High Resolution 800x480
- · Two Video input
- Standard glass mount
- · Compatible with other car specific glass mounts

Clip Mount - RVM700C

7" Widescreen Rear View Monitor





LCDP9QUADDVRK7

- 7" Clip on TFT-LCD Color LCD
- · Display Ratio 16:9
- Resolution 800 x 480
- · 2 Video Input
- Touch Button Controls
- 12 VDC
- Reverse Auto Switching Function
- · Remote Included

LCDP5VGA3V

5" Wide LCD Monitor with VGA Input 3 Video in w/ individual trigger wires



Great for Left, Right and Backup 3 camera installations !

- · 3 Video in with individual trigger wires
- · VGA computer input
- · Front A/V input
- · Built in speakers
- IR Remote Control
- · High resolution 800x480 digital Panel
- · Removable sun screen shade

LCDP7RV LCDP10RV

- 7" with 2 Video Input - 10" with 4 Video Input + Speaker

7" and 10" Back Up & Side View LCD Monitor with two or four Video Inputs



QUAD 7" and 10" Back Up & Side View LCD Monitor







Quad 7" with 4 Input Quad 10" with 4 Input + Speaker LCDP10QUAD

Quad 9" Monitor + DVR

with built in speakers







- · 9' widescreen digital LCD panel
- · QUAD with 4 Video / Audio inputs
- · Built in speaker
- . Image control up / down, left / right
- Voltage 12-24 VDC
- · 4 Input triggers + IR remote
- · DVR NTSC/PAL, 30 frames/sec

LCDP43LW - 4.3" Wide LCD Display



- 5" Wide LCD Display





- 4.3" LCD Display Standalone
- · NTSC/PAL
- · Display 16:9
- Resolution: 1440 X 234



- 5" LCD Display Standalone
- NTSC/PAL
- · Display 16:9
- Resolution: 1440 X 234



- 7" LCD Display Standalone
- · NTSC/PAL
- . Display 16:9



RVM430TBTG RVM430TG

RVM430N RVM430NBT

RVM430T

REAR VIEW MONITOR / MOUNTS

RVMDVR360IR

360 Degree DVR Mirror With IPS LCD Screen

- Full 360 Degree Surround DVR
- . OEM spec. and look mirror
- . IPS 4.5" wide VGA LCD screen
- Touchscreen controls
- · Parked recording function

Second external camera included



Six Different Viewing Modes



Full 360° Surround DVR



Glass Mount, Temp, Bluetooth Glass Mount, Temp Clip On 4.3" Widescreen Rear View Mirror Clip On, Bluetooth Clip On, Temp

- 4.3" Widescreen
- · Slim Clip on Rear View Monitor
- · Outside Temperature Meter
- 2 Video Inputs
- · Front Button Controls
- · Built in Bluetooth with Rear Speaker
- · External Microphone
- Called ID Shown on LCD Screen!





RVM430CH - bluetooth & map light

OE Style Mirror with Built In 4.3" LCD





RVM430MMD

Manual Dimming RVM430MAD **Auto Dimming**









OnStar

Manual Dimming OE Style Mirror With Built In 4.3" LCD

Glass Mount





RVM703

RVM430MMDOS

7" Widescreen Rear View Mirror

3 Video In for rear and side cameras







RVM430BTM1

Series, Buick Series, Lexus Series, Toyota Series, Partial Kia /Hyundai / Honda / Mazda / Nissan /Mitsubishi / Chevrolet Models, Etc.



RVM430BTM5

Nissan Tilda 2009, Teana 2009, Sylphy 2009 Honda CR-V, etc. Suzuki SX4 Hatchback



Nissan Tilda 2009, Teana 2009 ; Sylphy 2009 ; Honda CR-V, etc. Suzuki SX4 Hatchback



RVM430BTM2

londa Series: Accord, Civic, City, Fit, Odyssey, etc. Subaru Series: Mitsubishi Galant, etc.



RVM430BTM6



RVM430BTM10

Mitsubishi series : before 2010



RVM430BTM3

.W. Series: Beatle, Bora, Magotan, Passat, Polo, Sagitar, etc. Skodo Fabia, Octavia, etc. AudiA4L, etc.



RVM430BTM7

Hyundai Series : Accent, Elantra, Sonata, Tucson, etc. Kia series : Before 2010



RVM430BTM71

Mercedes Sprinter, Partial Renault, Citoen, Peugeot models



RVM430BTM4

uick Excelle; Chevrolet Lova, Aveo, etc.



RVM430BTM8



BTMNV200

Nissan NV200



COMPLETE CAMERA KITS / DVRS / QUAD SPLITTERS

LCDRV700K

Highest Quality 600TVL CCD Truck/Van/RV 3 Camera System

Auto Switching Dual Side and Back Camera System with 7" LCD Monitor.

Kit includes:

- . 2 (30 ft) and 1 (60 ft) Waterproof cables
- · All 1/3" CCD Cameras have built in IR Illuminators and microphones.







LCDRV700CCDR

LCDRV700

LCDRV700CCDR LCDRV700CCDR2 LCDRV700CCDR3

High Quality 1/3 inch CCD Built in Mic and IR LEDs



LCDRV700CCDS





LCDRV700

Hitch Cable

LCD monito 4 Video and Mic In 4 trigger wires Built in Speaker



LCDRV700CABLE15 (15 FT, Cable) LCDRV700CBL20 (20 FT, Cable) LCDRV700CBL30 (30 FT. Cable) LCDRV700CBL50 (50 FT. Cable) LCDRV700CABLEL60 (60 FT, Cable)



LCDRVHITCH100 LCDRVHITCH200

 1 Camera Connection 2 Camera Connection

Quad Cable Male -Quad Cable Female - LCDQUADS4WF

Camera Din to RCA Adaptors







Wireless Camera Kit

Digital wireless camera with built in mic 7" LCD Monitor with 4 video in Built in speaker 4 Trigger Wires For Front, Rear or Side Cameras



Wireless Dual Camera Kit

Dual Digital wireless camera with built in mic Selectable wireless camera one or two 7" LCD Monitor with 4 video in Built in speaker Built in Quad

4 Trigger Wires For Front, Rear or Side Cameras



Can display 1 wireless camera at one time



LCDRV700WLKD

100% Digital Wireless! Camera And Monitor Kit

- + Wireless 7" LCD Camera
- IR Illuminators
- · Microphone Built In
- Mounting Brackets Included





New Mini Moonlight Camera

with incredible low light performance

- · option wire to turn on IR illuminators if needed
- · objects can be seen under moonlight (W) 1.9" x (H) 2.1" x (D) 1.8



RVCWL43K

Digital Wireless 4.3" LCD Camera Set

Digital Transmission gives a very stable perfect picture without any picture noise



Standard RV Camera

- · Black Metal Housing
- 150 Degree Viewing angle
- · IR night vision
- · 380 TV Lines



Video Interface and Switchers

GM Car Video interface

- Works on older 7" oem Icd screens or newer 8" screens with GM IO5/6 My Link Systems (HMI 2.0 /2.5)+ Cadillac
- . All function controlled by factory touchscreen!
- . OSD designed to match factory screen look.
- . 5 camera + HDMI inputs for phone
- Add additional backup carnera and select which carnera to show by touchscreen controls or autoswitching.
- Make front camera turn on whenever car goes below 10 mi/hr by touchscreen control
- 5th camera input can be used to monitor cargo in truck beds.







NEW



Quad Splitter / Switcher

Unit can show up to four cameras all at the time and automatically switch to full screen on any one camera when turning right, left or backing up.





LCDQUAD4SW

Four Camera Auto Switcher With Built In Quad Option

- Four camera switcher with 4 trigger wires
- Left ,Right, Front, Back Camera inputs with individual power source wires
- Built in 3 second time delay for Left /Right flasher triggers
- Auto full screen display when any trigger wire is activated goes back to original display setting when trigger is turned off



Quad splitter with 6 different camera layout displays controlled by trigger wires and mini momentary switch

UHT	RIGHT	Hillias	2444	nes.	recer!
FRONT		mi	nickit		

Quad 4 way switcher - LCDQUADS 4 way switcher - LCDSW

A/B Switcher

- · 2 RCA in, 2 RCA out
- · Solid state switching relay
- · 12 vdc activates relay



AVS200

Video Sensing HDMI Auto Switcher

 Auto switches to last input source

• 3 in 1 out HDMI

• red manual switching

• 12vdc 100ma


• 3.5"(W) x 1"(H) x 1 14/16"(D)



HDMISW

Video Signal Sensing Switcher!

- Composite Video signal detector built in unit
- 2 RCA Video in
- 1 RCA video out
- · Solid state switcher
- 12 vdc power input



AVS210

Video Sensing AV Auto Switcher

- Auto switches to last input source
- 2 in 1 out AV
- red manual switching
- 12vdc 100ma
- 3.5"(W) x 1"(H) x 1 14/16"(D)



AVSV



ACCESSORIES



RS612

- · Electronic Hood Lock
- · Rugged Steel Housing
- 50' Steel Pull Cable



CLT4200

- · Code Learning Transmitters
- · For fixed code Transmitters
- · 2-Button, Mini Transmitters
- · Incorporates Ignition Key





RS610

- · Mechanical Hood Lock
- 5 Foot Length (RS610)
- 7 Foot Length (RS611)



7725MS

Dual Zone Radar Sensor



7038PM

- · 2 Stage Piezo Shock Sensor
- · Internal Adjustment LED's
- · Molex harness design



7037N or 7037J

- · Door Lock Actuators
- · 2 Wire (7037N or 7037J)
- 5 Wire (7041N)
- See Page 34 for rubber door grommet



- · Plug and Play Relay
- · Molex Harness Design
- · Hi-Current Mini Relay



20SMLEDS

- · Valet Switch LED Combo
- · Only Drill One Hole
- · Adhesive backed combo LED



RS639

- · 4 Watt, 3 Channel Pager
- · Works up to Three Cars
- · 3 Zones for Each Car



JW-45CDL

- · Each Solid rod can push and pull up to 30 lb force all within a 1/4" flexible cable
- · Cable Length 15"
- · Rod Length 20"

5912K

· Door Pop Kit

• 5911B-Solenoid Unlatcher

· Spring Door Opener



SK14R

Start kill relay and socket

BRS5083

- · Relay and Socket
- · BRS14E-Wired Socket Only
- · Beuler 40/50 Relay



DPS40

- · 40 lb Door Pop Solenoid Only
- · Remote Electric Power Release
- · Brackets and switch included



Beep



- **BUP100N BUP124**
- 12 Volt
- 24 Volt
- · Backup Light and Beeping Alert Sound
- · Power 12 VDC
- . 104 db beeping on/off piezo tone
- · 9 pc white LED



BUP200 - 12 Volt BUP224 - 24 Volt

· Backup Light and Alert Sound

- · Power 12 VDC
- · 105 db beeping on/off piezo tone
- · Flashing Red LED



- . (i.e. Auto Page, Autovox alarms)

0018P (CR2025) / CR2032

· DEI alarms



12 Volt Transmitter Battery

RS505

BT- DLK

WIRELESS WATERPROOF KEYLESS ENTRY KEYPAD

- · 5 Button Illuminated Stick on Keypad
- · Lock/Unlock Doors, Open Trunk
- AUX Output. Programmable Momentary or Toggle On/Off
- · Perfect for Custom Keyless Entry Access without the need of a Key or Remote, Looks OEM





AUTO LOCK/UNLOCKING

Bluetooth Unit Pairs with your phone to auto lock when you walk away from vehicle and unlock as you approach.

Additional 40amp ignition kill relay built in !





INVISIBLE STARTER KILL SWITCH

The Invisible touch switch senses the electrostatic touch of your finger tip through any dash plastic up to 1/8 inch thick!

Unit will make a piezo confirmation tone that gives you 15 seconds to start the vehicle. Will qualify for insurance company discounts (passive ignition kill)





SK550

NEW!

FINGERPRINT STARTER KILL

Wireless fingerprint reader will send a confirmation RF signal to your new starter kill relay in the hood to let you start your car !

No need to run any wires through firewall or cut any starter wires!

Just replace existing OEM starter relay ! Power the fingerprint reader on the dash with 12vdc!





fingerprint reader with RF Transmitter

Great for preloads at car dealerships !

Different relays available for different model cars !

SKFP10

AS45

NEW FULL FEATURE ALARM SYSTEM with scalable security options (below)

- · Dual Stage Shock
- · 3 Programmable Output
- · Anti HiJack
- · High Security Override
- · 1-Way Remote Included
- · Flashing Horn Output





Shock Sensor



Master Brain



Long Range Receiver

ALARM OPTIONS

1 Way Remote



- 4 Button Remote
- 1 way remote

TRS45X - 1 Way 4 Button Remote

2 Way Remote



- 5 Button Remote
- · 2 way confirmation
- · Status Icon
- · Long Range Operation

TRS4500X - 2 Way Remote Only

Wireless Keypad Remote



- · Stick onto Car Door
- · No need for Drilling or Running Wires
- · Lock/Unlock Doors
- Open Trunk
- AUX Output Programmable Momentary or Toggle On/Off
- 5 Button Illuminated Keypad
- · Battery Operated

TRS450KPX - Keypad Only

High Power Mini Siren



- + Size 2.5" x 2"
- 120db

9604S - 120db Siren

Seat Heaters

- · Single Lumbar or Seat Bottom
- · Heating Element & Illuminated Switch
- · Can be Installed in Less than 15 minutes
- · Quality Units
- · No Competition
- · Big Profits



SH200CFR

Trimmable Carbon Fiber Heating Element.

2 Pad System with

High/Low Temperature Control.

Custom Switches and PWM

(Pulse Width Modulation) switch + controller







Toyota / Nissan Seat Heaters!

Pressure Sensing and Car Specific



2. SH200N







NEW!

SH200CFR3

PWM Single Seat Controller PWM Dual Seat Controller SH200CF22

Auto On / Off with seat pressure sensor

1. SH200SENSOR





New All in One! Seat Heating and Cooling!

Easy Installation. Comes with Heating/Cooling Switch

Cooling for the Summer!

SHC200





Toyota 3. SH200TN

Brake Lights Flasher

- · Wide voltage range 6V ~ 30V
- · Brake lights blink when footbrake is pressed, and then stays on until the footbrake is released
- · Universal for all vehicles
- · No interference with other electronic systems
- · Water resistant design
- · Easy Installation

"When Braking 3rd Brake Light will Flast 4 times"



Regular Taillights when Braking



With Brake Safety Installed

Voltage: 6V~30V Power (Max): 100W Load: 1W - 100W Temperature: -40°C ~+80°C

BUB100

Seat Massager

Kit comes with 6 seat massagers units, brain, and an adjustable hi-low switch. Sit back and enjoy your relaxing drive

home after a long days work.





SM600

Add Audio Chime To Any Car Turn Signal Indicator

Chime sound reminds driver that the blinkers are still on !

Similar to Cadillac Chime!

Specs

- Voltage 9-16 VDC
- · Solenoid activated metal chime built in
- · Three wire installation:
- · Ground, Left and Right turn signals
- Dimensions: 1.5" x 1.5" x 1"





Wireless Charging Pad

This is a smart Qi Wireless charging pad with silicone non-slip rubber. Supports 10W quick charging. Its designed for cars, sofa, desktop etc.

- Input: USB 5V/2A, 9V/1.67A
- Output: 5V/1A, 9V/1,1A
- · Coil : Three Coil
- Dimensions: 7.1" x 4" x .6"





Fast Charge

Three Coil

WCP

BUC100



- 2 side sensors
- · 2 dash or mirror mount LEDs
- · Main control box
- · Continuously indicating obstacles
- · Piezo warning sounds after turn
- · Signal activated (if there is an obstacle)
- · Dash LED Display (optional with BSS200D Model)





Dash LED Distance Display

LED Indicator

Activated

Angle Adapters Available BSS200ANG

2 Sensor - BSS200 2 Sensor + Display - BSS200D 4 Sensor - BSS200-4

Motorized License Plate Flipper

License plate flipper is a rotating plate, If you have 2 plates you don't have to change them with a screwdriver. Press the button and plates will be changed.

Installation doesn't require cutting the bumper or the body of the car.

Great for Tailgating parties. Put your favorite sport teams





MLP30



Backup Sensor with or without display

- · OEM sensors 49 khz
- · Piezo sound indicator
- Optional LED Display
 No main control box

New Technology Sensors Each sensor decodes distance

no main control box !



New Technology, Low Cost! Microwave Blind Spot Sensor

Easy stick on installs right onto the inside of bumpers!


Mounting tabs are bendable so they can fit perfectly even on worst curved corner of bumpers.

Evil 100% blind spat coverage where license plate.

Full 100% blind spot coverage where license plate units can only cover 80%.







BSS500

Back-Up Sensor System

BU500

Back-Up Sensor with Mini OE Display



BU560



Piezo Mini Size (4.5" x .5")

-



Standard 4 Sensor System - "OE Grade"

BU500 - Black 4 Sensors BU500S - Silver 4 Sensors BU500W - White 4 Sensors

BU500L - Black 4 Sensors with 50% Longer Cables BU600 - Black 6 Sensor (2 Front + 4 Rear)

BU500-8 - Black 8 Sensor (4 Front + 4 Rear)



ick





Skyview 3D Back-Up Camera System

- 4 Camera System
- · 360 Degree 3D Viewing
- Eight different view points
- Easy 20 minute calibration
- Surface mount front / back
 180 degree cameras
- Flush mount under side view mirror 180 degree cameras











LED, LIGHTS AND STROBES

LED PROJECTOR LIGHTS

Snaps into original door light holes! LED projector built right into the door light housing. Great for Car Dealer Preloads !!



Part#	Model
DLED-V1	VW Golf/Touareg/Passat/Phaeto
DLED-I	INFINITI G/M/Q/FX/JX/QX
DLED-L1	LR3/Range Rover/Range Rover Sport
DLED-CL	Buick (ELR/CTS/STS/XLR/SRX/Escalade/DTS
DLED-BK2	LaCROSSE/Rainier/Terraza/Lucerne
DI ED-SR4	Subaru Impraza/Lagacu/Outhack/Egraeter

WATERPROOF 3 WATT LED LIGHTS

Customize your life with these waterproof led lights. Can be easily installed anywhere you like. Available in 6 colors.

Power(W) 3 Watt ! Current(MA) 250 Voltage(V) DC10-15 Function : DRL, Step, Po Interior Lights

23mm*34mm*10mm

Part#	Color	Part#	Color
LL3W	White	LL3WG	Green
LL3WB	Blue	LL3WR	Red
LL3WA	Amber	LL3WP	Pink
		LL3WPR	Purole

WIRELESS CAR DOOR LOGO PROJECTOR

Wireless Logo Projector



Battery Operated ! No Wires , No drilling !

- + 3 x AAA batteries
- . Auto turns on when door is opened
- · Great for Dealer work!

Part#	Type
DLED300	LED Car Door Logo Projector

COMPACT LED STROBE LIGHT



- WaterProof
- · Compact Size
- · Easy Mount
- · Programmable Strobe Pattern
- Super Bright LED

A Great, Energy Efficient Strobe Alert Solution

Part#	Color
FL3A	Amber
FL3B	Blue
FL3R	Red
FL3W	White

3 LED LIGHT BAR



PartN	Color
FL3MA	Amber
FL3MB	Blue
FL3MR	Red
FL3MW	White

5 LED LIGHT BAR



	Part#	Color
	FL6A	Amber
	FL6B	Blue
٧	FL6R	Red
1	FL6W	White
•	FL6BR	Blue + Red

CUSTOM DOME / MAP LIGHT



Custom dome lights with on/ off switch



SINGLE OVER HEAD MAP LIGHT

Single over head map light (swivels +/- 30 degrees)

3 POSITION DOME / MAP LIGHT



3 Position dome light switch on/off

DUAL SOUARE MAP LIGHT



Dual over head map light (swivels +/- 30 degrees)

Part# OHL2

DUAL OVAL MAP LIGHT



Dual oval over head map light (swivels +/- 30 degrees)

Part# OHL200

WHITE INCANDESCENT LIGHT



Incandescent light bulb with on/off push control (on notched part of clear lens)

Part#

WORKS

CUSTOM INTERIOR LED

FLEXIBLE LED LIGHT STRIP KIT



The perfect accent for any vehicle, home or custom application. These 12" Dual strip programmable lighting offer an easy 2-wire install and add a versatile and custom approach to interior lighting. Easily adjust the color, brightness and pattern of the light with a stroke of the remote control. Easy to install. Wireless Remote Control. Dimmable, fade or flash.

(Extendable up to 15 ft x 2) Using optional Add On LED Strips









Infrared Transmitter LW200IR



LW200RF



Smart Phone Controlled LW200SP



Home Unit with AC Adaptor LW200RFAC



LED LIGHT STRIP ACCESSORIES



Add On LED Strips

LED 3ft Light Strips

LED 15ft Light Strips LW215

LED LIGHT REMOTE TRANSMITTERS

Extra Transmitter Remotes



RF Remote/Receiver RGB+W LW200-RFK-RGBW



IR Remote LW200-TXIR

LW200-IRTXRX



RF Remote LW200-TXRE



art Phone

Not Included

Bulk LED Add on Strip Extension

Partit LWS3528-W-WPC LWS5050-W

(White) LED 3528 16.4 ft., Waterproof Cover (White) LED 5050 16.4 ft.

LWS5050-RGB-WP LWS5050-RGB

(Color RGB) LED 5050 16.4 ft., Waterproof Cover (Color RGB) LED 5050 16.4 ft.

LWS5050-RGBW

New 4 Color RGB + White ! LED 16.4 ft., Waterproof

Mini RF Remote/Receiver White

LW200-RFTXRXW

Flexible 12 Inch LED Light Strip

- · Functional Countertop Display · Wireless Remote Control
- . Dimmable, fade or flash
- · 16 Colors including White
- . Includes two 12" LED Strips
- . Extendable up to 15 ft X 2
- AC Adaptor Included



Extra IR Transmitter and Receiver Kit



Part# LW200-EXT0 Extension Cable 1 LW200-EXT1 Extension Cable 1 ft LW200-EXT3 Extension Cable 3 ft LW200-EXT15 Extension Cable 15 ft LW200-YMMF LW200 "Y" Cable Dbl Male To Female

LED LIGHT EXTENSION CORDS



LW200-EXTTAP0 Extension Plug to Tap 1' LW200-EXTTAP1 Extension Plug to Tap 1 ft LW200-EXTTAP3 Extension Plug to Tap 3 ft LW200-EXTTAP15 Extension Plug to Tap 15 ft LW200-YTTT LW200 "Y" Dbl Tap To Tap



LED Light Tracks 3 ft Long LWS-T10



LED Light Tracks 3 ft Long LWS-T30

LED 1ft Light Strip (Not Packaged) LW201

LITT WORKS

LED , LIGHTS AND STROBES

LED DRL KIT DAYTIME RUNNING LIGHTS

Install Flush into any grill or actual bumper itself. Custom mount in a straight line or follow curves of bumper. Install in locations where no other DRL can fit!



Removable Front Housing for custom paint jobs



Part#	Wattage Per Light	Type
DRL1000	1/2 Watt	10 LED Lights
DRL2000	1 Watt	10 LED Lights

LED LIGHT STRIPS



Number of LED Lamps: 10

Drilling-hole diameter: 1.95cm Temperture: -40°C ~ 80°C Input Voltage: 9 - 32°VDC Engine running sensor built in Positioning Stickers Included

Lighttime: 50,000 Hours

and and address of the last of		
Part#	Color	Size
SMLED9G	Green	9"
SMLED9R	Red	9"
SMLED9W	White	9"
SMLED15G	Green	15"
SMI ED15R	Red	15"

ROUND LED LIGHTS

Four White LED Lights 12 - 25 VDC

Parté	Color
LL1	Whit
LL6	Black

WATER

WATERPROOF LED LIGHTS

Four White LED Lights 100% waterproof 12 - 24 VDC (Shown with black waterproof rubber gasket)

Partil	Color
LL3	White
11.5	Amber



CIRCLE LED FLOOD LIGHTS

White LED flood light 27 watt, 12vdc operation



27 WATT!
ess then 50 cents per wait!

Part#



QUALITY WATERPROOF LED FLOOD LIGHTS

4 Watt LED waterproof flood lights







LIGHT

NEW !

Surface Mount 4.3 Watt LED Dome Light. 12 - 24 VDC. 5200L - 5700K. 250 Lux at 50cm.

Part#



SCROLLING LED MESSAGE CENTER

- · Easy installation, easy-to-use
- Program your own text fast & simple
 Easy-to-use, remote control with smart
- Powered from 12V/24V lighter outlet w/ 12 ft.cord (AC Adaptor Also available, part #SLM-PS2)

Part# SLM100



NON FLASHING LED

Red LED non Flashing

Part#



LEDS TO COMPLETE THE CUSTOM INSTALL

Flat lens snap-in LEDs with recessed bezels give the custom look of rear-mounting at a fraction of the labor cost. "Trick" finish high end install.

Part#



MINI DASH SWITCH WITH BUILT-IN LED

Part#	Color	Type
6406	SPST	On/Off

Built-in Resistor



MINI, STANDARD AND JUMBO LEDS

Three different sizes of LED's available in flashing & non-flashing types, standard, low or high intensity super bright. Now non-flashing available prewired with 6 ft. leads without resistors for direct hookup to alarm LED output. The standard & Jumbo LED's come prewired with 6 ft. of wire. No more wasting expensive labor on connectors to extend LED wires.





6001HG	Mini	No	Green
6001HR	Mini	No	Red
6001HY	Mini	No	Yellow
6001LG	Mini	Yes	Green
6001LR	Mini	Yes	Red
6001RED	Mini	No	Red
6001YEL	Mini	No	Yellow
509R	Std	No	Red
5095R	Std	Yes	Red
5095NL	Std	No	Red
5095NLB	Std	No	Blue
5095NH	Std	No	Red
509NL	Jumbo	No	Red
509NH	Jumbo	No	Red



LED BRACKET

No more drilling holes in new cars. Simply mount the LED in our handy LED UNDER DASH HOLDER.

Part# 5095B



SOLAR LIGHTING SYSTEM

20 Watt Solar Panels (Tempered Glass Encapsulated) Mono Crystaline Silicon 25 Year life Panels 12 vdc power system 9 - 12 Amp Hour Battery (sealed maintenance-free lead-acid battery) Output: 2 x 12V outlets

artw	Type
OL20WK	20 Wat

LITT WORKS

EXTERIOR LIGHTS

LED Light Bars with High Power 10 Watt Cree LEDs !

9" LED Light Bar LED Power: 40W Waterproof rate: IP 67 Material: Aluminum

Part # LWB40W9



13" LED Light Bar LED Power: 60W Waterproof rate: IP 67 Material: Aluminum

Part # LWB60W13



18" LED Light Bar LED Power: 80W Waterproof rate: IP 67 Material: Aluminum

Part # LWB80W17



Part # LWB120W24



50" LED Light Bar LED Power: 240W Waterproof rate: IP 67 Material: Aluminum

Part # LWB240W50

Latest Single Row 10W CREE LED Bar Lights

5" CREE LED Light Bar LED Power: 20W Waterproof rate: IP 67 Material: Black Aluminum Part # LWB20W5

3.





47" CREE LED Light Bar LED Power: 260W Waterproof rate: IP 67 Material: Black Aluminum Part # LWB260W47



Waterproof Switch with Relay & Harness Part #LWB-RELAYK



Dash Mount Lightbar Switch Part #LWB-SWITCH

Highest Quality Commercial Version Remote & Manual Switch Control

Fully Motorized up/down, left/right keychain remote controlled

Easy Magnetic mount or permanent screw mount with included stainless steel screws Housing has UV and Saltwater protection.

Available in Black or White





Part# MSL100LED MSL100LEDW Color Black White

MOTORIZED REMOTE CONTROL SPOTIGHTS



HIGH POWERED DAYTIME RUNNING LIGHTS

Customize Mounting, can be mounted anywhere you want

Power(W) 10 Watt X 2 (pair) Current(MA) 300 Voltage(V) DC10-15 Function : DRL or Interior Lights

Size D: 60MM H: 27MM





RF CONNECTORS AND ADAPTORS

3.5MM STEREO JACK



Part# PS20435MM



FEMALE POWER PLUG



Part# PS204RCAF1



MALE RCA



Part# PS204RCAM



MALE POWER JACK



Part# PS204SS



MINI MALE POWER JACK



Part# PS204PM



POWER JACK



Part# PS204PF9



THC MALE



 Gold tip for RG-58 or Proflex

 Part#
 Type

 CN-4
 Solder

 CN-25
 Quick On

 CN-26
 Quick Adaptor

TNC FEMALE



Crimp. Ideal for extension
Part#
CN-3

TNC DOUBLE FEMALE



Splice. Part# CN-7

TNC MALE RIGHT ANGLE ADAPTER



Splice.
Part#
CN-6

THE MALE RIGHT ANGLE



Splice. Part# CN-5

TNC MALE TO DOUBLE FEMALE



Part#

"F" CONNECTOR



Part# CN-40

THE MALE TO BING FEMALE ADAPTER



Part# CN-17

MINI-UHF MALE - For Motorola



| Gold tip for RG-58 of Proflex | Part# Type | CN-10 Crimp | CN-31 Proflex Crimp | CN-32 Quick On | CN-32 | CN

MINI-UHF FEMALE



Ideal for extension

Part#
CN-11

MINI-UHF FEMALE SPLICE



Female - Female Part# CN-12

SMA EXTENSIONS - For Motorola Bag Phone



Female - Female Part# CN-30

FEMALE CRIMP



For RG-58 - RG-141 cable Part# CN-54

FME JACK ADAPTOR TO MINI TNC



Part# CN-58

MINI UHF RIGHT ANGLE ADAPTER



Partit CN-13

MINI UHF MALE TO THE FEMALE



Part# CN-14

MINI UHF FEMALE TO THC MALE



Part# CN-15

MINI UHF MALE TO THE FEMALE



Part# CN-16

SMA FEMALE TO THE FEMALE



Part# CN-24

NEC P-300 TO TNC FEMALE



Add an external antenna to any P-300

Type
Black

TECHNOPHONE TO THE FEMALE



Add an external antenna to any P-300

Part# CN-33

UHF MALE



For 2-ways and CBs

Part#	Type
CN-34	Solde

UHF SPLICE



Female-Female for splicing

Part# CN-36

SMA MALE TO THC FEMALE



Part# CN-22

SMA MALE TO MINI UHF FEMALE



Partil CN-23



SCREWS, WASHERS AND NUTS

SHAFT BOOTS



Qty's of 100

Part# 6022

QUALITY CAMOUFLAGE SCREW CAPS



Qtv's of 500, 1000 & 5000

Fits most #8 screws. gives a professional look to normally exposed screws. (ex cellular mount screws)

Part#	Color
8100BLK	Black
8100BRN	Brown
8100GRY	Gray
8100TAN	Tan

INTERNAL/EXTERNAL LOCKWASHER #10



Qty's of 100

Part# 7447

EXTERNAL LOCKWASHER #8



Qty's of 100

Part# 7446

SHAFT BACK STRAP

18" back strap. Multi-purpose heavy gauge metal.



Part#

SPEED CLIPS



Part#	Type
5111	Flat
5112	Short
5113	Long

Qty's of 100

SCREW SPACERS



#8 Screw spacers are designed with the professional installer in mind. The perfect solution for uneven mounting surface. Sold in packs of 20.

#8 Screw Spacers

Part#	Dept
SP18	1/8
SP14	1/4
SP12	1/2
SP34	3/4
SP1	1

Part#	Depth
SS14	1/4"
SS12	1/2"
SS1116	11/16"

PHILLIPS PAN HEAD BLACK OXIDE



ty's	of	500,	1000	&	5000

PHILLIPS WAFER HEAD TEKS BLACK OXIDE



Part#	Size
8220°	8 X 1/2"
8240*	8 X 3/4"
8221	8 X 1"

Size 8 X 1/4"

8 X 1/2"

8 X 3/4"

8 x 1 1/2"

Head 5/16"

8 x 1"

8 x 2"



Qty's of 500, 1000 & 5000

STINGERS-SUPER SHARP FOR METAL PIERCING



Parte	Size
8156	6 x 1"
8151	6 x 1 1/4"
8154	6 x 1 1/2"
8152	6 x 2"

Qty's of 500, 1000 & 5000

Camouflage screw caps



Color
Black
Gray
Gold

Quality Camouflage screw caps

FENDER WASHERS



7558	3/16" x 1 1/8"
7559	3/8" x 1 1/8"

SHAFT NUTS



Size
1/2" Standard

SHAFT WASHERS



I.D. -3/4" O.D. 7/8"

For #8 screws.

Part# 5092

Qty's of 100, 500 & 1000

MINI WASHERS

ā			la r
	ō		١
8	_	а	,
-	_	-	

Qt

	Part#	1.D.
	5093	13/64"
y's of 100, 500 & 1000	5094	1/4"

DOME HOLE PLUGS



Part#	Size
D316	3/16"
D516	5/16"
D380	3/8"
D12	1/2"
D76	3/4"
D77	1"

Qty's of 100, 500 & 1000

WAFER HEAD STINGERS



Black Oxide	
Partit	Size
8153*	8 x 1/2"
8126	8 x 3/4"
8127	8 x 1"

Qty's of 500, 1000 & 5000 * Available in nickel

SO™ SECURITY TEKS



Great for secure mounting of sirens and amps to prevent theft

Part#	Size
8227	8 x 1/2"
8228	8 x 3/4"
8229	Tangent Driver

Qty's of 500, 1000 & 5000

PHILLIPS TRUSS HEAD BLACK OXIDE



Part#	Size
8112	8 X 1/2"
8113	8 X 1"
8115	10 x 1/2"

Qty's of 500, 1000 & 5000

Head 3/4"

PHILLIPS PAN HEAD TEKS BLACK OXIDE



Parts	Size
8118	8 X 1/2"
8119	8 X 3/4"
8120	8 X 1"
8121	8 x 1 1/2"

Qty's of 500, 1000 & 5000

#6 DRYWALL TEKS



Partit	Size
8122	6 x 1 1/4°
8123	6 x 1 5/8"

Qty's of 500, 1000 & 5000

HEX WASHER HEAD BLACK OXIDE

-	
600-0000000000000000000000000000000000	
Chammann.	

Partif	Size
8241	8 x 1/2"
8242	8 x 3/4"
8243	8 x 1"

Size 8 x 1/2"

8 x 3/43

Qty's of 500, 1000 & 5000

HEX WASHER HEAD TEK BLACK OXIDE

6/03	B	inani	-	_
800	00.55	4889	il to	223
1000	277	***		
460				

Qtv's of 500.

*Available in :

O.D. 7/16"

9/16"

8247	8 x 1'
8248	8 x 1/2
8254"	10 1/2"
8255*	10 x 3/4"
8256*	10 x 1"
8257*	10 x 1 1/2"
	8248 8254* 8255* 8256*

Black Oxide

8246

PHILLIPS OVAL HEAD BLACK OXIDE

Size	
8 x 1/2°	
8 x 3/4°	
8 x 1"	
8 x 1 1/2"	
8 x 2"	



Quality 3M Connectors

HEATSHRINK BUTT CONNECTORS

Heatshrink Butt Connectors !

Part#	Gauge	Color
101HS	22-18	Red
102HS	16-14	Blue
103HS	12-10	Yellow

Qty's of 100 per Pack



SOLDER + SHRINK CONNECTORS

Heat gun melts solder and shrinks over wire at the same time

Part#	Gauge	Color
10188	22-18	Red
10255	16-14	Blue
10355	12-10	Yellow



NEW !

MINI BUTT CONNECTORS

Qty's of 100 per Pack

Will work with 26-22 gauge wires ! Qty's of 100 per Pack



-	1
THE RESERVE OF THE PERSON NAMED IN	,
A CONTRACTOR OF THE PARTY OF TH	

Partil	Gauge	Color
1013	22-18	Red
1023	16-14	Blue
1033	12-10	Yellow



3M VINYL BUTT CONNECTORS			
0	Partif	Gauge	Color
	101P	22-18	Red
	102P	16-14	Blue
	103P	12-10	Yellow



3M VINYL RING TONGUE TERMINALS

Part#	Gauge	Size	Part#	Gauge	Size
1163	22-18	#8	2166	22-18	#10
1173	16-14	#8	2167	16-14	#10
1393	12-10	#8	2168	12-10	#10
2164	22-18	#6	2169	16-14	1/4"
2165	16-14	#6	2170	12-10	1/4"
			2171	12-10	3/8"



.156 NYLON BULLETS

Part#	Gauge	Description
1233	22-18	Male
1233A	16-14	Male



3M CRIMP CAPS

Part#	Gauge
1285	22-18
129	12-10



SCOTCH LOKS

Part#	Gauge	Color
9010E	22-18	Red
9020E	16-14	Blue
9040E	12-10	Brown



ALL TERMINAL GUIDES PRINTED ACTUAL SIZE

	.110"		.156"
ш		200	











#8 0









3M .250 FEMALE VINYL QUICK DISCONNECTS



3M FILLY INSULATED .250 FEMALE NYLON QUICK DISCONNECTS



3M .250 VINYL INSULATED MALE DISCONNECTS



3M .250 FULLY INSULATED MALE DISCONNECTS



ECONOMY .250 FULLY INSULATED DICONNECTS

A STATE OF THE PARTY OF THE PAR	Part#	Description
	105L	Male (Blue)
A CONTRACTOR OF THE PARTY OF TH	106L	Female (Red)
A Plant	107L	Female (Blue)

3M .187 VINYL SEMI-INSULATED FEMALE DISCONNECTS



Part#	Description
101A	22-18 GA
1103	16-14 GA

3M VINYL SPADE

	Part#	Description
100	2172	22-18 #8
	2173	16-14 #8
1	2174	12-10 #8
	2175	22-18 #6
The same of the sa	2176	16-14 #6
	2177	12-10 #6

T-TAPS

	Made in USA		
	Part#	Gauge	Color
The same	4181	22-18	Red

HIGH GRADE DUAL T-TAPS

THE REAL PROPERTY.	Dual tapping	prongs for better contact. N	lade in USA
	Partif	Gauge	Color
-	4180	16-14	Blue
1	4181	22-18	Red
	4182	12-10	Yellow

ECONOMY T-TAPS



fade in China		
Gauge	Color	
16-14	Blue	
22-18	Red	
12-10	Yellow	
	16-14 22-18	



Connections And Terminals



ECONOMY NYLON CRIMP CAPS

ECONOMY (Made in China)

\$8.º5

Gauge	Color
18-22	White
16-14	White
10-12	White
	18-22 16-14

250 Male

.250 Male

\$14.90

ECONOMY NYLON BUTT CONNECTORS

QUALITY BUTT CONNECTORS (SEE-THRU)

Gauge

22-18

16-14

12-10

HIGHEST QUALITY (Made in Japan)

Gauge

22-18

16-14

12-10

SEAMLESS FUNNEL ENTRY NYLON BUTT CONNECTORS

ECONOMY (Made in China)

Gauge	Part#
22-18	101LC
16-14	102LC
12-10	103LC
	22-18 16-14

Red

Blue

Yellow

Color

Blue

Yellow

Description Window Butt

Window Butt

Window Butt

Description

Seamless

Male/Nylon

Deluxe

Qty's of 100, 500 & 1000

QUALITY (Made in Korea)

FULLY INSULATED NYLON QUICK DISCONNECTS



FULLY INSULATED NYLON QUICK DISCONNECTS



Qty's of 100, 500 & 1000

Part#

102K

Partif

101SML

102SML

103N

	V. Landania	_	
	Partit	Gauge	Color
NAME OF TAXABLE PARTY.	101FSML	22-18	Red
Control of the last of the las	102FSML	16-14	Blue
The same of the sa	103FSML	12-10	Yellow

ECONOMY BULLET CONNECTORS

QUALITY BULLET CONNECTORS

Qty's of 100, 500 & 1000

FEMALE QUICK DISCONNECTS



Part#	Gauge	Color	Description
Z109	22-18	Red	.110 Female
BZ109	16-14	Blue	.110 Female
110	16-14	Blue	.250 Female
132	16-14	Blue	.250 Female
134	22-18	Red	.250 Female
111	16-14	Blue	.250 Female
112	12.10	Vollow	250 Female

OUICK SPLICES

Part#	Gauge	Color
9010E	18-22	Red
9020E	16-14	Blue
9040E	10-12	Yellow

Qty's of 100, 500 & 1000

LOCKING SPADE TERMINALS



Part#	Gauge	Color
113	18-22	Red
114	16-14	Blue
115	10-12	Yellow

Qty's of 100, 500 & 1000

WIRE NUT		QUALITY NYLO	N CRIMP	CAPS
Part# Gauge 145P 16-14	Color Yellow	Part# 1285 128 1288 129	Gauge 18-22 16-14 16-14 10-12	Color White White Black White

VINYL BUTT CONNECTIONS



Qty's of 100, 500 & 1000

Qty's of 1000, 5000 & 10000

ECONOMY	AINAL BOLL		
Part#	Gauge	Color	Description
103M	12-10	Yellow	Dix. Ext. Short

Qty's of 100, 500 & 1000

QUALITY VINYL BUTT

Part#	Gauge	Color	Description
101MM	22-18	Red	Deluxe
102MM	16-14	Blue	Deluxe
104	8	Red	Vinyl Butt
1025	16-14	Blue	Heavy Duty

.157 BULLET CONNECTORS



Part#	Gauge	Color	Description
122	22-18	Red	Female Bullet
123	22-18	Red	Male Bullet
124	16-14	Blue	Female Bullet
125	16-14	Blue	Male Bullet



Part#	Gauge	Color	Description
1225	22-18	Red	Female w/Sleeve
1238	22-18	Red	Male w/Sleeve
1248	16-14	Blue	Female w/Sleeve
1258	16-14	Blue	Male w/Sleeve



NYLON BULLET CONNECTORS				
Part#	Gauge	Color	Description	
122N	22-18	Red	Female/Nylon	
123N	22-18	Red	Male/Nylon	
124N	16-14	Blue	Female/Nylon	

Qty's of 100, 500 & 1000

INSULATED BULLETS - WATER RESISTANT

16-14



Part#	Gauge	Color	Description
400M	18-16	Red	Male
400F	18-16	Red	Female
402M	14	Blue	Male
402F	14	Blue	Female

RING TONGUE TERMINALS

125N



Part#	Gauge	Color	Description
116	22-18	Red	#8
117	16-14	Blue	#8
139	12-10	Yellow	#8
118	16-14	Blue	1/4"
119	16-14	Blue	3/8"
133	16-14	Blue	5/16"
120	12-10	Yellow	1/4"
121	12-10	Yellow	3/8"
126	12-10	Yellow	5/16"
199	8	Red	3/8"
R137	12-10	Yellow	1/2"
189	8	Red	1/4"
197*	6	Blue	3/8"
198*	4	Yellow	3/8"

Qty's of 100, 500 & 1000 * Qty's of 10, 50 & 100 only



SOLDER AND WICK

Quality "KESTER" brand. "A" 60/40 3.3%. Rosin core.

Part# Type 001 "A" 18 gauge 1 lb. 002 Wick



BLACK POLYOLEFIN HEAT SHRINK

Part#	Size	Length	Part#	Size	Length
1510	1/8"	4 ft.	1510R	1/8"	100 ft. roll
1520	3/16"	4 ft.	1520R	3/16"	100 ft. roll
1530	1/4"	4 ft.	1530R	1/4"	100 ft, roll
1540	1/2"	4 ft.	1540R	1/2"	100 ft, roll
1552	3/4"	4 ft.			
1551	1"	4 ft.			
1550	2"	4 ft.			



COLORED POLYOLEFIN HEAT SHRINK

Parti	Size	Color	Partif	Size	Color
1511CLR	1/8"	Clear	1521BLU	3/16"	Blue
1511RED	1/8"	Red	1521CLR	3/16"	Clear
1511WHT	1/8"	White	1521WHT	3/16"	White
1511YEL	1/8"	Yellow	1521YEL	3/16"	Yellow

Sold	in	4	ft.	lengths.

(All colors & sizes can be special ordered in 100 ft. lengths.)

Part#	Size	Color	Part#	Size	Color
1531BLU	1/4"	Blue	1541BLU	1/2"	Blue
1531CLR	1/4"	Clear	1541CLR	1/2"	Clear
1531WHT	1/4"	White	1541WHT	1/2"	White
1531YEL	1/4"	Yellow	1541YEL	1/2*	Yellow



BLACK VINYL TUBING

Flexible, Durable, Inexpensive

Part#	Size	Color
1209	1/8"	500/1000
1206	1/4"	250/500
1208	1/2"	100



DOOR BOOT/GROMMET

Super flexible. Easy to use, just cut to length

Part# Color 2623B Economy 5 1/2" Long






DOME HOLE PLUGS

Great for covering LED holes

Part#	Type	Part#	Type	PartV	Type
D316	3/16"	D516	5/16"	D76	3/4"
		D380	3/8"	D77	1'
		D12	1/2"		



Oty's of 100 RUBBER GROMMETS





Qty's of 100

Part#	ID	OD
4049	.250"	1/8"
4050	.312"	3/16"
4060	.437"	5/16*
4070	.500"	3/8"
4071	.750"	39/64"
4066	.859"	.7"

Wire, Conduit & Loom

FLEX GUARD LOOM



FLEX GUARD LOOM. Use to cover wire, hoses, cables etc...Excellent protection. Slift full length for ease of assembly, yet stays together. Resistant to gasoline, oil & other chemicals. Easy to work with, can be cut with knife & scissors.

Part#	Size	Part#	Size
1200	1/8"	1204+	3/4"
1201	1/4"	1210	1"
1202*	3/8"	1220*	2"
1203*+	1/2"	12114	1 1/4"
1258	5/8"	12112	1 1/2"

* Avail. in Red. + Avail. in White.



FLEX GUARD LOOM IN TANGLE-FREE DISPENSER PACK. No more tangles! No more mess! Flex easily dispenses & is easily stored away. All flex dispenser boxes are uniform in size for easy storage and stacking. Save up to 30% off on purchases of 2 or more of the same size dispenser packs of loom.

Part#	Length/Ft.	Part#	Length/Ft.
1200P	500/1000	1258P	250
1201P	500/1000	1204P	200
1202P	500	1210P	100
1203P	250		

FLEX WIRE HOLDERS



Part#	For Flex-Loom Size:
21105	1/2" (1203)
21106	5/8" (1258)
21107	1" (1210)

FLEX GUARD ACCESSORIES - ROSE BUD CLIP



Part#	Size:
21108	3/8"
21109	.413 or 1/2"

FLEX TEES



Quickly connects breakouts to your main loom.

Part#	Left	Right	Center
21103	3/4"	3/4"	1/2"
21102	1/2"	3/4"	1/2" or 3/4"
21101	1/2"	3/4"	3/8"
21100	1/2"	1/2"	1/2"
21110	3/8"	3/8"	3/8"

R. C. E.

FLEX/CONDUIT TERMINATION GROMMET

Finally a clean termination for flex loom/conduits. Ideal for running conduit through firewalls, to subwoofer enclosures or power speaker cables in trunk for show. The fittings will clamp onto our waterproof flexible conduits (FC58, FC5) or to our flex loom (1258, 1203). Gives a clean & professional look to any install.

Part#	Flex-Loom or Conduit Size
FG58	5/8"
FG5	1/2"
FG58L	5/8" 90" Elbow

PVC WATERPROOF FLEXIBLE CONDUIT



Waterproof, chemical and acid resistant. Smooth, glossy black look, great for show applications. Fits into FG58, FG5 or FG58L. Clean, high tech looking.

Part#	Size	Length
FC58	5/8"	12 ft
FC5	1/2"	12 ft

STAINLESS STEEL CABLE TIES



Nearly indestructible. Stainless steel cable ties for those "it can't fail" jobs. Won't corrode, crack or become brittle due to time or weathering. Very cosmetic, Sold in packs of 10.

Part#	Length
SST8	8*
SST13	13"
SST19	19"



WIRE TIES

Part#	Size	Lbs	Color
WTB4	4"	18 lbs	Black
WTB6	6"	50 lbs	Black
WTB8	8"	50 lbs	Black
WTW15	15"	50 lbs	White
WTW8	8"	50 lbs	White
WTB12	12"	50 lbs	Black
WTB15	15"	50 lbs	Black

\$16.

Wire, Conduit & Looms

IMPORT PRIMARY WIRE



Economy solid jacket 18 ga. primary wire. 500 ft. length.

Part#	Color	Part#	Color	Part#	Color
618PBLK	Black	618PLTGRN	Lt Green	618PPUR	Purple
618PBLU	Blue	618PPNK*	Plink	618PRED	Red
618PBRN	Brown	618PORG	Orange	618PWHT	White
618PGRN	Green		70	618PYEL	Yellow
618PGRY	Gray				

QUALITY NYLON CABLE TIES

Qty's of 100, 500 & 1,000

Exceeds mil. spec. requirements. Weather resistant. Rated 40°C - 105°C. QPL listed, heat stabilized. Made in the U.S.A.

Part#	Color	Type
5004	Black	4"
5016	Black	6"
5028	Black	8*
5030	Black	8" Screw
5040	Black	15"

TRANSPARENT JACKET PRIMARY WIRE



Economy transparent jacket 18 ga. primary wire. 500 ft. length.

PartV	Color	Part#	Color	PartN	Color
618PCBLK	Black	618PCGRY"	Gray	618PCPUR	Purple
618PCBLU	Blue	618PCLTGRN	Lt Green	618PCRED	Red
618PCBRN**	Brown	618PCORG	Orange	618PCWHT**	White
618PCGRN**	Green	618PCPNK**	Pink	618PCYEL*	Yellow

ECONOMY NYLON CABLE TIES



Part#	Color	Type
5005BLK	Black	4"
5006BLK	Black	6"
5007BLK	Black	8*
5041BLK	Black	15*
5005WHT	White	4"
5006WHT	White	6"
5007WHT	White	8"

DOMESTIC GRADE PRIMARY WIRE



18 gauge. 16 gauge. 14 gauge. 1000 ft. length. 500 ft. length. 500 ft. length.

Party	Color	Partit	Color	Party	Color
618BLK	Black	616BLK	Black	614BLK	Black
618BLU	Blue	616BLU	Blue	614BLU	Blue
618BRN	Brown	616BRN	Brown	614BRN	Brown
618GRN	Green	616GRN	Green	614GRN	Green
618GRY	Gray	616GRY	Gray	614GRY	Gray
6180RG	Orange	616ORG	Orange	6140RG	Orange
618RED	Red	616RED	Red	614RED	Red
618VIO	Violet	616VIO	Violet	614VIO	Violet
618WHT	White	616WHT	White	614WHT	White
618YEL	Yellow	616YEL	Yellow	614YEL	Yellow



NYLON CABLE CLAMPS

Qty's of 100, 500 & 1,000

Part#	Size	Part#	Size
4000	1/8"	4030	1/2"
4010	1/4"	4040	3/4"
4020	3/8"	4041	111

12 gauge. 10 gauge. 500 ft. length. 500 ft. length.

Part#	Color	Part#	Color
612BLK	Black	610BLK	Black
612RED	Red	610RED	Red
		610YEL	Yellow



MAGNETIC CABLE TIE MOUNT

Super strong neodymium magnets



Great for holding wires Above headliners Underbody for cars, trucks, bikes, ATV, etc Metal Tool Chest RV, Boats

Amazing instant wire holding strength! Part#

7701M

CABLE TIE MOUNT

Qty's of 100, 500 & 1,000



7701

TRANSPARENT PRIMARY WIRE - "P" SERIES



10 gauge / 250 ft. long 4 gauge / 100 ft. long.

art#	Color	Part#	Color
R2010BB	Black	PR1004RR	Red
		PR1004BB	Black

STRIPED SPECIALTY WIRE AND TRACER WIRE



18 gauge specialty wire, 1000 ft, length,

P	art#		Color	Part#	Color
61	13BG	Green /	Black	613BY	Yellow / Black
61	3BLY	Yellow / Stripe	- Blue	613BW	Black w/ White Tracer
61	1380	Orange /	Black	613WBK	White w/ Black Tracer
61	138R	Red /	Black	613WBL	Blue / White
61	3BS	Gray /	Black	613WBR	Brown / White
61	3BV	Violet /	Black		

SPEAKER WIRE AND ZIP CHORD



PartV	Description	Gauge	Length/Ft
5260	Speaker Wire	18	1000
5280	Speaker Wire	16	500
5281	Speaker Wire	14	500
5282	Speaker Wire	12	500
6259	Zip Chord - Black/Red	18	1000



Cables, RCAs and Adaptors

PROLINE™ HIGH QUALITY GOLD-PLATED TERMINALS



Parti		Color	Gauge	Stud Size	Qtv/Pk	
TB10	516	Black	10	3/8"	4	
TR83	8	Red	8	3/8"	4	
TB83	8	Black	8	3/8"	4	
TR86	1	Red	8	6	4	
TB86		Black	8	6	4	
TR85	16	Red	8	5/16"	4	
TB85	16	Black	8	5/16"	4	-
TR43	8	Red	4	3/8"	2	
TB43	8	Black	4	3/8"	2	
TR46	10	Red	4	6	2	
TB46	8	Black	4	6	2	
TR45	16	Red	4	5/16"	2	
TB45	16	Black	4	5/16"	2	
TR05	16	Red	0	3/8"	2	
TB05	16	Black	0	3/8"	2	
TB12		Black	12 - 16	spade for amps	4	
TR10	12	Red	12 - 16	.25" quick disconn.	4	
TR10	12	Black	12 - 16	25" quick disconn	4	

HDMI CABLES MALE TO MALE Super Thin- Flex HDMI cables are 50% thinner then standard



nes on the market for easy mstanation.			
Part#	Length	Part#	Length
HDMIC3	3 ft.,	HDMIC25	25 ft.
HDMIC15	15 ft.	HDMIC35	35 ft.

HDMI

AV RCA MALE TO MALE CABLES

Flexible ZIp cord design for easy splitting and rerouting video cable from audio cables



Length	Part#	Length
1 ft.	AVS9	9 ft.
2 ft.	AVS12	12 ft.
3 ft.	AVS15	15 ft.
6 ft.	AVS20	20 ft.
	1 ft. 2 ft. 3 ft.	1 ft. AVS9 2 ft. AVS12 3 ft. AVS15

Part#

PROLINE™ BANANA SPEAKER CONNECTORS



Quality gold-plated brass speaker connectors with polarity identifying ends. Comes in 4-color attractive blistered pkg

Part#	Color
PCS3	Red
PCS4	Black

ACCELE® CURRENT METER



Modern, clean look! Easy front loading installation. Requires only a 2-inch hole on mounting panel. Shunting is done internally. Just hook power leads directly to meter terminals

Part#	Range
7644	0 -50 Amp

PROLINET# BINDING POSTS



Quality gold-plated solid metal binding post with 1-1/4" shaft. Posts have polarity identifying red/black markings.

DIGITAL TEMPERATURE METER



Digital temp. meter matches our Digital Volt & Amp meters. 20ft. remote temperature probe. Ideal for monitoring amps. Prevent overheating, which limit performance & distort sound quality. Perfect item to be used with our cooling fan controllers (FC-10 / FC-30). Face dimensions: 1 7/8" X 1". Cutout required: 1 3/4" x 7/8". Temp range 0-199*F

PROLINE™ PANEL MOUNT RCA PLUGS





Audio 2 Plug Package (White / Red) Audio / Video 3 Plug (White / Red / Yellow)

DIGITAL TEMPERATURE METER



Accele remote sensing LCD temperature meters. Snap-in design, self-powered with mini battery (1 year) for quick installations. Great for amp or outside car temp, monitoring

Part#	Temperature Range	Size
TM-2	-40°F - 160°F	1" x 1 3/4"
TM-4	-40°F - 160°F	1 1/4" x 2 3/4"
TM-2C	-40°C - 72°C	1" x 1 3/4"
TM-2W (white)	-40°F - 160°F	1" x 1 3/4"

PROLINE™ CAP BUSS BARS



Gold plated brass! A clean and easy way to hook up and display multiple power caps in parallel.

Part#	Type
BB3T	3 Triangle Caps Set

IN-DASH ELEC. COMPASS/OUTSIDE TEMP. METER



Custom in-dash compass & outside temp. meter w/remote temperature sensor & remote magnetic field sensor.


AIR VENTS



Custom, adjustable air vents.

D-14	O.L.	
Partif	Color	Size
AIRVENTB2	Black	2"
AIRVENTB25	Black	2 1/2"
AIRVENTC2	Chrome	2"
AIRVENTC25	Chrome	2 1/2"


PROLINE™ POWER STIFFENING CAPACITORS





Part#	Descriptio
6437	1 Farad (16\
SC120	120,000 (
SCP	Electric Circuit Protec
	w/ Red & Green LED Volt Indicate

AMT - FLUSH MOUNT PULL LATCHES



Part#	Description	
8618	Flush mount latches	



Proline™ Accessories

MATRIX™ QUALITY GOLD RCA CABLES

Quality shielded dual RCA cables with super flexible jacket and attractive nonconducting thermoplastic RCA's with gold ends. Retail packaged for display.





Partif	Length
3295B	6"
3296B	1 ft.
3301B	3 ft.
3302B	6 ft.
3318	18 ft.

GOLD DOUBLE MALE RCA CABLES W/ STRAIN RELIEFS



Gold Male/Male with strain reliefs. Packaged version available for 5 cents more, just add "P" to part number

Part#	Length	Part#	Length
160	6"	158	12 ft.
156	1 ft.	153	15 ft.
151	3 ft.	159	18 ft.
152	6 ft.	157	20 ft.
161	9 ft.	154	25 ft.

"Y" CONNECTORS 4" LENGTH



Part#	Type
1576	Male to Double Female
1576G	(Gold) Male to Double Female
1577	Female to Double Male
1577G	(Gold) Female to Double Male

DOUBLE MALE RCA CABLES WITH STRAIN RELIEFS



Part#	Length	Part#	Length
137	6*	143	12 ft
146	1 ft.	148	15 ft
141	3 ft.	149	18 ft.
142	6 ft.	147	20 ft.
138	9 ft.	144	25 ft

RCA SPLICE



Gold plated and plastic RCA splices

Part#	Description
0015	Female/Female
0015G	(Gold) Female/Female
0013G	(Gold) Male/Male

Nickel plated and plastic RCA splices

Part#	Description
0011	Male to Male (Plastic-Nickel
0011G	(Gold) Male to Male (Splice Plastic-Nickel

DIN TO GOLD RCA ADAPTORS



	lity DIN to RCA adap hield cable. Package		1
Part#	Type	# Pins	DIN
6036	Alpine	8	Female
6038	Kenwood	8	Female
6039	Blaupunkt	7	Male

PROLINE™ RIGHT ANGLE AND "T" RCA ADAPTORS

Gold-plated 100% brass body. Display packaged for retail.







RCA SOLDER ON TERMINALS



Custom make your own RCA cables. Excellent tool for those quick repair jobs.

	E
	Ē
	- 6
	- 1
	F

Part#	Description	
RCA1	Male Black	
RCA2	Female Black	
RCA3	Male Red	
RCA4	Female Red	

PANEL MOUNT RCAS



Great, fast way to mount RCAs on any panel. One side is threaded for easy mounting & quick interconnecting

Part#

3 Pin Male Connector

MOLEX CONNECTORS









Part# MLX4PM







3 Pin Female Connector

Part# MLX3PF

4 Pin Female Connector



Part# MLX4PF

Female Pin

ADAPTOR





Female RCA to Male "F"





3.5MM MALE TO MALE CABLES



Part#	Length
ASC35MM2	2 fl
ASC35MM6	6 ft
ASC35MM12	12 ft
ASC35MM25	25 ft

TERMINAL BLOCKS



3/8" centers. Takes wire up to 12 AWG. High quality thermoplastic.

Surface or panel mount.				
Part#	Terminals	Part#	Terminal	
6024	4	6027	2	
000E	. 0			

HIGH OUALITY GOLD-PLATED TERMINAL BLOCKS

Gold plated barrier blocks rated for 30 Amps with high temperature

	unermopiastic body.		
b	Part#	Terminals	
	PLT2	2 Positions	
	PLT3	3 Positions	

Part#	Terminals	
PLT4	4 Positions	

FEMALE TO FEMALE 3.5MM



AUDIO NOISE FILTER FOR 3.5MM



Audio Filter Eliminates ground loop noise Increases volume by 1.3db improves sound quality 20 - 20 kHz Easy 3,5mm Inline connection to radio input

Part#

3.5mm ADAPTORS



3.5mm to Two RCA Male (6ft.)

Part# RCA6M35-black



3.5mm to Two RCA Female

Part# CDRCA



SPECIALTY PLUGS & POWER ACCESSORIES

PROLINE™ BANANA SPEAKER CONNECTORS



Quality gold-plated brass speaker connectors with polarity identifying ends. Comes in 4-color attractive blistered package.

Part#	Color
PCS3	Red
PCS4	Black

BATTERY POWER PROTECTOR



Battery Protector is an electronic device that automatically monitors your battery capacity. It will prevent your battery going "dead" by disconnecting power from the battery before it reaches dangerously low levels, saving power for emergency engine starting. Battery Protector Remote Alert sounds an audible alarm when a batteries capacity falls to levels that will require attention.

NEW

PROLINE™ SPEAKER BINDING POST



Quality gold-plated brass body with color-coded recessed polarity markers. Proline™ binding post come in standard 2 conductor or new deluxe 8 conductor versions with goldplated jumper sets.

PCS20 PCS40 PCS80

COMPRESSION BATTERY TERMINALS



No crimping necessary. Install with common wrench. Universal size will fit on (+) or (-) battery post. Corrosion resistant copper alloy.

Gauge	
6	
4	
1/0	
2/0	
3/0	

PROLINE™ BINDING POSTS



Quality gold-plated solid metal binding post with 1-1/4"

shaft. Posts have polarity identifying red/black markings.



COMPRESSION RING TERMINALS

3/8" ring no crimping necessary. Installs in minutes with common wrench. Corrosion resistant copper alloy. CR1 182 **CR10** 1/0

PROLINE™ DELUXE GOLD SPEAKER TERMINALS



Surface mount gold-plated brass speaker terminal will accept up to 8 gauge speaker cable.

Part# PCS22

WINGNUT BATTERY TERMINALS

Heavy duty terminal. Wingnut design for convenient and

Part#	Gauge	
WTL	Universal Lead	
WTB	(+) Brass	
WTBN	(-) Brass	

PROLINE™ RIGHT ANGLE RCA ADAPTERS



Gold-plated 100% brass body. Display packaged for retail

Partil RS90

solder terminals



SIDE MOUNT BATTERY TERMINALS

Heavy duty terminals

Part#





TERMINAL BOOTS

Protect terminals from shorting. Reduce terminal corrosion. Color coded 105 C polyvinyl.

Side Post

Red

Part# Color Type TBTB Black Side Post Black TBSB



Description Audio 2 Plug Package (White/Red) PC3V Audio / Video 3 Plug (White/Red/Yellow)

High quality color-coded panel mount RCA's with easy to



TIE BOLT TERMINALS

Ideal for quick fix for corroded leads on OEM terminals. Full pressure contact with all wire strand.

Part#	Gauge	Type
TBT	8-4	Top Post
TBTS	8-4	Side Post



PROLINE™ GOLD-PLATED BRASS RCA SPLICES

Precision machined gold-plated brass splices in a bright textured gold look. Display packaged for resale.

Part#	Description
PCM	Male Spice
PCF	Female Spice



NOISE KILLER



The best Power Line Filter on the Market. Eliminates almost any powerline noise, Great for headunits, switchers, equalisers, etc. Rated for up to 500 watt amps

Part#	72	Amp
AN800		500





Finely stranded copper braiding gives excellent flexibility and vibration absorption

Part#	Type	Color	Length
GSC13	Clamp	2	13"
GSL9	Lugs	4	9"

GROUND LOOP ISOLATORS



Used for elim, ground loop noise from radio pre-amp outputs. Great for elim. DC current from your RCA cables. Perfect for reducing most noise wiin the RCA signal path.

Part#	An	
N344P	As shown	



Relays & Sockets

BEÜLER Relays and Accessories Relay with Tab 40/60 Amp SPDT Negative spike suppression Built-in

Interconnecting Fuse and Relay Block System

- High Power 40/60 Amp Waterproof Versions
- Negative Spikes Supression



- Part # 5083
- 2. Relay no Tab 40/60 Amp SPDT Negative spike suppression Built-in Part # 5083W
- 3. Fuse Holder ATC with Snap on cover Part # BU340 Complete kit w/ 6" & 30" red wires Part # BU340C Holder with 2 connectors (no wires) Part # BU340H Holder only (no connectors or wires)
- Relay no Tab, Waterproof 40/60 Amp SPDT Negative spike suppression Built-in Part # 5084W
- Relay with Tab, Waterproof 40/60 Amp SPDT Negative spike suppression Built-in Part # 5084
- Interconnection Relay Socket Part # BRS14E (Socket, Connectors & 12" wires) Part # BRSPC (Socket only) Part # BRSCN (Connectors only) (100 Pack)

BEULER RELAYS

NEW! Industries First! Time Delay Relay Part # RUS09TD Part # BU510TD



- · Adjustable On time from 2 sec to 3 min
- · New easy to adjust top of unit potentiometer
- · Internal Green LED indicates when relay is on
- · Now with SPDT (87) and (87a) relay contacts
- · Can also act like a low voltage relay
- · Activates on as low as 1 volt
- · Power 12vdc. 20/30A contacts

Timer Built In Standard Relay Housing







BEST

SELLER











TYCO RELAYS

Description	Type	Amperage
Micro Tyco w/ Tabs	SPDT	10/20
Tyco High Amperage	SPDT	75
Tyco Relay w/ Resistor	SPDT	20/30
Economy OEM Relay	SPDT	30/40
	Micro Tyco w/ Tabs Tyco High Amperage Tyco Relay w/ Resistor	Micro Tyco w' Tabs SPDT Tyco High Amperage SPDT Tyco Relay w' Resistor SPDT











SOCKET & RELAY COMBINATION PACKS

Part# Description Amperage BRS5083 Beuler Std. Socket Combo 40/50 BRS125083F Beuler Started Kill Combo 40/50 5080R14 Bosch Std. Socket Combo 20/30 SK14R Bosch Starter Kill Combo 20/30 5083PWMR Prewired Mini Relay 20/30





BRS5083

SK14R (Starter Kill)



	111	

Part#	Description	Type	Amperage
5086	Quality	SPDT	15





Part#	Description
BRSP	Socker
BRSPC	Interconnecting Socket
BRSS	Solder Pins
BRST	Relay Socket w/ Connectors
BRSTP	Interconnecting Socket w/ Connectors
BRSCN	Bulk Solder Pins 5,000 pc. Roll



HIGH AMPERAGE RELAY

Part#	Description	Type	Amperage
5079	Quality High Amp	SPDT	200



FLASHER

Quality construction prohibits operational failure due to environmental factors like temperature & humidity.

Part# 5520

5520E (Low cost import version)







FUSE AND SIDE TAPS

5700MT

Glass Fuse Taps. Qty 1	
Partil	Description
5800B	Blade Only
5800	Blade w/ Female Disconnect
ATC Fuse Taps	
Part#	Description
5700B	Blade Only
5700	Blade w/ Female Disconnect
ATC Side Taps	
Partif	Description
5610B	Blade Only
5610	Blade w/ Female Disconnect
Mini ATC Side Taps	
Partil	Description
5700M	Blade Only

Blade w/ Female Disconnect



20953

CAPACITORS, RESISTORS AND ACCESSORIES

NON-POLAR ELECTROLYTIC CAPCITORS



300

POWER DIODES Qty's 20, 50, & 100 Partif Type 1 Amp 5503 3 Amp 5506 6 Amp

AXIAL WIRE WOUND RESISTORS 10 WATT OHM OHM 2096 2.2 3002 10.0 2097 3.3 3003 2098 4.7 3004 20.0 2099 3005 33.0 3006 50.0


MYLAR HIGH PASS CAPACITORS

Highest quality. D.F. 7% or less.

Part#	MFD	Volts	4W Load	8W Load
2070	1.0	100	N/A	N/A
2071	1.5	100	N/A	12KHz
2072	3.3	100	12KHz	6KHz
2090	6.8	100	6KHz	3KHz
20718	8.0	100	5KHz	2.5KHz
2091	10.0	100	4KHz	2KHz

100

CARBON FILM RESISTORS



_	May 1	114 Watt	
PartN	ОНМ	Part#	ОНМ
AR-1	560	AR-5	1.8K
AR-3	1K	AR-13	4.7K
AR-4	1.2K	AR-14	47K

e i e satuet

150W BASS BLOCKER



Part#	Ohm	Freq.
2035	4	400 hz.
2036	8	300 hz.



6KHz

N/A

2.5KHz

5.1KHz

3.2KHz

1.8KHz

800Hz

400Hz

200Hz

150Hz

65Hz

150Hz

ABS PLASTIC PLEXIGLASS/BLACK VINYL STEEL



Part#	Type	Description	Thickness	Size
50966	Steel	Black Vinyl	1/16"	12 x 6"
5097	ABS	Textured Black	1/8"	12 x 4"
5096	ABS	Textured Black	1/8"	12 x 12"
509622	ABS	Textured Black	1/8"	22 x 9"
5099	ABS	Textured Black	1/8"	24 x 24"
5097 Thin	ABS	Textured Black	3/32"	12 x 4"
5096 Thin	ABS	Textured Black	3/32"	12 x 12"
5099 Thin	ABS	Textured Black	3/32"	24 x 24"
5096 Grid	ABS	Black Grid Waffle Board	3/32"	12 x 12"
PLX CL	Plexy	Clear (see-thru)	1/8"	24 x 24"
PLX TN	Plexy	Tinted (see-thru)	1/8"	24 x 24"
PLX BK	Plexy	Black Glossy	1/8"	24 x 24"
PLX WH	Plexy	White Glossy	1/8"	24 x 24"
PLX BR	Plexy	Brown Glossy	1/8"	24 x 24"
PLX RD	Plexy	Red Glossy	1/8"	24 x 24"
PLX BL	Plexy	Blue Glossy	1/8"	24 x 24"



Partif	Ohm	Freq
2038	8	4 khz.

Part#	Ohm	Freq.
2040	8	7 khz.

BLACK WIRE MESH SCREENS

New 12" and 18" wide wire mesh screen perfect for custom grills or speaker protections

NEW





BASS CROSSOVER



- Adjustable 40 to 150HZ Low Pass Adjustable Volume control Input and output RCAs
- All shielded metal housing



PLEXY EDGE FINISH/POLISH



Removes fine scratches, haziness and abrasions for plexy glass surfaces. Restores faded and discolored plastics



AIR CORE INDUCTORS

For tweete	rs and mi	ds	
Dartil	mbi	Cauca	ann

Lot tweet	ers and m	ius		
Part#	mH	Gauge	4W Load	8W Load
LA648	.6.4	18	100Hz	200Hz


PLEXIGLASS GLUE



Especially formulated for affixing plexiglass and other plastics (i.e. ABS hinge to plexy)

Part#	Size
61720	Pin

LAMINATED "I" CORE INDUCTORS



Partit	mH	Gauge	4W Load	8W Load
L60	60	18	1.1KHz	2.4KHz
L25	2.5	18	250Hz	500KHz

ACCELE® SCREW-N-SNAP™



Round screw mountable snaps. Ideal for custom panel mounts, cellular phones, amps, distribution blocks, etc. Easy on and off with the clean screwless look. Sold 12 to a pack.









SPEAKERS, GRILLES, ADAPTERS AND ACCESS.

OEM SPEAKERS

Inexpensive speakers for standard speaker replacements.

Part#	Size	Part#	Size
9532	4"	9545	3"
9537	6" x 8"	9546	4"
9544	4" x 10"	95465	4" Shallow

SPEAKER BAFFLES

Protect door speakers from water damage and blow outs from door and truck slammings,

			DEFIN
Part#	Diameter	Standard	or Shallow
9546	4"	3 3/4"	2 1/4"
6414	5 1/4"	3"	2 1/4"
6415	6"	3 3/4"	3*
6416B	6 x 9"	4 1/2"	3"
6417B	8"	4 1/2"	4 1/4"
9547	10"	6 1/4"	4 1/4"
9548	12"	6 1/4"	4 1/4"

MINI VENT TWEETER



Super small size. Ideal for hiding in small areas such as air vents. 8 ohm (mylar dome). 1 3/4" Diameter.



2032T

LARGE DISPERSION PIEZO HORN

High output piezo horn. Frequency response: 2 - 24khz. Dimensions: 3 1/2" high, 7 5/16" wide, 4 1/4" deep

4" UNIVERSAL EURO SPEAKER GRILLE



Black A.B.S. Satin finish grille. Fits most 4" square frame speakers.

WOOFER GRILLE



Black steel, seamless rubber surround.

Part#	Size	Part#	Size
WG-5	5"	WG-12	12"
WG-6	6"	WG-15	15"
WG-8	8"	WG-18	18"
WG-10	10"		

NOUNTING HARDWARE FOR WOOFER GRILLES



Support clamps with 4 screws and nuts. Quality die cast black zinc

METAL RING AND MESH GRILLE





Low profile, black steel. Mounting hardware included.

Part#	Size	Part#	Size
RG-2	2"	RG-8	8"
RG-45	4.5"	RG-10	10"
RG-525	5.26	RG-12	12"
RG-65	6.5"	RG-15	15"

ADJUSTABLE PORT TUBES



Port tubes are used to enhance the bass by directing out the back wave. Adjust to desired length by locking down inner set screw.

Parts	Port Size	PartV	Port Size
4915	1.4" x 5 - 8"	4917	2.6" x 5 - 9"
4916	2.0" x 5 - 9"	4905C	4.5" x 5 -10"

PORT TUBES



Port tubes are used extensively in speaker enclosures to enghance the bass, by directing out the back wave of speakers

Port Size	Part#	Port Size
1 3/4" x 2 1/2"	4905A	2 3/4" x 5"
2" x 4 1/2"	4912	4" x 4 1/2"
2" x 2 1/2"	4905B	4 1/2" x 5"
2 1/4" x 5"	4914	6" x 6"
	1 3/4" x 2 1/2" 2" x 4 1/2" 2" x 2 1/2"	1 3/4" x 2 1/2" 4905A 2" x 4 1/2" 4912 2" x 2 1/2" 4905B

DELUXE SPEAKER BINDING POST TEMINALS



Heavy Duty. Accepts up to 8 gauge speaker wires.

Part#	Type	Part#	Type
BPN	Round, Nickel	SPN	Square, Nickel
BPG	Round Gold	SPG	Square Gold

PUSH BUTTON BINDING POST



Requires 2" round hole.

Part#	Type	Part#	Type
2031	Round	2031SP	Round Press Fit
20315	Square		

2 or 4 Position Terminal Connectors



Partit 2034

2 or 4 POSITION TERMINAL CONNECTORS



Heavy duty (down to 8 gauge). Easy to mount speaker terminals, that can accommodate banana jacks.



STACKING PLASTIC CORNER/FOOT

Reinforces corners. Allows boxes to be interlocked when stacking

Partit 4906



Fuse & Surge Protection



BUSSMAN STANDARD ATC FUSES

1 - 30 Amps.					
Part#	Amps	Part#	Amps	Part#	Amps
5701	1	5705	5	5720	20
5702	2	5775	7.5	5725	25
5703	3	5710	10	5730	30
5704	4	5715	15	5740	40





QTY: 20, 50 and 100

Part#	Amps	Part#	Amps
6710	10	6725	25
6715	15	6730	30
6720	20	6775	7.5



BUSSMAN MINI ATC FUSES

Mini fuses are half the size of ATC fuses. Standard on most 1993 cars.

Part#	Amps	Part#	Amps	Part#	Amps
5600	2	5604	7.5	5608	25
5601	3	5605	10	5609	30
5602	4	5606	15		
5602		5607	20		




3 LEG FUSE

Part#	Amps
6810	10
6815	15
6805	5
6875	7.5



QTY: 20, 50 and 100

HEAVY DUTY MAXI FUSES



zu - au Amps					
Part#	Amps	Part#	Amps		
5920	20	5960	60		
5930	30	5970	70		
5940	40	5980	80		
5950	50				

OTY: 1

GOLD ANL FUSES



Gold-Pla	ited High	Amperage	Fuses.		
Part#	Amps	Part#	Amps	Part#	Amps
AN-80	80	AN-150	150	AN-250	250
AN-100	100	AN-200	200	AN-300	300
AN-125	125				



And the first free free free free free free free fre						
Part#	Amps	Part#	Amps	Part#	Amps	
5806	.25	5803	3	5815	15	
5807	.5	5804	4	5820	20	
5808	.75	5805	5	5825	25	
5809	1.5	5831	7	5836	35	
5801	1	5832	7.5			
5802	2	5810	10			



GMA GLASS FUSES

Part#	Amps	Part#	Amps	Part#	Amps
5721G	.5	5724G	2	5727G	5
5722G	1	5725G	3		
		6726C	4		

GOLD AGU FUSES



13/32 x 1-1/2"					
Part#	Amps	Partit	Amps	Part#	Amps
FU10	10	FU30	30	FU60	60
FU15	15	FU35	35	FU70	70
FU20	20	FU40	40	FU80	80
FU25	25	FU50	50		

AGA FUSES



QTY: 20

Used in most Amps, i.e. Fosgate Amps.					
Part#	Amps	Part#	Amps		
5901	1.5	5904	6		
5902	3	5905	7.5		
5903	5				

FUSE HOLDER



QTY: 1

For alarm sirens & flashing light outputs. Easily & inexpensively stop the latest method used by burglars to defeat car alarms by shorting out the siren or lights & tripping the alarm, which causes the main alarm fuse to blow, all without a sound! Easy, Quick Crimp on inline fuse holders, with fuses built-in. Wire between alarm brain to siren & parking lights. Dark grey and black colors easily blend right into hood wiring.

Part#	Color	Protects	Fuse
SP2	Black	Siren	2A
SP10	Dark Grey	Lights	10A

GM BATTERY PORT EXTENDERS



Part#	Description
8209	Side Mount Black
8205HD	Heavy Duty Easy Mount
8205E	Econo Side Mount
8204	Top or Side Battery Port Mount



8205E

GOLD HEAVY DUTY RING TERMINAL

Quality gold-plated ring terminal for 0 to 8 gauge power cables will work with top and side mount battery terminals.

Partil	Gauge	Part#	Gauge
PLR8	- 8	TBR20	Spade 10 - 16
PLR0	0		10



GOLD-PLATED BATTERY CLAMPS

High quality gold-plated top mount battery clamp with 2 power tap terminals

Part#	Screw Type	Part#	Screw Type
PLB2P	(+) Small	PLB4N	(-) Large
		PLB4P	(+) Large



AUTOMATIC RESET CIRCUIT BREAKER

Part#	Amp	Part#	Amp	Part#	Amp
7220	20	7230	30	7250	13
7225	25	7240	40		



PANEL MOUNT FUSE HOLDER

Screw mount type. For AGC fuses. Part#



AGU FUSES DISTRIBUTION BLOCK

Gold-plated common buss bar. 4 output AGU block.

Part# PRA-2059



PROLINE™ ANL FUSE BLOCK

High power 5-300 Amp gold-plated "ANL" fuse block with tinted acrylic protection cover. Accepts up to "0" gauge cable. Part#



WATER-RESISTANT FUSE BLOCK

Quick disconnect ATC fuse block with water-resistant screw-down covers.

Part#	Gang	Partit	Gang
30114	4	30110	10
		30112	12



ATC FUSE HOLDER WITH MOUNTING TAB

This snap together fuse holder includes a rubber water seal and works with ATC type fuses. The outer cover includes an attachment tab for mounting, and fuse holder features a quick release clip for easy replacement / installation of

Part#	Gauge
5408	12



IN-LINE AGC FUSE HOLDERS

Bright yellow body for 12 - 18 gauge wires

Part¥	Description
6445	Standard
6446F	Waterproof



IN-LINE HEAVY DUTY FUSE HOLDER

Longer 6" black leads. Heavy duty - bakelite, Includes AGC fuse, "Specify Black or Red

Part#	Gauge	Amp	
5404	18	4	
5400*	16	10	
5405	14	20	
5401 (Red)	10	30	
mann.	**		



IN-LINE PLASTIC FUSE HOLDER

Part#	Gauge	Description
5042	16	Blue
5043	10	Yellow



IN-LINE MAXI FUSE HOLDER

Part#	Gauge
PRM4	8



AGU FUSE HOLDER WITH MOUNT

Part#	Gauge
AGU-48	4



AGU FUSE HOLDER WITH MOUNT

Heavy duty 20-60 Amp capacity. Accepts 4, 6 and 8 gauge power cables. Fully insulated with water proof ends.

Partil	Gauge
AGU-24	4
ACIL 28	



DELUXE ATC FUSE HOLDER

Wire secured by clamping screw



ATC FUSED DISTRIBUTION BLOCK

6 Gang low profile screw terminals. Accepts as large as 4 gauge wires. 3" (W) x 1 3/4" x 3/4"

Part#	Type
5415	6 Gang
5415M	3 Gang



DELUXE AGU FUSE HOLDER

Part#	Gauge
AGU-MB	4



GBC IMPORT CERAMIC FUSES

Part#	Amps	Part#	Amps
5906	5	5916	16
5908	8	5925	25

Fuse & Surge Protection

DELUXE ATC TYPE FUSE HOLDERS

Deluxe water tight body with water resistant cap.

*	Part#	Gaug
-	5063	18
-	5061	16
	5060	12
	5062	10

MINI ATC WATERPROOF FUSE HOLDER Part#

5406 12 Ideal for limited space installations

PRE-WIRED STANDARD ATC PIGTAIL FUSES



1 = 40 MI	nps.				
Partif	Amps	PartV	Amps	Partil	Amps
5701PT	1	5775PT	7.5	5725PT	25
5703PT	3	5710PT	10	5730PT	30
5704PT	4	5715PT	15	5740PT	40
5705PT	5	5720PT	20	Cald in Da	also of 40

PRE-WIRED MINI ATC PIGTAIL FUSES

Mini fuses are half the size of ATC fuses. Standard on most 1993 cars.

Part#	Amps	Part#	Amps	Part#	Amps
5600PT	2	5604PT	7.5	5608PT	25
5601PT	3	5605PT	10	5609PT	30
5602PT	4	5606PT	15		
5603PT	5	5607PT	20	Cold in Do	olio of 42

PRE-WIRED LOW PROFILE PIGTAIL FUSES

Part#	Amps	Part#	Amps	
6710PT	10	6725PT	25	
6715PT	15	6730PT	30	
6720PT	20			Sold in Packs of 12

PRE-WIRED MICRO 2 PIGTAIL FUSES

Т	Part#	Amps	Part#	Amps
	6205PT	5	6220PT	20
	6275PT	7.5	6225PT	25
	6210PT	10	6230PT	30
	6215DT	15		

PRE-WIRED 3 LEG AMP PIGTAIL FUSES

Partit	Amos	Part#	Amps	
6805PT	5	6810PT	10	
6875PT	7.5	6815PT	15	Sold in Parks of 12

PIGGY BACK FUSE TAPS







Solid in Packs of 12

CIRCUIT BREAKERS

Heavy Duty manual circuit breakers.

Part#	Amps	Part#	Amps
CB100	100	CB200	200
CB150	150		

HIGH POWER MANUAL RESET CIRCUIT BREAKERS

Heavy Duty manual reset circuit breakers.

Part#	Amps	Part#	Amps
CBML120	120A	CBML180	180A
CBML140	140A	CBML200	200A
CBML160	160A		

STANDARD MANUAL RESET CIRCUIT BREAKERS

Standard Duty	standard Duty manual reset circuit preakers.			
Partil	Amps	Part#	Amps	
CBM20	20A	CBM50	50A	
CBM25	25A	CBM60	60A	
CBM30	30A	CBM70	70A	
CBM40	40A	CBM80	80A	
		CRM100	100A	



ATC type auto resetting circuit breakers. Used on OEM power windowlocks, AC blower, amps & many other uses when temporary overloads could occur.

Part#	Amps	Part#	Amps
CA15	15	CA30	30





TEK™ AUTO-STEREO ELECTROIC FILTER

5 Amp 16 Volt powerline decoupling filter for AM/FM receivers, tape decks, and other low level components. Part#

40AMP NOISE KILLER



The best Power Line Filter on the Market. Eliminates almost any powerline noise, Great for headunits, switchers, equalisers, etc. Rated for up to 500 watt amps



WHINE FILTER

20 Amp 50 Volt audio alternator RF filter, 2 to 500 MHz for amateur radios and CBs. "Mount on Alternator"

Part#

20 AMP



The AN-25 is a large LC-type filter using a solid ferrite toroid inductor and can handle 20 amps. Rated at 250 watts, its applications include high powered decks, amplifiers, etc...

Part#

TEK™ AUTO-STEREO ELECTROIC FILTER

High Power 16 Volt powerline decoupling filter for power amplifiers. (Rated at Continuous Load).

Part#



WIRELESS FM MODULATOR

No need to remove radios. Easily add audio to any video system through the existing car FM stereo. 5 Channel (88.1/88.3/88.5/88.7/88.9/Mhz). Small, compact size.



PULSE STRETCHER TIME DELAY RELAY

Time Delay Relay

Relay turns off 2 sec. to 3 min. Now with NO and NC contacts !

BU509TD BU510TD



Timer Built In Standard Relay Housing



Adj. 1 Sec 1 Min. 13VDC 30/30

FLOATING GROUND ADAPTERS



Heavy Duty Floating Ground Adaptor. The heavy duty version will take up to a couple of hundred watts per channel. The AN-FGA will handle the Delco or Toyota factory deck to after-market equalizer installation.

Part# ANLEGA

GM INTERFACE MODULES - ADD AUDIO TO 0EM RADIO

On-Star ready. Higher quality than FM modulator, Perfect for SUVs, vans and sedans. 3 position switch allows you to switch 2 aux. inputs and factory slave unit. High quality audio isolation IC eliminates engine noise. Complete plug & play, needs no external wiring.



Part# Year GMI98 1998 - 2002 GMI2003 12 PIN 2003



FORD INTERFACE MODULES - ADD AUDIO TO OEM RADIO

FRD9597 is for 1995-1997 Ford vehicles with 16 pin and 8 pin power connector. Found in some Explorers, most Expeditions and F-150s. Connects behind radio. Works with or without factory CD changer. 3 Auxiliary inputs.

FRD98 is for 1998-2003 Ford vehicles and 1998-2003 Lincoln Aviator, except with RCU type radios (Taurus/Sables, some Explorers). Vehicles have 20 pin and 16 pin power connector at radio. Connect behind radio. Works with or without factory CD changer. 3 Auxiliary Inputs.



Part# Year FRD9597 1995-1997

FILTERS AND ADAPTERS

GROUND LOOP ISOLATORS

Used for eliminating ground loop noise from radio pre-amp outputs. Great for eliminating DC current from your RCA cables. Perfect for reducing most noise within the RCA signal path.



N344P



NEW

AUDIO NOISE FILTER FOR 3.5MM

Eliminates ground loop noise Increases volume by 1.3db improves sound quality 20 - 20 kHz Easy 3.5mm Inline connection to radio input

BASS CROSSOVER



Adjustable 40 to 150HZ Low Pass Adjustable Volume control Input and output RCAs All shielded metal housing

AUDIO LEVEL CONTROLLER

Prevamo stereo remote level controller Mounts in dash or under dash. Allows you to add and control low level outputs from any head unit.

STEREO HEAD AMPLIFIER LINE DRIVER



This unit increases the pre-amp levels that are being delivered to amplifiers to better balance your system. S/N ratio of 96dB for high quality sound. Average draw is less than 15mA. Up to 10 amps can be used.

Part# AN-65P

Part# AN-65PL

TEK™ OEM RADIO CONVERTER



Converts any head unit output (low or high power, common or floating ground) to low level RCA outputs. Full D.C. isolation circuitry eliminator ground loops and engine whine. Adjustable right and left channel outputs (0-1 Volts). Will match up to any aftermarket amplifier. Input/output 4 or 8 ohm max. 25W.

Part# Type 2 Channel 033

HIGH TO LOW LINE OUTPUT CONVERTERS



Our line output converters are designed to provide RCA outputs for low power decks, such as factory decks. We also provide in-line noise decoupling capacitors to eliminate ground loop induced noise.

Partif Type AN-LOC-51F Female-Standard

FOUR CHANNEL LINE OUTPUT CONVERTERS



Same as AN-LOC-51F, but 4 channel

Partit AN108

For GM radios. Plugs directly into radio.

Type AN-1080

For GM Radios Direct Plug-in Old Plug



POWER SUPPLIES

POWER SUPPLY



Part#	Description	Special Voltages	Description
LCDT500P	500MA 12 Volt	LCDT1000P5	1A 5 Volt
LCDT750P	750MA 12 Volt	LCDT3000P5	3A 5 Volt
LCDT1500P	1.5A 12 Volt	LCDT3000P9	3A 9 Volt
LOGITERRAD	EA 12 Well		

Standard Power Inverters 12VDC to 110VAC. Modified sine wave generator Watts

Truck & Bus Inverters 24VDC to 12VDC





Part#	Watts
LCDT2412	24 - 12VDC 10 Amp



Great for old classic cars. 6 Volt to 12 Volt Power Inverters Example: Porsche, VW, 6 Volt Cars

Part#	Amps
INV6125	5
INV6128	8




ECONOMY POWER SUPPLY WITH LIGHTER PLUG




Regulated power supply with 3/4" Amp continuous & 5/6" Amp surge outputs. 12VDC with convenient cigarette lighter plug.

Part#	Constant Current	Surge Current
PS-30	3 Amps	5 Amps

20 AMP POWER SUPPLY



BACKUP BATTERIES



Part#	Description	
CH 4	1.2Ah Battery Only	
CH 5	1.2Ah Battery with Charger	

UNIVERSAL CAR LAPTOP POWER ADAPTOR

- Adjustable output voltage 15-24VDC
- 8 connectors compatible with most laptops
- . Overload and short circuit protection
- 100 Watt Power





UNIVERSAL ACCESSORY POWER PLUGS



FOR RADAR DETECTORS, ETC ... Ideal for hard wiring many car accessories w/out having to cut up OEM cigarette lighter plugs. 6 most commonly used plugs to fit radar detectors, cellular chargers, etc.

Part# PS106

LIGHTER PLUG POWER SUPPLY



MALE AND FEMALE SNAP IN LIGHTER SOCKET







SURFACE MOUNT POWER STATION PODS



Surface Mount 110vac Part# PSP-S110



Surface Mount 110vac + Cig



Part# PSP-S110CIG



Surface Mount 110vac + USB Part# PSP-SCIGUSB



Surface Mount 110vac + Cig + USB Part# PSP-S110CIGUSB



Surface Mount 110vac + USB Part# PSP-S110USB

Surface Mount Power Pods available with

- · Dual 2.1A USB.
- 12 volt Cigarette socket
- 110vac 400watt power inverter

FLUSH MOUNT POWER STATION PODS



Flush Mount 110vac PSP-F110



Flush Mount 110vac + Cig + USB NEW Part# PSP-F110CIGUSB



Flush Mount 110vac + Cig Part# PSP-F110CIG



Flush Mount 110vac + USB Part# PSP-F110USB



Flush Mount Cig + USB Part# PSP-FCIGUSB

Flush Mount Power Pods available with

- · Dual 2.1A USB,
- 12 volt Cigarette socket
- · 110vac 400watt power inverter

CIGARETTE LIGHTER EXTENSION AND "Y"

One Male lighter plug to Two Female plugs.







SMART PHONE MIRRORING

WIRELESS BLUETOOTH AUDIO RECEIVERS

Use the USB power with 3.5mm jack to plug directly into OEM car center consoles. Use the 12vdc wired unit for custom installs behind the dash / radio.





BLUETOOTH TRANSMITTERS

For newer cars that don't have 3.5mm input audio jacks.





12 VOLT TO MICRO USB STRAIGHT 6 FOOT CABLE

5 VDC 2 Amp Output Switching Power Supply never gets hot



PartN USBC-MUSB6 Micro USB USBPK USB Female Socket

LEFT OR RIGHT ANGLE MICRO USB 5 VDC 2A



12 VDC In 5 Volt 2amp output to left angle mini USB

USBC-MUSBL



12 VOLT TO FEMALE USB 12 VDC TO 5.0 VOLT 12 VDC TO 3.6 VOLT



12 VDC In 5 Volt 2amp

output to female mini USB

Part#

USBC-5VUSBE



12 VDC In 5 Volt 2amp

output wires Part# USBC-5V



12 VDC In 3.6 Volt 3amp output to power direct circuit boards

Part# USBC-3,6V

Part# PS204S

POWER JACKS WITH WIRE





FEMALE AND "Y" POWER PLUG CABLES





APPLE CARPLAY KIT WITH VIDEO OUTPUT



SPA500 takes the things that you want to do with your iPhone while driving and puts them on your

make calls, send and receive messages, listen to music, and more. SPA500uses the contacts on your iPhone to help you make calls, send texts, and find

destinations

to any head unit with AV in !

car's built-in display. When you connect your iPhone to SPA500, you can get turn-by-turn directions,

SPA5000 works with included steering wheel remote Apple Carplay Kit with Video Output. Add CarPlay



Apps



Maps

Part# SPA500

SMARTPHONE MIRRORING BY USB CABLE

New revolutionary iPhone adapter requires only usb cable plug for mirroring.

No addional software or apps needed. No buttons to push. No need to turn on airplay. Just plug in cable Unit keeps phone charged Compatible with most Andriod Samsung phones

see below for options

Plug and Play!

Mirror device to any monitor



VIDEO AV DONGLE

WiFi Receiver for android and iphones with AV out. requries 12 Volt DC in



Wirelessly Stream !

Output Partit DONGLE300K12RCA Video



HDMI DONGLE

WiFi Receiver for android and iphones with HDMI out. requries 5 Volt USB In



Wirelessly Stream!

Part# Output DONGLE300





☐iPod ☐iPhone ☐iPad

Quality MFI Approved Cables

Part# Length CML1 1 Foot CML3 3 Foot CMLS 6.5 Foot



USB AND CUSTOM ACCESSORIES

USB / HDMI EXTENSION NEW Snap in design Part# USB35R2 USBRHDM12

SURFACE MOUNT SINGLE, TRIPLE USB PORTS

Single USB with on / off switch 2.1 amp

Hami









Back of Seats Surface Mount Single or Triple USB Ports





CAR SPECIFIC DUAL USB POWERED PORTS



2.1A + 2.1A Waterproof Front 40 x 20mm Part# USBD-OTOYT



Old Toyota 32 x 20mm

USBD-OTOY



New Toyota 32 x 20mm





Volt Meter New Toyota 32 x 20mm USBD-NTOV



Nissan 32 x 13mm





Mitsubishi 35 x 17mm

Part# USBD-MIT



Suzuki 40 x 22mm Part#





Honda 43 x 25mm USBD-HON





Mazda 35 x 23mm

Part# USBD-MAZ

USB AND 3.5mm EXTENSION POD



No more wires dangling between your radio and your cell phone or ipod

Clean easy way to charge your phone and input audio into your OEM or aftermarket radios





MOUNTS

Front Flush mount adaptor. This works for USBR12V and the Volt Meter.



LISBR12V-MT USBR12V-MT2 USBR12V-MT3 USBR12V-MT4



WATERPROOF TOW HITCH / MOTORCYCLE USB



Waterproof 2.1 amp 5 volt output great for RV's Tow hitches motorcycles etc. Tailgate parties . boats... (H) 1.2" x (L) 3" x (D) 0.8"

Part#



GLOWING DUAL USB POWERED PORTS



Dual USB Power Output with glowing blue or orange backlight. Excellent for custom USB power for dark hard to see locations.

USBS-BLU - Blue Light

ROUND FLUSH MOUNT 2 USB PORTS



2.1 amp & 2.1 amp **USB** ouput

Part# USBR12V2

USB+CIG ADAPTOR / CIGPLUG / SWITCH



USBCIGK





VOLT METER / AMP METERS



Part# DVMA400 Voltage + 10 amps Max



Part# DVM200 Voltage



Part# USBR-A 15 amps max

/ USB ROUND USB WITH 3.5MM EXTENSION






3.5MM EXTENSION





USB EXTENSION









Switches / Custom Switches

ON/OFF ILLUMINATED SWITCH



Smooth rocker action. Supplied with 3 international symbols or can be used black. SPST fits .8 X 1/4" panel cutout. 12VDC light.

Part# 255

ON/OFF ILLUM. MINI ROCKER SWITCH



Two position that lights when on SPST. Switch and bezel are black. Specify lens color: RED, AMBER, BLUE or GREEN. Matching switch panel avail. Fits 7/16" x 1 1/8" panel cutouts. 12VDC light.

Part#	Color
257AMB	Amber
257BLU	Blue
257GRN	Green

ILLUM. TOGGLE SWITCH 10A SPST



Part#	Color
178RED	Red
178GRN	Green
178AMB	Amber

BLACK AND CHROME SWITCHES



On/Off switch. Two position long lever type with chrome toggle and lock nut. spst

Parti



On/Off switch. Two position long level type with black toggle and lock nut. SPDT. 2 prong.

Part# 251



On/Off switch. Two position long level type with black toggle and lock nut. SPST. 3 prong.

Part#

HEAVY DUTY TOGGLE SWITCH



10A On/Off/On. Fits 1/2" mounting hole.

Part#	Type
183	SPDT

STANDARD TOGGLE SWITCH 3A



Fits 1/2" mounting hole.

Part#	Type
170	SPST On/Off

PREWIRED TOGGLE SWITCH



Ideal for panic switches, valet, ignition kills, etc. 10AMP 12VDC pre-wired to save time! Toggle switch comes with on/off label. SPST.

 Part#
 Type
 Wire

 7036T
 Toggle On/Off
 30°

 3A On/On. Fits 1/4" mounting holes.

SUBMINIATURE TOGGLE SWITCH



3A On/On. Fits 1/4" mounting holes.

Parti	Type
175	DPDT

MINIATURE TOGGLE SWITCH



Ty DP

BLACK AND CHROME SWITCHES

Momentary off momentary rockets. Great for door locks, power windows or electric antennas.





Part#	Type	Contacts	Switch	Amps
252	Rocker	SPDT	1/2" x 3/4" Rect.	12
242	Rocker	DPDT	7/8" x 1 3/16" Rect.	20

6 BUTTON SWITCH KIT





NEW I

6 Illuminated. Easy snap on switch labels. NEW momentary touch activation !



Partil	Description
DLS6K	6 Switch Light Ki

PANELS



Part#	Type	Wire
270	1/2"	Hole 3
271	1/2"	Hole 4
264	7/46" × 1 1/8"	Slot 1

5 SWITCH SPDT



5 Pieces SPST Switch 10A @12vdc Wire 7 inch Mounting hole: 3/4" (20mm)

Part# Type SW200K 5 Switches SPDT

5 SWITCH WITH



5 Pieces SPST Switch 10A @12vdc LED color red Wire 7 inch Mounting hole: 3/4" (20mm)

Part# Type SW200RK 5 Switches w/ LED

PUSH BUTTON SWITCH



Small momentary switches are great for custom valets, garage opener switches, etc...

Part# Color 410B Black

PUSH BUTTON COLOR/STATUS SWITCH



An orange mechanical ball appears on clear plastic head to indicate if push button switch is in "ON" or "OFF" position. DPDT. Contacts are rated at 5 Amps@12VDC.

Parti

ADJUSTABLE ANGLE MICRO-SWITCH



Sensitive switch requires very little pressure to operate. Ideal for limit switch applications w/linear actuators. SPDT. 5 Amps@12VDC contacts.

Partit 412A



Custom / Specialty Switches

ROUND ROCKER SWITCHES



FINALLY a good looking quality black rocker switch that mounts in a ROUND HOLE. 8 Amp. 12VDC, mounts in a 3/4" hole. On/On. Made in Japan

Part#	Type
687	DPDT
690	SPDT

ROUND ROCKER WITH LED



Clean, flat black, easy to install Round Rockers. SPST avail. w/built-in LED. Ideal for dash or console mounting as alarm valet switch and LED in one. 10 Amp@12 Volts. Made in Japan



Part#	Contact	Type
6402	SPST	Labeled On/Off
6403	DPDT	Labeled On/Off
6404	SPST	Red LED On/Off
6405	SPST	Green LED On/Off
6406LG	SPST	Yellow LED On/Off

"GL SERIES" ILL. SOUARE SWITCHES



EASY TO LABEL FOR PROFESSIONAL LOOK.

SPDT illuminated switches. Colored lens is removable for labeling with "Rub-on" letters. When lens is replaced, you have an easy-to-identify, very professional looking switch. Square face makes it easy to line up in a row for custom switch panels.

Contacts are rated at 5A@12VDC. Mounts in a 7/16" diameter hole. Available in three colors.

Partil	Type	Color
402	On/Off DPDT	Red
405	Momentary SPDT	Red
406	Momentary SPDT	Green
407	Momentary SPDT	Yellow

"GL SERIES" ILL. ROUND SWITCHES



EASY TO LABEL FOR PROFESSIONAL LOOK

SPDT illuminated switches. Colored lens is removable for labeling with "Rub-on" letters. When lens is replaced, you have an easy-to-identify, very professional looking switch.

Contacts are rated at 5A@12VDC. Mounts in a 7/16" diam. hole, Available in three colors.

Part#	Type	Color
403R	On/Off DPDT	Green
404R	On/Off DPDT	Yellow
405R	Momentary SPDT	Red
406R	Momentary SPDT	Green

INVISIBLE SWITCH / STARTER KILL SWITCH



The Invisible Toggle switch senses the electrostatic touch of your finger tip through any dash plastic up to 1/8 inch thick! Great for stealth control of accessories.





Programable On/Off or Momentary Output!

Partif	Type
INV10	Invisible Switch Version
SK550N	Starter Kill Version

MINI BRASS PINSWITCH



Quality brass construction. Adjustable height: 1/8"-1". Ideal for tight spaces.

Part#	Type
180	Long
180S	Short

MERCURY TYPE SWITCHES



The fast, quick & cost-effective way to protect hoods and trucks without worrying about any switch alignment problems. Just screw the self-grounding body to hinge or lip portion of hood/ truck with the TEK™ screw provided; adjust switch angle by bending bracket. (Switch only available MS2B)

Part#

FORD DOOR SWITCH



6410 Fits Ford car doors 1978-1991.

Part#	Type
6410	Door Switch

FORD LIFTGATE SWITCH



6411 Fits Ford car liftgates 1981-1990

Part#	Type
6411	Liftgate Switch

DOOR LOCK CONTACTS



Dual door lock contacts for hard wire van back/sliding doors, radio speakers, etc...

Part# 5914 5914G-Gold

VALET SWITCH LED COMBO



Easily eliminate one step. Only drill one hole. Adhesive backed combo LED & switch makes for quick install.

Part# 20SMLEDS

MOMENTARY PRESSURE SWITCH



Stick onto any surface. No holes, quick install. Ideal for hiding behind dash/ console edges, under carpets, etc... Example: Hidden valet, starter kills, air horns...

Part#

(EYSWITCHES

Quality zinc constrution.



Part#	Type
7265M	Momentary Round
72678	Super Mini Keyswitch* (SPST)
7267	Mini Round Keyswitch* (SPST)
7267M	Mini Momentary Round (SPST)

(N.O. & N.C. contacts) Turn on alarm & kill ignition. "Ideal for tight space.

How it Works

(no sound)

ON - When you touch the area where

OFF - When you touch the same area.

you set the sensor. (it beeps)



ROLL UP/SLIDING DOOR REED TYPE



Heavy reed switch for those hard to protect commercial trucks/vans roll up and sliding gates. Thick aluminum housing with wire protective conduit.

Part# 6438

MINIATURE MAGNETIC TYPE



Surface mount contacts and magnets. Adhesive and screw mounting, 12" leads with test points, 1/4" x 3/8" x 1 3/4", normally open.

Part# 7032

ROLLER PLUNGER TYPE



For use where normal pin switch could break. Ideal for hatchbacks, truck tailgates, sliding windows and van doors. Roller bass design can't snap or break (i.e. when unloading hatchbacks). SPST Momentary.

Part#

SUPER SWITCHES TOP QUALITY



Super Switch. The polycarbonate shaft is exceedingly tough. The spring is stainless steel; the body, nuts & star washer are nickel-plated steel.

Part# 7040E



Booted Pin Switch. 1 1/8" long, so it can be used almost anywhere. Just cut the shaft to adjust the length and it will fit into a gap as small as 1/8". This is a tough, waterproof boot that last a long time.

Part#

ECONOMY UNIVERSAL PIN SWITCHES

-	A Parti	Type
ALC:	179	Standard Short
1	181	Long
	182	Right Angle
	126	Male Bullet Coop



CARPET LINER, CLOTH AND PAINT



ACCELE® SPRAY ADHESIVE

A special formulated adhesive for bonding carpet, wood, cloth, paper, glass, galvanized sheet metal and fiberglass. Offers a controlled "lacing" spray pattern that eliminates overspray and waste. The spray tip is adjustable allowing the user to spray vertically or horizontally. Our spray adhesive is very fast drying and offers excellent bonding even after exposure ro 165°F.

Part#

HEAVY DUTY STRAIGHT EDGE BLADE GUIDE RULER

Used throughout the upholstery industry. It offers a level straight edge to cut against and ultimate hand protection.



Anodized Aluminum

Part#	Size
12E28	28"
12E52	52"

ECONOMY GRILLE CLOTH

66" Wide! Grille cloth in Precut in 1 yard lengths



7719BLKC BLACK

54" x 36" PRECUT VINYL

Custom vinyl in multiple colors. Precut in 1 Yard lengths.



WHITE





MAROON





BROWN



7727GRY GRAY

7727NAV NAVY

77RUBY

CUSTOM OEM MATCH VINYL

Sold in linear yards. Other color available. Call for latest additions.















77LTGRAY

77BLUEGRAY





77MDGRAPHITE 77MDBEIGE 77SAGE

77MISTYGRAY

STL-576

HEATHER

SOUNDAIR™ACOUSTIC TRUNK LINER

Part#

Sold in linear yards. 50% wider, 54" wide roll.

Part#	Color	
S80503	Black	
S80577	Charcoal	

\$80503

BLACK







Color

Silver

Heather



SILVER

SOUNDAIR™ ACOUSTIC CARPET

Non-woven OEM design. 100% solution-dyed polyolefin fiber. Resists sun fading/ultraviolet rays. Stain, soil and mildew resistant. New stretchable loose-weave pattern minimizes loss of sound and distortion. Availble in 40" & 80" Wide Rolls.



SAC 503 BLACK

PAINT COLOR CODE



Parti

BD1003

BD1064 BC1065

BD(096

BD4075

BD(103

BO(105 **BDH07**

801116

80(117

BDH19

BD(120

BDH148

BDH150

BD(154

BOH55

BDI157

BD(158)

80(190 80(162 80(163

BDI164

BOHISS

BO(192 **BD(193**) BD(194 BD(197

BDt231 BD(232

80(23)

BD(234 BD(235

BO(236 80(238 8D(239

BD(241 BD(243

BD(252 BD(253

80(255

BD(256

BD(258

80(259









Color	Parti	Color
VINYL COAT OFF WHITE	80(325	FORD MED DOVE
COLORBOND CRIMSOM	BD(326	FORD CAMEL
MOLECUSOND GARNET	804327	FORD MIDNIGHT BLACK
VINYL COAT FORD LT MOCHA	BD1328	FORD DARK FLINT
VINYL COAT FORD LAPIS	80(329	FORD LIGHT FLINT
VINYL COAT FORD CRY BLUE	80(330)	FORD MED DARK FLINT
VINYL COAT SIGNAL RED	BD(331	FORD MED FLINT
MOLECUBOND MAVY	80(332	FORD EXPRESSO
MOLECUBOND WHITE	80(333	FORD MED LIGHT STONE
COLORBOND L GRAY	BD(334	FORD GRANITE
COLORBOND FORD M PRARIE TAN	BD(335	FORD SHALE
COLORBONO FORD D GRAPHITE	80(336	FORD DOVE GRAY
COLORBOND FORD L GRAPHITE	80(337	FORD LIGHT PARCHMENT
COLORBOND FORD M GRAPHITE	B0(338	FORD BLACK INK
COLORBOND FORD BLACK	BO(339	FORD DARK STONE
COLORBOND FORD MD PARCHMENT	80(340	FORD MEDIUM PEBBLE
COLORBOND M PARCHMENT	80(34)	FORD MEDIUM DARK PEBBLE
MD GRAPHITE FORD	BD(342	FORD DARK PEBBLE
L PRARIE TAN FORD	80(343	FORD LIGHT PERBLE
MD NEUTRAL GM	80(344	FORD WED LIGHT PEBBLE
MD PEWTER GM	80(345	FORD MED LIGHT FLINT
MD OAK 11 GM	BD(346	FORD CASHMERE
SHALE GM	BO(348	MERCEDES ORION
MD PEWTER 11 GM	80(349	MERCEDES ANTHRACITE
M NEUTRAL 11 GM	BO(350	MERCEDES JAVA
VERY D PEWTER GM	80(351	MERCEDES BORNEO
DK SLATE CHRYSLER	BD4516	FORD M CAMEL
TAUPE CHRYSLER	BD4517	FORD LIGHT CAMEL
AGATE CHRYSLER	80618	FORD SAND
LT MIST GRAY CHRYSLER	BD(519	FORD IN DARK STONE
MED MIST GRAY CHRYSLER	BD(520	FORD LIGHT STONE
DK MIST GRAY CHRYSLER	BDI521	FORD GREYSTONE
GRAY NISSAN	BDI522	GM EBONY
BEIGE NISSAN	BD(523	GM VERY DARK CASHMERE
ROUGE NISSAN	BD1524	GM GLOSS EBONY
GRAPHITE NISSAN	BDI525	GM LT NEUTRAL
MORY TOYOTA	80(526	GM LT TITAMUM
SAHARA TOYOTA	BD#648	VINYL KING RANCH RED
DESERT TOYOTA	BD(345	FORD MED LIGHT FLINT
TITANIUM TOYOTA	80(346	FORD CASHWERE
NICKEL TOYOTA	80(348	MERCEDES ORION
ATOYOT A	BD(349	MERCEDES ANTHRACITE
BUCKSKIN HONDA	BD(350	MERCEDES JAVA
SAHARA HONDA	80(351	MERCEDES BORNED
NICKEL HONDA	80616	FORD M CAMEL
MIST HONDA	BD(517	FORD LIGHT CAMEL
DK GRAPHITE HONDA	BD4518	FORD SAND
BLACK HONDA	BD(519	FORD IN DARK STONE
GRAY 83 UP BMW (7 SERIES)	BD(520	FORD LIGHT STONE
GHOST GRAY BINW (ALL)	BD(521	FORD GREYSTONE
	BD4522	GM EBONY
NAT TAN 84-95 BMW (3 SERIES)	BD(523	GM VERY DARK CASHMERE
TAN 88-91 BMW (5 SERIES)	801524	GM GLOSS EBONY
TAN 93 UP BMW	BD(525	
BURGUNDY BMW	BD(\$26	GM LT NEUTRAL GM LT TITAMUM
BLACK BWW	ED4648	VINYL KING RANCH RED
CHARCOAL BMW	00/1940	WINTE KING KANCH RED
FORD CHARCOAL BLACK		

BRUSHLESS COOLING FANS

CROSSFLOW COOLANG FAN

ACCELE cooling fans are available in standard CHROME PLATED ONLY metal finger guard.

1 5/8" 12VDC cooling fan

Brushless, High efficiency, Low profile, Available in 12-24VDC or 110VAC, High "SP", Super Quiet.

Description 8" Crossflow Fan



ELECTRONIC HOOD LOCK

System installs in line with existing hood lock mechanism preventing it from releasing. Hoodlock can interface directly with negative output of alarm for automatic operation.






ACTUATORS & ACCESSORIES

MINI ACTUATORS

Geat for opening compartments /motorized latch



ROUND LINEAR ACTUATORS

Brushed Aluminum body

Brushed Aluminum Linear Actuators with inline internal motor

Speed 1/2" / sec Force 30 Pounds	6101R		6108R	
Voltage 12vdc	6102R	2"	6112R	12"
Built in limit switches	6104R	4"	6120R	20"
Diameter 1.25" (30mm)	6106R	6"	6132R	32"



CH SERIES - LINEAR ACTUATORS

100	CITITION STATE	THE PERSON NAMED IN COLUMN	
10	Part#	Stroke	Force
	6102CH	2" Actuator	1000
	6104CH	4" Actuator	1000
-	6106CH	6" Actuator	1000
0	6108CH	8" Actuator	1000
	6112CH	12" Actuator	1000
	6118CH	18" Actuator	1000
	6124CH	24" Actuator	1000
Olbs Force !	6136CH	36" Actuator	1000
	6148CH	48" Actuator	1000

T SERIES - LINEAR ACTUATORS 0.5"/sec

Feedback Version Available Just add "P" to end of part #5

Stroke	Force
1" Actuator	110
2" Actuator	110
3" Actuator	110
4" Actuator	110
6" Actuator	110
8" Actuator	110
10" Actuator	110
12" Actuator	110
18" Actuator	110
24" Actuator	110
	1" Actuator 2" Actuator 3" Actuator 4" Actuator 6" Actuator 8" Actuator 10" Actuator 12" Actuator 18" Actuator

ADJUSTABLE CLAMP FOR T SERIES ACTUATOR

New easy way to fine adjust mounting



Part#		Description
	8639T	T and TP Series
	8639CB	CB Series
	86XXX	C and CH Series

WARNER - DOMESTIC GRADE LINEAR ACTUATORS

50	Part#	Stroke	Force
	6176	4" Actuator*	75
N. I	6175	6" Actuator"	75
Made in USA	6178	12" Actuator	250

ACTUATOR REMOTE CONTROLLER

Actuator Remote Controller Programmable Auto Up / Down and momentary Up / Down control



Description 6100TXK

SINGLE COIL DPDT MECHANICAL LATCHING RELAY

Accele Automation Controller Single Coil DPDT Mechanical Latching Relay for actuators with a true mechanical override

Single momentary +12v pulse with switch the DPDT relay

Great with any remote control output or momentary switch. Relay will stay on that state until another + pulse moves relay into other position.

The controller relay does not require any power to stay in on or off state !



Part # 5086E

POWER WINDOW MOTOR KITS










Quite & smooth operation. Power window is equipped with OVERLOAD PROTECTED motors. Heavy Duty construction to insure long lasting. Suitable for front or rear doors of most vehicles.

3 YEAR WARRANTY



POWER DOOR LOCK KITS



Great for Car Dealer Work!

Universal Central Door Locking System 8.8 ibs actuator key operated. Lock / unlock all doorsfrom both front doors. This kit is compatible with any aftermarket keyless entry systems Part # DLK22

Universal Remote Control Central Door Locking System Key & door button operation from driver's door only Remote keyless entry - 2 transmitters flashing parking lights confirmation.

Part # DLK294

UNIVERSAL TRUCK/HATCH RELEASE SOLENOID



Add remote electric power release to any trunk or hatchback (manual or cable type), Ideal for alarms using 2nd channel to release trunk. All mounting brackets and hard-

ware along with manual momentary switch included. Partil Ty		
5911N Economy	Solenoid w/ Wiring and Switch	
5912E High Grade	Trunk Solenoid Only	
5912K* High Grade	Solenoid Wiring Switch/Door Pop	

SPRING DOOR OPENERS



RUST PROOF CONSTRUCTION, SPRING LOADED DOOR PUSHERS. Will open door as soon as the car door is unlatched by remote solenoid

Part#

AMT - GEAR HEAD MOTORS

12 Volt, 6/60 RPM gearhead motors. Great for custom motorization.



Part#	Description
MG120	Motor geared 120 RPM 12VDC
MG20	Motor geared 20 RPM 12VDC
MG300	Motor geared 300 RPM 12VDC
MG6	Motor geared 6 RPM 12VDC
MG60	Motor geared 60 RPM 12VDC



ADHESIVES AND CHEMICALS

781 DRY SILICONE SPRAY

A non-flammable, long lasting, non-staining silicone spray. Will not harm painted surfaces

Part#	Size
601	16 02



ACCELE HAND CLEANER

NEW

Removes Grease, Grime, Oil, Tar, Ink, Paint, Moly, Asphalt, Carbon, Putty, and etc



A must for any Stereo / Alarm Shop!



Leaves hands Smooth and Smelling Fresh! Net Content : 4.5lbs Size : 8" x 5.5"


ANA CCEU SPRAY ADHENIVE

ACCELE® SPRAY ADHESIVE

A special formulated adhesive for bonding carpet, wood, cloth, paper, glass, galvanized sheet metal and fiberglass. Offers a controlled "lacing" spray pattern that eliminates overspray and waste. The spray tip is adjustable allowing the user to spray vertically or horizontally. Our spray adhesive is very fast drying and offers excellent bonding even after exposure ro 165°F.

Part#	Size
600	16 oz.

3M INSTANT ADHESIVES



Part#	Typ	
TCA5	1 02	
TCA7	1 00	
TCAB	1 00	
TCA9	1 00	



A paste-like, non-sagging, moisture curing, silicone rubber sealant. Useful for repair maintance applications. Remains flexible wexcellent resistance to weather, temperature extremes & aging. Adheres to bare & painted metal, glass, non-oily woods, many plastics & adbraded rubbers. Excellent gasket adhesive and formed in place gasket material.

Part#	Description	Color
9801	Standard Tube	Clear
9802	Standard Tube	Black
9804	Gun Tube	Black
9800G	Dispenser Gun	

3M SCOTCH WELD EPOXY ADHESIVES

Very fast drying, room temperature setting, two-part adhesive bonds in less than 5 minutes. It's low viscosity allows easy pouring and is ideal for potting. Packaged in dual-pack cartridges. Designed for use by EPX applicator system.

Part#	Type	Part#	Type
TDA100	Clear	TDA270	Black
TDA110	Transparent	EXPN	Nozzle
TDA190	Grey		

HOT MELT ADHESIVE

#219 Thermogrip 10" all-purpose hot melt adhesive. Ten 3/8" sticks per box.

Part#	Color
219C	Clear

TUNER WASH OZONE SAFE - CONTAINS NO FREON

Includes a high purity solvent for cleaning and a special grade silicone for lubricating. Removes grease, dirt, oil and operating erosion from all electro mechanical devices.

Part#	Size	
707	13 oz	Ĺ

BLACK HOT MELT ADHESIVE

Great for critical dash and enclosure work. Longer 10" sticks. Eight 3/8" sticks per box.



Partil 219B

I DINET

DUST A WAY OZONE SAFE - CONTAINS NO FREON

A high pressure, moisture-free gas for removing microscopic dust, rust, iron deposites, lint and paper from timing devices, film, magnetic tapes & heads and much more.

Size
12 oz.

ZAP® ADHESIVES









ADHESIVES AND TAPES

3M DOUBLE STICK TAPE



A closed cell foam tape coated on both sides with a pressure sensitive adhesive. It is well designed for attaching automotive trim molding, emblems and other articles where high internal strength is required. Size 1/2" x 20

Part#	- T	ype
4120	Dark G	iray

ACCELE® ECONOMY VINYL ELECTRICAL TAPE



60' roll of PVC black tape. Puncture resistant & moisture resistant. High tensile strength. UL listed. Individually packaged for extended shelf life.

Part#	Type
4160	Standard
4131	Cold Shrink Tape
BU44	Beuler Tape



NEW

(Simular to 3M Super 33 Plus)

CLEAR, HIGH STRENGTH GLUE STRIP ADHESIVE



1/4" x 100 ft. roll of double stick glue strip that after being placed, dries clear.

Part#	Type
4120GSC	Clear

DUCT TAPE



Made in Vinyl plastic; has excellent resistance to flame, abrasion, moisture, solvents, oil & many acids. New longer roll. Gives full electrical & mechanical protection

Type

Black

Silver

Part#	Size
1150	3/4 x 66 feet

3M SUPER 33 PLUS VINYL ELECTRICAL TAPE

3M STRIP CAULK



Ideal for sealing around speakers and deadening vibrations in door panels

Part# 6021

3M TEMPLEX™ VINYL ELECTRICAL TAPE

2" x 60 yards

4091

4092



3/4" x 66 feet.

Part# 4151

ANTI-RATTLE PROTECTIVE FOAM TAPE



Black foam tape. Has adhesive on 1 side. Roll Size (x 50 ft long) Part# Roll Size (x 50 ft long) Partif 1/8" (H) x 2" (W) 5561 1/4" (H) x 1/2" (W) 5569 1/8" (H) x 1/4" (W) 5563 1/8" (H) x 1/2" (W)

DOUBLE STICK HIGH STRENGTH MOUNTING TAPE



Ideal for mounting cellular phone bases, radar detectors, glass sensors... on dash, console, etc. Excellent adhesion strength. Black Neoprene rated for up to 180°F assures one piece removal from any surface without it breaking apart. The acrylic adhesive used develops one-half of it's sheer strength within minutes: full strength within 36 hours. Excellent water and solvent resistance.

Partil	Type
7811HD	10 pads 2" x 2 3/4" per pack
7809HD	10 pads 2" x 2" per pack
7805	1 roll or 1" wide x 1 yard
7806	4 coll or 4" wide v 2 ward

SNAP-HOOK & LOOP™ CELLULAR MULTI-PURPOSE



Quickly mount MP3, iPods and cellular phone holders without any holes. Snap-Velcro has almost the same solid feel and strength characteristics as double stick pads or clamshells, but gives the installer the ability to easily remove or fine adjust positioning. Cleaner, lower profile installations Part#

VEL1 - Super Hold (Permanent mount) used for cellular phone bases, alarm modules, E.Q. to radio.

VEL2 - Medium Hold (Removable) used for transportable phones to console radar detector to dash

3M BLACK HOOK & LOOP™



Length rolls Description 7801 1" Self adhes, hook & loop material 5 yds. 7801R 1" Self adhes, hook & loop material 50 yds.

BEULER" TAPE



Super HI-Q electrical tape.

Part#	Size
BU140	1/4" x 140 ft.

SOLDER AND WICK



Quality "KESTER" brand, "A" 60/40 3.3%. Rosin core.

Part#		Typ
001	"A" 18	gauge 1 II
002		wic



4 in 1 SCREWDRIVER SET PHILLIP & TORX



#2, #0, Phillips and #15, #20 Torx. All 4 tips are stored in the driver. The installers dream. 4 easy to change bits in one. #0 for alarms/stereos. Torx for GM cars.

Part#	Type
9539	Screwdriver Set
9540	Extra Phillips #0, #2
9542	Extra Torx T20, T15

13 PIECE. SOCKET/SCREWDRIVER TIP COMBO



1 ea.: #1, #2 Phillips 6-8, 8-10 Slotted, 8-Piece Stocket Set 1 ea: 3/16, 7/32, 1/4, 9/32, 5/16, 11/32, 3/8, 7/16 Sockets, 1 ea: 1/4" Socket Adapter.

Part# 31003

QUICK CONNECT BIT HOLDER



Bits can be quickly put on & removed with easy to use. Quick release spring. No magnet.

Part# 9543

1/4" DRIVERS AND EXTENSIONS



Part#	Size
65622	2" Extension
65623	6" Extension



METRIC SOCKET 3/8" DRIVE

Part#	Size	Part#	Size	Part#	Size
65907	7mm	65912	12mm	65916	16mm
65908	8mm	65913	13mm	65917	17mm
65909	9mm	65914	14mm	65918	18mm
65910	10mm	65915	15mm	65919	19mm



STANDARD 6 POINT SOCKET 1/4" DRIVE

Part#	Size	Part#	Size	Part#	Size
65600	3/16*	65603	9/32"	65606	3/8"
65601	7/32*	65604	5/16"	65607	7/16"
65602	1/4"	65605	11/32"	65608	1/2"



STANDARD 6 POINT SOCKET 3/8" DRIVE

Part#	Size	Part#	Size	Part#	Size
65710	3/8"	65713	9/16"	65716	3/4
65711	7/16*	65714	5/8"	65717	13/16
65712	1/2"	65715	11/16"		

PHILLIPS INDUSTRIAL QUALITY SCREW DRIVER TIPS

With 1/4" Hex Shank Chrome Vanadium



DRILL BITS



Quality hig	h speed ste	sel.	
Part#	Size	Part#	Size
9708	1/8"	9703	5/16"
		97038	3/8"

TAPER ROUTER



Great for cutting ABS plastic, cuts at any angle.

Part#	Size		
9710	4.8"		



HOLE SAWS



Highest quality hardened steel for longer life, Ideal for stereo/cellular antennas (3/4" , 7/8" , 1" and 5/16") Requires arbor (Part# ARB-1, ARB-2).

Part#	Size	Partif	Size	Part#	Size
HS-34	3/4"	HS-2	2"	HS-514	5 1/4"
HS-78	7/8"	HS-3	3"	HS-512	5 1/2"
HS-114	1.1/4"	HS-312	3 1/2"		
HS-1516	1 5/16"	HS-4	4"		
		HS-414	4 1/4"		
		HS-412	4 1/2"		

(A.C) (Cellular Antennas) (OEM Door Lock Contacts)

SOLDER AND WICK



Quality "KESTER" brand. "A" 60/40 3.3%. Rosin core.

Part#		Ty	P
001	"A" 18 gauge	1	lb
002		w	ici

WIRE CUTTER AND CRIMPER



For insulated & non-insulated terminals & connectors. Thin nose permits work in confined space, Accommodates wire from No.10 to 22 AWG. Wire cutter in nose. Red plastic-dipped handles.

PartV	Турс		
C1006	2 Non-Insulated Crimps		





MINI POCKET SCREWDRIVER

Small 4" flat screwdriver with a pocket clip. Made in the U.S.A. A must for all installers.

Part# Typ

A71 Fi

Plastic Tuner



WINDOW MECHANISM ACCESSORIES

Two of the most common hard-to-find, lost or broken, are window handle retaining clips or crank plastic washers. We have packaged the most common sized to help out of any jam.

mos	st common sized to help out of any jar	m.
	Partä	Type
	76951	Handle/Removal Tool
-	76920	Retaining Clips
4	76981	Crank Washers

DOOR SNAP REMOVER

For plastic fasteners. Place the tool under the edge of door panel & insert the fastener as far as possible, then simply pry up. Rugged tool wilarge comfortable handle.



DOUBLE END COTTON SWABS

Wood stems. Sold in quantities of 100



Part#

100 BLADES WITH DISPENSER

Contains 100 replacement blades. "A" Dispenses blades one at a time. "B" Standard 1 sided blades.

<u>Part# Type</u> 2053R "B" Razor Blades

RADIO REMOVEABLE KEYS

Plugs into existing snap release holes to easily unlatch radios from dash. Comes in packs of 2.



MINI DIGITAL MULTI-METERS

Compact design makes for easy portable use.





M100

RADIO REMOVAL TOOL SET

For Sony, Kenwood, Audi, Panasonic, Pioneer, Clarion, JVC, Pontiac, Fiat, VW, Ford





WIRE PINCHING ELECTRONIC LED TESTLIGHT

Tester centers wire and pierces it without any loss of blood! Electronic testlight is safe to use on any car computer or airbag lines. 3-15 volt.

Part#



ELECTRONIC & 12V LIGHT TESTERS

ELECTRONIC LIGHT TESTER

Checks all underdash & hood wires with no risk of blowing sensitive car modules & computers. LEDs indicate 12V or ground. Protective case included.

Part#

PINCHING 12V LIGHT TESTER

Protects your fingers by automatically centering & pintching the wire. The small size allows easy use even in tight places.

Part# L-258

BEULER HAND HELD 12 VOLT MINI WORKLIGHT



Professional Quality Worklight Fits Most Tool Boxes & Glove Compartments smallest compact worklight on the market! (less than 11") 4 watt 12 VDC fluorescent light with reflector 20 foot cable with cigarette lighter plug.

Part# SL100

SNAKE LIGHT / LCD - MONITOR



2.5" Color LCD Monitor. Focus distance 1" – 2". Flexible 3 foot Snake Tubing. Video Output for External Monitor. Powered by Four AB Batteries. For Hard to reach or see areas

VS2400



FLEXABLE GOOSE NECK LAMP



Detachable Flexible Gooseneck Shaft. Easy Plug In Connector. Surface mount plate





HUMEELEGARON

Bluetooth Receiver, Amplifier with built in Auto Relay Switcher

Unit can be added to any speaker or put in between any existing speaker and amp system. When you pair with bluetooth the unit takes over the speakers and lets you play music directly from your Smartphone

Great for Kitchens, bathrooms and bedrooms !

AH-BT30





Infrared Wireless Stereo Headphones



ZHIRNT - Home IR Transmitter Only ZHIRNTK - Home IR Transmitter with Headphone

ZHIR20 - Headphone Only



Code Learning IR remote control with Backlit buttons

Great for flush mounting into seat armrests or adjacent pods.

Learn up to 16 most commonly used buttons from multiple IR remotes into one easy to use remote control.



Smartphone Mirroring By USB Cable

New revolutionary iPhone adapter requires only usb cable plug for mirroring.

No addional software or apps needed. No buttons to push. No need to turn on airplay. Just plug in cable Unit keeps phone charged Compatible with most Andriod

AV and HDMI Output!

Samsung phones



WIR888H

IR Repeater Over HDMI Cable Full range IR frequency repeater Mini transmitter and receivers with 2 feet of cable No Power Source Needed! Power comes from HDMI Cable IR Receiver IR Transmitter

Motorized Parking Space Saver

Save any parking space by use of RF Remote Control or any smartphone phone with bluetooth





AH-IRXHDMI

Beuler Computer / Tablet Stand

The stand has a built-in shock and hydraulic lifter, making it easy to adjust the position and angle of the stand by using only one hand. Thin metal base can fit under any furniture legs







Brushed Aluminum!



POE Power over Ethernet Adaptor

Inject power over any CAT5 cable to power up cameras

POEC



HDMI Cables

HDMIC3	3 foot	HDMIC25	25 foot
HDMIC6	6 foot	HDMIC35	35 foot
HDMIC15	15 foot		

A/V Cables







SELLING TOOLS



HEADS-UP DISPLAY Size: 18" x 72"

MULTIMEDIA **ENTERTAINMENT** DISPLAY Size: 18" x 60"



COLLISION AVOIDANCE TOOLS DISPLAY

Size: 32" x 72"



HUD HEADS UP WALL DISPLAY

DISP-WALL-18

MULTIMEDIA ENTERTAINMENT WALL DISPLAY

DISP-WALL-18

COLLISION AVOIDANCE WIDE WALL DISPLAY

DISP-WALL-36



WIRELESS CHARGING COUNTERTOP DISPLAY **BU-WCP DISPLAY**



WIRELESS CHARGING COUNTERTOP DISPLAY **BU-WCP DISPLAY**



360 DVR REARVIEW MIRROR COUNTERTOP DISPLAY **RVMDVR360 DISPLAY**

SELLING TOOLS



USB EXTENSION DISPLAY SYSTEM **USB-DISPLAYK6**



4 SENSORS **BACK-UP SYSTEM BU500 DISPLAY**



OPTIX DISPLAY COLLISION AVOIDANCE TOOLS **OPTIX-DISPLAY-MCTT**



LED DRL KIT **DAYTIME RUNNING LIGHTS DRL1000 DISPLAY**



DUAL USB CHARGER 1.0AMP & 2.1AMP **USBR12V DISPLAY**



DUAL USB CHARGER 1.0AMP & 2.1AMP **USBS-BLU-DISPLAY**



HEADS UP DISPLAY **HUD300 & HUD500** HUD DISPLAY



LITTWORKS DISPLAY **CUSTOM LIGHTS**





LITTWORKS DISPLAY **CUSTOM LIGHTS** LW-DISPLAYTT1

SELLING TOOLS



AUTO LOCK/UNLOCKING BLUETOOTH SYSTEM BT-DLK-DISPLAY

BAR LICENSE PLATE
BACKUP CAMERA SYSTEM

TLP150L-DISPLAY



SMARTPHONE MIRRORING PLUG N PLAY

SPA300-DISPLAY

CREATE YOUR OWN CUSTOM DISPLAY

Ask your sales representative about our display program and how Accele can increase product visibility and your bottom line.

Merchandising...Show them what they want !






LITT WORKS OPTIX

TALL DISPLAY STAND Available in Grey and Black







Shows smartphone navigation & traffic information from Google or Waze on your rearview mirror !





RVM430DVR1 - WIFi, Bluetooth and DVR RVM430DVR2 - WIFI DVR

RVM430DVR3 - WiFi Bluetooth

Smartphone Mirroring

New revolutionary iPhone adapter requires only usb cable plug for

No addional software or apps needed. No buttons to push. No need to turn on airplay. Just plug in cable



WiFi DVR 1080P with 2nd Camera & GPS Option

- DVR 1080P / 1280P
- · Wifi Download
- 2 Camera System
- Video out to LCD.





Second Camera aption

ddydda

NEW!

NEW

see page 17 BTUSB

Side and Front View Camera Adaptors

with WiFi Streaming option Ford Sync 3 & GM, Chevy,

Cadillac with 7" & 8" LCD screens



Plugs into original radio wiring harness to give you 6 auto switching video inputs and HDMI input for smartphone mimoring





see page 21





Use the USB power with 3.5mm jack to plug directly into OEM car center consoles.

Use the 12vdc wired unit for custom installs behind the dash / radio

BT12V



NEW!

7" Widescreen Rear View Mirror

3 Video In for rear and side cameras





see page 19

see page 19

NEW !

Glowing Dual USB Powered Ports

GPS Option

Dual USB Power Output with glowing blue

Excellent for custom USB power for dark hard to see locations. 3.1amp @ 5VDC



USBS-BLU

see page 47

WiFi Door Bell with Keypad

PIR, Digital Keypad Magnetic Door Latch 720P WiFi

Great for business and commercial stores



Magnetic Door Look



WiFi Door Bell with Keypad



see page 57 for home electronics

Multi-view 180° Rear/Front Camera with Mini Controller

180 degree horizontal view 420ty lines .5 Lux

5 to 15vdc

IP68

Mini Controlle



RVC180B - For the Back of Car RVC180F - For the Front of Car



Hands Free Trunk Opener

New passive hands free. Want to open car tailgate or trunks without using your remote or PKE Passkey



Optional Transponder Remote and Springs Fully opens trunk when trunk release solenoid is activated



Trunk opens by waving foot under rear bumper

HFT200T - Use OEM Remote HFT200TREM - With Remote HFT200TSPR - Optional Springs

New! TPMS Monitoring Systems with video output!

When pressure or temperature goes out of your present settings unit will auto alert sound and auto

switches the video to your LCD monitor with trigger wire. Unit transmit tire pressure as well as temperature.

Round Snap in Switches

Your Double Din Radio !



video switcher

TPMS - Screw On Sensors TPMST - In Tire Sensors



New ! LED Flood Light

White LED flood light 27 watt, 12vdc operation



27 WATT! Less then 26 cents per watt!

see page 28



SPST Switch 10A @ 12vdc Wire 7 inch Mounting hole: 3/4" (20mm)

SW200K

SPST Switch 10A @12vdc LED color red Wire 7 inch Mounting hole: 3/4" (20mm)

SW200RK see page 48,