

FULL LINE CATALOG



QUICK SEARCH

To view the full "Table of Contents" page, please turn to page 70.



THREADING TOOLS PAGES 5-8







DRIVERS PAGES 51-56



FILES PAGES 57-60



CUTTING TOOLS PAGES 61-64



WOOD WORKING TOOLS PAGES 65-66



TOOL STORAGE PAGES 67-69



WDENGUES

PAGES 17-20

STRIKING TOOLS












LOCKING PLIERS & CLAMPS PAGES 41-49



OUR MISSION

Anglo American Tools was founded in 1973 by Derrick and Sheila Tuck, who emigrated from England with the vision of offering high quality European hand tools to professional contractors in the United States. Over the years, Anglo American Tools has earned a reputation among both European manufacturers and American distributors for offering a comprehensive variety of top quality professional hand tools and providing only the best service to both clients and customers.

Derrick's dream was to put the finest European hand tools into the hands of American professional tradesman. This is still our mission today.

For decades professional hand tool manufacturers from around the world have selected Anglo American Tools as their primary distributor and sales agent in the United States.

Anglo American offers the highest level of service to its clients by delivering engaging product information to the public, offering innovative problem solving tools and providing exceptional customer service.

Our approach is based on education: we educate ourselves on the realities of the market and provide our customers with the specifics on the hand tools that we believe would best suit their needs. Our motivation and passion for excellence, combined with our extensive product knowledge and exceptional customer service are the keys to our success. We constantly strive to provide distributors and end users with the most competitive pricing on an array of superior quality European hand tools.

LETTER FROM THE PRESIDENT

Dear Valued Customer:

Thank you for your expressed interest in our program of superior-quality professional hand tools. Anglo American is currently celebrating its 44th anniversary, and it is with great pride that we provide you with our latest catalog.

In preparation for this new and informative catalog, I recently reviewed our first catalog from the mid-70's and noted the differences and similarities in our marketing approach. Of course, technology has provided us with an ease to not only develop the catalog, but also be able to make revisions. Gone are the days of rubber cement, a straight edge and a separate IBM Selectric typewriter to provide the layouts and the various fonts and font sizes. Nowadays, a few keystrokes and the power of a software program can bring imagination to paper.

The interesting observation of reviewing old catalogs is the advancement of various tools and the consistency in others. We started in 1973 with factories such as Irega adjustable wrenches, Thor Hammers and Tome Feteira Collar brand files and rasps. Today, many of their items are exactly the way they were all those years ago. Irega have expanded their range to include chrome vanadium wrenches as well as wide opening and super wide opening wrenches. In addition, some of our other factory partners are also constantly improving and developing products. Knipex, for example, not only has developed new and unique pliers such as the CoBolt, the Alligator and the Cobra pliers, but have also improved upon them over the years. Witte are constantly improving the screwdriver handle to provide the user with a very ergonomic and powerful grip. Grip-On Tools offers a wide range of useful locking pliers and clamps for many purposes. Schröder, Rennsteig and NES offer some excellent problem solving and time saving tools for all industries and have proven to be widely used and accepted in the marketplace.

As the world gets smaller and as time seems to fly at an accelerating pace, Anglo American Tools never loses sight of its original mission by my parents, Derrick and Sheila Tuck: to bring the finest European hand tools to the American marketplace. Customers and clients alike can always trust that Anglo American will put the best tools in the American tradesman's toolbox.

We are pleased to partner with some of Europe's leading hand tool manufacturers. We aim to introduce new items on a regular basis and ask that you check back on our website frequently to keep up with our new product updates.

Once again, and on behalf of the staff at Anglo American Tools, we appreciate your expressed interest in our program of hand tools. We thank you for your support and look forward to another great year.

Sincerely,

Stephen Tuck Owner/President Anglo American Tools

THREADING TOOLS



5


EXTERNAL THREAD REPAIR







- External tools restore inch or metric, right-hand or left-hand fastener threads
- Floating cutters are self-adjusting to any pitch and size within range
- No need for calibration or identifying thread type
- Automatically chases good thread sections to repair the damaged threads
- Nes06040 ThreadMate[™] works well for DIYers, household repairs, cars, bikes, etc.
- NES1A, NES2 and NES3 work best for heavy duty applications in automotive, manufacturing, etc.



ITEM #	OUTER DIAMETER	PIPE DIAMETER	LBS
NES1A	5/32" - 3/4"	Up to 7/16"	.50
NES2	11/16" - 1 ¹ /2 ["]	3/8" - 1 ¹ /8 ["]	1.2
NES3	1 ³ /8 ["] - 6"	1" - 5 ¹ /2"	4.3
NES06040	5/32" - 1/2"	Up to 1/4"	.40

INTERNAL THREAD REPAIR



- Internal tools restore inch or metric, right-hand or left-hand fastener threads
- Floating cutter is self-adjusting to any pitch and size within range
- Ideal for cross-threaded fasteners
- No need for calibration or identifying thread type
- Nylon pads available to avoid marring softer metals



Nes

ITEM #	OUTER DIAMETER	PIPE DIAMETER	LBS
NES21	5/16" - 7/16"	1/16" - 3/16"	.35
NES22	1/2" - 5/8"	1/4" - 3/8"	.40
NES23	11/16" - 13/16"	3/8" - 1/2"	.55
NES24	7/8" - 1 ¹ /4 ["]	1/2" - 7/8"	1
NES25	1 ¹ /4 ["] - 2 ¹ /8 ["]	7/8" - 1 ³ /4 ["]	2.1
NES26	1 ¹ /4 ["] - 2 ⁵ /8 ["]	7/8" - 2 ¹ /4 ["]	2.4
NES27	2 ³ /4 ["] -3 ³ /16 ["]	2 ³ /8 ["] - 2 ³ /4 ["]	3.1
NES28	3 ¹ /4 ["] -3 ³ /4 ["]	2 ³ /4 ["] -3 ¹ /4 ["]	3.2
NES29	3 ³ /4 ["] - 4 ¹ /4 ["]	3 ¹ /2 ["] -3 ³ /4 ["]	3.3
NESTM20	#12 - 5/16"	Up to 1/16"	.30
NESTM21	5/16" - 7/16"	1/16" - 3/16"	.30



UNIVERSAL THREAD REPAIR SETS



COMBINATION THREAD REPAIR SETS





NES1015



NES1017

NES01044

- Combination sets are ideal for faster and more efficient thread repair maintenance
- Both external and internal tools restore inch or metric, right or left-hand fastener threads
- Self-adjusting to any pitch and size within range
- No need for calibration or identifying thread type
- Sets come with replacement cutters and nylon pads





EXTERNAL THREAD REPAIR SETS

ITEM #	CONTENTS	EXTERNAL	INTERNAL	LBS
NES1015	NES1A, 21, 22	-/- /-	5/16" - 5/8"	1.7
NES1017	NES1A, 21, 22, 23	5/32" - 11/16"		2.3
NES1025	NES1A, 2, 21, 22, 23, 24	5/32" - 1 ¹ /2 ["]		4.9
NES01044	NES06040, TM20, TM21	5/32" - 1/2"	#12 - 7/16"	.60



- Replaces a huge array of dies for thread repair maintenance
- External tools restore inch or metric, right or left-hand fastener threads
- Self-adjusting to any pitch and size within range
- No need for calibration or identifying thread type
- Sets come with replacement cutters

ITEM #	CONTENTS	SET TYPE	EXTERNAL CAPACITY	LBS
NES1000	NES1A, NES2	External	5/32" - 1 ¹ /2 ["]	2.7
NES1300	NES1A, NES2, NES3	External	5/32" - 6"	8.8

INTERNAL THREAD REPAIR SETS

NES1000





- Replaces a huge array of taps for thread repair maintenance
 Internet table restore inch or matrix, right or left hand fortune
 - Internal tools restore inch or metric, right or left-hand fastener threads
 - Self-adjusting to any pitch and size within range
 - No need for calibration or identifying thread type
 - Sets come with replacement cutters and nylon pads

ITEM #	CONTENTS	TYPE	INTERNAL CAPACITY	LBS
NES1007	NES21, 22, 23	Internal	5/16" - 13/16"	1.8
NES1008	NES21, 22, 23, 24	Internal	5/16" - 1 ¹ /4 ["]	2.9
NES1036	NES24, 26, Sleeve 07259, 07269	Internal	7/8" - 2 ⁵ /8 ["]	4.4

NES1007



NES1008

7

TAP WRENCHES AND EXTRACTORS

RATCHETING TAP WRENCHES ERGONOMIC



11-PIECE TAP WRENCH AND SCREW EXTRACTOR SET



RS46554

DUAL-EDGED SCREW EXTRACTORS ERGONOMIC



schröder

schröder

- Parallel-clamping steel jaws and knurled chuck provide a secure, firm grip on hex or square drive taps
- Beautifully precise ratcheting action for high quality work
- Adjustable T-Handle may be positioned from side to side for convenience and added leverage in tight spaces
- With a flick of the ratchet selection switch, it can easily set for left or right-handed operation, or locked for non-ratcheting use

ITEM #	DESCRIPTION		SQUARE DRIVE	LBS
RS40034	XL Capacity	3/8" - 5/8"	11/32" - 1/2"	2.4
RS40064	$3 \frac{1}{2}$ " Tap Wrench	1/16" - 1/4"	5/64" - 13/64"	.40
RS40074	$4 \frac{1}{4}$ " Tap Wrench	1/4" - 1/2"	3/16" - 5/16"	.70
RS40084	10" Tap Wrench	1/16" - 1/4"	5/64" - 13/64"	.60
RS40094	12" Tap Wrench	1/4" - 1/2"	3/16" - 5/16"	1
RS40154	7" Extension Bar			
RS40164	10" Extension Bar			.70

- Ideal for screw extraction, turning taps and rethreading
- Includes: two 3-position T-Handle ratcheting tap wrenches, 7-inch tap extension, two replacement chucks, three 3/16inch square shank taps, and three screw extractors
- Professional storage case with lid for easy identification



ITEM #	DESCRIPTION	LBS
RS46554	17-Piece Tap Wrench Screw Extractor Set with Storage Case	1.2



- · Extracts ruined screws without damaging threads
- · Unique design allows either left or right-handed turning
- Integrated center punch pin for precision work
- Dual-edge engagement with the screw for secure grip

ITEM #	DESCRIPTION	DRILL INCH	SCREW SIZE	FINISH	LBS
RN4710013	Extractor #1	1/8" - 3/16"	3/16" - 1/4"	Burnished	.02
RN4710023	Extractor #2	3/16" - 9/32"	5/16" - 3/8"	Burnished	.04
RN4710033	Extractor #3	1/4" - 3/8"	7/16" - 1/2"	Burnished	.06
RN4710043	Extractor #4	11/32" - 1/2"	1/2" - 9/16"	Burnished	.13
RN4710053	Extractor #5	7/16" - 5/8"	5/8" - 3/4"	Burnished	.20
RN4710063	Extractor #6	9/16" - 3/4"	7/8" - 1"	Burnished	.30
RN4710073	Extractor #7	3/4" - 15/16"	1" - >1"	Burnished	.45
RNSE3	3-Piece Set - Sizes 1 - 3			Burnished	.20
RNSE5	5-Piece Set - Sizes 1 - 5			Burnished	.50





9

OSCA'S PATENTED 3-COMPONENT HANDLES



0S21001006

14"

3-Component

2.2



OSCR

COPPER HAMMERS NEW!



EVO SOFT FACE HAMMERS NEW!



- Useful on soft metal application such as aluminum, brass, bronze and copper
- Lightweight copper head with double-faced squared ends
- Available in Ash Wood and 3-Component Anti-Vib. Handles
- Ash wood handle has a protective lacquered finish
- Patented 3-Component Anti-Vibration handle reduces hand and arm fatigue: Handle consists of an aluminum alloy core, nylon handle and rubber grip for comfort as well as a forged safety collar under head to avoid handle splitting

ITEM #	HANDLE TYPE	HANDLE LENGTH	LBS
0S070F500	Ash Wood	12"	1.1
0S070F1000	Ash Wood	14"	2.2
0S070K500	3-Component	12"	.60
OS070K1000	3-Component	12 1/2"	.70



- Useful for soft blow and controlled striking force applications
- Choose from steel head (90 series) or lightweight aluminum head (95 series)
- Nylon striking tips are interchangeable/replaceable
- · Forged safety collar under head to avoid handle splitting
- Available in Hickory and 3-Component Anti-Vib. Handles
- · Hickory wood handle has a protective lacquered finish
- Patented 3-Component Anti-Vibration handle reduces hand and arm fatigue: Handle consists of an aluminum alloy core, nylon handle and rubber grip for comfort

ITEM #	HANDLE TYPE	HEAD TYPE	HANDLE LENGTH	LBS
0S090HN22	Hickory	Steel	11"	.40
0S090HN27	Hickory	Steel	12"	.60
0S090HN32	Hickory	Steel	12"	.80
0S090HN40	Hickory	Steel	12 5/8"	1.3
0S090HN50	Hickory	Steel	12 5/8"	2
OS090K27	3-Component	Steel	12"	.75
0S090K32	3-Component	Steel	12"	.95
OS090K40	3-Component	Steel	12 ⁵ /8"	1.5
0S090K50	3-Component	Steel	12 5/8"	2.2
0S095HN22	Hickory	Aluminum	11"	.35
0S095HN27	Hickory	Aluminum	12"	.45
0S095HN32	Hickory	Aluminum	12"	.55
0S095HN40	Hickory	Aluminum	12 ⁵ /8"	.80
0S095HN50	Hickory	Aluminum	12 5/8"	1.1
0S095K27	3-Component	Aluminum	12"	.60
0S095K32	3-Component	Aluminum	12"	.65
0S095K40	3-Component	Aluminum	12 5/8"	1
0S095K50	3-Component	Aluminum	12 5/8"	1.3

ALUMINUM HAMMER NEW!

BALL PEIN HAMMERS NEW!



- Useful on soft metal application such as aluminum, brass, bronze and copper
- Lightweight aluminum alloy head with double-faced circular ends
- BRINELL 80/100 hardness
- Ash wood handle with protective lacquered finish
- Fixed with round steel wedge

ITEM #	HANDLE TYPE	HANDLE LENGTH	LBS
0S075F500	Ash Wood	12 ¹ /2 ["]	1.1





- Useful for shaping metal and closing rivets
- Induction hardened steel head with polished striking face and ball pein end
- Forged safety collar under head to avoid handle splitting
- Ash wood handle with protective lacquered finish

ITEM #	HANDLE TYPE	HANDLE LENGTH	LBS
OS108B446	Ash Wood	14"	1.0
OS108B706	Ash Wood	15"	1.6
0S108P916	Ash Wood	16"	2.0



- Useful for framing, decking, nailing and other applications
- Induction hardened steel head with polished striking face and rip claw end to remove nails, pry objects, etc.
- · Aluminum alloy handle with anti-slip rubber for secure grip

ITEM #	HANDLE TYPE	HANDLE LENGTH	LBS
0S085AL20	Aluminum Alloy	13"	1.3





DEAD BLOW HAMMER

Anglo AmericanTools



NEW!

Useful for auto body repair and other applications where a controlled striking force is needed

- Steel head with metal weights to absorb rebound force
- Polyurethane striking tipsSteel handle with anti-slip grip

ITEM #	FACE DIAMETER	HANDLE LENGTH	LBS
0S130FE40	40mm	12"	1.7

POLYURETHANE HAMMER NEW!





- Useful for multipurpose striking applications
- Steel head with polyurethane striking tips
- Interchangeable/replaceable tips
- Ash wood handle with protective lacquered finish

ITEM #	FACE DIAMETER	HANDLE LENGTH	LBS
OS12935	35mm	12"	.90



- Used to distribute strong force over a large area
 - · Hardened steel head with double-face squared ends
 - Black epoxy powdered face
 - Ash wood handle with protective lacquered finish
 - Useful for concrete, construction, repair and demolition applications

ITEM #	HANDLE TYPE HANDLE LENGTH		LBS
0S131TM94	Ash Wood	35 ¹ /2 ["]	9

SLEDGE HAMMER NEW!



COPPER HAMMERS





RAWHIDE HAMMERS



RAWHIDE / COPPER HAMMERS



Malleable iron head fitted with cylindrical copper faces

- Copper faces prevent damage to expensive machined sub components and assemblies
- Ideal where a heavy blow is required combined with a relatively small striking area
- Used in automotive and general engineering for assembly, repair and maintenance

ITEM #	FACE DIAM.	HANDLE LENGTH	SPARE FACE	LBS
TH04308	1"	9"	TH71308C	1
TH04310	1 ¹ /4"	11"	TH71310C	1.9
TH04312	1 ¹ /2 ["]	12"	TH71312C	2.9
TH04314	1 ³ /4 ["]	12 ¹ /2 ["]	TH71314C	4.4
TH04316	2"	14"	TH71316C	6.5
TH04317	2"	30"	TH71316C	7.4
TH04322	2 ³ /4 ["]	36"	TH71322C	14



- Malleable iron head fitted with cylindrical faces of compressed rawhide
- Ideal where a heavy blow is required combined with a relatively small striking area
- Faces are designed to wear and can be replaced
- Used as a general-purpose soft-faced hammer in engineering for assembly, repair and maintenance

ITEM #	FACE DIAM.	HANDLE LENGTH	SPARE FACE	LBS
TH01008	1"	9"	TH7008R	.75
TH01010	1 ¹ /4"	11"	TH7010R	1.3
TH01012	1 ¹ /2 ["]	12"	TH7012R	1.8
TH01014	1 ³ /4 ["]	12 ¹ /2 ["]	TH7014R	2.9
TH01016	2"	14"	TH7016R	4.4
TH01022	2 ³ /4 ["]	16"	TH7022R	7



- The malleable iron head and the copper/rawhide faces combine to provide the weight for the blow and the faces prevent damage to most items being struck
- Ideal where a heavy blow is required combined with a relatively small striking area
- Faces are designed to wear and can be replaced
- Used in engineering and automotive for assembly, repair and maintenance
- See spare faces listed above

ITEM #	FACE DIAMETER	HANDLE LENGTH	LBS
TH03208	1"	9"	.90
TH03210	1 ¹ /4"	11"	1.6
TH03212	1 ¹ /2 ["]	12"	2.4
TH03214	1 ³ /4 ["]	12 ¹ /2 ["]	3.7
TH03216	2"	14"	5.5
TH03222	2 ³ /4 ["]	36"	11.4





LBS

1.2

1.5

2.1

2.7

4.3



NYLON HAMMERS



THOR

- · Chrome plated zinc heads with nylon faces
- Easy interchangeable heads
- Used as multi-purpose striking tool in most assembly applications including engineering, furniture, partitioning, etc.

ITEM #	FACE DIAM.	HANDLE LENGTH	SPARE FACE	LBS
TH12708N	1"	10"	TH76708NF	.60
TH12710N	1 ¹ /4 ["]	11"	TH76710NF	1.1
TH12712N	1 ¹ /2 ["]	12"	TH7612NF	1.4
TH12714N	1 ³ /4 ["]	12 ¹ /2 ["]	TH76714NF	1.8
TH12716N	2"	13"	TH76716NF	2.8
TH12720N	2 ¹ /2 ["]	14 ¹ /2 ["]	TH76720NF	4.8



· Malleable iron head with cylindrical aluminium faces

- Ideal where a heavy blow is required combined with a . relatively small striking area
- Used as a general-purpose soft-faced hammer in engineering for assembly, repair and maintenance as an alternative to copper

ITEM #	FACE DIAM.	HANDLE LENGTH	HEAD TYPE	LBS
TH05A308	1"	9"	TH72308AF	.80
TH05A310	1 ¹ /4""	11"	TH72310AF	1.4
TH05A312	1 ¹ /2 ["]	12"	TH72312AF	2.2
TH05A314	1 ³ /4 ["]	12 ¹ /2 ["]	TH72314AF	3.3
TH05A316	2"	14"	TH72316AF	4.9

ALUMINUM HAMMERS



MALLETS

COPPER MALLETS





- The cylindrical copper heads provide a firm positive blow without the risk of damage to expensive components
- Ideal for positive blows on highly finished or closely ground machined parts
- 99.9% pure extruded electrolytic copper rod

ITEM #	FACE DIAMETER	HANDLE LENGTH	LBS
TH245701	7/8"	10"	.55
TH245702	1"	10"	.90
TH245703	1 ¹ /4 ["]	11"	1.4
TH245704	1 ¹ /2 ["]	11 ¹ /2 ["]	2.1
TH245705	1 ³ /4 ["]	12"	2.9
TH245706	2"	13 ¹ /2 ["]	4
TH245707	2 ¹ /2 ["]	24"	6.5
TH245709	2 ³ /4 ["]	36"	11.5
TH245711	2 ³ /4 ["]	36"	12.6

RAWHIDE MALLETS

RUBBER MALLETS



- Provides a large striking surface with light head weight
- Used in sheet metal forming, jewelry industry and assembling steel rule dies in cutter plattens
- Made from genuine water buffalo hides

ITEM #	FACE DIAMETER	HANDLE LENGTH	LBS
TH02108	1"	9"	.15
TH02110	1 ¹ /4"	9 ¹ /2 ["]	.25
TH02112	1 ¹ /2 ["]	10 ¹ /2 ["]	.40
TH02114	1 ³ /4 ["]	11"	.50
TH02116	2"	11 ¹ /2 ["]	.75
TH02120	2 ¹ /2 ["]	12 ¹ /2 ["]	1.3
TH02122	2 ³ /4 ["]	13"	1.5
TH02124	3"	13"	2
TH02128	3 ¹ /2 ["]	13"	2.8



- One piece rubber head with self-locking handle
- Used in automotive, industrial, and DIY
- Two heads include black and non-marking white

ITEM #	FACE DIAMETER	HANDLE LENGTH	HEAD TYPE	LBS
TH61951	1 ¹ /2 ["]	10 ¹ /2 ["]	Black	.35
TH61952	2"	12"	Black	.70
TH61952W	2"	12"	White	.65
TH61953	2 ¹ /2 ["]	13"	Black	1.2
TH61953W	2 ¹ /2 ["]	13"	White	1.1
TH61954	3"	15"	Black	1.7
TH61954W	3"	15"	White	1.6



TH61951



STRIKING TOOLS






17

PUNCHES

AUTOMATIC ADJUSTABLE CENTER PUNCHES





- Precision all-steel design with replaceable hardened pin is used for striking center holes for drilling in layout work
- Available with 2-component handguard for secure grip
- Self-striking mechanism is activated by downward pressure, eliminating the need to strike with a hammer
- Single-handed operation, impact force is adjustable
- Replaceable hardened pins available for small, medium and large center punches





ITEM #	L	DESCRIPTION	FORCE RANGE (LBF)	LBS
RN430229	4"	Small Auto. Adj. Center Punch (20N - 50N)	14.8 - 36.9	.15
RN430230	5 ¹ /4 ["]	Medium Auto. Adj. Center Punch (60N - 130N)	44.2 - 95.9	.20
RN430231	6"	Large Auto. Adj. Center Punch (180N - 250N)	132.8 - 184.4	.25
RN439129	1 ³ /8 ["]	Small Spare (3.5 mm diam		.05
RN439130	1 ³ /4 ["]	Medium Spare (4.0 mm diam		.10
RN439131	2 ¹ /8 ["]	Large Spare Pin (6.0 mm diameter)		.10



- Hardened striking head won't splinter or mushroom
- Pin punch shanks are polished and gold lacquer coated
- RNPS6 contains one each of all six sizes
- RNPCS7 contains four cold chisels (1/4", 3/8", 1/2" and 5/8" plus three pin punches (1/8", 3/16" and 1/4")

ITEM #	LENGTH	DESCRIPTION	LBS	
RN4520150	4 ¹ /2 ["]	Pin Punch 1/16"	.10	
RN4520250	4 ¹ /2 ["]	Pin Punch 3/32"	.10	
RN4530030	5 ¹ /2 ["]	Pin Punch 1/8"	.15	
RN4530040	5 ¹ /2 ["]	Pin Punch 5/32"	.15	
RN4530050	5 ¹ /2 ["]	Pin Punch 3/16"	.15	
RN4530060	7"	Pin Punch 1/4"	.20	
RNPS6		6-pc Pin Punch Set		
RNPCS7	7-рс	Pin Punch/Cold Chisel Set	1.2	

RN430229

FORCE RANGE: 14.8 - 36.9 LBF

> RN430230 FORCE RANGE: 44.2 - 95.9 LBF



FORCE RANGE: 132.8 - 184.4 LBF

PIN PUNCHES



CHISELS & WRECKING BARS







1

1

1


1

.90

LBS

3.1


4.1



PUNCHES

ARCH/WAD PUNCHES NEW!





ARCH/WAD PUNCH SETS IN ROLL-UP POUCH NEW!

FIFTH THE PARTY OF THE PARTY OF

- For stamping out or producing gaskets and seal rings from materials such as rubber, leather, felt, plastic, cork, fabric or similar components
- Multi-layered wooden boards or polyamide boards should be used as a base impact support for stamping
- Made of tool steel according to DIN 7200 A
- Dip-coating
- Also available in 33–75 mm

	LEN	GTH	HOLE	HOLE DIA.		WEIGHT	
ITEM #	мм	INCHES	мм	INCHES	GRAMS	POUNDS	
RN1400020	100	4	2	1/16	40	.09	
RN1400030	100	4	3	1/8	45	.10	
RN1400040	100	4	4	5/32	45	.10	
RN1400050	105	4 ¹ /8	5	3/16	55	.12	
RN1400060	105	4 ¹ /8	6	1/4	55	.12	
RN1400070	105	4 ¹ /8	7	9/32	55	.12	
RN1400080	115	4 ¹ /2	8	5/16	80	.18	
RN1400090	115	4 ¹ /2	9	11/32	80	.18	
RN1400100	115	4 ¹ /2	10	3/8	80	.18	
RN1400110	125	5	11	7/16	115	.25	
RN1400120	125	5	12	15/32	115	.25	
RN1400130	125	5	13	1/2	115	.25	
RN1400140	135	5	14	9/16	160	.35	
RN1400150	135	5 ¹ /4	15		165	.36	
RN1400160	135	5 ¹ /4	16	5/8	160	.35	
RN1400170	135	5 ¹ /4	17		160	.35	
RN1400180	140	5 ¹ /2	18	11/16	195	.43	
RN1400190	140	5 ¹ /2	19	3/4	195	.43	
RN1400200	140	5 ¹ /2	20	25/32	190	.42	
RN1400210	160	6 ¹ /4	21		270	.59	
RN1400220	160	6 ¹ /4	22	7/8	285	.63	
RN1400230	160	6 ¹ /4	23		275	.61	
RN1400240	160	6 ¹ /4	24	15/16	270	.59	
RN1400250	165	6 ¹ /2	25	1	380	.84	
RN1400260	165	6 ¹ /2	26		375	.83	
RN1400270	165	6 ¹ /2	27	1 ¹ / ₁₆	375	.83	
RN1400280	175	6 ¹ /2	28	1 ¹ /8	455	1.00	
RN1400290	175	7	29		435	.96	
RN1400300	175	7	30		435	.96	
RN1400310	175	7	31	1 ³ /16	500	1.10	
RN1400320	175		32	1 ¹ /4	490	1.08	





Example of product arrangement with roll-up pouch

WRENCHES

SWO 92XS

WRENCHES



TORQUE WRENCHES

SYSTEM 5000-2 CT TORQUE WRENCH





SYSTEM 5000 CT TORQUE WRENCH



SYSTEM 6000 CT TORQUE WRENCH



- Release accuracy tolerance ± 4% of scale value
- User-friendly reversible ratchet
- Integrated shift lever with free-running function reducing the risk of injury and malfunction
- Safety locking of the handle due to rotary assembly, no risk of jamming

ITEM #	L	DRIVE	Nm	GRADUATION Nm	LBS
HZ5107-2 CT	9 ¹ /4 ["]	1/4"	1-9	.1	.90
HZ5108-2 CT	9 ¹ /8 ["]	1/4"	2.5 - 25	.25	1.5



- Release accuracy tolerance ± 4% of scale value
- Tightening at torque setting is possible both to the right and to the left
- Automatic close-gap release when torque setting is reached
 Ratchet with sliding square tang with plastic knob for
 - manual pre-tightening

ITEM #	L	DRIVE	Nm	GRADUATION Nm
HZ5110-2 CT	12"	3/8"	10 - 60	.50
HZ5120-2 CT	12"	1/2"	10-60	.50
HZ5121-2 CT	15 ¹ /4 ["]	1/2"	20 -120	1
HZ5122-2 CT	19 ¹ /2 ["]	1/2"	40 - 200	1
HZ5123-2 CT	24 ¹ /4 ["]	1/2"	60 - 320	2



- Release accuracy tolerance ± 2% of scale value
- Ergonomically shaped handle with collar reducing the risk of slipping off and injury
- Integrated shift lever with free-running function reducing the risk of injury and malfunction
- Hard chrome-plated steel tube is slim, but very sturdy and wear-resistant

ITEM #	L	DRIVE	Nm	GRADUATION Nm
HZ6106-1 CT	7 ³ /4 ["]	1/4"	1-6	.10
HZ6108-1 CT	7 ⁷ /8 ["]	1/4"	2 - 10	.20
HZ6109-2 CT	10"	1/4"	4 - 40	.40
HZ6110-1 CT	13"	3/8"	5 - 60	.50
HZ6111-1 CT	15 ¹ /4 ["]	3/8"	20 - 120	1
HZ6121-1 CT	17"	1/2"	20 - 120	1
HZ6122-1 CT	21 ¹ /4 ["]	1/2"	40 - 200	1
HZ6123-1 CT	26"	1/2"	60 - 320	2
HZ6143-1 CT	31 ¹ /2 ["]	3/4"	100 - 400	2.5
HZ6144-1 CT	41"	3/4"	200 - 500	2.5
HZ6145-1 CT	50 ¹ /2 ["]	3/4"	300 - 800	2.5
HZ6150-1 CT	70 ¹ /2 ["]	3/4"	400 - 1000	5
HZ6160-1 CT	96 ³ /4 ["]	1"	600 - 1600	5
HZ6170-1 CT	119 ¹ /2 ["]	1"	800 - 2000	6

STRAP WRENCHES



boa

BOA CONSTRICTOR STRAP WRENCH ERGONOMIC



Grips, opens, unscrews and/or tightens almost any shape Can be patch upped on global plastic upped obroms and oth

- Can be safely used on glass, plastic, wood, chrome and other sensitive surfaces without scratching or marring
- Unique reinforced industrial-strength strap has a breaking strain in excess of 2000-lbs of pressure
- The aluminum model has a heavy-duty alloy frame and an extra-long strap which grips shapes up to 12-inches



ITEM #	L	DESCRIPTION	CAPACITY	LBS	
B012002	8"	Standard Strap Wrench	Up to $6\frac{3}{4}$.60	
B082012		Replacement Strap for B012002			
B013010	8 ¹ /2 ["]	Aluminum Strap Wrench	Up to 12 ["]	1.3	
B083101		Replacement Strap for B013010			



- Grips onto round, square and odd-shaped items for effortless turning without scratching or marring surfaces
- Ergonomic soft grip handle is made from polypropylene
- Lollipop strap wrench is very useful in the kitchen or cafeteria environment
- Baby Boa and Lollipop are available in a set

ITEM #	L	DESCRIPTION	CAPACITY	LBS
B011022	6"	Baby Boa Strap Wrench	Up to 4"	.25
B081120	I	Replacement Strap for Baby Boa (B011022)		
B011201	6"	Lollipop Strap Wrench	Up to 4"	.10
B014011DU0		Baby Boa and Standard Strap Wrench Set		



- Easy Open Set includes a Lollipop strap wrench, which is great in a kitchen or cafeteria environment
- Open Sesame Set includes a Baby Boa strap wrench
- Both sets include a Canpull, which is virtually indestructible and dishwasher safe, used to open a variety of pop-top cans without strain
- Lollipop and Baby Boa grips, opens and tightens onto any shape of material without scratching or marring surfaces

ITEM #	DESCRIPTION	LBS
B011225	Lollipop Strap Wrench and Canpull - Easy Open Set	.15
B018001	Baby Boa and Canpull - Open Sesame Set	.20

BABY BOA AND LOLLIPOP STRAP WRENCH



HOUSEWARE STRAP WRENCH SETS



B011225



B018001

77 SERIES ADJUSTABLE WRENCH



92 SERIES ADJUSTABLE WRENCH





ERGOTOP ADJUSTABLE WRENCH ERGONOMIC





- Precision-ground jaw slides ensure smoother action and accurate work
- Triple chrome finish for maximum rust resistance
- Threaded pin offers double security for working under extreme conditions
- · Perfectly parallel jaw surfaces ensure perfect grip of nut

ITEM #	L	FINISH	CAPACITY	LBS
IR774	4"	Chrome	1/2"	.10
IR776	6"	Chrome	3/4"	.25
IR778	8"	Chrome	15/16"	.50
IR7710	10"	Chrome	1 ¹ /8 ["]	.80
IR7712	12"	Chrome	1 ³ /8 ["]	1.5
IR7715	15"	Chrome	1 ¹¹ /16 ["]	2.7
IR7718	18"	Chrome	2 ¹ /8 ["]	4.7



- No wobble or play in the lower jaw for a perfect grip
- Non-protruding jaw shank and slim profile permit access to tight spaces
- Triple-coated chrome finish for maximum rust resistance
- SAE and metric measuring scales directly on the jaws
- Xtra Wide Adjustable Wrenches have up to 25% extra capacity compared to a standard wrench
- Non-protruding jaw shank and slim profile permit access to tight spaces
- Thinner, elongated jaws for top functionality and torque
- Triple-coated chrome finish for maximum rust resistance


ITEM #	L	ТҮРЕ	CAPACITY	LBS
IR924	4"	Adjustable Wrench	1/2"	.10
IR92W6	6"	Xtra Wide Adjustable Wrench	15/16"	.35
IR92W8	8"	Xtra Wide Adjustable Wrench	1 ³ / ₁₆ "	.70
IR92W10	10"	Xtra Wide Adjustable Wrench	1 ³ /8 ["]	1.1
IR92W12	12"	Xtra Wide Adjustable Wrench	1 ¹ /2 ["]	1.8
IR9215	15"	Adjustable Wrench	1 ¹¹ / ₁₆ "	2.9
IR9218	18"	Adjustable Wrench	2 ¹ /8 ["]	4.5



- Raised relief design generates micro air chambers, making the handle easier to grip even with wet hands
- Rounded ergonomic shape and anti-slip horizontal ridges for greater comfort
- Thinner, elongated jaws for top functionality and torque
- Precision-ground jaw slides ensure smoother action and accurate adjustment of the jaw and handle
- Replacement grips available in each size

ITEM #	L	ТҮРЕ	CAPACITY	LBS
IR92ET6	6"	ErgoTop 92 Series	3/4"	.35
IR92ET8	8"	ErgoTop 92 Series	15/16"	.65
IR92ET10	10"	ErgoTop 92 Series	1 ¹ /8 ["]	1.1
IR92ET12	12"	ErgoTop 92 Series	1 ³ /8 ["]	1.7





SUPER WIDE OPENING ADJUSTABLE WRENCH ERGONOMIC



SUPER WIDE OPENING (SWO)

SWO XTRA SLIM

XTRA SLIM

- 8-inch Super Wide Opening (SWO) adjustable wrench opens up to the size of a standard 12-inch wrench SWO Extra Slim also available: Jaw design is up to 50% thinner
- than standard wrenches with a similar opening No wobble or play on lower jaw for a perfect grip on a nut or bolt
- Non-protruding jaw shank & slim profile permit access to tight spaces
- Ergonomic two-component replaceable handle

ITEM #	L	DESCRIPTION	CAPACITY	LBS		
IR92SW6	6"	SWO Series Adjustable Wrench	Up to 1 ³ /8 ["]	.50		
IR92SW8	8"	SWO Series Adjustable Wrench	Up to $1^{1/2}$.65		
IR92SWXS6	6"	SWO Xtra Slim Adjustable Wrench	Up to 1 ³ /8 ["]	.45		
IR92SWXS8	8"	SWO Xtra Slim Adjustable Wrench	Up to $1^{1/2}$.75		
IRSW6812	12-pc SWO Wrench Display: Six IR92SW6 and Six IR92SW8					
IRSW812		12-pc SWO Wrench Display: Twelve IR92SW8				

/IREGA



1000 VOLT INSULATED ADJUSTABLE WRENCH

- 92 Series 1000V Insulated: For working on or near live or potentially live voltage up to 1000 V AC / 1500 V DC
 - · Flame retardant material and the differently-colored insulation layers provide easy identification if insulation is damaged
 - Can be used within the temperature range -20°C and 70°C.
 - The design and insulation of the handle allows a secure grip and prevents slippage

177784 //		TYPE	04040170/	1.00
ITEM #	L	ТҮРЕ	CAPACITY	LBS
IR92SI6	6"	92 Series 1000V Insulated	3/4"	.45
IR92SI8	8"	92 Series 1000V Insulated	15/16"	.70
IR92SI10	10"	92 Series 1000V Insulated	1 ¹ /8 ["]	1.2
IR92SI12	12"	92 Series 1000V Insulated	1 ³ /8 ["]	1.8
IR92SI15	15"	92 Series 1000V Insulated	1 ¹¹ / ₁₆ "	3.5
IR92SIW6	6"	Xtra Wide Opening 1000V Insulated	15/16"	.40
IR92SIW8	8"	Xtra Wide Opening 1000V Insulated	1 ³ / ₁₆ "	.80
IR92SIW10	10"	Xtra Wide Opening 1000V Insulated	1 ³ /8 ["]	1.3
IR92SIW12	12"	Xtra Wide Opening 1000V Insulated	1 ¹ /2 ["]	2
IR92SISW6	6"	Super Wide Opening 1000V Insulated	1 ³ /8 ["]	.55
IR92SISW8	8"	Super Wide Opening 1000V Insulated	1 ¹ /2 ["]	.80

- · Reversible jaw works with both nuts and pipes with the same adjustable wrench
- Jagged teeth provide maximum gripping power
- Xtra Wide Adjustable Wrenches have up to 25% extra capacity compared to a standard wrench
- SAE and metric measuring scales directly on the jaws

ITEM #	L	ТҮРЕ	CAPACITY	LBS
IR92WR6	6"	Reversible Jaw & Adjustable Wrench	Up to $1^{1/16}$.30
IR92WR8	8"	Reversible Jaw & Adjustable Wrench	Up to $1^{5}/16^{"}$.60
IR92WR10	10"	Reversible Jaw & Adjustable Wrench	Up to 1 ⁹ / ₁₆ "	.95
IR92WR12	12"	Reversible Jaw & Adjustable Wrench	Up to $1^{3}/4^{"}$	1.6

/IREGA





IREGA

RATCHETING & COMBINATION WRENCHES

REVERSIBLE RATCHET



LBS

.30




T-HANDLE REVERSIBLE RATCHET



HZ863Q

13-DEGREE COMBINATION



accurate turning



DESCRIPTION

Fine 72-Teeth Ratchet, 5° Rotation

Four Ratchet wheel options: 20, 30, 32, or 72 teeth
Fine 72 teeth ratchet wheel has 5° rotation angle for

 HZ863-S, HZ8816-S, & HZ916S have locking device and quick-release button, allowing safe locking of sockets

Non-slip 2-component handle for optimal grip

Surface: chrome-plated, polished



- T-handle and reversible ratchet combined in one tool
- Enables powerful or sensitive ratcheting
- Has locking device and quick-release button
- Number of teeth: 20 (opening angle 18°)
- Works well with HZ868 socket extension for hard to reach areas

ITEM #	LENGTH	DRIVE	LBS
HZ863Q	3 ⁷ /8 ["]	1/4"	.15



- 12-point box end with 13° offset and open end wrench design
- 25% longer than standard combination wrenches
- I-Beam design for superior strength
- Load-bearing capacity at least twice as high as DIN
- Chrome plated, polished head

ITEM #	LENGTH	SIZE	LBS
HZ600LG-10	8 ¹ /4 ["]	10 mm	.15
HZ600LG-11	8 ³ /4 ["]	11 mm	.18
HZ600LG-12	9"	12 mm	.22
HZ600LG-13	9 ⁵ /8 ["]	13 mm	.25
HZ600LG-14	10"	14 mm	.30
HZ600LG-17	12"	17 mm	.45
HZ600LG-19	14"	19 mm	.65
HZ600LG-22	15"	22mm	1.1
HZ600LG-24	17"	24 mm	1.3
HZ600LG-27	19"	27 mm	1.7
HZ600LG-30	20"	30 mm	2.1
HZ600LG-32	21"	32 mm	2.3
HZ600LG/8	8-pc Se -13, -1-	7.4	




HZ600LG/8





27

PLIERS



LINEMANS AND MECHANICS PLIERS

EURO LINEMANS PLIERS ERGONOMIC



PIANO

1/16"

5/64"

3/32"

1/16"

5/64"

3/32"

3/32"

5/64"

3/32"

LBS

.45

.60

.80

.50

.75

.90

1.1

.75

.90



ERGONOMIC





KN0912240

- Solid construction for heaviest use
- Additional gripping zone below the articulated joint

HANDLES

Plastic-Coated

Plastic-Coated

Plastic-Coated

Knipex Comfort

Knipex Comfort

Knipex Comfort

1000V Insulated

1000V Insulated

1000V Insulated

ITEM # KN0201180

KN0201200

KN0201225

KN0202180

KN0202200

KN0202225

KN0207225

KN0208200

KN0208225

7"

8"

9"

7"

8"

9"

9"

8"

9'

MEDIUM

3/32"

7/64"

1/8"

3/32"

7/64"

1/8"

1/8"

7/64"

1/8"

HARD

5/64"

5/64"

3/32"

5/64"

5/64"

3/32"

3/32"

5/64"

3/32"

- · Cutting edges for soft and hard wire
- Long lasting cutting performance even under heavy use
- KN0911240 & KN0912240 have built-in universal crimping point and cable puller

ITEM #	L	ТҮРЕ	MED	HARD	PIANO	LBS
KN0901240	9 ¹ /2 ["]	Plastic-Coated Handles	3/16"	1/8"	7/64"	.95
KN0902240	9 ¹ /2 ["]	Knipex Comfort Handles	3/16"	1/8"	7/64"	1.1
KN0908240	12	1000V Insulated Handles	3/16"	1/8"	7/64"	1.2
KN0911240	9 ¹ /2 ["]	Crimping Point and Plastic-Coated Handles	3/16"	1/8"	7/64"	.95
KN0912240	9 ¹ /2 ["]	Crimping Point and Knipex Comfort Handles	3/16"	1/8"	7/64"	1.1





USA LINEMANS PLIERS

KN3841190





KN3811200

KN3891200

- · High bending strength of the pliers jaws
- Strong, serrated gripping surfaces
- Made from vanadium electric steel, forged and oil hardened

ITEM #	L	HANDLES JAW TYPE		LBS
KN3811200	8"	Plastic-Coated	Straight, flat-round	.40
KN3821200	8"	Plastic-Coated	Plastic-Coated Bent, flat-round	
KN3831200	8"	Plastic-Coated	Plastic-Coated Cranked, flat pointed	
KN3841190	7 ¹ /2 ["]	Plastic-Coated	Flat-wide	.30
KN3861190	7 ¹ /2 ["]	Plastic-Coated	Flat, slim, smooth	.30
KN3871200	8"	Plastic-Coated	70° bent, flat pointed	.35
KN3881A200	8"	Plastic-Coated	Double-bend, 120° angled	.40
KN3881B200	8"	Plastic-Coated	Double-bend, 90° angled	.40
KN3891200	8"	Plastic-Coated	ated Precision rounded, grabber	

ELECTRICIAN AND CRIM	MPING	PLIERS					nToous
ELECTRICIANS FOUR IN ONE PL	IERS	ERGONOMIC				KN	IPEX
	130	2 160	Strong, preSuitable for	cise jaws r cutting	s ideal for grippin hard, medium ai	rips, cuts and crimps ng and bending wire nd soft wire se stripping holes	
			ITEM #	L	HANDLES	STRIPPING HOLES	LBS
5 0			KN1301614	6 ¹ /4 ["]	Plastic-Coated	Strips: 10 - 12- 14	1
			KN1301160	$6^{1/4}$	Plastic-Coated	Strips: 14 - 16 - 20	1.1
KN1302160	Pas. 6303	5/25/11/00	KN1302160	6 ¹ /4	Knipex Comfort	Strips: 14 - 16 - 20	1.1
INSULATION STRIPPERS ERGO	NOMIC —						IPEX
KN1101160			7 AWG Internal knu With or with	urled nut nout ope multiple	for one handed ning spring to aid and fine strande	the correct diamete adjustment d in repetitive work d conductors with p	
			ITEM #	L	HANDLES	OPENING SPRING	LBS
	1 1 1 m		KN1101160	6 ¹ /4"	Plastic-Coate	ed Yes	.30
			KN1102160	6 ¹ /4"	Knipex Comfo	ort Yes	.40
	1.2.4		KN1106160	6 ¹ /4"	1000V Insulat	ted Yes	.40
			KN1112160	6 ¹ /4 ["]	Knipex Comfo	ort No	.35
			KN1117160	6 ¹ /4 ["]	1000V Insulat	ted No	.45
KN1112160	lin og b ger						
CRIMPING PLIERS ERGONOMIC						KN	IPEX
Contraction of the second seco	10.3		cables Crimps six a plug) and F Parallel crir	and eigh 1J11/12 nping pr n transm	t pole western pl (telephone plugs ocess ensures a	pping unshielded rit lugs RJ45 (networkii s) secure, lasting crim tly to save time and	ng Ip
000							
KN975110				3			C.
KN975110							6
КN975110			ITEM #			APPLICATIONS	LBS
KN975110			KN975110	10"	2 Telecom C	rimper for RJ45, RJ11/12	.75
KN975110					2 Telecom Co 1 COAX,		

SIDE CUTTERS AND CABLE SHEARS


CHAIN NOSE SIDE CUTTERS











- Cutting edges induction-hardened for longer tool life
- Cutters made from high-grade special tool steel, oil-hardened
 and tempered
- 40° angled models for hard to reach areas

ITEM #	L	HANDLES	HEAD	JAWS	LBS
KN2501125	5"	Plastic-Coated	Polished	Straight	.15
KN2501140	5 ¹ /2 ["]	Plastic-Coated	Polished	Straight	.20
KN2501160	6 ¹ /4 ["]	Plastic-Coated	Polished	Straight	.25
KN2502160	6 ¹ /4 ["]	Knipex Comfort	Polished	Straight	.30
KN2521160	6 ¹ /4 ["]	Plastic-Coated	Polished	40° angled	.25
KN2525160	6 ¹ /4 ["]	Knipex Comfort	Chrome	40° angled	.30



- Jaws snap back into place after twisting or bending
- · Flat-round jaws with strong, serrated gripping surfaces
- Designed to cut hard and soft wire
- Cutting edges are separately induction-hardened for longer tool life

ITEM #	L	HANDLES	HEAD	JAWS	LBS
KN2611200	8"	Plastic-Coated	Polished	Straight	.35
KN2611200S1	8"	Plastic-Coated	Polished	Straight	.35
KN2612200	8"	Knipex Comfort	Polished	Straight	.45
KN2618200	8"	1000V Insulated	Polished	Straight	.45
KN2621200	8"	Knipex Comfort	Polished	40° angled	.35
KN2622200	8"	Plastic-Coated	Polished	40° angled	.45



CABLE SHEARS ERGONOMIC





KN9512200

- Cuts copper and aluminium single conductors, as well as multiple stranded cables
- Precision ground, hardened blades
- Clean and smooth cutting without crushing and deformation
- Adjustable bolted joint, self-retaining screw

ITEM #	L	HANDLES	STRIPPING HOLES	LBS
KN9511165	6 ¹ /2 ["]	Plastic-Coated	5/8" Romex - 12/3 Electric Cable	.45
KN9511200	8"	Plastic-Coated	3/4" Battery/Welding, 10/3 Cable	.65
KN9511500	20"	Plastic-Coated	1 ¹ / ₈ " Cable (AWG 5/0)	2.4
KN9512165	6 ¹ /2 ["]	Knipex Comfort	5/8" Romex - 12/3 Electric Cable	.55
KN9512200	8"	Knipex Comfort	3/4" Battery/Welding, 10/3 Cable	.75
KN9517500	20"	1000V Insulated	1 ¹ / ₈ " Cable (AWG 5/0)	2.8
KN9526250	10"	1000V Insulated	5/8" Romex - 12/3 Electric Cable	1.3
KN9526280	11"	1000V Insulated	3/4" Battery/Welding, 10/3 Cable	1.7

CONCRETOR'S NIPPERS AND CABLE CUTTERS



CONCRETOR'S NIPPERS



HIGH LEVERAGE CONCRETOR'S NIPPERS





RATCHETING CABLE CUTTERS ERGONOMIC





· Twists and cuts binding wire in one quick and easy motion

- Very slim profile allows access to confined areas
- Cutting edge hardness is approximately 61 HRC
- · High-grade special tool steel, forged, oil-hardened

ITEM #	L	HANDLES	HEAD	LEVERAGE	LBS
KN9900200	8"	Black Atramentized	Polished	Standard	.50
KN9900220	9"	Black Atramentized	Polished	Standard	.75
KN9900250	10"	Black Atramentized	Polished	Standard	.85
KN9900280	11"	Black Atramentized	Polished	Standard	1
KN9900300	12"	Black Atramentized	Polished	Standard	1.1
KN9901200	8"	Plastic Coated	Polished	Standard	.50
KN9901220	9"	Plastic Coated	Polished	Standard	.75
KN9901250	10"	Plastic Coated	Polished	Standard	.85
KN9901280	11"	Plastic Coated	Polished	Standard	1
KN9901300	12"	Plastic Coated	Polished	Standard	1.1



- To lace concrete reinforcing steel with binding wire from a roll
- High-leverage joint minimizes strain, even when thick binding wires are being used
- Twists and cuts binding wire in one quick and easy motion
- Very slim profile allows access to confined areas

ITEM #	L	HANDLES	HEAD	LEVERAGE	LBS
KN9910250	10"	Black Atramentized Polished High Leverage		High Leverage	.85
KN9910300	12"	Black Atramentized Polished High Leverage		1.1	
KN9911250	10"	Plastic Coated Polished High Leverage		1	
KN9911300	12"	Plastic Coated	Polished	High Leverage	1.2



- Cuts copper and aluminium single conductors, as well as multiple stranded cables
- Two-stage ratchet drive for a clean and smooth cut without crushing and deformation
- One-hand operation using ratchet principle
- · Light weight and compact design provides easy handling



ITEM #	L HANDLES STRIPPING HOLES (AWG)		LBS	
KN9531250	10"	Knipex Comfort	5/8" Romex - 12/3 Electric Cable	1.3
KN9531280	11"	Knipex Comfort	3/4" Battery/Welding, 10/3 Cable	1.7
KN9536250	10"	1000V Insulated	5/8" Romex - 12/3 Electric Cable	1.3
KN9536280	11"	1000V Insulated	3/4" Battery/Welding, 10/3 Cable	1.7

ADJUSTABLE GRIPPING PLIERS

COBRA PLIERS ERGONOMIC



LBS

.20

.30

.40

.70

1.2

2.7

6.1

.50

.80

1.2

.70

1.3

.80

.80

3/8" - 1 1/16

3/8" - 1 3/16

3/8" - 1 3/8"

3/8" - 1 3/4

3/8" - 2 3/8

3/8" - 3 3/4

3/8" - 4 3/4

3/8" - 1 3/4"

3/8" - 1 3/4

3/8" - 2 3/8

3/8" - 1 3/8

3/8" - 2 3/8

3/8" - 1 3/4

3/8" - 1 3/4







KN8726250 **\$ 1000V INSULATED**

COBRA EXTRA SLIM PLIERS ERGONOMIC



- Extra slim, elongated jaws
- Self-locking on pipes and nuts, no slipping
- Gripping teeth are specially hardened for longer life

Push button adjustment for fast, firm action directly on the

work pieces and a comfortable handle width • The guard prevents fingers from getting pinched • KN8721250: Quick set handle adjustment

HANDLES

Plastic-Coated

Plastic-Coated

Plastic-Coated

Plastic-Coated

Plastic-Coated

Plastic-Coated

Plastic-Coated

Knipex Comfort

Knipex Comfort

Knipex Comfort

Knipex Comfort

Knipex Comfort

Quick Set

1000V Insulated

· Fine adjustment for optimum adaptation to different sizes of

PIPE CAPACITY

1/8" - 1"

1/8" - 1 1/4

1/8" - 1 1/2

1/8" - 2"

1/8" - 2 3/4

1/8" - 3 1/2

1/8" - 4 1/2

1/8" - 1 1/2

1/8" - 2"

1/8" - 2 3/4"

1/8" - 1 1/2

1/8" - 2 3/4

1/8" - 2"

1/8" - 2"

work piece

ITEM #

KN8701125

KN8701150

KN8701180

KN8701250

KN8701300

KN8701400

KN8701560

KN8702180

KN8702250

KN8702300

KN8705250

KN8705300

KN8721250

KN8726250

5"

6"

7"

10"

12"

16"

22"

7"

10"

12"

10"

12"

10"

10"

Made from chrome vanadium steel, oil-hardened

ITEM #	L	HANDLES	PIPE CAPACITY	NUT CAPACITY	LBS
KN8751250	10"	Plastic-Coated	To 1 ¹ /4"	To 1 ⁵ /8"	.70



Self-gripping on pipes and nuts, no slipping

- Unique jaw design shaped to eliminate nut-burring
- Secure grip by pressing down on the top handle, no need to squeeze handles together
- Guard prevents fingers from being pinched

ITEM #	L	HANDLES	PIPE CAPACITY	NUT CAPACITY	LBS
KN8801180	7"	Plastic-Coated	1/8" - 1 ¹ /4 ["]	3/8" - 1 ³ / ₁₆ "	.40
KN8801250	10"	Plastic-Coated	1/8" - 2"	3/8" - 1 ¹³ / ₁₆ "	.70
KN8801300	12"	Plastic-Coated	1/8" - 2 ³ /4 ["]	3/8" - 2 ³ /8 ["]	1.1
KN8802250	10"	Knipex Comfort	1/8" - 2"	3/8" - 1 ¹³ / ₁₆ "	.80
KN8805250	10"	Knipex Comfort	1/8" - 2"	3/8" - 1 ¹³ / ₁₆ "	.80
KN8808250	10"	1000V Insulated	1/8" - 2"	3/8" - 1 ¹³ / ₁₆ "	.80





KN8751250

KN8801250



KN8802250



KNIPE)

PLIERS WRENCH ERGONOMIC







KN8607250 **\$1000V INSULATED**

- Excellent for gripping, holding, pressing and bending
- The action of the jaws allows quick tightening and release of bolted connections using the ratchet principle
- Adjustment at the touch of a button directly on work piece
- Zero backlash jaw pressure prevents damage to edges of sensitive components



ITEM #	L	HANDLES	CAPACITY	LBS
KN8603150	6"	Plastic-Coated	To 1"	.40
KN8603180	7"	Plastic-Coated	To 1 ³ /8 ["]	.60
KN8603250	10"	Plastic-Coated	To 1 ³ /4 ["]	1.2
KN8603300	12"	Plastic-Coated	To 2 ³ /8 ["]	1.6
KN8605150	6"	Knipex Comfort	To 1"	.50
KN8605180	7"	Knipex Comfort	To 1 ³ /8 ["]	.60
KN8605250	10"	Knipex Comfort	To 1 ³ /4 ["]	1.3
KN8607250	10"	1000V Insulated	To 1 ³ /4 ["]	1.5

RAPTOR PLIERS ERGONOMIC



- For metric and imperial nuts and screws with widths across flats from 3/8-inch to 1 1/4-inch
- Zero-backlash gripping of metric or imperial hexagonal headed screws, no rounding of bolt heads
- Quick tightening of bolted connections using ratchet action
- Ideal for work on vehicle brake systems

ITEM #	L	HANDLES	CAPACITY	LBS
KN8741250	10"	Plastic-Coated	3/8" - 1 ¹ / ₄ "	.75





KN8501250

- Jaws automatically grip any size work piece
- The adjustment design prevents operators fingers from being pinched
- Gripping teeth are specially hardened for longer life
- · Chrome vanadium steel, oil-hardened and tempered

ITEM #	L	HANDLES	PIPE CAPACITY	NUT CAPACITY	LBS
KN8501250	10"	Plastic-Coated	1 ¹ / ₈ " - 1 ¹ / ₄ "	3/8" - 1 ³ /8 ["]	.75

KNIPE)

DIAGONAL CUTTERS ERGONOMIC







- Cutting edges are induction hardened to 64 HRC for longer tool life
- · Fixed, forged-on axle rivet for durability under duty heavy use
- Designed for easy cutting of hard, soft and piano wire
- KN7421 and KN7422 series cutters have 12° angled heads, and provide extra gripping clearance

ITEM #	L	HANDLES	SOFT	MED	HARD	PIANO	LBS
KN7401160	6"	Plastic-Coated	9/64"	1/8"	5/64"	1/16"	.30
KN7401200	8"	Plastic-Coated	7/32"	11/64"	1/8"	3/32"	.60
KN7401250	10"	Plastic-Coated	1/4"	3/16"	9/64"	1/8"	.85
KN7402200	8"	Knipex Comfort	7/32"	11/64"	1/8"	3/32"	.70
KN7402250	10"	Knipex Comfort	1/4"	3/16"	9/64"	1/8"	.90
KN7408200	8"	1000V Insulated	7/32"	11/64"	1/8"	3/32"	.65
KN7408250	10"	1000V Insulated	1/4"	3/16"	9/64"	1/8"	.90
KN7421200	8"	Plastic-Coated	7/32"	11/64"	1/8"	3/32"	.60
KN7421250	10"	Plastic-Coated	1/4"	3/16"	9/64"	1/8"	.90
KN7422200	8"	Knipex Comfort	7/32"	11/64"	1/8"	3/32"	.65
KN7422250	10"	Knipex Comfort	1/4"	3/16"	9/64"	1/8"	.90



- · Fixed, forged-on axle rivet for durability under heavy duty use
- Designed for easy cutting of hard, soft and piano wire
- · Cuts hard or thick wires with less effort than equally long diagonal cutters, due to cutting edges being in the center of the pliers' head
- Centric precision cutting edges

ITEM #	L	HANDLES	SOFT	MED	HARD	PIANO	LBS
KN7491250	10"	Plastic-Coated	1/4"	13/64"	5/32"	9/64"	.85



- KN9561150 is especially made for cutting Bowden cables up to 1/8-inch OD
- KN9561150 has an opening spring and locking lever to save time and aid in repetitive work
- KN9571600 has strong and light aluminum handles
- KN9581600 features a reinforced cutting head for cutting piano wire

ITEM #	L	HANDLES	COPPER	WIRE	IRON	LBS
KN9561150	6"	Plastic-Coated	1/8"	1/8"	-	.45
KN9561190	7 ¹ /2 ["]	Plastic-Coated	1/4"	1/4"	5/32"	.70
KN9562190	7 ¹ /2 ["]	Knipex Comfort	1/4"	1/4"	5/32"	.75
KN9571445	17 ¹ /2 ["]	Plastic-Coated	3 ³ /4 ["]	3/8"	9/32"	2.4
KN9571600	24"	Plastic-Coated	5 ⁷ /8 ["]	9/16"	3/8"	3.9
KN9577600	24"	1000V Insulated	5 ⁷ /8 ["]	9/16"	3/8"	5

KN9562190

KN9561150





ERGONOMIC

NUMBER OF

WIRE ROPE CUTTERS





(NIPE)

HIGH LEVERAGE DIAGONAL CUTTERS



- Optimum coordination of the cutting edge angle and transmission ratio allows high cutting performance with minimal effort
- Precision cutting edges are induction hardened to 64 HRC for longer tool life
- For tough and repetitive work
- Comes with an opening spring

ITEM #	L	HANDLES	HEAD	LBS
KN7412160	6 ¹ /4 ["]	Knipex Comfort	Polished	.45
KN7412180	7"	Knipex Comfort	Polished	.60



- Ideal transmission of force due to double-hinged design
- Easy cutting without strain: 50% easier than traditional KNIPEX high leverage diagonal cutters
- · Reliably cuts all types of wire, including steel tape
- For rough or very fine cutting





ITEM #	L	HANDLES	HEAD	LBS
KN7371180	7"	Plastic Coated	Polished	.55
KN7372180	7"	Knipex Comfort	Polished	.60



- Box-joint design, light weight and high stability
- Heavy duty, doubly supported joint axis
- Optimum coordination of the cutting edge angle and transmission ratio with a laterally staggered pivot point allows high cutting performance with minimal effort
- Wider opening for thicker cables



ITEM #	L	HANDLES	HEAD	LBS
KN7302160	6"	Knipex Comfort	Polished	.40







KN7372180

X-CUT COMPACT DIAGONAL CUTTERS



KN7302160

END CUTTERS

BOLT END CUTTING NIPPERS ERGONOMIC



KN6101200



KN6102200

ERGONOMIC

- Cutting edges induction-hardened (approx 64 HRC) for longer tool life
 High leverage joint reduces hand-force required to cut wire,
- High reverage joint reduces hand-force required to cut wire, bolts & rivets
- Favored in fencing construction for being both lightweight and compact
- Cutters are made from vanadium electric steel that is forged and oil-hardened



ITEM #	L	HANDLES	SOFT	MED	HARD	PIANO	LBS
KN6101200	8"	Plastic Coated	1/4"	5/32"	9/64"	1/8"	.95
KN6102200	8"	Knipex Comfort	1/4"	5/32"	9/64"	1/8"	.95

KNIPEX

KNIPE

KNIPEX

- Cutting edges induction-hardened (approx 64 HRC) for longer tool life
- Suitable for cutting soft, medium, hard and piano wire
- High leverage design and optimal transmission ratio for easier cutting
- Cutters made from Vanadium electric steel that is forged and oil-hardened

ITEM #	L	HANDLES	SOFT	MED	HARD	PIANO	LBS
KN6701160	6 ¹ /4 ["]	Plastic-Coated	5/32"	13/64"	3/32"	5/64"	.55
KN6701200	8"	Plastic-Coated	11/64"	11/64"	1/8"	3/32"	.70
KN6705140	5 ¹ /2 ["]	Knipex Comfort	5/32"	1/8"	5/64"	1/16"	.40
KN6705160	6 ¹ /4 ["]	Knipex Comfort	5/32"	9/64"	3/32"	5/64"	.65
KN6705200	8"	Knipex Comfort	11/64"	11/64"	1/8"	3/32"	.85



HIGH LEVERAGE END CUTTERS

KN6705200

KN6701200

END CUTTING NIPPER



- · For hard and soft wire
- Cutting edge hardness approximately 61 HRC
- Also applicable for cutting soft and annealed tie wire used on reinforcing rods
- Made from high grade tool steel, oil-hardened

ITEM #	L	HANDLES	COPPER	WIRE	IRON	LBS
KN6801180	7"	Plastic-Coated	5/32"	1/8"	7/64"	.55
KN6801200	8"	Plastic-Coated	11/64"	9/64"	7/64"	.70



BOLT CUTTERS



KNIPEX

MINI BOLT CUTTERS ERGONOMIC





KN7102200



KN7112200



Newly redesigned joint allows an angled head for almost flush cutting

- Handle design has been redesigned to improve both comfort and handling
- Innovative spring design allows more consistent, gentle opening pressure
- KN7132: a comfort grip Mini Bolt Cutter with a notched straight head, for keeping thicker wires and rods near joint
- KN7141: for flush cutting





ITEM #	L	HANDLES	SOFT	MEDIUM	HARD	PIANO	LBS
KN7101200	8"	Straight	1/4"	7/32"	5/32"	1/8"	.75
KN7101200R	8"	Straight	1/4"	7/32"	5/32"	1/8"	.75
KN7102200	8"	Straight	1/4"	7/32"	5/32"	1/8"	.85
KN7112200	8"	Straight	1/4"	7/32"	5/32"	1/8"	.85
KN7121200	8"	Angled	1/4"	7/32"	5/32"	1/8"	.70
KN7122200	8"	Angled	1/4"	7/32"	5/32"	1/8"	.80
KN7131200	8"	Straight	1/4"	7/32"	5/32"	1/8"	.75
KN7132200	8"	Straight	1/4"	7/32"	5/32"	1/8"	.75
KN7141200	8"	Angled	1/4"	7/32"	5/32"	1/8"	.70



BOLT AND CONCRETE MESH CUTTERS ERGONOMIC



KN7172460

- Cuts through pre-stressed steel as well as tempered wire up to 48 HRC
- Chrome vanadium steel blades for high performance
- Forged-On stopper with elastomer insert cushions the cutting stroke
- Replaceable cutter head and forged tool steel joints for longer life

			HEA	D DIMENSI	ONS	
ITEM #	L	CAPACITY	WIDTH	DEPTH	LENGTH	LBS
KN7172460	18"	5/16"	2 ³ /4 ["]	1 ¹ /4 ["]	1 ¹ /8 ["]	4.7
KN7172610	24"	3/8"	3 ¹ /4 ["]	1 ¹ /4 ["]	1 ³ /8 ["]	5.7
KN7172760	30"	7/16"	3 ³ /4 ["]	1 ⁵ /8 ["]	1 ¹ /2 ["]	9.5
KN7172910	36"	1/2"	4 ³ /8 ["]	1 ⁵ /8 ["]	1 ³ /4 ["]	11
KN7172950	37"	7/16"	4 ³ /8 ["]	1 ¹ /2 ["]	1 ³ /4 ["]	7.9

PRECISION CUTTERS

PRECISION END CUTTERS



KN6401115	KN6422115	 Low-friction of The polished protection, n plated tools 	double sp finish w o circuit	tra fine cutting work oring for gentle and even opening ith a layer of oil offers the best rust faults caused by peeling chrome fro hardened and tempered	m
		ITEM #	L	JAW TYPE	LBS
		KN6401115	4 ¹ /2 ["]	End cutter with bevel	.20
		KN6402115	4 ¹ /2 ["]	End cutter with bevel	.20
	KN6422120	KN6411115	4 ¹ /2 ["]	End cutter with small bevel	.20
KN6402115	KN6432120	KN6412115	4 ¹ /2 ["]	End cutter with small bevel	.20
		KN6412115ESD	4 ¹ /2 ["]	End cutter with small bevel	.20
		KN6422115	4 ¹ /2 ["]	Mini blade with small bevel	.15
		KN6432120	4 ³ /4 ["]	15° Oblique end cutter, short head, small bevel	.20
		KN6432120ESD	4 ³ /4 ["]	15° Oblique end cutter, short head, small bevel	.20
KN6411115	KN6442115	KN6442115	4 ¹ /2 ["]	27° Oblique end cutter, short head, small bevel	.15
KN0411115	110442115	KN6452115	4 ¹ /2 ["]	27° Oblique end cutter without bevel	.15
		KN6462120	4 ³ /4 ["]	65° Oblique mini blade with small bevel	.15
		KN6462120ESD	4 ³ /4 ["]	65° Oblique mini blade with small bevel	.15
		KN6472120	4 ³ /4 ["]	35° Recessed head	.20
KN6412115ESD	KN6472120				

PRECISION DIAGONAL CUTTERS



- For ultra-fine cutting work in electronics, manufacturingKN79 series is made from ball bearing steel for the highest quality, and feature a precision ground head and a screw joint for smooth operation
- KN78 series is made from INOX steel (54 HRC) or special tool steel (60HRC)
- Most models available in ESD

ITEM #	L	HEAD	BEVEL	HRC	WIRE CLAMP	LBS
KN7902120	4 ³ /4 ["]	Mini	Very small	64	No	.15
KN7902125	5"	Round	Very small	64	No	.15
KN7922120	4 ³ /4 ["]	Mini	No bevel	64	No	.15
KN7922125	5"	Round	No bevel	64	No	.15
KN7932125	5"	Pointed	Very small	64	No	.15
KN7942125	5"	Pointed	No bevel	64	No	.15
KN7952125	5"	Pointed	Very small	64	Yes	.15
KN7962125	5"	Pointed	No bevel	64	No	.15
KN7803125	5"	Super-Knips	No bevel	54	No	.10
KN7813125	5"	Super-Knips	No bevel	54	Yes	.10
KN7823125	5"	S.K., 60° Angled	No bevel	54	No	.10
KN7831125	5"	Super-Knips	No bevel	60	No	.10
KN7841125	5"	Super-Knips	No bevel	60	Yes	.10
KN7861125	5"	Super-Knips	No bevel	64	No	.10
KN7871125	5"	Super-Knips	No bevel	64	Yes	.10
KN7881125	5"	Super-Knips	Very small	64	No	.10
KN7891125	5"	Super-Knips	Very small	64	Yes	.10






















KN7891125

GRIPPING PLIERS

Anglo AmericanTools







Joint with screw for precise, zero-backlash operation

- · Finely finished joint surfaces minimizes friction for smooth and
- Ground gripping surfaces have carefully deburred edges ESD pliers protect delicate ESDS (electrostatic discharge
 - sensitive devices) by dissipating electrostatic discharge

ITEM #	LENGTH	ESD	JAW TYPE	LBS
KN3412130	5 ¹ /4 ["]	No	Flat, rectangular	.15
KN3412130ESD	5 ¹ /4 ["]	Yes	Flat, rectangular	.15
KN3422130	5 ¹ /4 ["]	No	Half-Round	.15
KN3422130ESD	5 ¹ /4 ["]	Yes	Half-Round	.15
KN3432130	5 ¹ /4 ["]	No	Round, pointed	.15
KN3432130ESD	5 ¹ /4 ["]	Yes	Round, pointed	.15
KN3542115	4 ¹ /2 ["]	No	45° Bent, half-round	.20
KN3542115ESD	4 ¹ /2 ["]	Yes	45° Bent, half-round	.20
KN3552145	5 ³ /4 ["]	No	Long, trapezoidal	.25
KN3562145	5 ³ /4 ["]	No	Long, half-round	.20
KN3572145	5 ³ /4 ["]	No	Long, round	.20
KN3582145	5 ³ /4 ["]	No	Long, 45° Bent, half-round	.20



- KN28 series have flat, wide, serrated jaws, good for assembly
- KN29 series have cross-cut gripping surfaces
- KN30 series pliers are long nose pliers without cutter, and have a variety of jaw shapes to aid in various tasks
- KN31 Series have extra long 2-Inch jaws for very exact bending and adjusting of electronic components

ITEM #	L	HANDLES	HEAD	JAW TYPE
KN2801200	8"	Plastic-Coated	Polished	Flat, Wide
KN2821200	8"	Plastic-Coated	Polished	Half-Round
KN2911160	6 ¹ /4 ["]	Plastic-Coated	Polished	Flat, Wide
KN2921160	6 ¹ /4 ["]	Plastic-Coated	Polished	Half-Round, Slim
KN2925160	6 ¹ /4 ["]	Knipex Comfort	Chrome	Half-Round, Slim
KN3011160	6 ¹ /4 ["]	Plastic-Coated	Polished	Long, Trapezoidal
KN3015160	6 ¹ /4 ["]	Knipex Comfort	Chrome	Long, Trapezoidal
KN3021160	6 ¹ /4 ["]	Plastic-Coated	Polished	Long, Half-Round
KN3031140	5 ¹ /2 ["]	Plastic-Coated	Polished	Long, Round
KN3031160	6 ¹ /4 ["]	Plastic-Coated	Polished	Long, Round
KN3035160	6 ¹ /4 ["]	Knipex Comfort	Chrome	Long, Round
KN3111160	6 ¹ /4 ["]	Plastic-Coated	Polished	Extra Long, Slim
KN3115160	6 ¹ /4 ["]	Knipex Comfort	Chrome	Extra long, Slim
KN3121160	6 ¹ /4 ["]	Plastic-Coated	Polished	Extra long, 45° Bent
KN3125160	6 ¹ /4 ["]	Knipex Comfort	Chrome	Extra Long, 45° Bent
KN3211140	5 ¹ /4 ["]	Plastic-Coated	Polished	Flat, Concaved, Pointed
KN3221140	5 ¹ /4 ["]	Plastic-Coated	Polished	Flat, Wide
KN3231140	5 ¹ /4 ["]	Plastic-Coated	Polished	Flat, 45° Bent, Concave
KN3301160	6 ¹ /4 ["]	Plastic-Coated	Polished	Duckbill-Shaped





SNAP RING PLIERS

SNAP RING, FORGED TIPS









KN4921A21



- Non-slip, solid tips
- Much stronger than replaceable tip snap ring pliers
 Made from chrome vanadium electric steel, oil hardened

ITEM #	L	TIP	JAW	BORE SIZE	TIP DIAM	LBS
KN4411J0	5 ¹ /2 ["]	Internal	Straight	5/16" - 1/2"	.035"	.20
KN4411J1	5 1/2"	Internal	Straight	1/2" - 1"	.049"	.20
KN4411J2	7"	Internal	Straight	3/4" - 2 3/8"	.070"	.30
KN4411J3	9"	Internal	Straight	1 ⁹ /16 ["] - 4"	.090"	.40
KN4411J4	12 1/2"	Internal	Straight	3 3/8" - 5 1/2"	.126"	1
KN4421J01	5"	Internal	90°	5/16" - 1/2"	.035"	.20
KN4421J11	5"	Internal	90°	1/2" - 1"	.049"	.20
KN4421J21	6 3/4"	Internal	90°	3/4" - 2 3/8"	.070"	.30
KN4421J31	8 1/2"	Internal	90°	1 ⁹ /16 ["] - 4"	.090"	.45
KN4421J41	12"	Internal	90°	3 3/8" - 5 1/2"	.126"	1
KN4431J02	5 1/2"	Internal	45°	5/16" - 1/2"	.035"	.20
KN4431J12	5 1/2"	Internal	45°	1/2" - 1"	.049"	.20
KN4431J22	7"	Internal	45°	3/4" - 2 3/8"	.070"	.30
KN4431J32	9"	Internal	45°	1 ⁹ /16 ["] - 4"	.090"	.45
KN4431J42	12 1/2"	Internal	45°	3 3/8" - 5 1/2"	.126"	1
KN4611A0	5 1/2"	External	Straight	1/8" - 3/4"	.035"	.20
KN4611A1	5 1/2"	External	Straight	3/8" - 1"	.049"	.20
KN4611A2	7"	External	Straight	3/4" - 2 3/8"	.070"	.30
KN4611A3	8 1/2"	External	Straight	1 9/16" - 4"	.090"	.50
KN4611A4	12 3/4"	External	Straight	3 3/8" - 5 1/2"	.126"	1.2
KN4621A01	5"	External	90°	1/8" - 3/4"	.035"	.20
KN4621A11	5"	External	90°	3/8" - 1"	.049"	.20
KN4621A21	6 3/4"	External	90°	3/4" - 2 3/8"	.070"	.30
KN4621A31	8"	External	90°	1 ⁹ /16 ["] - 4"	.090"	.45
KN4621A41	12"	External	90°	3 3/8" - 5 1/2"	.126"	1.1
KN4631A02	5 1/4"	External	45°	1/8" - 3/4"	.035"	.20
KN4631A12	5 1/4"	External	45°	3/8" - 1"	.049"	.20
KN4631A22	7 1/2"	External	45°	3/4" - 2 3/8"	.070"	.30
KN4631A32	8 1/2"	External	45°	1 ⁹ /16 ["] - 4"	.090"	.50
KN4631A42	12 1/2"	External	45°	3 3/8" - 5 1/2"	.126"	1.1
KN9K001951US	4-	pc set: 441	1J1, 4411J	2, 4611A1, 4611A	2	1.2
KN9K001952US	4-p	c set: 4411	J1, 4421J1	1, 4611A1, 4621A	11	1.2
KN9K001953US	4-	pc set: 441	1JO, 4411J	2, 4611A0, 4611A	2	1.2
KN9K001954US	Se	t: 4411J01,	4421J11,	4621A01, 4621A2	1	1.3



- Improved performance and up to ten times more tool life
 Internal screw joint protects spring from dirt or damage
- 4-piece sets come in black polyester roll-up pouch

ITEM #	L	TIP	JAW	BORE SIZE	TIP DIAM	LBS	
KN4811J0	5 1/2"	Internal	Straight	5/16" - 1/2"	.035"	.20	
KN4811J1	5 ¹ /2"	Internal	Straight	1/2" - 1"	.049"	.20	
KN4811J2	7"	Internal	Straight	3/4" - 2 ³ /8 ["]	.070"	.30	
KN4811J3	9"	Internal	Straight	1 ⁹ /16 ["] - 4"	.090"	.40	
KN4811J4	12 ¹ /2 ["]	Internal	Straight	3 ³ /8" - 5 ¹ /2"	.126"	1	
KN4821J01	5"	Internal	90°	5/16" - 1/2"	.035"	.20	
KN4821J11	5"	Internal	90°	1/2" - 1"	.049"	.20	
KN4821J21	6 ³ /4"	Internal	90°	3/4" - 2 ³ /8 ["]	.070"	.30	
KN4821J31	8 ¹ /2 ["]	Internal	90°	1 ⁹ /16 ["] - 4"	.090"	.45	
KN4821J41	12"	Internal	90°	3 3/8" - 5 1/2"	.126"	1	
KN4911A0	5 ¹ /2 ["]	External	Straight	1/8" - 3/4"	.035"	.20	
KN4911A1	5 ¹ /2"	External	Straight	3/8" - 1"	.049"	.20	
KN4911A2	7"	External	Straight	3/4" - 2 ³ /8 ["]	.070"	.30	
KN4911A3	8 ¹ /2 ["]	External	Straight	1 ⁹ /16 ["] - 4"	.090"	.50	
KN4911A4	12 ³ /4"	External	Straight	3 3/8" - 5 1/2"	.126"	1.2	
KN4921A01	5"	External	90°	1/8" - 3/4"	.035"	.20	
KN4921A11	5"	External	90°	3/8" - 1"	.049"	.20	
KN4921A21	6 ³ /4"	External	90°	3/4" - 2 ³ /8 ["]	.070"	.30	
KN4921A31	8"	External	90°	1 ⁹ /16 ["] - 4"	.090"	.45	
KN4921A41	12"	External	90°	3 3/8" - 5 1/2"	.126"	1.1	
KN001957	4-pc pouc	4-pc pouched set contains 4811J1, 4811J2, 4911A1, 4911A2					
KN002003SB	4-pc reta	4-pc retail tray contains 4811J1, 4811J2, 4911A1, 4911A2					

LOCKING PLIERS AND CLAMPS

Grip-on



LOCKING PLIERS

CURVED JAW PLIERS EPOXY RESIN FINISH



Grip-on



- General purpose tool for firmly gripping round objects
- Epoxy resin-coated handles are Eco-friendly and ten times more corrosion-resistant than nickel-plated handles
- Great capacity for use around the house, on the car, in the garage, workshop or factory

ITEM #	LENGTH	FINISH	JAW	CAPACITY	LBS
GR11105	5"	Ероху	Curved	1 ¹ /8 ["]	.40
GR11107	7"	Ероху	Curved	1 ⁵ /8 ["]	.80
GR11110	10"	Ероху	Curved	2 ¹ /2 ["]	1.3
GR11112	12"	Ероху	Curved	3"	2

CURVED JAW PLIERS WITH CUTTER EPOXY RESIN FINISH



- General purpose tool for firmly gripping round objects

- Two tools in one: Has integrated wire cutter between jaws
- Epoxy resin-coated handles are Eco-friendly and ten times more corrosion-resistant than nickel-plated handles
- Great capacity for use around the house, on the car, in the garage, workshop or factory

ITEM #	LENGTH	FINISH	JAW	CAPACITY	LBS
GR12105	5"	Ероху	Curved	1 ¹ /8 ["]	.40
GR12107	7"	Ероху	Curved	1 ⁵ /8"	.80
GR12110	10"	Ероху	Curved	2 ¹ /2 ["]	1.3
GR12112	12"	Ероху	Curved	3"	2

STRAIGHT JAW PLIERS EPOXY RESIN FINISH





- Heavy duty jaws with great capacity for tough jobs on vehicles, in the garage, workshop or factory
- Heavy duty nose ensures maximum strength
- Reinforced, precisely-machined teeth
- Epoxy resin-coated handles are Eco-friendly and ten times more corrosion-resistant than nickel-plated handles

ITEM #	LENGTH	FINISH	JAW	CAPACITY	LBS
GR11205	5"	Ероху	Straight	1 ¹ /8 ["]	.40
GR11207	7"	Ероху	Straight	1 ⁵ /8 ["]	.80
GR11210	10"	Ероху	Straight	2 ¹ /2 ["]	1.3

LOCKING PLIERS



Grip-on

ERGO GRIP PLIERS ERGONOMIC



Pistol grip pliers and long nose pliers in one tool

- 70° angled design allows exertion of up to 50 percent more force
- Keeps wrist straight to reduce strain
- Thumb release and knurled adjustment screw for fast and easy work



ITEM #	LENGTH	FINISH	CAPACITY	LBS
GR72708	8"	Nickel-Plated	2"	.40

——— Grip-on

- Modern, multi-purpose design ideal for all trades, including welding, mechanics, plumbing and DIY
- Jaw configuration is combined of straight, curved and convex profiles
- Securely grips round, flat and large objects



ITEM #	LENGTH	FINISH	CAPACITY	LBS
GR13107	7"	Ероху	Up to 1 ⁵ /8 ["]	.90
GR13110	10"	Ероху	Up to 2 ³ /8 ["]	1.4
GR13112	12"	Ероху	Up to 2 ³ /8 ["]	2

- Grip-on

- Provides aid when holding, placing or extracting pieces in awkward areas
- Long slim jaw design enables piers to reach deep into recessed areas
- Curved section allows pliers to hold rounded objects
- Bent nose pliers have a 35° angled tip that allows effortless access into difficult to reach areas

ITEM #	LENGTH	FINISH	ТҮРЕ	CAPACITY	LBS
GR12706	6"	Ероху	Long Nose / Forged Teeth	To 2 ¹ /8 ["]	.80
GR12710	10"	Ероху	Long Nose / Forged Teeth	To 2 ³ /4 ["]	1.3
GR12712	12"	Ероху	Long Nose / Forged Teeth	To 5 ¹ /8 ["]	1.8
GR127B06	6"	Ероху	35° Angle	To 2 ¹ /8 ["]	.80
GR127B10	10"	Ероху	35° Angle	то 2 ³ /4 ["]	1.3
GR127B12	12"	Ероху	35° Angle	To 5 ¹ /8 ["]	1.3

OMNIUM GRIP PLIERS EPOXY RESIN FINISH



LONG AND BENT NOSE PLIERS EPOXY RESIN FINISH



LOCKING PLIERS AND CLAMPS 43

AUTOMOTIVE PLIERS

CHAIN PIPE PLIERS EPOXY RESIN FINISH



Chain Pipe Cutter cuts thin stainless steel, copper, and PVC

- Pipe Cutters eliminate hand gripping effort and ensures perfect tracking
- Chain Pipe Clamp wraps around and holds irregular objects quickly and easily
- Flexible heavy-duty heat treated chain adjusts quickly around any shaped object

ITEM #	LENGTH	DESCRIPTION	DIAMETER	LBS
GR18110	10"	Chain Clamp	To 6 ¹ /4 ["]	2
GR18112	12"	Chain Clamp	To 6 ¹ /4 ["]	2.5
GR181		" Replacement Chain GR18110 or GR18112	To 6 ¹ /4 ["]	.70
GR18210	10"	Chain Pipe Cutter	To 3"	1.8
GR18212	12"	Chain Pipe Cutter	To 3"	2.3
GR182		placement Cutting Chain GR18210 or GR18212	To 3"	.45
GR18612	12"	Chain Pipe Cutter	To 4 ¹ /2 ["]	2.8
GR186	14" Re	placement Cutting Chain for GR18612	To 4 ¹ /2 ["]	.65
GR186DBL		uble Length) Replacement ng Chain for GR18612	To 9"	1.3

Grip-on

Grip-on

- The solid copper pad on the fixed jaw prevents burn-through when welding thin sheet-metal panels
- Spatter resistant copper enables the filling of pilot holes
- Weld does not stick to copper, which also allows for quick cooling
- U-Shaped bottom jaw provides even pressure around welding spot

ITEM #	LENGTH	FINISH	TYPE	CAPACITY	LBS
GR13709	9"	Epoxy	Plugweld	To 1 ⁵ /8 ["]	1.1



- · For simple and spring-band hose clamps
- Adjustable opening width
- Made in Germany





ITEM #	LENGTH	ТҮРЕ	RANGE	LBS
HZ798-1	11 ¹ /4 ["]	Simple Hose Clamps with Movable Jaws	1 ¹ /4 ["]	1.1
HZ798-10	12 ¹ /2 ["]	Spring-Band Hose Clamps with Fixed Jaws	3 ¹ /2 ["]	1.1

PLUGWELD PLIERS EPOXY RESIN FINISH



HOSE CLAMP PLIERS



PLIER SETS AND ACCESSORIES



Grip-on

GENERAL INDUSTRY SET EPOXY RESIN FINISH



GRGK500

HANDS FREE KIT EPOXY RESIN FINISH



GRHFKIT



- Set contains Omnium Grip 7-inch, 10-inch, Curved Jaws, 5-inch, 10-inch, and 10-inch Hose Clamp Pliers
- Quick access, storage and carriage
- Ideal kit for professionals and enthusiasts in all fields
- Eco-friendly orange epoxy handles are ten times more corrosion-resistant than nickel-plated handles



ITEM #	FINISH	ТҮРЕ	CAPACITY		
GRGK500	Epoxy	5-Piece Locking Pliers Set	Up to $2\frac{1}{2}$		
GRWK500	Ероху	5-Piece Welding Clamp Set			

Grip-on

- Set contains two 10-inch Omnium Grip Pliers, two Grip Holders, and a convenient storage pouch
- Grip Holders adjust quickly and firmly to any work table
- Omnium Grips slide securely into Grip Holders, forming a portable vise
- Allows firm grip on pipes, rods, or other work pieces for gluing, cutting, welding, drilling, etc



ITEM #	LENGTH	FINISH	JAW	CAPACITY	LBS
GRHFKIT	5"	Ероху	Straight	1 ¹ /8 ["]	.40

Grip-on

- Built to hold various locking pliers for hands-free work
- Butterfly screw for fast, easy attachment to a workbench
- · Swivel pad ensurers a firm hold on all work pieces
- GR1075 holds 5-inch, 7-inch and 10-inch locking pliers

ITEM #	LENGTH	CAPACITY	LBS
GR1010	5"	Holds 10" locking pliers	.40
GR1075	5"	Holds 5", 7" and 10" locking pliers	.65

ALUMINUM CLAMPS

LOCKING C-CLAMPS EPOXY RESIN FINISH



MICRO-GRIP 2000 ERGONOMIC



ALUMINUM ALLOY U-CLAMPS





GR14512K



- Modern ergonomic clamps with aircraft aluminium alloy jaws for the professional welder in auto body repair, metal fabrication and sheet metal work
- The lighter weight provides greater comfort and easier handling for the intensive user
- Aircraft aluminum alloy jaws are corrosion-resistant
- 12-inch and 14-inch models have heat-treated die cast jaws for resistance and longer tool life

ITEM #	L	FINISH	ТҮРЕ	CAPACITY	LBS
GR14412	12"	Ероху	Aluminum Alloy	3 ¹ /2 ["]	1.5
GR14414	14"	Ероху	Aluminum Alloy	7"	1.9
GR14416	16"	Ероху	Large / Long Reach	8"	1.9
GR14420	20"	Ероху	Large / Long Reach	10 ⁵ /8 ["]	2.1
GR14424	24"	Ероху	Large / Long Reach	3 ¹ /8 ["]	5.2
GR14428	28"	Ероху	Large / Long Reach	4"	5.4
GR14432	32"	Ероху	Large / Long Reach	5"	5.7
GR14440	40"	Ероху	Large / Long Reach	6 ¹ /2 ["]	6.1

Grip-on

- Ergonomic design and rounded edges for better comfort
 Body is made from durable aircraft aluminum alloy for greater strength
- Solid brass adjustable screw acts as a mobile jaw
- The release lever is concealed in the handle for smooth onehanded operation



ITEM #	L	BODY	ТҮРЕ	CAPACITY	LBS
GRMG2K	4"	Aluminum Alloy	MicroGrip 2000	1/2"	.25
GRMG2KSET4	4"	Aluminum Alloy	4 Pc MicroGrip 2000 Set	1/2"	1
GRGND		Aluminum Alloy	Grounding Accessory		.10



- · Hardened, aircraft aluminium alloy jaws for the professionals
- Lighter weight provides greater comfort and easier handling for the intensive user
- U-Shaped jaw profile permits the clamping of adjacent joints and perfect visibility when welding
- 16-inch and 20-inch models have perforated edges to reduce weight and improve handling balance

ITEM #	LENGTH	FINISH	ТҮРЕ	CAPACITY	LBS
GR14512	12"	Ероху	Aluminum Alloy	4"	1.7
GR14516	16"	Ероху	Aluminum Alloy	8"	1.9
GR14520	20"	Ероху	Aluminum Alloy	10 ¹ /2 ["]	2.1

46

AXIAL CLAMPS



Grip-on

AXIAL CLAMPS EPOXY RESIN FINISH



- · Slim profile allows access into difficult places
- Straight line motion of mobile jaw allows offset clamping
- One-handed push button release system
- Eco-friendly epoxy resin-coated handles are ten times more corrosion-resistant than nickel-plated handles

ITEM #	L	FINISH	TYPE	JAW WIDTH	JAW CAPACITY	LBS
GR91207	7"	Ероху	L	3/4"	11/16"	.90
GR91507	7"	Epoxy	LL	1 ³ /4 ["]	5/8"	1
GR91807	7"	Ероху	Т	2"	3/8"	1
GR92207	7"	Ероху	J	3/4"	5/8"	.95
GR92507	7"	Ероху	JJ	1 ³ /4 ["]	5/8"	1.1
GR92807	7"	Ероху	W	2 ¹ /4 ["]	5/8"	1.1
GR90006	7"	Ероху	6-Piece Axial Clamp Set with Storage Rack			



GR91207 L - Type Axial Clamps two lap joints



GR91507 **LL - Type Axial** Clamps two adjacent joints



GR91807 **T - Type Axial** Clamps two pieces of equal thickness at 90°

GR92507

JJ - Type Axial

Clamps two flanged, lapped or

adjacent joints



GR92207 J - Type Axial Clamps two flanged Lap joints



GR92807 W - Type Axial Clamps lap joints for four consecutive spot weld

STEEL CLAMPS

LOCKING C-CLAMPS EPOXY RESIN FINISH





 Quicker and easier to handle than normal bar type clamps as they can be operated with one hand

- Suitable for assembly work in auto repair, steel fabrication, welding, etc.
- Wide and deep jaw profile allows the clearing of obstacles and clamping at long distances
- Heavy-duty tips help ensure good secure clamping

ITEM #	LENGTH	FINISH	CAPACITY	LBS
GR12406	6"	Ероху	Up to 2 ³ /8 ["]	.55
GR12412	12"	Ероху	Up to 4"	2
GR12418	18"	Ероху	Up to 10 $^{1}/2$ "	2.9
GR12424	24"	Ероху	Up to 12"	3.4

GR12412

LONG AND LARGE REACH C-CLAMPS EPOXY RESIN FINISH





Grip-on

- · A series of one handed operation clamps for body repair work, metal fabrication and general welding jobs
- Large capacity jaw profile allows clamping around large sections, e.g. rocker panels in auto body, and provide good visibility for welding
- · Eco-friendly orange epoxy handles are ten times more corrosion-resistant than nickel-plated handles

ITEM #	LENGTH	FINISH	CAPACITY	LBS
GR13412	12"	Ероху	Up to 4"	2.1
GR13416	16"	Ероху	Up to 8"	3.4
GR13420	20"	Ероху	Up to $10^{3}/4$ "	3.8
GR13424	24"	Ероху	Up to 3 $^{1}/4$ "	8.4
GR13428	28"	Ероху	Up to 4"	9.1
GR13432	32"	Ероху	Up to 5"	9.8
GR13440	40"	Ероху	Up to $6 \frac{1}{2}$	11.3

GR13412

C-CLAMPS WITH SWIVEL PADS EPOXY RESIN FINISH



GR22406

- Knurled swivel pads allow non-slip clamping even on tapered surfaces
- Swivel pads permit non-damaging clamping when GR124 series will not
- · Suitable for repetitive jobs in wood working as well as general mechanics

ITEM #	L	FINISH	ТҮРЕ	CAPACITY	LBS
GR22406	6"	Ероху	Swivel pads	To 2"	.60
GR22412	12"	Ероху	Swivel pads	To 3 ¹ /4 ["]	2.2
GR22414	14"	Ероху	Swivel pads	To 5"	2.7
GR22418	18"	Ероху	Swivel pads	To 9 ¹ /2 ["]	3.2
GR22424	24"	Ероху	Swivel pads	To 16"	4
GR234150	14"	Ероху	Stepped, swivel pads	3" - 6"	2.2
GR234230	16"	Ероху	Stepped, swivel pads	6" - 9"	2.3
GR234300	18"	Ероху	Stepped, swivel pads	9" - 12"	2.4

STEEL CLAMPS



Grip-on

WING CLAMPS EPOXY COATED HANDLES



Real clamping power for tight spaces

- · Fit into areas where a traditional c-clamp will not fit
- Straight and 70° angled models available
- Self-leveling Jaws have a narrow jaw profile to aid in accessing tight places and its two knurled swivel pads create self-leveling jaws for a stronger grip, even on tapered surfaces

ITEM #	L	FINISH	TYPE	CAPACITY	LBS
GR233A06	6"	Ероху	Angled mini wing clamp	To 1 ³ /4 ["]	.50
GR23306	6"	Ероху	Mini wing clamp	To 1 ³ /4 ["]	.50
GR237070	12"	Ероху	Wheel arch flange	To 2 ³ /4 ["]	2
GR237120	14"	Ероху	Wheel arch flange	то 4 ³ /4 ["]	2.6
GR23310	6"	Ероху	Self-leveling jaws	To 1 ³ /4 ["]	1.4
GR23312	6"	Ероху	Self-leveling jaws	To 4"	1.8

Grip-on

- · Can be firmly locked or loosely attached via knurled swivel pad for easy drilling, light milling, welding, gluing · Five holes in the base of the tool for fixing to machinery T-Slots or tables and work benches Knurled swivel pad holds tapered work without damaging work pieces
 - · Eco-friendly orange epoxy handles are ten times more corrosion-resistant than nickel-plated handles

ITEM #	LENGTH	BODY	ТҮРЕ	LBS
GR22212	12"	Ероху	Table C-Clamp	.70



- U-Clamps hold two sections together with a firm grip
- Hands free solution in general welding and body repair
- U-Shaped jaw profile permits the clamping of adjacent joints and perfect visibility when welding
- · Pipe clamps perfectly align two adjacent pipes, and allow secure clamping of rounded sections and perfect visibility of the welding area

ITEM #	L	FINISH	ТҮРЕ	CAPACITY	LBS
GR12509	9"	Ероху	Locking U	To 2 ³ /8 ["]	1.5
GR12512	12"	Ероху	Locking U	To 3 ¹ /2 ["]	2.1
GR13516	16"	Ероху	Long and Large U	To 8"	3.5
GR13520	20"	Ероху	Long and Large U	To 10 ³ /4 ["]	3.9
GR12612	12"	Ероху	Pipe Clamp	To 3 ¹ /2 ["] OD	2.1
GR12614	14"	Epoxy	Pipe Clamp	To 3 ¹ /2 ["] OD	2.5

TABLE C-CLAMPS EPOXY COATED HANDLES



LOCKING U-CLAMPS EPOXY COATED HANDLES



GR12512

ALUMINUM KIT COMPONENTS

ALUMINUM REPAIR TOOLS AS APPROVED BY FORD MOTOR COMPANY For the use on the 2015 Ford F-150



CLAMPS & LOCKING PLIERS Made in Spain

Eco-friendly

epoxy resincoated handles are ten times more corrosion resistant than nickel-plated handles '\\/ ITEM # DESCRIPTION GR91207 Grip-on 7" Axial Grip "L" (Epoxy) GR91507 Grip-on 7" Axial Grip "LL" (Epoxy) GR92207 Grip-on 7" Axial Grip "J" (Epoxy) GR92507 Grip-on 7" Axial Grip "JJ" (Epoxy) GR92807 Grip-on 7" Axial Grip "W" (Epoxy) GR11105 GR11205 GR13420 GR14412 ITEM # DESCRIPTION GR11105 Grip-On 5" Curved Jaw (Epoxy) GR11205 Grip-On 5" Straight Jaw (Epoxy) GR13420 Grip-On 20" Long Reach Clamp (Epoxy) GR14412 Grip-On 12" C-Clamp W/Alum Jaws (Epoxy) GR14512 GR14512 Grip-On 12" U-Clamp W/Alum Jaws (Epoxy) GR22406 GR22406 Grip-On 6" C-Clamp w/Swivel Tips (Epoxy)

DRIVERS

CHICON DE MARCENNE CREA



O PH 3×150

#3×6




83503 CHROM VANADIUM EXTRA

ボネズズアハーロー

51

SCREWDRIVERS



PROTOP II 1000V INSULATED SCREWDRIVERS



MAXXPRO SCREWDRIVER SETS



WI663864



WI653742 *1000V INSULATED*



🚺 WITTE

HANDLE

LENGTH

4"

 $4^{1/2}$

 $4^{1/2}$

5"

4"

 $4^{1/2}$

4"

 $4^{1/2}$

 $4\frac{1}{2}$

5"

4" 4¹/2

- Individually tested to 10,000 volts AC
- Tested against cold resistance at 40° F
- Identification of screw types is located on top of the handle
- · Safety insulation moulded directly on the blade

ITEM #	INSULATED	TIP DIAMETER	BLADE LENGTH	HANDLE LENGTH			
WI74051	1000V	.016" x .098"	2 ¹⁵ / ₁₆ "	4 ¹ /8 ["]			
WI74054	1000V	.031" x 1/4"	3 ¹⁵ / ₁₆ "	4 ¹ /8 ["]			
WI74055	1000V	.039" x 7/16"	4 ¹⁵ / ₁₆ "	4 ¹ /2 ["]			
WI74056	1000V	.047" x 1 ³ /8 ["]	5 ¹⁵ / ₁₆ "	4 ¹ /2 ["]			
WI74062	1000V	PH 1	3 ¹ /8 ["]	4 ¹⁵ /16 ["]			
WI74063	1000V	1000V PH 2 3 ¹⁵ / ₁₆ " 4 ¹⁵ / ₁₆ "					
WI670024	5-Piece ProTop II Insulated Screwdriver Set						
WI670022	6-Pie	6-Piece ProTop II Insulated Screwdriver Set					

- · Dual component handle series has separate hard and soft surfaces to improve both the grip and load factors
- · High alloy special steel blade is virtually unbreakable
- Individually tested to 10,000 volts AC

ITEM #	CONTENTS
WI653741	5-Piece MaxxPro Insulated Screwdriver Set
WI653742	6-Piece MaxxPro Insulated Screwdriver Set
WI653865	5-Piece MaxxPro Screwdriver Set
WI653864	6-Piece MaxxPro Screwdriver Set
WI663865	5-Piece MaxxPro Plus Screwdriver Set
WI663864	6-Piece MaxxPro Plus Screwdriver Set

52



SCREWDRIVERS



MAXXPRO SCREWDRIVERS ERGONOMIC



MAXXPRO 1000V INSULATED SCREWDRIVERS



WI53712 **\$ 1000V INSULATED**

RATCHETING YANKEE SCREWDRIVERS



RS10324

- Soft component edges provides a comfortable grip and enables the production of maximum torque
- Triangle shaped handle conforms perfectly to the 120° turning angle of the hand
- Fast turning zone of soft material makes work comfortable and safe
- Curved longitudinal outline of the ergonomic handles enables extremely high axial forces with little effort

ITEM #	ТҮРЕ	TIP	BLADE LENGTH	HANDLE LENGTH
WI53103	MaxxPro	Slotted	3"	4"
WI53105	MaxxPro	Slotted	4"	4 ¹ /4 ["]
WI53107	MaxxPro	Slotted	5"	4 ¹ /2 ["]
WI53109	MaxxPro	Slotted	6"	5"
WI53032	MaxxPro	Phillips	PH 1	4 ¹ /4 ["]
WI53035	MaxxPro	Phillips	PH 2	4 ¹ /2 ["]
WI63103	MaxxPro Plus	Slotted	3"	4"
WI63105	MaxxPro Plus	Slotted	4"	4 ¹ /4 ["]
WI63107	MaxxPro Plus	Slotted	5"	4 ¹ /2 ["]
WI63109	MaxxPro Plus	Slotted	6"	5"
WI63032	MaxxPro Plus	Phillips	PH 1	4 ¹ /4 ["]
WI63035	MaxxPro Plus	Phillips	PH 2	4 ¹ /2 ["]

🚺 WITTE

- Curved longitudinal outline of the ergonomic handles enables high application forces
- Triangle shaped handle conforms perfectly to the 120° turning angle of the hand
- Soft component edges offer good handling
- Individually tested to 10,000 volts AC

ITEM #	INSULATED	TIP DIAMETER	BLADE LENGTH	HANDLE LENGTH
WI53701	1000V	.015" x .098"	3"	4"
WI53704	1000V	.031" x 1/8"	3 ¹⁵ / ₁₆ "	4 ¹ /4"
WI53705	1000V	.039" x 1/4"	4 ¹⁵ / ₁₆ "	4 ¹ /4 ["]
WI53706	1000V	.047" x 1/4"	5 ¹⁵ / ₁₆ "	4 ¹ /2 ["]
WI53711	1000V	PH 1	3 ¹ /8 ["]	4 ¹ /4 ["]
WI53712	1000V	PH 2	3 ¹⁵ /16 ["]	4 ¹ /2 ["]

schröder

- Three position ratcheting mechanism for left, straight and right-handed work
- Precision matched collets and ratcheting mechanism operate smoothly
- Operated with a simple push for tightening or loosening
- Threaded, knurled locking ring secures bits in place

ITEM #	L	BITS	SLOTTED SIZE	PH SIZE	LBS
RS10044	8 ¹ /2 ["]	5	1/8" & 7/32"	#1 & #2	.65
RS10324	11 ¹ /2 ["]	3	3/16" & 7/32"	#2	.75
RS10624	17 ¹ /2 ["]	3	7/32" & 1/4"	#2	1.2

SCREWDRIVERS & SOCKETS

WITTRON SCREWDRIVERS NEW!





WI89377 **\$1000V INSULATED**

- Precision for mechanical and electronic applications
- Deep recessed handle and soft grip for comfort
- Quick, slim turning zone and grooves to prevent fingers from slipping into the work area
- Blade is manufactured from high special steel with black tip
- Wittron 1000V Insulated Screwdrivers are individually tested to 10,000 volts AC and against cold resistance at - 40° F

ITEM #	ТҮРЕ	TIP	BLADE LENGTH	HANDLE LENGTH		
WI89714	Wittron	Slotted	1 ⁵ /8"	4"		
WI89716	Wittron	Slotted	2 ³ /8 ["]	4"		
WI89717	Wittron	Slotted	3"	4"		
WI89718	Wittron	Slotted	3"	4"		
WI89732	Wittron	Phillips	1 ⁵ /8"	4"		
WI89733	Wittron	Phillips	2 ³ /8 ["]	4"		
WI89734	Wittron	Phillips	3 ¹ /8 ["]	4"		
WI89322	7-Piece Wittron Screwdriver Set - Black Case					
WI89342	7-Piece Wittron Scre	wdriver Set	- Black Ca	se		
WI89931	Wittron 1000V Insulated	Slotted	1 ⁵ /8 ["]	4"		
WI89932	Wittron 1000V Insulated	Slotted	2 ³ /8 ["]	4"		
WI89933	Wittron 1000V Insulated	Slotted	3"	4"		
WI89934	Wittron 1000V Insulated	Slotted	3"	4"		
WI89942	Wittron 1000V Insulated	Phillips	1 ⁵ /8"	4"		
WI89941	Wittron 1000V Insulated	Phillips	2 ³ /8"	4"		
WI89367	7-Piece Wittron 1000V Insulated Screwdriver Set					
WI89377	7-Piece Wittron 1000V	Insulated S	crewdrive	r Set		

SCREWDRIVER SOCKETS



- Used for inside hexagon screws
- With knurling
- Blade made from special purpose steel
- 1/2-Inch drive

ITEM #	BLADE LENGTH (MM)	TOTAL LENGTH (MM)	DIAMETER (MM)
HZ985-4	5	38	22
HZ985-5	5	38	23
HZ985-6	6	38	23
HZ985-8	8	38	23
HZ985-10	10	40	25
HZ985-12	12	40	25
HZ985-14	14	40	25
HZ985-17	17	42	28
HZ985-19	19	42	28



HZ985-10

SCREWDRIVER SOCKETS



AZE

SCREWDRIVER SOCKETS NEW!



HZ8501-8







HZ8506-PH1

- Used for manual operation
- 1/4-Inch drive
- With knurling
- Blade made from special purpose steel
- Coated with Titanium Nitride (TIN) for improved endurance, higher torque values and corrosion resistance
- Helps prevent screwdriver from slipping off screw head

ITEM #	TIP	TIP SIZE	BLADE LENGTH (MM)	TOTAL LENGTH (MM)	DIAMETER (MM)
HZ8501-2.5	Hexagon	2.5mm	6.5	28	12
HZ8501-3	Hexagon	3mm	6.5	28	12
HZ8501-4	Hexagon	4mm	6.5	28	12
HZ8501-5	Hexagon	5mm	6.5	28	12
HZ8501-6	Hexagon	6mm	6.5	28	12
HZ8501-8	Hexagon	8mm	6.5	28	12
HZ8502-T20	Torx®	T20	3.5	28	12
HZ8502-T25	Torx®	T25	4.5	28	12
HZ8502-T27	Torx®	T27	4.5	28	12
HZ8502-T30	Torx®	T30	5	28	12
HZ8502-T40	Torx®	T40	2	28	12
HZ8506-PH1	Phillips	PH1	16	28	12
HZ8506-PH2	Phillips	PH2	16	28	12
HZ8506-PH3	Phillips	PH3	16	28	12
HZ8506-PH4	Phillips	PH4	16	28	12
HZ8806-PH2	Phillips	PH2	16	28	12
HZ8806-PH3	Phillips	PH3	16	28	12
HZ8806-PH4	Phillips	PH4	16	28	12


IMPACT SCREWDRIVER SOCKETS



HZ990S-14



HZ990S-16 LG



- For impact operation
- Works with screws with internal serration XZN
- Phosphate surface

ITEM #	BLADE LENGTH (MM)	TOTAL LENGTH (MM)	DRIVE
HZ990S-14	4	43	1/2"
HZ990S-16	5	43	1/2"
HZ990S-18	6	43	1/2"
HZ990S-14LG	39.7	75	1/2"
HZ990S-16LG	40.6	75	1/2"
HZ990S-18LG	41.1	75	1/2"

drivers 55

SOCKETS & HAND DRILLS

9-PIECE SCREWDRIVER SOCKET SET





schröder

schröder

- Screwdriver socket set with knurling
- 9-Pieces, in SmartCase with Safety Insert System
- Square-shaped 1/2-Inch drive

ITEM #	CONTENTS	LBS
HZ986/9N	HZ986-5, HZ986-6, HZ986-7, HZ986-8, HZ986-10, HZ986-12, HZ986-14, HZ986-17, HZ986-19	3.2

5/16" HAND DRILL NEW!



1/2" HAND DRILLS NEW!




- Heavy-duty hand drill
- 3-jaw chuck with 1/2" bit capacity and knurling
- Contoured steel top breastplate used to lean against for added force and stability
- Rotary gears are enclose in steel frame to protect fingers from being pinched
- 2 Speeds: By switching the crank handle from one side to the other, the speed goes from about 5 revolutions per turn to 2 revolutions for added torque
- Smooth wooden crank and side handle unscrews for easy storage


ITEM #	DESCRIPTION	LENGTH	LBS
RS50344	1/2" Heavy Duty Rotary Hand Drill	14 ³ /8 ["]	3.1



FILES



HALFROUND FILES




- Rounded on one side and flat on another, for rapid smooth work on cast-iron, bronze, lead, babbit, aluminum, zinc, plastics and any steel up to commercial tool steel
- Double cut and tapered
- Made from high quality chromium alloy steel
- Special lacquer provides protection from rust spots

BASTARD CUT		SECOND	CUT
ITEM #	LENGTH	ITEM #	LENGTH
EM4HRB	4"	EM4HR2	4"
EM6HRB	6"	EM6HR2	6"
EM8HRB	8"	EM8HR2	8"
EM10HRB	10"	EM10HR2	10"
EM12HRB	12"	EM12HR2	12"
EM14HRB	14"	EM14HR2	14"



TOME FETEID

3-SQUARE FILES



- Capable of clearing internal angles which are more acute than 90°, clears out square corners, and files taps and cutters
- Triangular shape, double cut and tapered
- Made from high quality chromium alloy steel
- Special lacquer provides protection from rust spots

BASTARD CUT		SECOND	СИТ
ITEM #	LENGTH	ITEM #	LENGTH
EM43SB	4"	EM43S2	4"
EM63SB	6"	EM63S2	6"
EM83SB	8"	EM83S2	8"
EM103SB	10"	EM103S2	10"
EM123SB	12"	EM123S2	12"
EM143SB	14"	EM143S2	14"

FILES AND RASPS



HALFROUND RASPS



TOME FETEIRA

- Halfround wood rasps are used to rasp curved parts of wood, plastic, etc.
- Double cut, single cut on edges and slightly tapered
- Made from high quality chromium alloy steel
- Special lacquer provides protection from rust spots

ITEM #	LENGTH	DESCRIPTION	CUT
EM6HWRB	4"	Halfround Wood Rasp	Bastard
EM8HWRB	6"	Halfround Wood Rasp	Bastard
EM10HWRB	8"	Halfround Wood Rasp	Bastard
EM12HWRB	10"	Halfround Wood Rasp	Bastard






- Round files are for rounding out and enlarging circular openings and curved surfaces, often by manufacturers of taps, drills, reamers, gears and ball bearings
- Double cut and tapered
- Made from high quality chromium alloy steel
- Special lacquer provides protection from rust spots

BASTARD CUT		SECOND CUT			SMOOTH CUT		
ITEM #	LENGTH	ITEM #	LENGTH		ITEM #	LENGTH	
EM4RB	4"	EM4R2	4"		EM4RS	4"	
EM6RB	6"	EM6R2	6"		EM6RS	6"	
EM8RB	8"	EM8R2	8"		EM8RS	8"	
EM10RB	10"	EM10R2	10"		EM10RS	10"	
EM12RB	12"	EM12R2	12"		EM12RS	12"	
EM14RB	14"	EM14R2	14"		EM14RS	14"	



MILL FILES




- Mill files are general purpose tools for sharpening, draw filing, lathe work and everyday general shop use
- Single cut, both edges cut
- Made from high quality chromium alloy steel
- Special lacquer provides protection from rust spots

BASTARD CUT		SECOND	СИТ	SMOOTH CUT		
ITEM #	LENGTH	ITEM #	LENGTH	ITEM #	LENGTH	
EM4MB	4"	EM4M2	4"	EM4MS	4"	
EM6MB	6"	EM6M2	6"	EM6MS	6"	
EM8MB	8"	EM8M2	8"	EM8MS	8"	
EM10MB	10"	EM10M2	10"	EM10MS	10"	
EM12MB	12"	EM12M2	12"	EM12MS	12"	
EM14MB	14"	EM14M2	14"	EM14MS	14"	

FILES AND FILE SETS

SQUARE FILES





- Square files are used on square apertures and flat surfaces, particularly for filing keyways and slots
- Double cut, single cut on edges and slightly tapered
- Made from high quality chromium alloy steel
- Special lacquer provides protection from rust spots

BASTARD CUT		SECONE	осит
ITEM #	LENGTH	ITEM #	LENGTH
EM4SB	4"	EM4S2	4"
EM6SB	6"	EM6S2	6"
EM8SB	8"	EM8S2	8"
EM10SB	10"	EM10S2	10"
EM12SB	12"	EM12S2	12"



- Triangular shaped
- Designed for filing various types of saws with 60° angled teeth
- Slightly tapered, single or double cut
- Special lacquer provides protection from rust spots

ITEM #	LENGTH	STYLE
EM6TSXXS	6"	Extra Extra Slim
EM7TSXXS	7"	Extra Extra Slim
EM8TSXXS	8"	Extra Extra Slim
EM6TSXS	6"	Extra Slim
EM7TSXS	7"	Extra Slim
EM8TSXS	8"	Extra Slim
EM6TSS	6"	Slim
EM8TSS	8"	Slim



- Includes five 8-inch files with handles: Flat, Round, Halfround, Square and 3-Square
- Ergonomic rubber handles provide better grip and comfort
- Double cut and tapered
- Made from high quality chromium alloy steel
- Special lacquer provides protection from rust spots

ITEM #	LENGTH	DESCRIPTION
EMSET5	8"	5-Piece File Set with Handles

TAPER SAW



5-PIECE FILE SET



CUTTING & BENDING TOOLS

SVITAX

CUTTING & BENDING TOOLS



TUBE CUTTERS

RATCHETING TUBE CUTTERS



AUTOMATIC RATCHETING TUBE CUTTERS





RC1125A

- RC375 are especially designed for the automotive trade to service fuel lines, brake lines, vacuum lines, A/C systems
- RC1125 are excellent for HVAC, plumbing, electrical, marine
 Data the DOCOF and DOCOF have fixed disasters as well
- Both the RC625 and RC875 have fixed diameters as well as self-feeding cutting
- The small size, light weight and thin profile of the ratcheting tube cutters, coupled with the special ratcheting mechanism allows for working in very tight spaces

ITEM #	LENGTH	BODY	OPERATING CAPACITY	LBS		
RC375	4"	Plastic	1/8" - 3/8"	.35		
RC375M	4"	Metal	1/8" - 3/8"	.40		
RC1125	7 ¹ /4 ["]	Plastic	5/16" - 1 ¹ /8 ["]	.55		
RC1125M	7 ¹ /4 ["]	Metal	5/16" - 1 ¹ /8 ["]	1		
RC1125HD	6 ¹ /2 ["]	Metal	5/16" - 1 ¹ /8 ["]	1.1		
RC625	6 ³ /4 ["]	Metal	5/8"	2.1		
RC875	6 ³ /4 ["]	2.4				
RC375-7	Spare cu	Spare cutting wheel for RC375 and RC375M				
RC1125-7	Spare cut	.02				
RC375-7C	2-pc Retail	.05				
RC1125-7C	2-pc Retail p	back spare cutti	ng wheels for RC1125A	.05		



RATCH-CUT

- Cut quickly and precisely through copper, brass, stainless steel, aluminum, plastic tubing, thinwall PVC and CPVC
- The small size, light weight and thin profile of the ratcheting tube cutters, coupled with the special ratcheting mechanism allows for working in very tight spaces
- Durable replacement cutting wheels available
- Only needs to be tightened once, as the tool rotates and cuts, the spring mechanism applies more pressure to the blade, allowing easier cutting



ITEM #	LENGTH	BODY	OPERATING CAPACITY	LBS	
RC375A	4"	Plastic	1/8" - 3/8"	.30	
RC1125A	7 ¹ /4 ["]	Plastic	5/16" - 1 ¹ /8 ["]	.80	
RC375-7C	2-pc Retail	.06			
RC1125-7C	2-pc Retail p	2-pc Retail pack spare cutting wheels for RC1125A			

TUBE CUTTERS



virax

COPPER TUBE CUTTER NEW!



VX210443

MINI COPPER TUBE CUTTER NEW!





VX210437

VX210439

STAINLESS STEEL TUBE CUTTER NEW!



PLASTIC TUBE CUTTER NEW!



- Non-slip knob, fast action adjustment
- Quick, tool-less wheel change 1 spare wheel
- Max tube wall thickness: 2 mm
- 4 guide rollers to prevent wheel tracking
- Precise cutting from Ø 3 to Ø 35 mm according to tube
- Grooved rollers for cutting tight up against flanges
- Retractable rotating reamer with interchangeable blades

ITEM #	CAPACITY	LBS
VX210443	1/8" - 1 ³ /8 ["]	1

virax

- Max tube wall thickness: 2 mm
- Very compact tube cutter
- · Compact swing radius allows to cut in tight spaces
- Quick and tool-less wheel change

ITEM #	CAPACITY	LBS
VX210437	1/8" - 5/8"	.30
VX210439	1/8" - 1 ¹ /8 ["]	.50

virax

- Soft touch non-slip knob for fast action adjustment
- Quick and easy tool-less blade change
- Precise cutting from 1/8" to 1 3/8" stainless steel tube
- 4 guide rollers to prevent wheel tracking
- Includes a spare blade

ITEM #	LENGTH	CAPACITY	LBS
VX210471	6"	1/8" - 1 ³ /8 ["]	1.1



- V-shaped blade to enable easy, perpendicular cutting and reduced imprint on the pipe
- Automatic opening, a spring keeps the lower handle open so the pipe cutter is always ready to cut
- Non-slip grip for firm control
- · Quick and easy cutting, no return of the blade during cutting

ITEM #	LENGTH	CAPACITY	LBS
VX215032	7 ³ /4 ["]	1 ¹ /4 ["]	.45
VX215042	9 ¹ /4 ["]	1 ⁵ /8 ["]	1.2
VX210487	6 ¹ /2 ["]	1/8 - 1 ¹ /4 ["]	1

CUTTING AND BENDING TOOLS

SHEATH CUTTERS NEW!



VX211627

VX211640

NEW!

GUILLOTINE PIPE CUTTER NEW!



MANUAL HYDRAULIC BENDER



VX240243

CROSSBOW BENDER NEW!



VX250095



- Cuts corrugated conduits up to $1^{3}/4$ diameter without damaging the pipe inside the sheath
- Durable body and blade guides
- Strong, removable, interchangeable stainless steel blades
- Very compact cutter, for use in confined spaces
- Reduced risk of injury as blades are in middle of the guides

ITEM #	LENGTH	DESCRIPTION	LBS
VX211627	3 ³ /8 ["]	Black Sheath Cutter	.65
VX211640	3 ³ /8"	Red Sheath Cutter	.65

virax

- Heady duty: Quadruple ground stainless steel blade
- Holds the blade perpendicular to the pipe centerline
- Max tube wall thickness: 18mm
- Wrench or extension can be used to cut in deep trenches
- Releasing the catch on the hinged lower V-shaped jaw allows the cutter to be positioned anywhere along the pipe
- Square drive 14mm (Models 1 & 2) or 17mm (Model 3) across flats
- Stainless steel blade

ITEM #	Ø EXT. TUBE	PIPE O.D.	MODEL	LBS
VX211512	4"	5"	1	16
VX211522	8"	9"	2	38
VX211532	12"	12 ¹ /2 ["]	3	75

virax

- For medium and heavy series gas pipes
- Manual bender for site or workshop
- Single-acting spring returns pistons
- Bender kits come in a wooden chest complete with formers and accessories
- Tip: Use Virax hydraulic ram oil for best protection.
- All necessary precautions must be taken when filling the ram to avoid foreign matter entering the reservoir as this may impair operation. Use manual hydraulic bender horizontally

ITEM #	FOR PIPE	DESCRIPTION	LBS
VX240233	Steel	Sliding Cheek Bender Formers: 3/8 - 1/2 - 3/4 - 1 - 1 $\frac{1}{4}$ "	100
VX240243	Steel	Sliding Cheek Bender Formers: 3/8 - 1/2 - 3/4 - 1 - 1 $\frac{1}{4}$ - 1 $\frac{1}{2}$ - 2"	157
VX240252	Steel	Hinged Cheek Bender Formers: $3/8 - 1/2 - 3/4 - 1 - 1 \frac{1}{4} - 1 \frac{1}{2} - 2 - 2 \frac{1}{2} - 3''$	375

virax

- Lightweight alloy body and trigger, high strength steel rack and mechanism, glass fibre reinforced polyamide handle
- Patented mechanism which reduces the bending effort
- Reduced trigger travel for increased bending accuracy
- Can bend annealed pipes before they have fully cooled thanks to its aluminum formers
- Supplied in a plastic case

ITEM #	FOR PIPE	DESCRIPTION	LBS
VX250095	Copper	Formers: 3/8 - 1/2 - 5/8 - 3/4 - 7/8"	12

64

WOOD WORKING Tools

WOOD WORKING TOOLS



65

WOOD CARVING AND SHAPING

KR3702250

KR3752500

DRAWKNIVES




Cutting edges finely polished for best cutting performance

- Ergonomically-shaped riveted hardwood handles
- The tangs extend fully through the handles, for a strong, secure grip
- Used to debark logs plus other more specialized tasks which require the rapid removal of wood

ITEM #	L	w	BLADE	PATTERN	LBS
KR3702250	9"	1 ³ /8 ["]	Curved	-	1
KR3702500	10"	7/8"	Curved	-	.80
KR3752250	9"	1 ³ /8"	Straight	Light	.90
KR3752500	10"	1 ³ /8 ["]	Straight	Light	1





- Curved or Flat cutting heads available
- Cutting edges, finely polished for best cutting performance
- Available with or without handle

ITEM #	WIDTH	CUTTING HEAD	HANDLE	LBS
KR3500850	3 ¹ /4 ["]	Flat	No	2.5
KR3500950	3 ³ /4 ["]	Flat	No	2.7
KR350B0850	3 ¹ /2 ["]	Flat	Yes	3.2
KR3550700	2 ³ /4 ["]	Curved	No	2.6
KR355B0700	2 ³ /4 ["]	Curved	Yes	3.2
KR910800	Spare Ash Handle for Adzes			.65



- Used to scoop or shape concave projects such as chair seats, bowls, etc.
- Hand forged, high quality steel blade
- Blue wooden handles are angled outward for more clearance and control
- 1 3/8" wide blade

ITEM #	BLADE LENGTH	BLADE WIDTH	LBS
KR372	4 ³ /4 ["]	1 ³ /8 ["]	.90



- Used to split wood for making shingles, chairs, and more woodworking projects.
- To split wood, place blade on wood piece, securing one hand on the handle and striking the blade with a mallet (see page 18 for mallet options)
- Removable wooden handle for easy transportation
- 20" long x 2" wide wooden handle
- 17 3/4" long x 1 3/4" wide x 1/4" thick blade

ITEM #	L	w	DESCRIPTION	LBS
KR420B	20"	17 ³ /4 ["]	Froe Blade with Wooden Handle	2.9
KR420	17 ³ /4 ["]	1 ³ /4 ["]	Froe Blade (without wooden handle)	2.1



INSHAVE



FROE



TOOL STORAGE



TOOL STORAGE



TOOL TROLLEYS

COLLAPSIBLE TOOL TROLLEYS





- Collapsible, lockable, plastic worktop tool trolley
 HZ166C includes integrated beech wood board
- Worktop is also replaceable
- Intermediary containers suitable for HAZET plastic drawer inserts, 2 separation sheets includedBig castors to level out uneven ground surfaces
- Padlock and two keys included

ITEM #	L	w	н	LBS
HZ166C	28 ¹ /2 ["]	15 ⁵ /8 ["]	39 ¹ /2 ["]	56.5
HZ166N	26 ³ /4 ["]	13 ³ /4 ["]	38 ¹ /4 ["]	54

WIRE MESH TOOL TROLLEY





- · Tool trolley comes with shutter and wire mesh
- Lockable, padlock and two keys included
- Two intermediary trays with five separation sheets each as well as one drawer for tool storage
- Especially suitable for commercial vehicles
- Tools sold separately

ITEM #	L	W	н	LBS
HZ172HD	33 ¹ /2 ["]	20 ⁵ / ₆₄ "	40 ⁵ /32 ["]	111

TOOL BOXES





TABLE OF CONTENTS

THREADING TOOLS	<u> </u>	PLIERS	
UNIVERSAL THREAD REPAIR TOOLS	6	LINEMANS AND MECHANICS PLIERS	
NES THREAD-MATE		KNIPEX LINEMANS PLIERS (EURO)	
NES EXTERNAL REPAIR		KNIPEX LINEMANS PLIERS (USA)	
NES INTERNAL REPAIR		KNIPEX MECHANICS PLIERS	
UNIVERSAL THREAD REPAIR SETS	7	ELECTRICIAN AND CRIMPING PLIERS	
NES COMBINATION SETS		KNIPEX ELECTRICIANS 4 IN 1	
NES EXTERNAL SETS		KNIPEX INSULATION STRIPPERS	
NES INTERNAL SETS		KNIPEX CRIMPING PLIERS	
TAP WRENCHES AND EXTRACTORS	8	SIDE AND CABLE CUTTERS	
SCHRÖDER TAP WRENCHES SCHRÖDER TAP WRENCH SET		KNIPEX CHAIN NOSE	
RENNSTEIG SCREW EXTRACTORS		KNIPEX LONG NOSE	
RENNSTEIG SCREW EXTRACTORS			D C
HAMMERS	9	CONCRETORS NIPPERS & CABLE CUTTE	RS
HAMMERS - OSCA	10-13	KNIPEX CONCRETORS NIPPERS KNIPEX HIGH LEVERAGE CONCRETORS	
OSCA CLUB HAMMERS	10	KNIPEX RIGH LEVERAGE CONCRETORS	
OSCA MACHINIST'S HAMMERS	10	ADJUSTABLE GRIPPING PLIERS	32
OSCA COPPER HAMMERS	11	KNIPEX COBRA PLIERS	01
OSCA EVO SOFT FACE HAMMERS	11	KNIPEX COBRA EXTRA SLIM	
OSCA ALUMINUM HAMMER	12	KNIPEX ALLIGATOR PLIERS	
OSCA BALL PEIN HAMMERS	12	KNIPEX PLIERS WRENCH	
OSCA CARPENTER'S HAMMER	12	KNIPEX RAPTOR PLIERS	
OSCA DEAD BLOW HAMMER	13	KNIPEX SMART-GRIP PLIERS	
OSCA POLYURETHANE HAMMER	13	CUTTING PLIERS	34
OSCA SLEDGE HAMMER	13	KNIPEX DIAGONAL CUTTERS	
HAMMERS - THOR	14-15	KNIPEX CENTER CUTTERS	
THOR COPPER HAMMERS	14	KNIPEX WIRE ROPE CUTTERS	
THOR RAWHIDE HAMMERS	14	KNIPEX HIGH LEVERAGE DIAG. CUT.	
THOR RAWHIDE/COPPER HAMMERS	14	KNIPEX TWIN FORCE DIAG. CUTTER	
THOR DEAD BLOW HAMMERS	15	KNIPEX X-CUT DIAGONAL CUTTER	
THOR NYLON HAMMERS THOR ALUMINUM HAMMERS	15 15	END CUTTERS	
MALLETS - THOR	15 16	KNIPEX BOLT END CUTTING NIPPERS	
THOR COPPER MALLETS	10	KNIPEX HIGH LEVERAGE END CUTTERS	
THOR RAWHIDE MALLETS		KNIPEX END CUTTING NIPPER	
THOR RUBBER MALLETS		BOLT CUTTERS	
		KNIPEX MINI BOLT CUTTERS KNIPEX BOLT & CONCRETE MESH CUTTERS	
STRIKING TOOLS	<u> </u>	PRECISION CUTTERS	
PUNCHES	18	KNIPEX PRECISION END CUTTERS	
RENNSTEIG AUTO CENTER PUNCH		KNIPEX PRECISION DIAGONAL CUTTERS	
RENNSTEIG PIN PUNCHES		GRIPPING PLIERS	
CHISELS & WRECKING BARS	19	KNIPEX PRECISION GRIPPING PLIERS	
RENNSTEIG COLD CHISELS		KNIPEX SPECIALTY LONG NOSE PLIERS	
OSCA BRICK CHISELS		SNAP RING PLIERS	
OSCA WRECKING BARS		KNIPEX FORGED TIP SNAP RING	
PUNCHES	20	KNIPEX SPRING STEEL SNAP RING	
RENNSTEIG ARCH/WAD PUNCHES			
RENNSTEIG ARCH/WAD PUNCH SETS		LOCKING PLIERS & CLAMPS	
WRENCHES	<u> </u>	LOCKING PLIERS	42
TORQUE WRENCHES	22	GRIP-ON CURVED JAWS	
HAZET SYSTEM 5000-2 CT	22	GRIP-ON CURVED JAWS WITH CUTTER	
HAZET SYSTEM 5000-2 CT		GRIP-ON STRAIGHT JAWS	
HAZET SYSTEM 6000 CT		GRIP-ON ERGO PISTOL GRIP	
STRAP WRENCHES	23	GRIP-ON OMNIUM GRIP	
BOA ALUMINUM/STANDARD		GRIP-ON LONG/BENT NOSE	
BOA BABY BOA STRAP WRENCH		AUTOMOTIVE PLIERS	
BOA LOLLIPOP STRAP WRENCH		GRIP-ON CHAIN PIPE	
BOA EASY OPEN STRAP WRENCH SET		GRIP-ON PLUGWELD	
	24-25	HAZET HOSE CLAMP	
ADJUSTABLE WRENCHES IREGA 77 SERIES	24-25 24	PLIER SETS AND ACCESSORIES	
IREGA 77 SERIES IREGA 92 SERIES	24 24	GRIP-ON GENERAL INDUSTRY SET	
IREGA ERGOTOP	24 24	GRIP-ON HANDS FREE KIT	
IREGA 2-IN-1 REVERSIBLE	25	GRIP-ON GRIP HOLDERS	
IREGA SUPER WIDE OPENING	25	ALUMINUM CLAMPS	
IREGA 1000V INSULATED	25	GRIP-ON C-CLAMPS	
RATCHETING & COMBINATION	26	GRIP-ON MICRO-GRIP	
HAZET REVERSIBLE RATCHETING		GRIP-ON ALLOY U-CLAMPS	
HAZET T-HANDLE REVERSE RATCHETING			
HAZET 13-DEGREE COMBINATION		GRIP-ON AXIAL LOCKING CLAMPS	

-27	STEEL CLAMPS	48-49
	GRIP-ON C-CLAMPS	48
28	GRIP-ON LARGE/LONG REACH	48
	GRIP-ON C-CLAMP W/ SWIVEL PADS	48
	GRIP-ON WING CLAMPS	49
29	GRIP-ON TABLE C-CLAMPS GRIP-ON U-CLAMPS	49 49
	GRIP-ON ALUMINUM KIT COMPONENTS	49 50
	DRIVERS —	- 51
30	SCREWDRIVERS	52-53
	WITTE PROTOP II	52
	WITTE PROTOP II 1000V INSULATED	52
RS 31	WITTE MAXPRO SCREWDRIVER SETS WITTE MAXPRO	52
	WITTE MAXPRO	53 53
	SCHRÖDER YANKEE RATCHETING	53
	SCREWDRIVERS & SOCKETS	54
32-33	WITTE WITTRON SCREWDRIVERS	
32	HAZET SCREWDRIVER SOCKETS	
32 32	SCREWDRIVER SOCKETS	55
33	HAZET SCREWDRIVER SOCKETS HAZET IMPACT SOCKETS	
33	SOCKETS & HAND DRILLS	56
33	HAZET SCREWDRIVER SOCKET SET	00
34-35	SCHRÖDER HAND DRILLS	
34		67
34	FILES	57
34 35	FILES	58
35 35	TOME FETEIRA FLAT	
35	TOME FETEIRA 1/2 ROUND	
36	TOME FETEIRA 3-SQUARE FILES & RASPS	59
	TOME FETEIRA 1/2 ROUND RASPS	00
	TOME FETEIRA ROUND FILES	
07	TOME FETEIRA MILL FILES	
37	FILES & FILE SETS	60
	TOME FETEIRA SQUARE	
38	TOME FETEIRA TAPER SAW TOME FETEIRA 5PC FILE SET	
	CUTTING & BENDING TOOLS ———	<u> </u>
39	TUBE CUTTERS	62
	RATCH-CUT STD. RATCHETING CUTTER	
40	RATCH-CUT AUTOMATIC RATCHETING CUTTER	
40	CUTTING & BENDING TOOLS	63-64
	VIRAX COPPER TUBE CUT. VIRAX MINI COPPER TUBE CUT.	63 63
	VIRAX MINI COPPER TOBE COT.	63
-41	VIRAX PLASTIC TUBE CUTTER	63
42-43	VIRAX SHEATH CUTTER	64
42	VIRAX GUILLOTINE PIPE CUTTER	64
42	VIRAX MANUAL HYDRAULIC BENDER	64
42	VIRAX CROSSBOW BENDER	64
43 43	WOOD WORKING TOOLS	-65
43 43	WOOD CARVING & SHAPING	65
44 44	OX-HEAD DRAWKNIVES	
	OX-HEAD ADZES	
	OX-HEAD INSHAVE	
_	OX-HEAD FROE	
45	TOOL STORAGE	-67
	TOOL TROLLEYS HAZET COLLAPSIBLE TROLLEY	68
46	HAZET COLLAPSIBLE TROLLEY HAZET WIRE MESH TROLLEY	
- •	TOOL BOXES	69
	HAZET METAL TOOL BOX	
	HAZET HEAVY DUTY TOOL BOX	
47	VIRAX HEAVY DUTY TOOL BOX	
	VIRAX SOFT-SIDED TOOL BAG	

Rely only on high-grade threading offered on our virtual shelves.