■Beat-Sonic®

2014 CATALOG

Stereo Interface Adapters, Audio-Video Accessories, Mobile Holders and Aero Parts

- Stereo Interface Adapter Kits -P2
- Amplifiers / Audio Selectors / Audio Transducers -P16
- Factory DVD & NAV Control Modules -P18
- Video Input / Output Cables -P20
- Video Interface Devices -P22
- Video Noise Filters & Video Splitters -P23
- iPod/iPhone/HDMI Accessories -P24
- HDMI Cables and Adapters -P29
- Back-up Cameras -P30
- ●Video Input and Back-up Camera OEM Interfaces -P36
- Sound Damping Spray -P37
- USB Power Supply/SD Extension cable -P38
- Shark Fin Antennas and Roof Spoiler -P39
- Custom Mobile Holder Kits -P46
- LED Home Application Bulbs -P51





Beat-Sonic Stereo Interface Adapter Introduction

As vehicles become more advanced in today's fast-paced evolving technology, many difficulties are encountered when installing aftermarket stereo systems.

However, with extensive research and specialist expertise, Beat-Sonic's highly experienced engineering team has been able to design seamless plug and play solutions that allow interfacing of factory electronic systems to work in conjunction with aftermarket stereo systems.

These vehicle model specific interface adapter kits also feature retention of factory amplifier and other essential electronic components such as the factory navigation, screen controls, turn by turn navigation prompt, AC controls, etc.


Where required, Beat-Sonic interface adapter kits include OEM quality face panels and brackets to match factory interior trim and are compatible with all the major aftermarket head unit manufacturers.








Change OEM Headunits to Aftermarket Headunits.





Add Aftermarket Headunits and leave OEM Headunits.



Lexus

Make & Model	Year	OEM Nav	OEM Stereo	Kit		Page
		No	Lexus Premium	SLA-23A	•	
	2001-2003	NO	No. Company	SLA-23A / SLX-82AAD		
Lexus LS430		Yes	Mark Levinson	MVA-23L		4
	00010000	No	Lexus Premium	SLA-24A		
	2004-2006	Yes	Mark Levinson	MVA-24L		
	1000 1001		W/out Nakamichi	014.00		
10.400	1990-1994		W/ Nakamichi	SLA-20		
Lexus LS 400	1995-1997	No		SLA-21A		5
	1998-2000	1	W/out Nakamichi	SLA-22		
	2004 2000	No Yes	All Models	SLX-82A		6
Lexus RX 330 350 400h	2004-2009		All Models	RX-82		ь
Lexus RX 300	1999-2003	Any	Pioneer System	AOK-01FB		
L 0V 470	0000 0000	No.	Lexus Premium	SLA-81		7
Lexus GX 470	2003-2009	No	Mark Levinson	SLA-81 / SLX-82AAD		
Lexus LX 470	1998-2002	No	Mark Levinson	SLA-100 / SLX-82AAD		8
1 00 400	2002-2004	V		MVA-12L		
Lexus SC 430	2005-2009	Yes	Mark Levinson	MVA-13L		9
Lexus SC 300 400	1992-2000	No	Lexus Premium	SLA-10B		
I 00 000 050 400	4007.0005	Any	All Models	SLA-31AFB		
Lexus GS 300 350 430	1997-2005	No	Mark Levinson	SLA-31A / SLX-82AAD		10
Lexus IS 300	2002-2005	No	Lexus Premium	SLA-91		

Toyota

Make & Model	Year	OEM Nav	OEM Stereo	Kit	Page
	1998-2002		Mark Levinson	SLA-100 / SLX-82AAD	
Toyota Landcruiser	2003-2007	No		SLA-101	8
	2008-2009	1	W/out Mark Levinson	SLA-102	
Toyota 4 Runner	2003-2010				
Toyota Camry	2007-2010	1			
Toyota Highlander	2008	1			
Toyota Rav4	2004-2010	1			
Toyota Sequoia	2005-2010] ,,	les.		11
Toyota Sienna	2004-2010	No	JBL	SLX-82AAD	11
Toyota Solara	2006-2009	1			
Toyota Tacoma	2005-2010	1			
Toyota Tundra	2004-2012	1			
Toyota Venza	2009-2010	1			

Acura

Make & Model	Year	OEM Nav	OEM Stereo	Kit		Page
	1996-1998	No		HSA-11		
Acura RL	1990-1996	Yes	All Models	HSA-13		12
	1999-2004	No		HSA-15		
Acura TL	1999-2003	Any	Bose	HSA-09AD	Ī	13

Honda

	Make & Model	Year	OEM Nav	OEM Stereo	Kit	Page
1	Honda Accord	2004-2007	Any	Base model	HSA-05	13

Infiniti

Make & Model	Year	OEM Nav	OEM Stereo	Kit		Pag
Infiniti Q45	1996-2001	Any	All Models	AOK-07		
Iniinii Q45	2002-2006	Any	All Models	AOK-17		14
			W/out Bose	NSA-03A		
Infiniti G35	2003-2009	Yes	W/ Bose	NSA-05		15
		No	W/ Bose	NSA-04	1	

Nissan

Make & Model	Year	OEM Nav	OEM Stereo	Kit	Page
	Yes	W/out Bose	NSA-02A		
Nissan 350Z	2003-2009		W/ B	NSA-05	15
		No	W/ Bose	NSA-04	





Make & Model	Year	OEM Nav	OEM Stereo	Kit
		No	Lexus Premium	SLA-23A
	2001-2003	INO	Madelantara	SLA-23A/82AAD
Lexus LS430		Yes	Mark Levinson	MVA-23L
	2004 2006		Lexus Premium	SLA-24A
	2004-2006	Yes	Mark Levinson	MVA-24L

SLA-23A, SLA-23A/82AAD, SLA24A

SLA-23A, SLA-23A/82AAD and SLA-24A kits are to replace factory head unit to an aftermarket head unit.



Before



After











Wood trim is available.

MVA-23L, MVA-24L

MVA-23L and MVA-24L kits are to replace factory head unit to an aftermarket head unit and retains factory navigation, screen controls and partial steering wheel controls. Video input function to the factory screen is also added.



Before



After



MVA-23L



MVA-24L



Wood trim is available.





Make & Model	Year	OEM Nav	OEM Stereo	Kit
	1990-1994		W/out Nakamichi	SLA-20
	1990-1994		W/ Nakamichi	3LA-20
Lexus LS 400	1995-1997	97 No	W/aut Nakawiahi	SLA-21A
	1998-2000	1	W/out Nakamichi	SLA-22

SLA-20

SLA-20 kit is to replace factory head unit to an aftermarket head unit.



>>>



Before

After

SLA-20

SLA-21A, SLA-22

SLA-21A, SLA-22 kits are to replace factory head unit to an aftermarket head unit.



Before



After



SLA-21A



SLA-22



Wood trim is available.





Make & Model	Year	OEM Nav	OEM Stereo	Kit
L DV 220 250 400b	2004 2000	No	All Models	SLX-82A
Lexus RX 330 350 400h	2004-2009	Yes	All Models	RX-82

SLX-82A

SLX-82A interface adapter kit to replace factory head unit to an aftermarket head unit and retains factory amplifier and other controls except for steering wheel controls.



>>>



Before

After

SLX-82A

RX-82

RX-82 kit is to replace factory head unit to an aftermarket head unit and retains factory navigation, screen controls and partial steering wheel controls.



Before

>>



After



RX-82





Make & Model	Year	OEM Nav	OEM Stereo	Kit
Lexus RX 300	1999-2003	Any	All Models	AOK-01FB

AOK-01

AOK-01 kit is to add an additional aftermarket head unit retaining factory stereo and screen (if available).



Before



After



AOK-01FB





Make & Model	Year	OEM Nav	OEM Stereo	Kit
Laura CV 470	2002 2000	NI-	Lexus Premium	SLA-81
Lexus GX 470	2003-2009	No	Mark Levinson	SLA-81/82AAD

SLA-81, SLA-81/82AAD

SLA-81 and SLA-81/82AAD kits are to replace factory head unit to an aftermarket head unit.



Before



After



SLA-81/82AAD



SLA-81

EXUS TOYOTALAND CRUISER



Make & Model	Year	OEM Nav	OEM Stereo	Kit
Lexus LX 470	1998-2002	No	Mark Levinson	SLA-100/82AAD

Make & Model	Year	OEM Nav	OEM Stereo	Kit
	1998-2002		Mark Levinson	SLA-100/82AAD
Toyota Landcruise	2003-2007	No	W/out Mark Levinson	SLA-101
	2008-present			SLA-102

SLA-100/82AAD

SLA-100/82AAD kit is to replace factory head unit to an aftermarket head unit.



Before

>>>



After



SLA-100/82AAD

SLA-101

SLA-101 kit is to replace factory head unit to an aftermarket head unit.



Before



After



SLA-101

SLA-102

SLA-102 kit is to replace factory head unit to an aftermarket head unit.



Before



After



SLA-102





Make & Model	Year	OEM Nav	OEM Stereo	Kit
Lexus SC 430	2002-2004	Yes	Mark Levinson	MVA-12L
Lexus 3C 430	2005-2009	Yes	Mark Levinson	MVA-13L

MVA-12L,MVA-13L

MVA-12L and MVA-13L kits are to replace factory head unit to an aftermarket head unit and retains factory navigation, screen controls and partial steering wheel controls. Video input function to the factory screen is also added.







Before

After

MVA-12L shown above



© LEXUS SC 300/400



Make & Model	Year	OEM Nav	OEM Stereo	Kit
Lexus SC 300 400	1992-2000	No	W/out Nakamichi	SLA-10B

SLA-10B

SLA-10B kit is to replace factory head unit to an aftermarket head unit.









Before

After

SLA-10B



© LEXUS

GS 300/400/430



Make & Model	Year	OEM Nav	OEM Stereo	Kit
Lexus GS 300 350 430	1997-2005	Any	All Models	SLA-31AFB
		No	Mark Levinson	SLA-31A/82AAD

SLA-31AFB, SLA-31A/82AAD

SLA-31A and SLA-31A/82AAD kits are to replace factory head unit to an aftermarket head unit.







SLA-31AFB



SLA-31A/82AAD



IS 300



Make & Model	Year	OEM Nav	OEM Stereo	Kit
Lexus IS 300	2002-2005	No	Lexus Premium	SLA-91

SLA-91

SLA-91 kits are to replace factory head unit to an aftermarket head unit.



Before



After



SLA-91

⊕TOYOTA AVALON



Make & Model	Year	OEM Nav	OEM Stereo	Kit
T	2000 2004	No W/out JBL	SLA-86	
Toyota Avalon	2000-2004	No	JBL	SLA-86/82AAD

SLA-86, SLA-86, SLX-82AAD

SLA-86 and SLA-86/82AAD kits are to replace factory head unit to an aftermarket head unit.



>>>



After





Before

SLA-86

SLX-82AAD

TACOMA/TUNDRA/VENZA/CAMRY/ HIGHLANDER/RAV4/4RUNNER/SEQUOIA SIENNA/SOLARA



Make & Model	Year	OEM Nav	OEM Stereo	Kit
Toyota 4 Runner	2003-2010			
Toyota Camry	2007-2010	1		
Toyota Highlander	2008	1		SLX-82AAD
Toyota Rav4	2004-2010	7		
Toyota Sequoia	2005-2010	No	JBL	SLX-82AAD
Toyota Sienna	2004-2010		JUL	SLX-82AAD
Toyota Solara	2006-2009	7		
Toyota Tacoma	2005-2010	1		
Toyota Tundra	2004-2012			
Toyota Venza	2009-2010	1		

SLX-82AAD

SLX-82AAD is to replace factory head unit to an aftermarket head unit.



Before

>>>



After



SLX-82AAD

MACURA

RL



Make & Model	Year	OEM Nav	OEM Stereo	Kit
	1996-1998	No		HSA-11
Acura RL	1990-1998	Yes	All Models	HSA-13
	1999-2004	No		HSA-15

HSA-11

HSA-11 kit is to replace factory head unit to an aftermarket head unit.









Before

After

HSA-11

HSA-13

HSA-13 kit is to replace factory head unit to an aftermarket head unit.



Before





After



HSA-13

HSA-15

HSA-15 kit is to replace factory head unit to an aftermarket head unit.



Before



After



HSA-15

MACURA

TL



Make & Model	Year	OEM Nav	OEM Stereo	Kit
Acura TL	1999-2003	Any	Bose	HSA-09AD

HSA-09AD

HSA-09AD is to replace factory head unit to an aftermarket head unit.









Before

After

HSA-09AD

HONDA

Accord



Make & Model	Year	OEM Nav	OEM Stereo	Kit
Honda Accord	2004-2007	Any	Base model	HSA-05

HSA-05

HSA-05 kit is to add an additional aftermarket head unit retaining factory stereo and screen (if available).



>>



HSA-0

Before

After

HSA-05



Q45



Make & Model	Year	OEM Nav	OEM Stereo	Kit
Infiniti 045	1996-2001	Any	All Models	AOK-07
Infiniti Q45	2002-2006	Any	All Models	AOK-17

AOK-07

AOK-07 kit is to add an additional aftermarket head unit retaining factory stereo and screen (if available).



AOK-17

AOK-17 kit is to add an additional aftermarket head unit retaining factory stereo and screen (if available).





G35



Make & Model	Year	OEM Nav	OEM Stereo	Kit
		V	W/out Bose N	
Infiniti G35	2003-2009	Yes	W// D	NSA-05
		No	W/ Bose	NSA-04

NSA-03A, NSA-04, NSA-05

NSA-03A and NSA-04 kits are to replace factory head unit to an aftermarket head unit retaining factory screen. NSA-04 kit is to replace factory head unit to an aftermarket head unit.



Before



After





NSA-03A

NSA-04

NSA-05

NISSAN

350Z



Make & Model	Year	OEM Nav	OEM Stereo	Kit
		Van	W/out Bose	NSA-02A
Nissan 350Z	2003-2009	Yes	W/ Page	NSA-05
		No	W/ Bose	NSA-04

NSA-02A, NSA-04, NSA-05

NSA-02A and NSA-04 kits are to replace factory head unit to an aftermarket head unit retaining factory screen. NSA-04 kit is to replace factory head unit to an aftermarket head unit.



Before



After





NSA-02A

NSA-04

NSA-05

Amplifiers / Audio Selectors / Audio Transducers



Micro Power Amplifier





Description:


- *Super compact design
- *High power output (43W x 4ch)
- *Supports both line level input and high level input

Specifications:

- *Power: DC12V-15V
- *Output power: 43W x 4ch (4 Ω)
- *Input: RCA and speaker level
- *Impedance adaptation: $4-8\Omega$
- *Frequency characteristic: 15 20 kHz
- *Size: W3.8 x H1.4 x D4.5 (in)
- *Weight: 310g (main body only)







Drive Amplifier




DAC-20

Description:

- *Amplifier for RCA audio signals
- *Continuous-variable from 0 to +26dB
- *Low noise and high quality sound

Specifications:

- *Power: DC10V-15V
- *Max Output power: 10Vp-p x 2ch *Frequency characteristic: 15 30kHz
- *Amplification level: 1-18 times
- *RCA Cable length: 59 inches
- *Size: W3.7 x H1.4 x D3.0 (in)



Audio Selector



Description:


Connect 2 head units to 1 amplifier

*Switch audio lines automatically

*Low noise and high quality sound

Specifications:

- *Power: DC12V
- *Output: 1 line
- *Input: 2 lines
- OS-20A *Size: W5.5 x H1.6 x D2.4 (in)



Amplifiers / Audio Selectors / Audio Transducers

Audio Relay Selector -




Description:

- *Selector between 2 of 4ch head units with amplifier
- *Automaticaly switches using amplifer remote signals
- *Requires at least 1 head unit with an amplifier remote line

Specifications:

- *Power: DC12V
- *Output: 4 outputs (2 front/2 Rear)
- *Size: 3.3 x 1.4 x 7.6 (in)
- *Weight: 550g




Description:

- *Selector between 2 of 6ch (or 5.1ch) amplifiers or head units
- *Automaticaly switches using amplifer remote signals
- *Required at least 1 head unit with an amplifier remote line

Specifications:

- *Power: DC12V
- *Output: 6 (5.1ch) outputs
- *Size: 3.4 x 1.7 x 8.3 (in)
- *Weight: 700g

SK-60



OFF	OEM head unit
ON	New head unit
ON	New head unit

Transducer Line Cable




Description:

- *Transduce 2 additional RCA outputs from an OEM head unit
- *Low noise and high quality sound

Specifications:

- *Maximum input: 50W
- *Frequency characteristic: 20 40kHz
- *Output level: input level 3dB
- *Size: 3.7 x 2.7 x 1.3 (in)






Description:

- *Transduce 6 RCA outputs from an OEM head unit
- *Low noise and high quality sound
- *Woofer outputs are synchronized with Rear speakers

Specifications:

*Maximum input: 50W

TL-46



Factory DVD & NAV Control Modules



VIDEO-IN-MOTION Controller

Enhance your Factory DVD Entertainment System

- Plug and play application.
 Easily reversable to factory specifications.
- Simple switch design to override factory DVD lockout.
 Access lockout caused when the parking brake is released.
- Also supports vehicles with factory backup cameras. Will switch to backup camera automatically when in "R" gear.

TVK Height: 1.14in 1.34in TVK Series

NAV-Controller


Expand the use of your Factory Navigation System

- Plug and play application.
 Easily reversable to factory specifications.
- One-touch switch to easily override factory nav system. Allow full access to factory navigation controls while vehicle is in motion.



TVK & NVK Combo

VIDEO-IN-MOTION Controller+NAV-Controller in one





FACTORY OEM VIDEO-IN-MOTION and NAV-IN-MOTION

Lexus

Model	Voor(e)	TVK	NT
Model	Year(s)	Part#	Part#
CT200h	2011-2012	TVK-46	NT4618
C1200f1	2013	TVK-62	NT6223
	2007-2009	TVK-32	NT3203
ES350	2010-2012	TVK-46	NT4618
	2013-2014	TVK-62	NT6223
ES300H	2013-2014	TVK-62	NT6223
GS300/GS400/GS430	2000-2005	TVK-02	NT0202
GS350/GS430/GS460	2006-2009	TVK-32	NT3203USA
GS350/GS460	2010-2011	TVK-46	NT4618
GS350	2013-2014	TVK-62	NT6223
	2006-2009	TVK-32	NT3203USA
GS450h	2010-2011	TVK-46	NT4618
	2013-2014	TVK-62	NT6223
	2005-2006	TVK-27	NT2701
GX460/GX470	2007-2009	TVK-37	NT3712*
	2010-2013	TVK-46	NT4618
HS250h	2010-2012	TVK-46	NT4618
	2008-2009	TVK-32	NT3203
IS F	2010-2012	TVK-46	NT4618
	2013	TVK-62	NT6223
S250C/IS350C	2009-2012	TVK-46	NT4618
	2006-2009	TVK-32	NT3203
IS250/IS350	2010-2012	TVK-46	NT4618
	2013-2014	TVK-62	NT6223
	2001-2003	TVK-02	NT0201
LS430	2004-2006	TVK-27	NT2701
	2007-2009	TVK-32	NT3203
LS460	2010-2012	TVK-46	NT4618
	2013-2014	TVK-62	NT6223
	2008-2009	TVK-32	NT3203
LS600h/LS600hL	2010-2012	TVK-46	NT4618
	2013-2014	TVK-62	NT6233
LX470	2004-2007	TVK-27	N/A
	2008-2009	TVK-32	NT3203
LX570	2010-2011	TVK-46	NT4618
	2013-2014	TVK-62	NT6223
RX330	2004	TVK-02	NT0201
RX330/RX400h	2005-2006	TVK-27	NT2701
RX350/RX400h	2007-2009	TVK-37	NT3712*
	2010-2012	TVK-46	NT4618
RX350/RX450h	2013	TVK-62	NT6223
SC430	2010-2011	TVK-46	NT4618

^{* 30} Second Navigation Bypass only for NT3712

The navigation bypass is limited to 30 seconds. After 30 seconds, user will need to press the button again to disengage the bypass, wait 2 seconds and then press the button to engage the bypass to continue where left off.

Subaru

Model	V(-)	TVK	NT
	Year(s)	Part#	Part#
BRZ	2013-2014	TVK-61	NT6122
Ct	2008-present	TV	K-54
Forester	2012-2014	TVK-61	NT6122
Impreza	2008-2010	TVK-54	
	2012-2014	TVK-61	NT6122
Paner.	2008	TV	K-54
Legacy	2009	TVK-54	
Outback	2008-2009	TVK-54	
WRX / WRX STI	2012-2014	TVK-61	NT6122

Toyota

Model	Voorlo	TVK	NT
Model	Year(s)	Part#	Part#
Campi	2000-2011	TVK-10	
Camry	2012-2013	TVK-61	NT6122
Highlander	2004-2006	TVK-27	NT2701
Highlander	2008-2010	TV	K-10
Highlander w/out iDI	2013	TVK-61	NT6122
Highlander w/out jBL	2013	TVK-61	NT6122
Highlander w/ JBL with Display	2013	TVK-61	NT6122
Highlander w/ JBL with NAV	2013	TV	K-10
	2004-2007	TVK-27	N/A
Landcruiser	2009	TVK-32	NT3203
Landcruiser	2010-2011	TVK-46	NT4618
	2013	TVK-62	NT6223
Prius (All models)	2010-2011	TVK-10	
	2012-Present	TVK-61	NT6122
Scion (All models with Be- spoke)	2013	TVK-61	NT6122
Scion (All models)	2014	TVK-61	NT6122
Scion Xb	2006-2007	TV	K-10
Scion XD	2008-2010	TV	K-10
RAV4	2001-2005	TV	K-10
HAV4	2006-2011	TVK-10	
Sienna	2006-2013	TV	K-10
Comunic	2007	TV	K-10
Sequoia	2008-2013	TV	K-10
Solara	2007-2008	TV	K-10
Tacoma	2012	TVK-61	NT6122
Venza	2013	TVK-61	NT6122
4Runner	2013	TVK-61	NT6122

Infiniti

14-4-1	V(-)	TVK	NT
Model	Year(s)	Part#	Part#
EX35	2008-2009	TVK-43	
EX35	2010-2012	TVK-56	
	2003-2004	TVI	K-05
G35 with OEM NAV	2005-2006	TVI	<-17
	2007-2008	TVI	<-43
G35 without OEM NAV	2007-2008	TVI	<-49
G37	2008-2009	TVK-43	
	2010-2012	TVK-56	
G37 without OEM NAV	2008-2009	TVK-49	
	2003-2004	TVK-17	
M35/M45 with OEM NAV	2006-2007	TVK-35	
	2008-2010	TVK-43	
M37/M56/M35h	2011-present	TVI	<-56
Q45	2004-2006	TVI	(-17
FX35/FX45	2003-2005	TVK-17	
FX35/FX50	2009	TVK-43	
FA30/FA30	2010-2011	TVK-56	
QX56	2008-2010	TVK-43	


Nissan

Model	TVK		NT	
	Year(s)	Part#	Part#	
Cube	2009-Present	TVK-56		
Pathfinder	2008-2011	TVK-43		
Olevilles OTD	2009	TVK-43		
Skyline GTR	2010-Present	TVK-56		
Armada	2008-2010	TVK-43		


Video Input / Output Cables



Audio Video RCA Input Cable Harness



Audio Video RCA Output Cable Harness



VIDEO INPUT AND OUTPUT CABLES

Lexus

Model	V(-)	AVC Input Adapter	AVC Output Adapter
iviodei	Year(s)	Part#	Part#
ES300/ES330	2002-2006	AVC1	N/A
GS300/GS400/GS430	2000-2005	AVC2	AVC12
GS350/GS430/GS450h/ GS460	2006-2009	AVC1	AVC17
GS350/GS450h/GS460	2010-2011	AVC20	N/A
GS350/GS450h	2013-2014	AVC38	AVC37
	2003-2004	AVC1	AVC12
07470	2005-2006	AVC1	AVC11
GX470	2007-2009	AVC1	N/A
	2010-Present	AVC20	N/A
HS250h	2010-Present	AVC20	N/A
IS300	2002-2005	AVC1	N/A
ISOEO (ISOEO	2006-2009	AVC1	AVC17
IS250/IS350	2010-Present	AVC20	N/A
IS250C/IS350C	2009-Present	AVC20	N/A
IS F	2008-2009	AVC1	AVC17
	2010-Present	AVC20	N/A
0.400	2001-2003	AVC34	AVC12
LS430	2004-2006	AVC34	AVC11
L C 4 C O / L C C O C / L C C O C L	2007-2009	AVC1	AVC17
LS460/LS600h/LS600hL	2010-Present	AVC20	N/A
	2000-2002	AVC2	AVC12
	2003	AVC1	AVC12
LX470	2004-2007	AVC1	AVC11
	2008-2009	AVC1	AVC17
	2010-Present	AVC20	N/A
RX300	2001-2003	AVC2	N/A
RX330/RX400h	2004-2006	N/A	AVC12
RX350/RX400h	2007-2009	N/A	AVC12
RX350/RX450h	2010-2012	AVC20	AVC22
RX350/RX450h	2013	AVC38	AVC37
SC430	2010-2011	AVC20	N/A

Toyota

Model	Year(s)	AVC Input Adapter	AVC Output Adapter
Model	rear(s)	Part#	Part#
4Runner	2013	AVC39	N/A
Avalon	2013	AVC39	N/A
	2000-2006	AVC1	N/A
Camry	2007-2009	AVC1	N/A
	2012-2014	AVC39	N/A
Corolla	2012-2014	AVC39	N/A
Highlander w/out Nav	2013-2014	AVC39	N/A
	2001-2003	AVC2	N/A
	2004-2005	AVC1	AVC11
Prius +Prius C and V models	2006-2009	AVC1	AVC11
+Prius C and v models	2010-2011	AVC20/AVC30	N/A
	2012-2014	AVC39	N/A
	2001-2008	AVC1	N/A
RAV4	2009-2011	AVC20	N/A
	2013	AVC39	N/A
Colon vD	2006-2007	AVC1	N/A
Scion xB	2008-2010	AVC20	AVC21
Venza	2013-2014	AVC39	N/A
Scion xA	2006-2007	AVC1	N/A
Scion (All Models)	2014	AVC39	N/A
Tacoma	2012-2014	AVC39	N/A

Infiniti

Model	V(-)	AVC Input Adapter	AVC Output Adapter
Model	Year(s) Part#	Part#	Part#
G35	2003-2004	AVC14	N/A
	2005-2006	AVC14	N/A
	2007-2008	AVC14	N/A
G37	2008-2010	N/A	AVC23

Nissan

Model	Year(s)	AVC Input Adapter	AVC Output Adapter
		Part#	Part#
	2004-2007	AVC14	N/A
350z	2008-2009	AVC14	N/A
370z	2010-Present	N/A	AVC23
Murano	2003-2005	AVC14	N/A
	2006-2008	AVC14	N/A
	2009-2011	N/A	AVC23
Skyline GTR	2009-2010	AVC27	AVC23
Cube	2009-Present	AVC1	N/A

Acura

Model Year(s)		AVC Input Adapter	AVC Output Adapter
iviodei	Year(s)	Part#	Part#
TSX	2006-2008	AVC8	N/A
RL	2007-2008	AVC8	N/A

Honda

Model	V(-)	AVC Input Adapter	AVC Output Adapter
Iviodei	Year(s)	Part#	Part#
Accord	2006-2007	AVC8	N/A
CR-V	2007-2009	AVC3	AVC4
Civic	2006-2008	AVC3	AVC4
Fit	2007-2008	AVC3	AVC4

Mitsubishi

Model	Year(s)	AVC Input Adapter	AVC Output Adapter
iviodei	rear(s)	Part#	Part#
Outlander	2006-present	AVC3	AVC4

Mazda

Model	Vestal	AVC Input Adapter	AVC Output Adapter
iviodei	Year(s)	Part#	Part#
RX-8	2004-2008	AVC29	N/A
Mazda6	2003-2008	AVC29	N/A
	2009-2010	N/A	AVC24
Manual - F	2006-2007	AVC29	N/A
Mazda5	2008-2010	N/A	AVC24

Subaru

Model	Vaceto	AVC Input Adapter	AVC Output Adapter
iviodei	Year(s)	Part#	Part#
Legacy	2007-2009	AVC9	N/A
Outback	2007-2009	AVC9	N/A

^{*} Note that these harnesses may require an additional interface adapter. The harness by itself does not guarantee video display from input or output.

Video Interface Devices

Front Camera Selecter With Video Noise Filter -




Description:

*1 Line of Front Camera Input *1 Line of Backup Camera Input *Prevents incoming poises *Prevents incoming noises
*Highly Selected Parts Inside
*Extremely Compact Size
*Select Back-up Camera Automatically

Specifications:

*Power: DC11V-15V
*Input/Output Terminal:
*Gold Plated RCA Terminal
*Input/Output Level: "Video-1.0 Vpp 75 ohm
"Power Consumption: Less than 50mA
"Weight: 55g (main body only)
"Size: W1.57 x H0.98 x D2.24 (in)



Audio Video Auto Selector




Description:


- *1 Line of Audio Video output
- *2 Lines of video Input
- *Highly Selected Parts Inside
- *Extremely Compact Size

Specifications:

*Power: DC11V-15V

*Input/Output Terminal: Gold Plated RCA Terminal *Size: W3.70 x D3.00 x H1.37(in)





VS-20B

Automatic Audio Video Selecter -



Description:


- *2 Lines of Audio Video Input *1 Line of Backup Camera Input *1 Line of Any Camera Input *1 Line of Audio Video Output *Select Each Signal Automatically

- *Prevents incoming noises *Highly Selected Parts Inside
- *Extremely Compact Size

Specifications:


*Power: DC11V-15V *Input/Output Terminal: Gold Plated RCA Terminal *Input/Output Level: Video--1.0 Vpp 75 ohm *Audio--10 Vpp(MAX)

umption: Less than 500mA *Weight: 120g (main body only) *Size: W4.48 x D1.38 x H1.02(in)



Premium Video Noise Filters & Video Splitters





Premium Video Noise Filter




- "Made to install for a clear and stabilized picture
- **Product to instant for a tear and statistical picture

 **Hard aluminum body protects the device from heat and the harsh environment of inside the car

 *Prevents the incoming noises

 Gold plated terminal, high quality circuit, and specially selected parts are available for a high clarity picture

 *Extremely Compact Size
- Specifications:
- "Power: DC11V-15V
 "Input/Output: 1 input, 1 output
 "Input/Output terminal: Gold plated RCA terminal
 "Input/Output level: 1.0 Vpp 75 ohm
- *Power consumption: Less than 50mA *Size: 1.57 x H0.98 x D2.24 (in)
- "What's in the box- L-Form Video Cable VF1 Main Body Cable



Premium Video Splitter with Noise filter



- *1 input for 10 output video signal divider *Made to install for a clear and stabilized picture
- *Hard aluminum body protects the device from heat and the harsh environment of inside the car *Prevents the incoming noises *Gold plated terminal, high quality circuit, and specially selected parts are available for a high clarity picture *Extremely Compact Size

Specifications:

- *Prower: DC11V-15V
 *Input/Output: 1 input, 10 output
 *Input/Output terminal: Gold plated RCA terminal
 *Input/Output level: 1.0 Vpp 75 ohm
- *Power consumption: Less than 50mA *Size: W4.48 x D1.38 x H1.02(in)
- "Weight: 120g (main body only)
 "What's in the box: L-Form Video Cabl
 VD10 Main Body
 Cable

OUT① OUT② VD10/6 30A ACC Output Monitor Remote VIDEO OUT

Example Divide DVD images into several moitors

and on/off the monitors automatically



Description:

- Ti input for 6 output video signal divider


 *Made to install for a clear and stabilized picture

 *Hard aluminum body protects the device from heat and the harsh environment of inside the car

 *Prevents the incoming noises
- Gold plated terminal, high quality circuit, and specially selected parts are available for a high clarity picture *Extremely Compact Size

Specifications:

- *Weight: 120g (main body only)
 *What's in the box:- L-Form Video Cable
 VD6 Main Body
 - - Cable







Description:

- Description:
 * BVSC Circuit, an original device from the Beat-Sonic
 made to install for a clear and stabilized picture.
 * The hard aluminum body of this product sufficiently
 protects the device from heat and the harsh environment inside the car and it also prevents the incoming noises.
- * Gold plated terminal, high quality circuit, and specially selected parts are available for a high clarity picture. * Compact size. (At present, smallest size in the world.)

Specifications:

- *Power: DC11V-15V
- "Power CC11V-15V
 "Input/Output: 1 input 2 out put.
 "Input/Output terminal: Gold plated RCA terminal.
 "Input/Output leevel: 1.0 Vpp 75
 "Power consumption: less than 50mA
 "Size: W1.57 x H0.98 x D2.24 (in)







HDMI to HDMI and RCA Interface Adapter - Smartphone Screen Mirror



Included in this kit:

1 x IF12 Interface Adapter 1 x Power supply unit 12V-5V $Enable\ to\ mirror\ smart\ phone\ screen\ to\ monitors\ or\ devices\ with\ video\ input\ using\ HDMI\ and/or\ RCA\ inputs.$

Description:

Mirror your smart phone screen to screen with video inputs including Google maps, YouTube, images and more. Perfect for HDMI in-car entertainment system to connect smart phones.

High quality and specialized parts ensure clear and stabilized output.

Digital processing of HDMI signals to analog video and audio with extreme high quality.

HDMI input with HDMI and RCA outputs.

Simultaneous connections to both HDMI out and RCA out.

Specifications:

IF12 Interface Adapter

Power: DC5V

Quiescent current: 2.1A

Input terminal: 1 channel HDMI terminal
Output terminal: 1 channel HDMI terminal and RCA

(Audio and Video) terminals Body Dimensions: 4.5 x 1 x 4.2 inches

Weight: 260g

Additional Information:

If noise occurs, please check the connection of the power supply and ground.


We recommend to use HDA and HDC series cabled and adapters to accompany this adapter.

12V-5V power supply unit Power: DC11V-15V Quiescent current: 2A


Fuse: 12V2A

Dimensions: 2.7 inches x 1.85 inches x 1.45 inches Cable Length: 12V Power Cable (12 inches) Cable Length: 5V Power Supply (20 inches)


Weight: 110g



MHL to HDMI Adapter Cable



15_{MSRP: \$220.00}



Connect your ML-enabled smart phone to your high definition TV, monitor or HDMI enabled head unit.

Features:

Connect your MHL-enabled phone to your high definition TV, monitor or HDMI enabled head unit.

Supports HD signals up to 1080p.

Powered for maximum quality and minimal signal loss.

High quality and specialized parts ensure clear and stabilized output.

Long cable at 5 foot to access any areas in the vehicle.

Strategically placed micro USB terminal for power to not get in the way when MHL side is plugged into your phone.

Compatibility:

Pioneer App Radio Series

Other head units and stereo systems with HDMI input

High definition TV, monitor and other media devices with HDMI input

Specifications

Power: DC5V

Cable Length: 5 foot

Quiescent current: 2A or more

Input terminal: Male micro USB terminal to connect smart phone

Output terminal: Female micro USB for power supply and standard HDMI (A) male connector

Included in this kit:

1 x IF15 Cable

Additional Information


If noise occurs, please check the connection of the power supply and ground.

Micro USB charging cable required for power supply. We recommend Beat-Sonic QBZ13 to be used.

All smart phones are not MHL enabled. Please only use this product with an MHL compatible smart phone.

HDMI to RCA Conversion Interface Adapter - Smartphone Screen Mirror

IF16_{MSRP: \$105.00}



Enable to mirror smart phone screen to monitors or devices with video input using RCA inputs.

Features:

Mirror your smart phone screen to screen with video inputs including Google maps, YouTube, images and more. Connect your HDMI devices to RCA composite outputs.

Perfect for HDMI in-car entertainment system to connect smart phones or HDMI media devices to RCA cables.

High quality and specialized parts ensure clear and stabilized output.

Digital processing of HDMI signals to analog video and audio with extreme high quality.

HDMI input with audio and video outputs.

Specifications

Power: DC5V

Quiescent current: 0.5A or less

Input terminal: standard HDMI (A) female connector

Output terminal: RCA terminals

Body Dimensions: 2.6 x .78 x 2.1 inches

Included in this kit:

1 x IF16 Interface Adapter

Additional Information

If noise occurs, please check the connection of the power supply and ground.

We recommend to use HDA and HDC series cabled and adapters to accompany this adapter.

HDMI to HDMI + RCA Conversion Interface Adapter

HDMI Monitor

old separately: HDC Series)

Enable to convert HDMI input signals to RCA composites for Music while retaining HDMI output for high quality video



HDMI Cable (sold separately: HDC Series)

with HDMI Output Smart Phone

IF5 Included

Features

Connect your HDMI devices to RCA composites for Music while retaining HDMI output for high quality video. Perfect for HDMI in-car entertainment system to connect smart phones or HDMI media devices to RCA cables for sound to head units while retaining HDMI quality for videos to additional monitor(s).

High quality and specialized parts ensure clear and stabilized output.

Digital processing of HDMI signals to analog.

HDMI input with two outputs - 3.5mm Audio and HDMI

Specifications

Power: DC5V

Quiescent current: 0.5A or less

Input terminal: standard HDMI (A) female connector

Output terminal: standard HDMI (A) female connector and 3.5mm stereo mini-jack

Body Dimensions: 2.4 x .78 x 2.1 inches

Included in this kit:

1 x IF17 Interface Adapter

1 x IF5 Conversion cable from 3/5mm mini to RCA.

Additional Information


If noise occurs, please check the connection of the power supply and ground.

We recommend to use HDA and HDC series cabled and adapters to accompany this adapter.

HDMI 1 into 2 Splitter



IF18_{MSRP: \$76.00}



Split an incoming HDMI audio and video signals to four other connections using this 1-to-2 HDMI signal distribution amplifier.

Features:

1 input for 2 output of high quality HDMI audio and video signal splitter.

Powered for maximum quality and minimal signal loss.

High quality and specialized parts ensure clear and stabilized output.

Specifications

IF18 HDMI Splitter

Power: DC5V

Input/Output: 1 input, 4 output Quiescent current: 2A or more

Input/Output terminals: Standard HDMI (A) female connector

Cable Length: 5V Power Supply (20 inches)

12V-5V power supply unit Power: DC11V-15V Quiescent current: 2A

Fuse: 12V2A

Dimensions: 2.7 inches x 1.85 inches x 1.45 inches Cable Length: 12V Power Cable (12 inches) Cable Length: 5V Power Supply (20 inches)

Included in this kit:

1 x IF18 HDMI Splitter

1 x 12V-5V Power Supply

Additional Information


If noise occurs, please check the connection of the power supply and ground.

Please do not connect any other power supply other than the included 12V-5V power supply as other alternatives may cause malfunction.

Combine this item with our HDA and HDC series HDMI cables for best performance.

HDMI 1 into 4 Splitter -





Split an incoming HDMI audio and video signals to four other connections using this 1-to-4 HDMI signal distribution amplifier.

1 input for 4 output of high quality HDMI audio and video signal splitter.

Powered for maximum quality and minimal signal loss.

High quality and specialized parts ensure clear and stabilized output.

Specifications

IF19 HDMI Splitter Power: DC5V

Input/Output: 1 input, 4 output Quiescent current: 2A or more

Input/Output terminals: Standard HDMI (A) female connector

Cable Length: 5V Power Supply (20 inches) Dimensions: 5.75 inches x .8 inches x 2.4 inches 12V-5V power supply unit Power: DC11V-15V Ouiescent current: 2A Fuse: 12V2A

Dimensions: 2.7 inches x 1.85 inches x 1.45 inches Cable Length: 12V Power Cable (12 inches) Cable Length: 5V Power Supply (20 inches)

Included in this kit:

1 x IF19 HDMI Splitter 1 x 12V-5V Power Supply

Additional Information

If noise occurs, please check the connection of the power supply and ground.

Please do not connect any other power supply other than the included 12V-5V power supply as other alternatives may cause malfunction.

Combine this item with our HDA and HDC series HDMI cables for best performance.

11Pin MHL to Micro USB Adapter

Connect your MHL enabled smart phone to your high definition TV, monitor or HDMI enabled head unit.




Designed for Galaxy S3, S4 and Galaxy Note II. Converts 11Pin MHL to micro USB. Compact and low profile design.

Specifications:

Dimensions: 0.5 x 0.2 x 1.1(W x H x L)inch Input terminal: 11Pin male connector Output terminal: Micro USB female connector

Additional Information:

Not all smart phones are MHL enabled. Please use this product with an MHL compatible smart phone. This product does not include adapter cable. Please purchase adapter cable separately. For in-car installation please refer to our QB series.



HDMI Monitor



HDM₂


Super High Quality HDMI Monitor to Accompany Today's High Resolution Media Vehicle Integration

Features:

The easy-to-read bright screen high quality HDMI Monitor with 1000:1 contrast Equipped with a 4-step dimmer and LED back-light.

Other Information

Q-BAN series QBF9 QG3 and QBF5 slide rail equipment accessories are recommended to use to mount this monitor inside the vehicle




HDMI Media Player





HDMP1



Media player utilizing USB and SD card input to HDMI or RCA Output .

Features:

Play your video, music and picture data on an aftermarket head unit or other devices with HDMI or RCA input. Perfect for HDMI in-car entertainment system to play media through files saved on USB memory card or SD card.

High quality and specialized parts ensure clear and stabilized output.

Digital processing of HDMI signals to analog video and audio with extreme high quality.

HDMI input with HDMI and RCA outputs.

Simple to use mulch-function remote controller included.

Small business card body size for flexibility for mounting location.

Specifications

Supported Formats: MPEG1, MPEG2, MPEG4, H264, WMV9/VC-1, Real Video,

MP3, WMA, WAV, AAC, OGG, FALC, RA, AC3, DTS, JPG, BMP, PNG, GIF

Quiescent current: 2A Input: SD Card, USB Storage

Output terminal: 1 channel HDMI terminal and 3.5mm video and audio

Body Dimensions: 3x .6 x 2.3 inches

Weight: 260g Weight: 110g

12V-5V power supply unit

Power: DC11V-15V Ouiescent current: 2A

Fuse: 12V2A

Dimensions: 2.7 inches x 1.85 inches x 1.45 inches Cable Length: 12V Power Cable (12 inches) Cable Length: 5V Power Supply (20 inches)

Weight: 110g

Included in this kit:

1 x HDMP1 Media Player

1 x Power supply unit 12V-5V

1 x Remote Controller

1 x AV Cable

Additional Information

If noise occurs, please check the connection of the power supply and ground. We recommend to use HDA and HDC series cabled and adapters to accompany this adapter.

HDMI Cables and Adapters

HDMI Cable Line-up

HDMI, High Definition Multimedia Interface is now today's standard in video and audio application to accompany super high resolution medias. Beat-Sonic is proud to be one of the first manufacturers to introduce a full line of HDMI products for high definition vehicle integration.



HDMI Cable(6.5 Foot)

HDMI to HDMI - Type A Male connector to Type A Male Connector

HDC2







HDMI Cable(5.9 Foot)

HDMI to mini HDMI - Type A Male connector to Type C Male Connector

HDC3

HDMI Cable(5.9 Foot)

HDMI to micro HDMI - Type A Male connector to Type D Male Connector

HDC4

HDMI Cable(HDMI Reel Cable with Conversion Adapter)


Type A Male connector to Type C Male or D Male Connector

HDC5

HDMI Adapters Line-up


HDMI Extension Adapter

HDMI to HDMI - Type A Female connector to Type A Female Connector



HDA2

HDMI Adapter Type A Male connector to Type A Male Connector



HDA3

HDMI 180 Degrees Angle

Type A Male connector to Type A Female Connector



HDMI Adapter

Type A Female connector to Type C Male Connector



HDA5 MSRP: \$13.00

HDMI Extension Adapter

Type A Female connector to Type D Male Connector



HDA6

HDMI Adapter

Type A Male connector to Type C Male Connector



HDA7

HDMI Extension Adapter

Type C Female connector to Type C Female Connector





HDA8

Specifications

- Ethernet compatible (HEC)
- High quality triple shielded twisted cable pair used with gold-plated leads.
- Support: 4096x2160, 4K, 2K, 3D Full HD (60Hz 2 1080p screens), ARC (Audio Return Channel) and high speed HDMI signal
- 1.4a standard
- Maximum transfer rate: 10.2Gbit/second, 304MHz, 4096x2160 pixel resolution

HDMI Adapters

- Ethernet compatible (HEC)
- High quality casing used with gold-plated leads.
- Support: 4096x2160, 4K, 2K, 3D Full HD (60Hz 2 1080p screens), ARC (Audio Return Channel) and high speed HDMI signal
- 1.4a standard
- Maximum transfer rate: 10.2Gbit/second, 304MHz, 4096x2160 pixel resolution

Back-up Cameras





TOPGUN Camera BCAM5

- *SAFELY DETECT YOUR CAR REAR VIEWS.
- *EASY INSTALLATION WITHOUT DRILLING EXTRA HOLE.
- *CAMERA ALSO COMES WITH A GUIDE THAT DISPLAYS IN THE FRONT MONITOR DURING OPERATION.
- *HIGH INTENSITY CABLE USED TO ENSURE QUALITY PICTURE.

 *PROFESSIONAL EXTERIOR WATER PROOF STRUCTURE

 PROVIDES BEST PERFORMANCE IN ANY WEATHER CONDITION.

mounting position on van








mounting position on hatchback











_	50401	- 6.	
Power	DC12V	S/N	48dB
Consumption Curre	nt55±5 mA	Minimum illumination	1 LUX
Mirror	Switchable by ON/OFF wire	Video Output	NTSC (RCA pin) 1Vpp
Guide line	Switchable by on/off wire	Operating Temperature	14F~122F
Mounting Method	Heavy Duty double-sided tape	Waterproof construction	IP67
Cable direction	Up or down	External dimension	75(W)×77(H)×63(D)
Image	1/4 inch color CMOS image sensor	Weight	90g (camera body)
Pixels	640 x 480		
View angle	100 degrees horizontally and 77 degrees vertically		

Back-up Cameras







Features

- ·Allow flexible mounting locations for vehicle's interior.
- Allow flexible viewing angle with unlimited adjustability horizontally and vertically.
 Seamless adjustability with 1 lock screw.
- •In default setting, the display from the camera will show a mirror image.

 This may be adjusted to a standard image by cutting 1 wire.
- •In default setting, the display from the camera will show guidelines to assist in reverse parking. The guidelines may be erased by cutting 1 wire.
- reverse parking. The guidelines may be erased by cutting 1 wire
 Waterproof design for outside mounting.

Can be rotated freely! customizable pointing direction.





Back-up and Front Cameras

Back-up camera view





Chameleon Back-up and Front Camera BCAM7W/BCAM8W



- *SAFELY DETECT YOUR CAR REAR VIEWS.
- *EASY INSTALLATION WITHOUT DRILLING A HOLE.
- *HIGH INTENSITY (ABLES TO ENSURE CLEAR PICTURE)
- *PROFESSIONAL EXTERIOR
 WATER PROOF STRUCTURE
 PROVIDES BEST PERFORMANCE
 IN ANY WEATHER CONDITION.



Additional Description

Remove the right side screw on the rear license plate and install the CHAMELEON BACK-UP CAMERA.







after installation

The rear views will automatically display on front monitor during operation.




Specifications

Power	DC 12V negative earth
Image orientation	Rear view only
Imaging element	1/4 inch CMOS color image sensor
Angle of view	Horizontal: 112 degrees /
	Vertical: approx 88 degrees
S/N	48dB
Video output	NTSC (RCA pin) 1 Vpp (75 omega)
Waterproof construction	IP67
Weight Approximately	25g (camera body)

Consumption current	55±5mA
Guideline	N/A
Effective pixels	640 horizontal x 480vertical
	310,000 pixels
Synchronization scheme	Internal synchronization
Minimum illumination	1 lux
Operating temperature range	-10 degree C ~ 50 degree C
External dimensions	$0.8(W) \times 0.9(H) \times 0.9(D)$ in
Mirror	Mirror(BCAM7W)/Normal(BCAM8W)

Back-up and Front Cameras





BCAM8 Front Camera View














Back-up Camera OEM Interfaces

System chart /


Back-up Camera OEM Interface

Integrate an OEM back-up camera to an aftermarket navigation

- Plug and play application.

Easily reversable to factory specifications.









BC6



BC18





Compatibility Table

Make	Model	Year	OEM Nav	OEM Options	Item		
		2005	Yes		BC1		
		2006-2010	Yes		BC18+BC1		
	Sienna	2011	Yes	DVD Navigation Without USB Audio	BC6+BC1		
	Sienna	2012-2013	Vee	DVD Navigation Without USB Audio	BC6+BC1		
		2012-2013	Yes	SD Navigation	BC6+BC1		
			Yes	SD Navigation	BC6+BC1		
		2005	Yes		BC1		
		2006-2011	Yes		BC18+BC1		
	4Runner	2012-2013	Yes		BC18+BC1		
	4 Runner	2012-2013	No	Radio and Display		100	
		2014	Yes		Will be avai	lable 2014	
		2014	No	Radio and Display			
		2008-2009	Yes		BC18+BC1		
		0040 0044	V.	8 Speakers	BC6+BC1		
		2010-2011	Yes	14 Speakers	BC18+BC1		
		0010	140	SD Navigation	BC6+BC1		
	Sequoia	2012	Yes	DVD Navigation	BC18+BC1	1	
		2013	.,	SD Navigation	BC6+BC1		
Γoyota			Yes	HDD Navigation			
			Yes		Will be available 2014		
		2014	No	Radio and Display			
		2007-2009	Yes		BC18+BC1	T	
			Yes	Without JBL	BC6+BC1	1	
		2010-2011	Yes	With JBL	BC18+BC1		
	Tundra	1200000000	Yes	SD Navigation	BC6+BC1		
		2012-2013	Yes	DVD Navigation	BC18+BC1		
		Yes					
		2014	No	Radio and Display	Will be avai	lable 2014	
		2008-2012	Yes		BC18+BC1		
	Highlander	phlander	lander V	Yes		BC18+BC1	J
	No. 10. The control of the control o	2013	No	Radio and Display	Will be available 2014		
		2008-2012	Yes		BC18+BC1		
	Highlander HV	Highlander HV 2013 Yes	Yes		BC18+BC1		
			No	Radio and Display	Will be available 2014		
		2009-2012	Yes		BC18+BC1		
	Venza		Yes				
	2013-2014	1 31 12 d	2013-2014	No	Radio and Display	Will be avai	lable 2014

Back-up Camera Accessories



Video Selector Module

Add additional inputs to display to your monitor(s)

Features

One of industry's smallest vision selector.

Add an additional video input for vehicles that only came with 1 video input: For ex, 1 back up camera standard, and want to add DVD player. Uses12v signal to trigger display of input video.

Works great with vehicles limited to only one video input such as a back up camera video input.

Automatically switch over to the backup camera when put in reverse gear. Equipped with a noise resistant aluminum case to shield against interference.

Included in this kit

BR01 Module

Male to Male RCA cable adapter

Specifications

Power: 12V

Input Terminal: Two RCA Video Input (One male, one female) Output Terminal: 1 channel RCA Video Output (Female) Video System: NTSC composite Video

Dimensions: 1.5x1.5x1 inch



Video Selector Module

Add additional inputs to display to your monitor(s)

Features

One of industry's smallest vision selector.

Add an additional video input for vehicles that only came with 1 video input:.

Uses video signal to trigger display of input video.

Works great with vehicles limited to only one video input but want to add an additional input.

Equipped with a noise resistant aluminum case to shield against interference

Included in this kit

BR02 Module

Male to Male RCA cable adapter

Specifications

Power: 12V

Input Terminal: Two RCA Video Input (One male, one female) Output Terminal: 1 channel RCA Video Output (Female) Video System: NTSC composite Video

Dimensions: 1.5x1.5x1 inch


Back-up Camera OEM Interfaces

Seat-Sonic Back-up Camera Adapters



Back-up Camera Adapter for TOYOTA models (BCUS3)

Add a Rear Camera input to your factory screen.



Features:

- Plug and play adapter allow video input for back up camera.
- Automatic switching to reverse camera when the vehicle is put into reverse gear.
- Made from the highest quality materials available.
- Original Equipment Manufacture connector housings are used to ensure perfect connection.

Make

Make	Model	Year
	4Runner	2013-2014
	Avalon	2013-2014
	Camry	2012-2014
	Corolla	2012-2013
Toyota	Highlander w/out Nav	2013-2014
	Prius + Prius C and V models	2012-2014
	RAV4	2013-2014
	Tacoma	2012-2014
	Tacoma	2012-2014
	Venza	2013-2014

	FH-S	2013-2014
Scion	iQ	2013-2014
Scion	xB	2013-2014
	xD	2013-2014
**		
Make	Model	Year
(4000 PADELE)		10.00
	BRZ	2013-2014
Subaru	BRZ Forester	2013-2014 2012-2014
Subaru		

Model

Sound Damping Spray



Engineered specifically to reduce ambient noise levels.

Works well on treated or coated metal, fiberglass, plastic and wood.

Weatherproof and Highly Durable.

Perfect for irregular shapes and hard to reach locations.

BP-DSNR

Application Directions



Raise the vehicle using jack stands and remove wheels. Please take extra care due to the dangerous nature of this step.




Mask the body area surrounding the wheel wells using newspaper to protect from overspray.



Spray the noise reducer to the front wheel well evenly. Use 1/2 can to the left and right front wheel wells.



Repeat steps 2 and 3 for the rear wheel wells.



Allow the noise reducer to dry completely and re-install the wheels. Installation is now complete.

USB Power Supply/SD Extension cable/Tool

USB Power Supply




Description:

USB Power Supply

Specifications:

input power DC12V output power DC5V current consunption 2A output current 3.4A (MAX)

output terminal USBconnecter(female) external dimension 3×0.7×1.9 (W×H×L) in (Body only)




SD Card Extension cable(without cover)




Description:

SD card extension cable without cover <1.6feet>

SD₂





SD Card extension cable(with cover)




Description:

SD card extension cable with cover <1.6feet>

SD3





Radio Removal Kit

TOOL1 14 Piece Radio Removal Kit



Specialized tools used specifically to remove factory radio and panels with ease and without damaging interior

Features

- 14 piece tool kit essential to remove radio and dash on domestic and imported vehicles.
- Prevent damage and headache for stereos and center consoles that are hard to remove such as Mercedes, Volkswagen, Audi, CITROEN, AlfaRomeo, FIAT, OPEL, FORD + More!

Specification:

- 14 Pieces


TOOL1



PRIUS 3rd Generation PRIUS v / PRIUS c

AM/FM Radio Antenna






COLOR LINE UP

Blizzard pearl [070]

FDA31-070



Sandy beach metallic [4T8]



Winter Gray Metallic [8V1]

FDA31-8V1

Moonglow [082] FDA31-082



Classic silver metallic [1F7]

FDA31-1F7



Super white [040]

FDA31-040

Clearwater Blue Metallic [8W1] FDA31-8W1

Habanero [4V7]



Black [202]

FDA31-202



Magnetic grey metalic [1G3]

FDA31-1G3



Absolutely Red [3P0]

FDA31-3P0

Clear Sky Metallic [787]



Barcelona red metallic [3R3]

FDA31-3R3



Nautical Blue Metallic [856]

FDA31-8S6



Black Sand Pearl [209]



Black Cherry Pearl [3P2]

FDA31-3P2



Blue Streak Metallic [8T7] FDA31-8T7

Blue ribbon metallic

[8T5]

[781]

FDA31-8T5

Sea Glass Pearl

FDA31-781



Specifications

- *Antenna Type: Helical Coil
- *Connection:Direct connection to antenna base
- *Fixation:Double-side adhesive tape
- *Attachment Screw: M5/M6 Size





AM/FM Radio Antenna









COLOR LINE UP

Hot Lava [H8R] FDA43-H8R







Asphalt [61K] FDA43-61K



Whiteout [37J] FDA43-37J 10th Anniversary Scion Release Silver Ignition [J8A] FDA43-J8A

Specifications

*Antenna Type: Helical Coil *Connection:Direct connection to antenna base

*Fixation:Double-side adhesive tape *Attachment Screw: M5 Size

Roof Spoiler



Features:

Roof Spoiler specially designed and manufactured for 2013 Scion FR-S and Subaru BRZ models to enhance the body lines that connect the roof and the trunk. Matches the curves of Scion FR-S and Subaru BRZ to ensure exact fitment.

 $Pre-painted \ and \ color \ matched \ to \ Scion \ FR-S \ and \ Subaru \ BRZ \ models \ for \ an \ exact \ match \ in \ color \ using \ high \ quality \ OEM \ paint.$

Directly attached to the top edge of the rear window easily using automotive grade 3M double-sided tape.

Installation requires no modification and easily reversible.





SUBARU BRZ

AM/FM Radio Antenna





Compatible with both bases





COLOR LINE UP

World Rally Blue [42C] FDA9-42C







Lightning Red [C7P] FDA9-C7P





Specifications

- *Antenna Type: Helical Coil *Connection:Direct connection to antenna base
- *Fixation:Double-side adhesive tape
- *Attachment Screw: M5/M6 Size



for Subaru models




COLOR LINE UP



































for SION xB xD iQ models

AM/FM Radio Antenna



COLOR LINE UP

Super White [040]



Classic Silver Metallic [1F7]



Elusive Blue Metallic [9AF] FDA51-9AF



Nautical Blue Metallic [856]



Barcelona Red Metallic [3R3]

*Attachment Screw: M5 Size





Magnetic Gray Metallic [1G3] FDA51-1G3



Black Sand Pearl [209] FDA51-209



Universal Shark Fin

AM/FM Radio Antenna





























































Specifications

- *AntennaType:Helical coil type
- *Connection:Direct connection to antenna base
- *Fixation:Double-sided adhesive tape
- *Attachment screw:M4,M5,M6size







Seat-Sonic

Custom mobile holder kits

Smart Phone

Installation





Line up of more than 100 products!

Mix and match to meet your exact need

Customizable combination of holders and stands based on the smart phone you own and the location you want to mount.

Securing the stand

Stands for Holders

Suction stands are easily detachable and easily installs to vehicle.

Installs to venicle.
All holders and stands are connected using the L hook connection.
Stand and holder combination can be made to

accommodate personal preference

Seamless phone holder

Mobile Holders

Over 50 holders to accommodate all types of Smart Phones, Tablets, Notebooks, Monitors, etc.

Double sided tape stands used in locations where suction cup cannot be attached

Base for Stands

Suction stands are easily attached and detached using









②Lower the lever to ③Connect with holder attach suction.

①Press the button



①Remove adhesive cover and apply ②Can be mounted on surface with on the dash panel, etc. slight curves

Useful

Assistant parts

Useful accessories to use for installation such as cleaning supplies, tape, etc







Smart Phone and Tablet PC



Selectable Bases

Easily install using suction cups or clips and combines with the mobile holder using the patented L-hook design. Large number of application for personalized mounting location



Dash Mount







Pillar Mount

QBF7







Drink Holder Mount

QBG9







Seat Mount

QBD25







Handlebar Mount


QBH1







Smart Phone and Tablet PC



Selectable Bases

Easily install using suction cups or clips and combines with the mobile holder using the patented L-hook design. Large number of application for personalized mounting location



CD Player Mount









Single Din Mount

QBG15







FR-S/86/BRZ Mount

QBF13







Console Mount

QBC23







Air Vent Mount

QBF14









Smart Phone and Tablet PC

Easy Smartphone mount

Selectable Holders

With over 50 different holder models can accommodate mounting your smart phone, tablet PC and other mobile phones securely.

40 + More

Tablet



Model Specific Holders

Multi-Fit Holders



QBA29

QBA33







Smart Phone



Model Specific Holders



QBA17

QBA51

Multi-Fit Holders







Portable Nav



Model Specific Holders



QBA4

QG2











Smart Phone and Tablet PC

Easy Smartphone mount

All In One Holders

With over 50 different holder models can accommodate mounting your smart phone, tablet PC and other mobile phones securely.

40 + More

Stationary Type



Mounts on top of the dash





Adaptable mobile terminal size: 120(height)×12.2(Weight)mm

Adhesive type



Detachable magnet holder





Gel Type




Sticky material for phone stick-on!





Fixed Type Suction










Shadow Allure





🔇 GOOD DESIGN AWARD 2013

■Specifications

part#	Size	Lumin (Im)	Color temperature (K)	Color rendering properties (Ra)	Life (h)	Curr (A)	Volt (V)	Cons.	Size (mm)		Weight
									Outer size	Length	(g)
LDB26	E26	280	2900	82	30000	0.09	100(50/60Hz)	5.0	58	108	67
LDB24	E17	220				0.07		4.0	34	102	35
LDB23	E17	220				0.08		4.0	50	75	42
LDB20	E17	220				0.07		4.0	39	77	32



© GOOD DESIGN AWARD 2013

■Specifications

part#	Size	Lumin	Light color	Kelvin	Color rendering properties	Life	Curr	Volt	Cons.	Size	
		(lm)		(K)	(Ra)	(h)	(A)	(V)	(W)	(¢)	(mm)
LDH4	E26	270	Incandescent	2800	82	30000	0.09	100 (50/60Hz)	5.3	50	58
LDH5		310	Neutral	5000							30
LDH6	E17	270	Incardescent	2800							70
LDH7		310	Neutral	5000							10
LDH8	E11	270	Incandescent	2800							68
LDH9		310	Neutral	5000							00
LDH21	GU5.3	270	Incandescent	2800			0.55	12 (AC/DC)			54
LDH22		310	Neutral	5000							









■Please do not use in the following conditions:

Environment with extremely high humidity levels and moisture.
 Light fixtures with light dimming capability.
 When the lamp and the reflector is too close together.
 Mercury lamps, sodium lamps and HID lamp fixtures.
 Induction lamps and emergency lighting fixtures.