

BRISK RACING SUPER / SUPER YTTTRIUM SPARK PLUGS



YTE *plugs*

LONG LIFE

- LONG LIFE SPAN, MULTIPLE POINTS OF DISCHARGE
- NO INDEXING REQUIRED
- IMPROVED PERFORMANCE & FUEL EFFICIENCY
- STUBBY INSULATOR AVAILABLE FOR HEADER CLEARANCE

The centre electrode is from nickel alloy filled with copper core (SUPER) or from special nickel-yttrium alloy (SUPER YTTTRIUM) with high heat conductivity what enables to optimize thermal balance of active parts of spark plug. Perfectly covers engine's demand at both low speeds driving with prevalence of cold starts and long-running highway driving.





Detail of Spark Gap



Spark Gap Detail

Spark plugs BRISK SUPER / SUPER YTTRIUM are suitable for use of leaded and unleaded fuel.

PART NUMBER	ELECTRODE GAP	PLUG SEAT	HEX SIZE	THREAD REACH	THREAD DIAMETER
B10C	0.7 mm	GASKET	18 mm (11/16")	19 mm (3/4")	12 mm x 1.25
B12C	0.7 mm	GASKET	18 mm (11/16")	19 mm (3/4")	12 mm x 1.25
B14C	0.7 mm	GASKET	18 mm (11/16")	19 mm (3/4")	12 mm x 1.25
B12YC	0.6 mm	GASKET	16 mm (5/8")	19 mm (3/4")	12 mm x 1.25
B14YC	0.6 mm	GASKET	16 mm (5/8")	19 mm (3/4")	12 mm x 1.25
BR12YC	0.6 mm	GASKET	16 mm (5/8")	19 mm (3/4")	12 mm x 1.25
BR12YC-9	0.9 mm	GASKET	16 mm (5/8")	19 mm (3/4")	12 mm x 1.25
BR14YC	0.6 mm	GASKET	16 mm (5/8")	19 mm (3/4")	12 mm x 1.25
BR14YC-9	0.9 mm	GASKET	16 mm (5/8")	19 mm (3/4")	12 mm x 1.25
BR15YC	0.6 mm	GASKET	16 mm (5/8")	19 mm (3/4")	12 mm x 1.25
D12YC	0.7 mm	GASKET	16 mm (5/8")	19 mm (3/4")	14 mm x 1.25
D14YC	0.7 mm	GASKET	16 mm (5/8")	19 mm (3/4")	14 mm x 1.25
D15YC	0.7 mm	GASKET	16 mm (5/8")	19 mm (3/4")	14 mm x 1.25
D15YC-1	1.1 mm	GASKET	16 mm (5/8")	19 mm (3/4")	14 mm x 1.25
D17YC	0.7 mm	GASKET	16 mm (5/8")	19 mm (3/4")	14 mm x 1.25
DR15LC-1	1.1 mm	GASKET	16 mm (5/8")	19 mm (3/4")	14 mm x 1.25
DR12YC	0.7 mm	GASKET	16 mm (5/8")	19 mm (3/4")	14 mm x 1.25
DR14TC	0.7 mm	GASKET	16 mm (5/8")	19 mm (3/4")	14 mm x 1.25

PART NUMBER	ELECTRODE GAP	PLUG SEAT	HEX SIZE	THREAD REACH	THREAD DIAMETER
DR14YC	0.7 mm	GASKET	16 mm (5/8")	19 mm (3/4")	14 mm x 1.25
DR14YC-1	1.1 mm	GASKET	16 mm (5/8")	19 mm (3/4")	14 mm x 1.25
DR14YCY	0.7 mm	GASKET	16 mm (5/8")	19 mm (3/4")	14 mm x 1.25
DR15YC	0.7 mm	GASKET	16 mm (5/8")	19 mm (3/4")	14 mm x 1.25
DR15YC-9	0.9 mm	GASKET	16 mm (5/8")	19 mm (3/4")	14 mm x 1.25
DR15YC-1	1.0 mm	GASKET	16 mm (5/8")	19 mm (3/4")	14 mm x 1.25
DR15YCY-1	1.0 mm	GASKET	16 mm (5/8")	19 mm (3/4")	14 mm x 1.25
DR17YC	0.7 mm	GASKET	16 mm (5/8")	19 mm (3/4")	14 mm x 1.25
DR17YC-9	0.9 mm	GASKET	16 mm (5/8")	19 mm (3/4")	14 mm x 1.25
DR17YC-1	1.0 mm	GASKET	16 mm (5/8")	19 mm (3/4")	14 mm x 1.25
DR17YCY	0.7 mm	GASKET	16 mm (5/8")	19 mm (3/4")	14 mm x 1.25
ER15YC-1	1.0 mm	GASKET	16 mm (5/8")	26.5 mm (1 1/16")	14 mm x 1.25
F14YC	0.6 mm	TAPERED	21 mm (13/16")	11.2mm (7/16")	18 mm x 1.50
F15YC	0.6 mm	TAPERED	21 mm (13/16")	11.2 mm (7/16")	18 mm x 1.50
F17YC	0.6 mm	TAPERED	21 mm (13/16")	11.2 mm (7/16")	18 mm x 1.50
FR15C	0.6 mm	TAPERED	21 mm (13/16")	11.2 mm (7/16")	18 mm x 1.50
FR17YC	0.6 mm	TAPERED	21 mm (13/16")	11.2 mm (7/16")	18 mm x 1.50
G12YC	0.7 mm	TAPERED	16 mm (5/8")	17.5 mm (11/16")	14 mm x 1.25
G14YC	0.7 mm	TAPERED	16 mm (5/8")	17.5 mm (11/16")	14 mm x 1.25
G15YC	0.7 mm	TAPERED	16 mm (5/8")	17.5 mm (11/16")	14 mm x 1.25
G17YC	0.7 mm	TAPERED	16 mm (5/8")	17.5 mm (11/16")	14 mm x 1.25
GOR15YTE-3	1.3 mm	GASKET	16 mm (5/8")	18 mm (.708")	14 mm x 1.25
GR14YC	0.7 mm	TAPERED	16 mm (5/8")	17.5 mm (11/16")	14 mm x 1.25
GR15YC	0.7 mm	TAPERED	16 mm (5/8")	17.5 mm (11/16")	14 mm x 1.25
GR15YC-1	1.1 mm	TAPERED	16 mm (5/8")	17.5 mm (11/16")	14 mm x 1.25
GR17YC	0.7 mm	TAPERED	16 mm (5/8")	17.5 mm (11/16")	14 mm x 1.25
GR17YC-1	1.0 mm	TAPERED	16 mm (5/8")	17.5 mm (11/16")	14 mm x 1.25
HOR17YTE-1	1.0 mm	TAPERED	16 mm (5/8")	12.7 mm (1/2")	14 mm x 1.25
L14C	0.7 mm	GASKET	21 mm (13/16")	19 mm (3/4")	14 mm x 1.25
L15C	0.7 mm	GASKET	21 mm (13/16")	19 mm (3/4")	14 mm x 1.25
L17C	0.7 mm	GASKET	21 mm (13/16")	19 mm (3/4")	14 mm x 1.25
LR12C	0.7 mm	GASKET	21 mm (13/16")	19 mm (3/4")	14 mm x 1.25
LR14C	0.7 mm	GASKET	21 mm (13/16")	19 mm (3/4")	14 mm x 1.25
LR15C	0.7 mm	GASKET	21 mm (13/16")	19 mm (3/4")	14 mm x 1.25
L14YC	0.7 mm	GASKET	21 mm (13/16")	19 mm (3/4")	14 mm x 1.25
L15YC	0.7 mm	GASKET	21 mm (13/16")	19 mm (3/4")	14 mm x 1.25
L15YC-1	1.1 mm	GASKET	21 mm (13/16")	19 mm (3/4")	14 mm x 1.25
L17YC	0.7 mm	GASKET	21 mm (13/16")	19 mm (3/4")	14 mm x 1.25
L17YC-1	1.1 mm	GASKET	21 mm (13/16")	19 mm (3/4")	14 mm x 1.25
LR12YC	0.7 mm	GASKET	21 mm (13/16")	19 mm (3/4")	14 mm x 1.25
LR14YC	0.7 mm	GASKET	21 mm (13/16")	19 mm (3/4")	14 mm x 1.25
LR15YC	0.7 mm	GASKET	21 mm (13/16")	19 mm (3/4")	14 mm x 1.25
LR15YC-9	0.9 mm	GASKET	21 mm (13/16")	19 mm (3/4")	14 mm x 1.25
LR15YC-1	1.0 mm	GASKET	21 mm (13/16")	19 mm (3/4")	14 mm x 1.25
LR17YC	0.7 mm	GASKET	21 mm (13/16")	19 mm (3/4")	14 mm x 1.25

PART NUMBER	ELECTRODE GAP	PLUG SEAT	HEX SIZE	THREAD REACH	THREAD DIAMETER
LR17YC-9	0.9 mm	GASKET	21 mm (13/16")	19 mm (3/4")	14 mm x 1.25
LR17YC-1	1.1 mm	GASKET	21 mm (13/16")	19 mm (3/4")	14 mm x 1.25
LR17YCY-1	1.0 mm	GASKET	21 mm (13/16")	19 mm (3/4")	14 mm x 1.25
MR14LC	0.9 mm	GASKET	14 mm (9/16")	26.5 mm (1 1/16")	12 mm x 1.25
N12C	0.7 mm	GASKET	21 mm (13/16")	12.7 mm (1/2")	14 mm x 1.25
N14C	0.7 mm	GASKET	21 mm (13/16")	12.7 mm (1/2")	14 mm x 1.25
N15C	0.7 mm	GASKET	21 mm (13/16")	12.7 mm (1/2")	14 mm x 1.25
N17C	0.7 mm	GASKET	21 mm (13/16")	12.7 mm (1/2")	14 mm x 1.25
N19C	0.7 mm	GASKET	21 mm (13/16")	12.7 mm (1/2")	14 mm x 1.25
NR14C	0.7 mm	GASKET	21 mm (13/16")	12.7 mm (1/2")	14 mm x 1.25
NR15C	0.7 mm	GASKET	21 mm (13/16")	12.7 mm (1/2")	14 mm x 1.25
NR17C	0.7 mm	GASKET	21 mm (13/16")	12.7 mm (1/2")	14 mm x 1.25
N12YC	0.7 mm	GASKET	21 mm (13/16")	12.7 mm (1/2")	14 mm x 1.25
N14YC	0.7 mm	GASKET	21 mm (13/16")	12.7 mm (1/2")	14 mm x 1.25
N15YC	0.7 mm	GASKET	21 mm (13/16")	12.7 mm (1/2")	14 mm x 1.25
N17YC	0.7 mm	GASKET	21 mm (13/16")	12.7 mm (1/2")	14 mm x 1.25
NR12YC	0.7 mm	GASKET	21 mm (13/16")	12.7 mm (1/2")	14 mm x 1.25
NR14YC	0.7 mm	GASKET	21 mm (13/16")	12.7 mm (1/2")	14 mm x 1.25
NR15YC	0.7 mm	GASKET	21 mm (13/16")	12.7 mm (1/2")	14 mm x 1.25
NR17YC	0.7 mm	GASKET	21 mm (13/16")	12.7 mm (1/2")	14 mm x 1.25
QR15LC-1	0.95 mm	GASKET	16 mm (5/8")	26.5 mm (1 1/16")	12 mm x 1.25
RR15YC-1	1.1 mm	TAPERED	16 mm (5/8")	25 mm (1")	14 mm x 1.25
3VR17YC	0.8 mm	TAPERED	14.2 mm (9/16")	20.5 mm (13/16")	16 mm x 1.5