

COLIPLIGHT POINT OF PURCHASE WORK LIGHTS



DETAILS ON PAGE 6

INDEX WORK LIGHTING

| HEMI SERIES | . 3 |
|---------------------------------------|-----|
| HEMITECH [™] SERIES LIGHTING | . 4 |
| TRADITIONAL CORD REELS | . 5 |
| COMPACT SERIES LIGHTING | . 6 |
| UNDERHOOD LIGHTING | |

A/C PERFORMANCE

| AIR PURIFICATION | |
|---------------------------|--|
| A/C PERFORMANCE ENHANCERS | |
| LUBRICANTS AND DYES | |

LEAK DETECTION & TOOLS

| LEAK DETECTION INSPECTION LIGHTING |
|------------------------------------|
| LEAK DETECTION TOOLS AND KITS |
| A/C SERVICE AND SHOP TOOLS |

REPLACEMENT PARTS

| REPLACEMENT | PART SOLUTION | GUIDE | 14- |
|--------------------|---------------|-------|-----|
| NEW PRODUCT | SOLUTIONS | | |

16



TERMS & CONDITIONS

MASTER CARTONS: Orders will be adjusted to nearest standard pack quantity. Shortage claims must be made within 48 hours of receipt.

ANNUAL STOCK ADJUSTMENTS: For distributor credits on new material in original packaging, contact Cliplight Customer Service. All RGAs are to be sent prepaid with RGA # on all documents. All returns are subject to a restocking fee of 25% or an offsetting order of 125% of returned goods.

PRICING: Orders invoiced at time of shipping. We reserve the right to change product design or pricing without notice.

TERMS: NET 30 Days upon approved credit. Payable to Cliplight, a division of Alltemp Products Company Ltd. Minimum Order of \$200, excluding replacement parts. Freight is prepaid on single orders of \$1,000 or more to a single destination in Canada or Continental USA.

DISTRIBUTOR WARRANTY AND RETURNS:

Any manufacturing defects under warranty from date of original purchase, Cliplight will replace, rebuild, or repair the product without charge.

| Clipstrip Camo All Pivot lights Non-rechargeable UV Rechargeable U Clipstrip 2 Zoom & Extends Lights & Blue Lights & Blue Lights | | | e e e e e e e e e e e e e e e e e e e | <u>12 Months</u> LED Workights Rechargeable UV & Blue Lights |
|---|--|--|---------------------------------------|---|
|---|--|--|---------------------------------------|---|

114303* HEMIPLUS **8-HOUR WORKLIGHT** 820 8H C Linion

- 8 hour cordless runtime
- Patented Uni-Beam™ technology: 70° perfect beam 8800 mAh lithium-ion battery recharges in
- 4 hours charge anytime
- Aluminum chassis, no-slip grip and recessed on/off switch
- Optional 12V charger and magnet

114301 | 410239 HEMImini **RECHARGEABLE** WORKLIGHT

1000 🖒 8H 💍 500 AH 📩 Li tion

- 1000 lumens 4 hour runtime
- 500 lumens 8 hour runtime
- 4400 mAh smart lithium ion battery, rechargeable in 3.5 hours - charge anytime
- Aircraft grade aluminum chassis
- 180° swivel hook

114302

- Mini-USB charger (100-240V)
 Optional 12V DC charger and magnet
- All parts user replacable in minutes
- Optional Magnetic Cover 410239

223123* **HEMIPLUS[®] 3-WAY** CORD OR CORDLESS



CLIPLIC

HEMIPLUS' 3-WA

Same cordless features as HEMIPLUS[™]
Detaches from cord reel for 8-hour cordless runtime
Chrome cord reel: 40 ft | 12.2 m Premium SJOW 18/2 cable

SPOTLIGHT CORDLESS

• 15W COB

- 1200 lumens 3 hour run time
- 600 lumens 5 hour run time
- Aluminum body
- Two adjustable joints on stand for different angles. Magnetic stand included
 4000 mAh rechargeable Lithium-ion battery
 Three power modes including dimmer
 Charging time: 6 hrs



HEMIPLUS[®] 2 RECHARGEABLE



CCLIPLIGHT

| • 1200 | Lumens - 4 | 1 hour r | |
|--------|------------|----------|--|
| | | | |

- 4400 mAh lithium ion rechargeable battery
 Metal hook

- Charging port
- 4 hour charge time
- Aircraft grade aluminum chass

HEMI SERIES REFERENCE GUIDE

| PART # | PRODUCT | LUMENS | RUN TIME (H |) CORD/) CORDLESS | POWER CONFIGURATION |
|--------|-----------------------|-----------|-------------|-------------------------------------|------------------------|
| 114301 | HEMIMINI | 1000, 500 | 4,8 | CORDLESS | OUTLET |
| 114302 | HEMIPLUS2 | 1200, 600 | 4,8 | CORDLESS | OUTLET |
| 114303 | HEMIPLUS | 820 | 8 | CORDLESS | OUTLET |
| 223123 | HEMIPLUS 3-WAY (40ft) | 820 | | CHROME REEL DETACHABLE FROM CORD |)) OUTLET |
| 123073 | HEMIPLUS 3-WAY (25ft) | 820 | 8 (| CORD DETACHABLE FROM CORD |)) OUTLET |
| 123153 | HEMIPLUS 3-WAY (50ft) | 820 | | CORD DETACHABLE FROM CORD |)) OUTLET |
| 111121 | SPOTLIGHT | 1200, 600 | 3,5 | CORDLESS | OUTLET |

223112^{*} HEMITECHONE POWERFUL LED WORKLIGHT 900 LUMENS

- Patented Uni-Beam[™] technology: 84° perfect beam
- Single high-performance array LED
- Aluminum chassis, no-slip grip and recessed on/off switch

HEMITECH O

- Sliding hook with optional magnet
 Cord reel 40 ft | 12.2 m Premium SJOW 18/2
- Rubber cable with adjustable stop



- Patented Uni-Beam[™] technology: 70° perfect beam
- Aluminum chassis, no-slip grip and recessed on/off switch
- Sliding hook with optional magnet
- Cord reel 40 ft | 12.2 m Premium SJOW 18/2
- Rubber cable with adjustable stop

223412^{*} **HEMITECH[™] 4** 720 LUMENS



R

- Patented Uni-Beam[™] technology: 70° perfect beam
- Aluminum chassis, no-slip grip and recessed on/off switch
- Sliding hook with optional magnet
- Cord reel 40 ft | 12.2 m Premium SJOW 18/2
- Rubber cable with adjustable stop

| HEMITECH SERIES LIGHTING REFERENCE GUIDE | | | | | |
|--|--------------|--------|----------------|---------------|---------------------|
| PART # | PRODUCT | LUMENS | LENGTH | CORD/CORDLESS | POWER CONFIGURATION |
| 223112 | HEMITECH ONE | 900 | 40 FT (12.2 M) | CHROME REEL | OUTLET |
| 123107 | HEMITECH ONE | 900 | 25 FT (7.6 M) | CORD | OUTLET |
| 123115 | HEMITECH ONE | 900 | 50 FT (15.3 M) | CORD | OUTLET |
| 223312 | HEMITECH 3 | 540 | 40 FT (12.2 M) | CHROME REEL | OUTLET |
| 123307 | HEMITECH 3 | 540 | 25 FT (7.6 M) | CORD | OUTLET |
| 123315 | HEMITECH 3 | 540 | 50 FT (15.3 M) | CORD | OUTLET |
| 223412 | HEMITECH 4 | 720 | 40 FT (12.2 M) | CHROME REEL | OUTLET |
| 123407 | HEMITECH 4 | 720 | 25 FT (7.6 M) | CORD | OUTLET |
| 123415 | HEMITECH 4 | 720 | 50 FT (15.3 M) | CORD | OUTLET |

DESIGNED & ENGINEERED

4 | CLIPLIGHT AUTOMOTIVE

TRADITIONAL CORD REELS

222308 **CHROME TRI-TAP** DIAMOND-STAMPED STEEL CORD REEL

- Tri-tap outlet
- 13 amp circuit breaker
- 30 ft | 9.2 m SJTW 14/3 cable with adjustable stop

210215 **FLUORESCENT**



• 13 watt Magnet • 40 ft | 12.2 m SJT 18/2 cable

> 221308 **TRI-TAP**





- Magnet
- Grounded outlet handle

226315

• 50 ft | 15.3 m SJTW 16/3 cable

222315

1. 1 9

200312 **INCANDESCENT**



- Grounded outlet handle
- 40 ft | 12.2 m SVT 18/3 cable



- Tri-tap outlet
- 10 amp circuit breaker
- 30 ft | 9.2 m SJTW 16/3 cable
- Tri-tap outlet
- 15 amp circuit breaker
 50 ft | 15.3 m SJTW 12/3 cable

HEAVY DUTY TRI-TAP

TRADITIONAL CORD REEL REFERENCE GUIDE

| PART # | PRODUCT | LENGTH | CABLE TYPE |
|--------|---|----------------|------------|
| 222308 | CHROME TRI-TAP | 30 FT (9.2 M) | SJTW 14/3 |
| 210215 | FLOURESCENT (13W) WITH CORD REEL | 40 FT (12.2 M) | SJT 18/2 |
| 226315 | HEAVY DUTY FLOURESCENT (26W) WITH CORD REEL | 50 FT (15.3 M) | SJTW 16/3 |
| 200312 | INCANDESCENT WITH CORD REEL | 40 FT (12.2 M) | SVT 18/3 |
| 221308 | TRI-TAP | 30 FT (9.2 M) | SJTW 16/3 |
| 222315 | HEAVY DUTY TRI-TAP | 50FT (15.3 M) | SJTW 12/3 |

CLIPLIGHT AUTOMOTIVE | 5

COMPACT SERIES LIGHTING



| 6 I CLIPLIGHT AUTOMOTIVE |
|--------------------------|
|--------------------------|

PIVOT 33 CAMO

PIVOT TOUGH-LIGHT

CLIPLIGHT EXTENDS

CLIP-ON ZOOM LIGHT

160

150

150 (HEAD)

140 (WORKLIGHT)

YES

YES

YES

3 AA

3 AAA

3 AAA

4 AAA

9 PACK

8 PACK

8 PACK

8 PACK

24-460

111123

111130

UNDERHOOD LIGHTING

111036 UNDERHOOD LIGHT

• 1200 Lumens - 4 hour run time

- 700 Lumens 8 hour run time
- Rechargeable lithium ion battery
- Bracket extends up to 78" (2m)
- Independent dual switches
- Magnets and hooks in handles
- AC and DC chargers included

101307 | 101315 INCANDESCENT

Grounded outlet handle13 amp circuit breaker

101307 – 23 ft | 7 m SJOW 16/3 cable 101315 – 50 ft | 15.3 m SJOW 16/3 cable

111207 FLUORESCENT

• 15 watt

• 23 ft | 7 m Premium SJOW 18/2 cable



100307 | 100310 | 100315 INCANDESCENT

MAGNETIC

Grounded outlet handle

100307 – 23 ft | 7 m SJTW 16/3 cable 100310 – 32 ft | 10 m SJTW 16/3 cable 100315 – 50 ft | 15.3 m SJTW 16/3 cable



111307 | 126307 RUGGED FLUORESCENT

Grounded outlet handle and magnet
25 ft | 7.6 m SJTW 16/3 cable

111307 – 13 watt 126307 – 26 watt

100505 THE CLIPLIGHT[™]

- "The Original" battery clip-on light
- Custom 12V bulb and protective cage
- 15 ft | 5 m PXWT 18/2 cable





| UNDERHOOD LIGHTING REFERENCE GUIDE | | | | |
|------------------------------------|-----------------------------------|--------------|------------|---------------------|
| PART # | PRODUCT | LENGTH | CABLE TYPE | POWER CONFIGURATION |
| 111036 | UNDERHOOD LIGHTS | | | RECHARGEABLE |
| 101307 | INCANDESCENT WITH CIRCUIT BREAKER | 23FT (7M) | SJOW 16/3 | OUTLET |
| 101315 | INCANDESCENT WITH CIRCUIT BREAKER | 50FT (15.3M) | SJOW 16/3 | OUTLET |
| 100307 | INCANDESCENT | 23FT (7M) | SJTW 16/3 | OUTLET |
| 100310 | INCANDESCENT | 32FT (10M) | SJTW 16/3 | OUTLET |
| 100315 | INCANDESCENT | 50FT (15.3M) | SJTW 16/3 | OUTLET |
| 111207 | FLUORESCENT (15W) | 23FT (7M) | SJOW 16/3 | OUTLET |
| 111307 | RUGGED FLUORESCENT (13W) | 25FT (7.6M) | SJTW 16/3 | OUTLET |
| 126307 | RUGGED FLUORESCENT (26W) | 25FT (7.6M) | SJTW 16/3 | OUTLET |
| 111201 | FOCUS AND STROBE LED | | | 3AAA |
| 100505 | THE CLIPLIGHT | 15FT (5M) | PXWT 18/2 | 12V CLIPS |

CLIPLIGHT AUTOMOTIVE | 7



FOCUS AND STROBE LED

• 180 Lumens

111201

- Constant or strobe beam
- Focusing beam
- Compact design
- 3 AAA batteries included

THEPURIFIER FRESH AIR OZONE MACHINE

THEPURIFIER

Features & Benefits

- Eliminates germs and mold from A/C systems including cabin interiors
- Effectively removes offensive and stubborn odors such as tobacco smoke
- Completes most jobs in only 20 minutes
- Programmable timer with LCD display
- Zero maintenance with no consumables



Specifications

- Weight: 5 lbs | 2.3 kg
- Dimensions: 5.5" H x 5.5" W x 13.5" L 14 cm x 14 cm x 34 cm
- Power: AC (100-240V) & DC

ODOR~AID DISINFECT & DEODORIZE

- Eliminates bacteria, germs and mold that cause offensive odors
- Deodorizes and disinfects cabin interiors



| AIR PURIFICATION REFERENCE GUIDE | | | | |
|----------------------------------|--------------|---------------------|-----------------|--|
| PART # | PRODUCT | POWER CONFIGURATION | COUNTER DISPLAY | |
| 170AIR | THE PURIFIER | AC (100-240V), DC | N/A | |
| 171AIR | ODOR-AID | N/A | 12 PACK | |



SUPER SEAL PROFESSIONAL A/C STOP LEAK SOLUTIONS



- Permanently seals and prevents leaks
- Seals leaks in evaporators, condensers, accumulators, O-rings, gaskets, metal lines and rubber hoses
- Compatible with all oils and refrigerants
- Hose included

70501KIT RETROCHILL[™]



• Fast and efficient retrofit from R12 to R134A

• Hose & fittings included

- A third of the volume of Super Seal Premium™
- Economical method to permanently seal leaks
- Compatible with all oils and refrigerants
- Hose included

945KIT SUPER CHILL[™]



- Stops leaks in O-rings, seals and gaskets
- Improves R134A system efficiency
- Lowers vent temperatures
- Quiets compressors
- Hose included

| A/C PERFORMANCE ENHANCER REFERENCE GUIDE | | | | | | | | | |
|--|--------------------|--------------|--|--|--|--|--|--|--|
| PART # | PRODUCT | PRODUCT TYPE | | | | | | | |
| 946KIT | SUPER SEAL PREMIUM | LEAK SEALANT | | | | | | | |
| 941KIT | SUPER SEAL TARGET | LEAK SEALANT | | | | | | | |
| 70501KIT | RETROCHILL | RETROFIT OIL | | | | | | | |
| 945KIT | SUPER CHILL | LEAK SEALANT | | | | | | | |

LUBRICANTS AND DYES





8 OZ (236ML)

8 OZ (236ML)

PAG AND DYE

ESTER AND DYE

10 | CLIPLIGHT AUTOMOTIVE

511102

PAG AND DYE (150 VISCOSITY

ESTER AND DYE (100 VISCOSITY)

LEAK DETECTION INSPECTION LIGHTING



- High-powered UV LED
- Constant, strobe or focusing beam Rechargeable 2200 mAh lithium-ion battery
- Rugged aluminum body
- Available in various voltages

450plus"

• Blue LED detects leaks up to 25 ft | 7.6 m away in daylight

Constant, strobe or focusing beam
Rechargeable 2200 mAh lithium-ion battery

• Rugged aluminum body • UV enhancing glasses included • Available in various voltages

450DCPLUS



84DCPLUS

• 3 AAA batteries included



- High-powered blue LED
- Constant, strobe or focusing beam
- UV enhancing glasses included
- 3 AAA batteries included

- 81DC **SLIM-LINE BLUE LED**
- BLUE
- 6 high intensity blue LEDs
- Compact size
- 3 AA batteries included

89DC UV Pocket Light 444 đ UV

- 7 high intensity UV LEDs
- Compact Size
- 180° swivel
- 3 AAA batteries included • No UV enhancing glasses needed



LEAK DETECTION INSPECTION LIGHTING REFERENCE GUIDE

| PART # | PRODUCT | UV GLASSES REQUIRED | POWER CONFIGURATION (BATTERIES INCLUDED WHERE APPLICABLE) |
|-----------|--------------------|---------------------|---|
| 87DCPLUS | SEEKERMAX | NO | RECHARGEABLE |
| 84DCPLUS | SEEKERMINI | NO | 3 AAA |
| 450DCPLUS | 450PLUS | YES | RECHARGEABLE |
| 88DC | 450MINI | YES | 3 AAA |
| 81DC | SLIM-LINE BLUE LED | YES | 3 AA |
| 89DC | UV POCKET LIGHT | NO | 3 AAA |

CLIPLIGHT AUTOMOTIVE | 11



9514KIT PRO COMPACT UNIVERSAL A/C DYE INJECTOR



- Heavy-duty chrome body
- One handle turn equals one shot
- Universal meets SAE Standard J2297
- Service stickers, hose and fittings

9928KIT PRO COMPACT KIT



- 2 x 14 shot A/C dye cartridge
- Dye cleaner and drip guards
- UV enhancing glasses and case
- Service stickers, hose and fittings

9981KIT PRO COMPACT KIT



- 1 x 14 shot A/C dye cartridge
- 1 bottle coolant dye and one bottle of coolant dye and oil/transmission dye
- Drip guards, UV enhancing glasses and case included
- Service stickers, hose and fittings



LEAK DETECTION TOOL AND KIT REFERENCE GUIDE

| PART # | PRODUCT | CHEMICAL INCLUDED | LIGHTING INCLUDED |
|----------|--|---|--------------------|
| 9514KIT | PRO COMPACT UNIVERSAL A/C DYE INJECTOR | 1 X 14 SHOT A/C DYE CARTRIDGE | N/A |
| 9928KIT | PRO COMPACT KIT | 2 X 14 SHOT A/C DYE CARTRIDGE | SEEKERMAX |
| 9981KIT | PRO COMPACT KIT | 1 X 14 SHOT A/C DYE CARTRIDGE | SLIM-LINE BLUE LED |
| 98181KIT | FLASH UNIVERSAL A/C DYE KIT | 1 EACH FLASH, RADIATOR AND MULTI-PURPOSE DYES | SLIM-LINE BLUE LED |

72102 RECYCLE GUARD



- Cleanses refrigerant in A/C systems
- Traps and removes contaminants
- Compatible with all A/C recovery equipment
- Recovery hose included
- Replacement filters available



- Ignites all butane, propane and gas torches
- 100,000 sure-fire sparks
- Water-resistant
- No batteries required

312KIT VALVE CORE REMOVER



- Removes valve core without loss of vacuum
- Compatible with R12 and R134A systems
- Available for Standard, SPX Standard, SPX mm, Eaton (Ford), and GM high and low side adaptors

590441 WIRE STRIPPER



- Automatic adjustment to wire size
- Deep embossed wire gauge markings
- Corrosion-resistant with black oxide finish



580747 580711 RUGGED CIRCUIT TESTER CIRCUIT TESTER

- Industrial-duty
- 6, 12 and 24V compatible
- 5 ft | 1.5 m cable



6, 12 and 24V compatible3 ft | 0.9 m cable

| A/C SERVICE AND SHOP TOOL REFERENCE GUIDE | | | | | | | | | |
|---|-----------------------------------|--------------|--|--|--|--|--|--|--|
| PART # | PRODUCT | PRODUCT TYPE | | | | | | | |
| 72102 | RECYCLE GUARD | A/C SERVICE | | | | | | | |
| 580500 | SPARK KEY | SHOP TOOL | | | | | | | |
| 580512 | SPARK KEY 12 PACK COUNTER DISPLAY | SHOP TOOL | | | | | | | |
| 312KIT | VALVE CORE REMOVER | A/C SERVICE | | | | | | | |
| 590441 | WIRE STRIPPER | SHOP TOOL | | | | | | | |
| 580747 | RUGGED CIRCUIT TESTER | SHOP TOOL | | | | | | | |
| 580711 | CIRCUIT TESTER | SHOP TOOL | | | | | | | |

| PRODUCT | HEMIPLUS | HEMIPLUS 3-WAY | HEMI- Mini | HEMI- PLUS2 | SPOTLIGHT | HEMITECH One | HEMITECH 3 | HEMITECH 4 | INCAN. LIGHT (w/13 amp cir. bkr) | INCANDESCENT Light | THE Cliplight |
|--|----------|-------------------|---------------|----------------|-----------|-------------------|-------------------|-------------------|--|--|------------------|
| 3 Conductor Handle | | | | | | | | | | 400106 (23ft/7m) 400106 (32ft/10m) 400106 (50ft/15.3m) | |
| 3 Conductor Handle & Circuit Breaker | | | | | | | | | 400107 (23ft/7m) (50ft/15.3m) | | |
| 4.2V Charger | | | | | | | | | | | |
| 12V Charger | UVEC-07G | UVEC-07G | | | | | | | | | |
| 13W Fluorescent Bulb | | | | | | | | | | | |
| AC Adapter | | | | | | | | | | | |
| Back Plate | | | | 410246 | | | | | | | |
| Base Charging Contacts | 410196 | | | | | | | | | | |
| Battery | 410190 | 410190 | 410230 | 410242 | | | | | | | |
| Bottom Cap Assembly | | | 410229 | 410240 | | | | | | | |
| Cable (No Adapter) - 25 Foot (7.6 Meters) | | 410178 | | | | 410178 | 410178 | 410178 | | | |
| Cable Adapter | | 410213 | | | | 410182 | 410182 | 410182 | | | |
| Car Charger | | | 410233 | | | | | | | | |
| Charger | 410195 | | | | | | | | | | |
| Charging Station | 410191 | | | | | | | | | | |
| Chrome Cord Reel (No Cable Adapter) | | 410183 | | | | 410183 | 410183 | 410183 | | | |
| Circuit Board | 410198 | 410198 | 410226 | 410247 | | | | | | | |
| Flash Hose | | | | | | | | | | | |
| Front Panel Battery Connector | | | | 410248 | | | | | | | |
| Hook Assembly | 410189 | 410189 | 410228 | 410244 | | 410209 | 410209 | 410209 | | | |
| LED with Heat Sink | | | 410225 | 410245 | | | | | | | |
| Lens Shield | 410192 | 410192 | 410224 | 410241 | | 410208 | 410172 | 410172 | | | |
| Light Head | | | | | | 400121 | 400123 | 400124 | | | |
| Magnet | 410207 | 410207 | 410234 | | | 410171/ 410210 | 410171/ 410210 | 410171/ 410210 | | | |
| Magnetic Cover | | | 410239 | 410249 | | | | | | | |
| Metal Cage | | | | | | | | | 400101 (23ft/7m) 400101 (50ft/15.3m) | 400101 (23ft/7m) 400101 (32ft/10m) 400101 (50ft/15.3m) | |
| Purifier Bulb | | | | | | | | | | | |
| Pro Compact A/C Dye Cartridg | е | | | | | | | | | | |
| Pro Compact Hose | | | | | | | | | | | |
| Pro Compact Injector | | | | | | | | | | | |
| Recycle Guard Filter | | | | | | | | | | | |
| Recycle Guard Hose | | | | | | | | | | | |
| Side Bumpers | 410199 | 410199 | | | | | | | | | |
| Socket Switch | | | | | | | | | 400104 | 400104 | 400104 |
| Spotlight Magnetic Stand | | | | | 410252 | | | | | | |
| Spotlight Stand | | | | | 410251 | | | | | | |
| Spotlight Wall Charger | | | | | 410250 | | | | | | |
| Switch Cover | 410197 | | | 410243 | | | | | | | |
| USB Charger | | | 410232 | | | | | | | | |
| USB Circuit Board | | | 410227 | | | | | | | | |
| USB Cord | | | 410231 | | | | | | | | |
| UV Enhancing Glasses | | | | | | | | | | | |
| Electric | | | | | | | | | | | |

REPLACEMENT PART SOLUTION GUIDE

| FLUORESCEN W/ Cord Ree | T RUGGED Fluorescent 13W/26W | RUGGED Fluorescent W/ Cord Reel 26W | INCANDESCENT W/ Cord Reel | 450plus | 450mini | SEEKERmax | PRO COMPACT Universal A/C Dye injector | PRO Compact kit | FLASH Universal A/C dye kit | RECYCLE GUARD | THE PURIFIER |
|---------------------------|------------------------------------|--|------------------------------|--------------|---------|--------------|--|------------------------------|-----------------------------------|-------------------|-----------------|
| | | | 400106 | | | | | | | | |
| | _ | | _ | _ | | _ | | _ | | | |
| | | | | UVEC-CIG4.2V | | UVEC-CIG4.2V | | | | | |
| 410113RS | 410113RS | 410113RS | | | _ | | _ | | _ | _ | UVEC-07G |
| 4101131(3 | 41011010 | 410113113 | | | | | | | | | 410211 |
| _ | _ | | _ | _ | | _ | | _ | | | |
| | | | | 18650 | | 18650 | | | | | |
| | | | | | | | | | | | |
| | _ | | _ | _ | | _ | | _ | | | |
| | | | | | | | | | | | |
| | _ | | _ | _ | | _ | | _ | | | |
| | | | | | | | | | | | |
| _ | _ | | _ | _ | | _ | | _ | 943 | | 170AIRPCB |
| | _ | | _ | _ | | _ | | _ | | | |
| | | | | | | | | | | | |
| 410117 | 410117 (13W) 410159 (26W) | 410159 | | | | | | | | | |
| | 410114 (13W) | 410150 | | | | | | | | | |
| _ | 410158 (26W) | 410158 | | | _ | | | | | | |
| | | _ | 400101 | | _ | | _ | | _ | _ | _ |
| | _ | | _ | _ | | _ | | _ | | | 410212 |
| _ | | | | | | | 955014 20126 | 955014 20126 | | | |
| | | | | | | | 955000 | 955000 | | 70110 | |
| _ | | _ | | | - | | _ | | _ | 72110 72120 | _ |
| | | | 400104 | | | | | | | | |
| | | | 400104 | _ | | | | | | | |
| | | | | | | | | | | | |
| | | | | | | | | | | | |
| | | | | | | | | | | | |
| | | | | | | | | 131 | | | |
| | | | | 131 | 131 | | | 131 (9928KIT/ 9981KIT) | | 131 (981811011 |) |
| | | | | | | | | | | | 170AIRFAN |

NEW PRODUCT SOLUTIONS

1143011410239 HEMIMINI RECHARGEABLE



1000 Lumens See Page 3 HEMIPLUS[®] 2 RECHARGEABLE



1200 Lumens See Page 3

UNDERHOOD LIGHT RECHARGEABLE

MAGNETIC

1200 Lumens See Page 7 SPOTLIGHT



1200 Lumens See Page 3

Find out more about portable and hand lamps we have.