

BLACK EDITION

INSTALL KITS

LUGS

WHEEL ADAPTERS

SPACERS

LOCKS

HUB RINGS

TPMS

VALVE STEMS

WRENCHES

CAPS

SPIKE LUGS



BE A PART OF THE **PACK**



TABLE OF CONTENTS

INTRODUCTION

1
PRICE

Our lug nuts are **1 PRICE** sold in both Kits and Bulk. Choose the packaging that meets your needs, at no additional cost!

Revolution Supply has been in business for over 16 years. Our sales staff has more than 30 years experience in the industry. You can trust that your order will be processed quickly and delivered in a timely manner. We can ship products anywhere in the United States using the shipping method of your choice from our 3 warehouses located in CA, KS, and PA.



TABLE OF CONTENTS

ACCESSORIES

3 PIECE HARDWARE	66
WHEEL CAPS	63
HUB CENTRIC RINGS	58
TPMS ACCESSORIES	71
WHEEL DISPLAYS	67
WHEEL STUDS (THREAD IN) ...	67
WHEEL WASHERS	66

LUG NUTS

ATV	20
FACTORY STYLE (OEM)	25
HEX (1PC) CFN	16
HEX (2PC)	10
MAG / SHANK	64
SPLINE	4
SPLINE ADAPTERS	9
SPLINE SPIKE	3
SOCKET	18
SOCKET ADAPTERS	19

LUG BOLTS

HEX	32
SPLINE	36
SOCKET	37

SHOP SUPPLIES

WHEEL WEIGHTS	68
---------------------	----

SPACERS

DIE CAST	56
HUB CENTRIC	42
BOLT-ON KITS	38
BOLT-ON SPACER	41

TOOLS

IMPACT SOCKETS	71
MONKEY WRENCH	70
OTHER	71
THIN WALL SOCKETS	70

TPMS

VALVE STEMS

CAPS/SLEEVES/GROMMETS ...	73
PASSENGERS (METAL)	73
TPMS	73
PASSENGER (RUBBER)	72
TRUCK (METAL)	72

VINTAGE

CAPS	60
------------	----

WHEEL ADAPTERS

DUAL DRILL	53
HUB CENTRIC	46
SINGLE DRILL	55

WHEEL LOCKS

ACORN	22
BOLTS	24
FACTORY STYLE (OE)	26

SPIKE LUG NUTS

GET AGGRESSIVE


Coyote Spike Lug Nuts are the aggressive look for the off-road enthusiast. The solid 1-piece design uses a Spline Drive key for optimal security for most aftermarket wheels.

**NOW AVAILABLE
IN BLUE AND RED**


INSTALL KITS
are packaged in an
attractive box with a
foam cradle to protect
the finish.



SPIKE - SPLINE LUG NUT



For added security
Spline Spline Lug Nuts require a special
Adapter for installation and removal.



SPLINE SPIKE ADAPTER

BULK	DESCRIPTION	TYPE
11499	3/4 and 7/8 Drive	Spline
11498	3/4 and 7/8 Drive	Hex

CHROME

THREAD	KITS		
	5 LUG	6 LUG	8 LUG
1/2 UNF	251542	251642	
M12x1.25	251544	251644	
M12x1.5	251545	251645	
M14x1.5	251548	251648	251848
9/16 UNF	251567		251867
M14x2.0	251573	251673	251873

BLACK

THREAD	KITS		
	5 LUG	6 LUG	8 LUG
1/2 UNF	251542BLK		
M12x1.25	251544BLK	251644BLK	
M12x1.5	251545BLK	251645BLK	
M14x1.5	251548BLK	251648BLK	251848BLK
9/16 UNF	251567BLK		251867BLK
M14x2.0	251573BLK	251673BLK	251873BLK

NEW!

BLUE

THREAD	KITS		
	5 LUG	6 LUG	8 LUG
M14x1.5		251648BL	251848BL

NEW!

RED


THREAD	KITS		
	5 LUG	6 LUG	8 LUG
M14x1.5		251648R	251848R

SPLINE LUG NUTS

PROTECT YOUR WHEELS IN STYLE



Styles Available for Both
Cars and Trucks



Spline Lug Nuts are designed to fit small diameter lug holes found in many wheel styles today. Many people use spline lugs to add additional security to their wheel purchase.



MATERIAL AND HEAT TREATMENT

Coyote Spline lugs are forged, not cut from bar stock. Forging allows for better mechanical properties and consistent quality. All Coyote Accessories' spline fasteners are made of 1045 carbon steel and heat treated. Carbon Steel is an alloy known for its very good formability, comparatively high strength, and high luster surface finish. CFN Spline are not heat treated.

CHROME FINISH



All Coyote Accessories chrome plated lug nuts have long lasting high luster finish. Every Coyote lug nut is double nickel plated to surpass 48 hour salt spray test.

BLACK CHROME



Coyote lug nuts with a black chrome finish have a deep reflective look that will enhance the look of any wheel. Use them on black wheels for a monochromatic look or on silver or chrome wheels for a contrasting look. Black chrome is highly resistant to rusting, chipping or peeling. Black chrome lugs will pass 72 hour salt spray.

LUG KITS

Our lug kits contain 20, 23, 24 or 32 lugs packaged conveniently in a foam insert.

NEW!
PACKAGING



CAR (6 SIDED)

USE SPLINE ADAPTER 11496-16



THREAD	BULK	KITS		
		5 LUG	6 LUG	JEEP
7/16 UNF	641140	64K540		
1/2 UNF	641142	64K542		64KJ42
M12x1.25	641144	64K544	64K644	
M12x1.5	641145	64K545	64K645	
M12x1.75	641150			



THREAD	BULK	KITS		
		5 LUG	6 LUG	JEEP
1/2 UNF	641142R	64K542R		64KJ42R
M12x1.25	641144R			
M12x1.5	641145R			

THREAD	BULK	KITS	
		5 LUG	6 LUG
M12x1.25	641144BL		
M12x1.5	641145BL		

XL CAR (6 SIDED)

USE SPLINE ADAPTER 11496-16



THREAD	BULK	KITS	
		5 LUG	6 LUG
1/2 UNF	641142XL		




ADAPTERS

Spline Lugs require a special installation / removal tool known as a spline adapter. Coyote Accessories' spline adapters feature a dual hex to fit OEM lug wrenches.



OE CAR (6 SIDED)


USE SPLINE ADAPTER 11496-16



THREAD	BULK	KITS		
		5 LUG	6 LUG	JEEP
7/16 UNF	601140	60K540		
1/2 UNF	601142	60K542		60KJ42
M12x1.25	601144	60K544	60K644	
M12x1.5	601145	60K545	60K645	

OE TRUCK (6 SIDED)

USE SPLINE ADAPTER 11497



THREAD	BULK	KITS		
		5 LUG	6 LUG	8 LUG
M14x1.5	601148	60K548	60K648	60K848
M12x1.75	601150			
9/16 UNF	601167	60K567		
M14x2.0	601173			

ET CAR (6 SIDED)

USE SPLINE ADAPTER 11496-16



THREAD	BULK	KITS	
		5 LUG	6 LUG
7/16 UNF	671140		
1/2 UNF	671142		
M12x1.25	671144		
M12x1.5	671145	67K545	67K645
M12x1.75	671150		



THREAD	BULK	KITS	
		5 LUG	6 LUG
1/2 UNF	671142BLK		
M12x1.5	671145BLK	67K545BLK	67K645BLK

SHORT TRUCK (6 SIDED)

USE SPLINE ADAPTER 11497





THREAD	BULK	KITS		
		5 LUG	6 LUG	JEEP
9/16	631167S	63K567S		
M14x1.5	631148S	63K548S	63K648S	63KJ48S



THREAD	BULK	KITS		
		5 LUG	6 LUG	JEEP
9/16 UNF	631167SBLK	63K567SBLK		
M14x1.5	631148SBLK	63K548SBLK	63K648SBLK	63KJ48SBLK

TRUCK (6 SIDED)

USE SPLINE ADAPTER 11497





THREAD	BULK	KITS		
		5 LUG	6 LUG	8 LUG
1/2 UNF	631142			
M12x1.25	631144		63K644	
M12x1.5	631145		63K645	
M14x1.5	631148	63K548	63K648	63K848
M12x1.75	631150	63K550		
9/16 UNF	631167	63K567		63K867
M14x2.0	631173	63K573	63K673	63K873

THREAD	BULK	KITS		
		5 LUG	6 LUG	8 LUG
1/2 UNF	631142BLK			
M12x1.25	631144BLK		63K644BLK	
M12x1.5	631145BLK		63K645BLK	
M14x1.5	631148BLK	63K548BLK	63K648BLK	63K848BLK
M12x1.75	631150BLK	63K550BLK		
9/16 UNF	631167BLK	63K567BLK		63K867BLK
M14x2.0	631173BLK	63K573BLK	63K673BLK	63K873BLK

XL TRUCK (6 SIDED)

USE SPLINE ADAPTER 11497





THREAD	BULK	KITS		
		5 LUG	6 LUG	8 LUG
M14x1.5	631148XL		63K848XL	
9/16 UNF	631167XL		63K867XL	
M14x2.0	631173XL		63K873XL	

THREAD	BULK	KITS	
		5 LUG	6 LUG
M14x1.5	221148	22K548	
9/16 UNF	221167		
M14x2.0	221173		

TRUCK ET (6 SIDED)

USE SPLINE ADAPTER 11497




THREAD	BULK	KITS	
		5 LUG	6 LUG
M14x1.5	231148	23K548	
9/16 UNF	231167		
M14x2.0	231173		

THREAD	BULK	KITS	
		5 LUG	6 LUG
M14x1.5	231148BLK		
9/16 UNF	231167BLK		
M14x2.0	231173BLK		

CFN - OE CAR (6 SIDED)


USE SPLINE ADAPTER 11496-16BLK



THREAD	BULK	KITS	
		5 LUG	6 LUG
7/16 UNF	201140		
1/2 UNF	201142		
M12x1.25	201144		
M12x1.5	201145		

CFN - OE TRUCK (7 SIDED)

USE SPLINE ADAPTER 11497-7



THREAD	BULK	KITS		
		5 LUG	6 LUG	8 LUG
M14x1.5	201148			
M12x1.75	201150			
9/16 UNF	201167			
M14x2.0	201173			

CFN - CAR (6 SIDED)


USE SPLINE ADAPTER 11496-16BLK



THREAD	BULK	KITS		
		5 LUG	6 LUG	JEEP
7/16 UNF	341140	34K540		
1/2 UNF	341142	34K542		34KJ42
M12x1.25	341144	34K544		
M12x1.5	341145	34K545	34K645	
M12x1.75	341150	34K550		



THREAD	BULK	KITS		
		5 LUG	6 LUG	JEEP
7/16 UNF	341140BLK	34K540BLK		
1/2 UNF	341142BLK	34K542BLK		34KJ42BLK
M12x1.25	341144BLK	34K544BLK		
M12x1.5	341145BLK	34K545BLK	34K645BLK	





THREAD	BULK	KITS		
		5 LUG	6 LUG	JEEP
1/2 UNF	341142R			34KJ42R
M12x1.25	341144R			
M12x1.5	341145R			



THREAD	BULK	KITS		
		5 LUG	6 LUG	JEEP
1/2 UNF	341142BL			34KJ42BL
M12x1.25	341144BL			
M12x1.5	341145BL			

CFN - TRUCK (7 SIDED)

USE SPLINE ADAPTER 11497-7



THREAD	BULK	KITS		
		5 LUG	6 LUG	8 LUG
M14x1.5	331148	33K548	33K648	33K848
M12x1.75	331150	33K550		
9/16 UNF	331167	33K567		33K867
M14x2.0	331173	33K573	33K673	33K873

THREAD	BULK	KITS		
		5 LUG	6 LUG	8 LUG
1/2 UNF	331142BLK			
M14x1.5	331148BLK	33K548BLK	33K648BLK	33K848BLK
9/16 UNF	331167BLK	33K567BLK		33K867BLK
M14x2.0	331173BLK	33K573BLK	33K673BLK	33K873BLK

CFN - SHORT TRUCK (7 SIDED)


USE SPLINE ADAPTER 11497-7



THREAD	BULK	KITS		
		5 LUG	6 LUG	JEEP
M14x1.5	331148S	33K548S		33K48S
9/16 UNF	331167S			
M14x2.0	331173S			

THREAD	BULK	KITS		
		5 LUG	6 LUG	JEEP
M14x1.5	331148SBLK	33K548SBLK	33K648SBLK	33K48SBLK
9/16 UNF	331167SBLK			
M14x2.0	331173SBLK			

SPLINE ADAPTERS



CAR (6 SPLINE) ADAPTER	
BULK	DESCRIPTION
11496-16	3/4 and 13/16 Drive



CAR (6 SPLINE) ADAPTER	
BULK	DESCRIPTION
11496-16BLK	3/4 and 13/16 Drive




CAR (6 SPLINE) ADAPTER	
BULK	DESCRIPTION
11496-17	17mm and 13/16 Drive



TRUCK (6 SPLINE) ADAPTER	
BULK	DESCRIPTION
11497	7/8 and 13/16 Drive



TRUCK (7 SPLINE) ADAPTER	
BULK	DESCRIPTION
11497-7	7/8 and 13/16 Drive



CAR (7 SPLINE) ADAPTER	
BULK	DESCRIPTION
11496-7	7/8 and 13/16 Drive

HEX

HEX LUG NUT

BULGE ACORN



ACORN



OPEN END



ET BULGE



DUPLEX



2 PIECE DESIGN

Two piece protects against false torque readings. False torque reading is the result of the wheel stud contacting the inside of lug nut prior to seating with wheel.

BULGE ACORN | 3/4" HEX



THREAD	BULK	KITS		
		5 LUG	6 LUG	JEEP
7/16 UNF	871140	87K540		
1/2 UNF	871142	87K542	87K642	87KJ42
M12x1.25	871144	87K544	87K644	
M12x1.5	871145	87K545	87K645	
M14x1.5	871148	87K548	87K648	87KJ48
M12x1.75	871150	87K550		
M14x2.0	871173	87K573		

THREAD	BULK	KITS		
		5 LUG	6 LUG	JEEP
7/16 UNF	871140BLK	87K540BLK		
1/2 UNF	871142BLK	87K542BLK	87K642BLK	87KJ42BLK
M12x1.25	871144BLK	87K544BLK	87K644BLK	
M12x1.5	871145BLK	87K545BLK	87K645BLK	
M14x1.5	871148BLK	87K548BLK	87K648BLK	87KJ48BLK

DESCRIPTIONS



CHROME FINISH

All Coyote Accessories chrome plated lug nuts have long lasting high luster finish. Every Coyote lug nut is double nickel plated to surpass 48 hour salt spray test.



BLACK CHROME

Coyote lug nuts with a black chrome finish have a deep reflective look that will enhance the look of any wheel. Use them on black wheels for a monochromatic look or on silver or chrome wheels for a contrasting look. Black chrome is highly resistant to rusting, chipping or peeling. Black chrome lugs will pass 72 hour salt spray.

PACKAGING

Our attention to detail and quality does not stop with our manufacturing. All of Coyote Premium Wheel Accessories' products come packaged in high-strength, durable inner and outer packaging.

All packaging is affixed with clear easy to read labels to ensure accuracy throughout the distribution process.



BULGE ACORN | 3/4" HEX



THREAD	BULK	KITS	
		5 LUG	6 LUG JEEP
1/2 UNF	871142R	87K542R	87KJ42R
M12x1.25	871144R		
M12x1.5	871145R		

THREAD	BULK	KITS	
		5 LUG	6 LUG JEEP
1/2 UNF	871142BL	87K542BL	87KJ42BL
M12x1.25	871144BL		
M12x1.5	871145BL		

BULGE ACORN | 13/16" HEX



THREAD	BULK	KITS		
		5 LUG	6 LUG	JEEP
7/16 UNF	561140	56K540		
1/2 UNF	561142	56K542		56K142
M12x1.25	561144	56K544		
M12x1.5	561145		56K645	
M14x1.5	561148	56K548		56K148
M12x1.75	561150			
M14x2.0	561173			

THREAD	BULK	KITS		
		5 LUG	6 LUG	JEEP
1/2 UNF	561142BLK	56K542BLK		56K142BLK
M12x1.5	561145BLK		56K645BLK	
M14x1.5	561148BLK	56K548BLK		56K148BLK

BULGE ACORN 1.90 LONG | 3/4" HEX





THREAD	BULK	KITS		
		5 LUG	6 LUG	8 LUG
1/2 UNF	701142B	70K542		
M12x1.25	701144B			
M12x1.5	701145B	70K545		
M14x1.5	701148B	70K548	70K648	70K848
M12x1.75	701150B	70K550		
9/16 UNF	701167B	70K567		70K867
M14x2.0	701173B	70K573	70K673	70K873

THREAD	BULK	KITS		
		5 LUG	6 LUG	8 LUG
1/2 UNF	701142BLK	70K542BLK		70K842BLK
M14x1.5	701148BLK	70K548BLK	70K648BLK	70K848BLK
9/16 UNF	701167BLK	70K567BLK		70K867BLK
M14x2.0	701173BLK	70K573BLK	70K673BLK	70K873BLK



BULGE ACORN 2.25 LONG | 3/4" HEX



THREAD	BULK	KITS		
		5 LUG	6 LUG	8 LUG
M14x1.5	701148XL		70K848XL	
M12x1.75	701150XL			
M14x2.0	701173XL		70K873XL	

THREAD	BULK	KITS		
		5 LUG	6 LUG	8 LUG
M14x1.5	701148XLBLK		70K848XLBLK	
M14x2.0	701173XLBLK		70K873XLBLK	

BULGE ACORN 1.75 LONG | 3/4" HEX



THREAD	BULK	KITS		
		5 LUG	6 LUG	8 LUG
M14x1.5	701148S			



THREAD	BULK	KITS	
		5 LUG	6 LUG
3/8 UNF	841135		
M10x1.25	841138		
7/16 UNF	841140		
1/2 UNF	841142		
M12x1.25	841144		
M12x1.5	841145		
M14x1.5	841148		
M12x1.75	841150		
M14x2.0	841173		



OE BULGE ACORN | 7/8" HEX



THREAD	BULK	KITS		
		5 LUG	6 LUG	8 LUG
M14x1.5	891148Z			

THREAD	BULK	KITS		
		5 LUG	6 LUG	8 LUG
M14x1.5	891148BLK			



OE BULGE ACORN | 13/16" HEX



THREAD	BULK	KITS		
		5 LUG	6 LUG	8 LUG
7/16 UNF	571140			
1/2 UNF	571142			
M12x1.25	571144			
M12x1.5	571145			
M14x1.5	571148			57K848
M12x1.75	571150			
9/16 UNF	571167			57K867
M14x2.0	571173			57K873

OE BULGE ACORN | 3/4" HEX



THREAD	BULK	KITS		
		5 LUG	6 LUG	8 LUG
7/16 UNF	881140Z	88K540		
1/2 UNF	881142Z	88K542		
M12x1.25	881144Z	88K544		
M12x1.5	881145Z	88K545	88K645	
M14x1.5	881148Z	88K548	88K648	88K848
M12x1.75	881150Z	88K550		
9/16 UNF	881167Z	88K567		88K867
M14x2.0	881173Z	88K573	88K673	88K873

THREAD	BULK	KITS		
		5 LUG	6 LUG	8 LUG
M14x1.5	881148BLK	88K548BLK		

OE BULGE ACORN | 17MM HEX




THREAD	BULK	KITS	
		5 LUG	6 LUG
7/16 UNF	901140		
1/2 UNF	901142		
M12x1.25	901144		
M12x1.5	901145		
M14x1.5	901148		
M12x1.75	901150		
M14x2.0	901173		

OE ACORN | 13/16" HEX




THREAD	BULK	KITS	
		5 LUG	6 LUG
7/16 UNF	651140		
1/2 UNF	651142		
M12x1.25	651144		
M12x1.5	651145		
M14x1.5	651148		
M12x1.75	651150		
9/16 UNF	651167		
M14x2.0	651173		

ET BULGE CONICAL SEAT | 3/4" HEX



THREAD	BULK	KITS	
		5 LUG	6 LUG
7/16 UNF	831140B		
1/2 UNF	831142B		
M12x1.25	831144B		
M12x1.5	831145B		83K645B
* M14x1.5	831148B	83K548B	*
M12x1.75	831150B		
* M14x2.0	831173B		*

OE ET BULGE CONICAL SEAT | 3/4" HEX



THREAD	BULK	KITS	
		5 LUG	6 LUG
7/16 UNF	771140		
1/2 UNF	771142		
M12x1.25	771144		
M12x1.5	771145		
* M14x1.5	771148	77K548	*
M12x1.75	771150		
* M14x2.0	771173		*

* Heat Treated

CFN - BULGE ACORN | 3/4" HEX



THREAD	BULK	KITS		
		5 LUG	6 LUG	JEEP
7/16 UNF	371140	37K540		
1/2 UNF	371142	37K542	37K642	37KJ42
M12x1.25	371144	37K544	37K644	
M12x1.5	371145	37K545	37K645	
M14x1.5	371148	37K548	37K648	37KJ48
M12x1.75	371150	37K550		
M14x2.0	371173	37K573		


THREAD	BULK	KITS		
		5 LUG	6 LUG	JEEP
7/16 UNF	371140BLK	37K540BLK		
1/2 UNF	371142BLK	37K542BLK	37K642BLK	37KJ42BLK
M12x1.25	371144BLK	37K544BLK	37K644BLK	
M12x1.5	371145BLK	37K545BLK	37K645BLK	
M14x1.5	371148BLK	37K548BLK	37K648BLK	37KJ48BLK
M12x1.75	371150BLK			
M14x2.0	371173BLK			



THREAD	BULK	KITS	
		5 LUG	6 LUG
1/2 UNF	371142R	37K542R	
M12x1.5	371145R		

THREAD	BULK	KITS	
		5 LUG	6 LUG
1/2 UNF	371142BL	37K542BL	
M12x1.5	371145BL		



CFN - BULGE ACORN 1.75 LONG | 3/4" HEX



THREAD	BULK	KITS		
		5 LUG	6 LUG	8 LUG
1/2 UNF	301142S			
M12x1.25	301144S		30K644S	
M12x1.5	301145S			
M14x1.5	301148S			
9/16 UNF	301167S			
M14x2.0	301173S			

THREAD	BULK	KITS		
		5 LUG	6 LUG	8 LUG
M14x1.5	301148SBLK			
9/16 UNF	301167SBLK			
M14x2.0	301173SBLK			



CFN - BULGE ACORN 1.90 LONG | 3/4" HEX



THREAD	BULK	KITS		
		5 LUG	6 LUG	8 LUG
M14x1.5	301148	30K548	30K648	30K848
9/16 UNF	301167	30K567		
M14x2.0	301173	30K573	30K673	30K873

THREAD	BULK	KITS		
		5 LUG	6 LUG	8 LUG
M14x1.5	301148BLK	30K548BLK	30K648BLK	30K848BLK
9/16 UNF	301167BLK	30K567BLK		
M14x2.0	301173BLK	30K573BLK	30K673BLK	30K873BLK

CFN - BULGE ACORN 2.25 LONG | 3/4" HEX



THREAD	BULK	KITS		
		5 LUG	6 LUG	8 LUG
M14x1.5	301148XL			
M14x2.0	301173XL			





SocketLug

If your aftermarket wheel is designed with a small diameter lug hole, Socket Lugs are required for proper installation. Coyote Socket Lugs utilize an 8-point adapter key for installation. Our key will insure proper torque specs are applied to properly fasten your wheel.

CAR (8 SIDED)

USE SOCKET ADAPTER 10566





THREAD	BULK	KITS		
		5 LUG	6 LUG	8 LUG
7/16 UNF	781140			
1/2 UNF	781142	78K542		
M12x1.25	781144	78K544		
M12x1.5	781145	78K545		
M14x1.5	781148			

THREAD	BULK	KITS		
		5 LUG	6 LUG	8 LUG
M14x1.5	781148BLK	78K548BLK		

CAR XL (8 SIDED)

USE SOCKET ADAPTER 10566



THREAD	BULK	KITS		
		5 LUG	6 LUG	8 LUG
M12x1.5	781145XL			
M14x1.5	781148XL			

THREAD	BULK	KITS		
		5 LUG	6 LUG	8 LUG
M14x1.5	781148XLBLK	78K548XLBLK		



SOCKET ADAPTERS



CAR (6 SIDED) ADAPTER	
BULK	DESCRIPTION
10566-6	3/4 and 13/16 Drive



CAR (8 SIDED) ADAPTER	
BULK	DESCRIPTION
10566	3/4 and 13/16 Drive



CAR (10 SIDED) ADAPTER	
BULK	DESCRIPTION
10566-10	3/4 and 13/16 Drive



TRUCK (6 SIDED) ADAPTER	
BULK	DESCRIPTION
10560-6	3/4 and 13/16 Drive



TRUCK (8 SIDED) ADAPTER	
BULK	DESCRIPTION
10560-1	3/4 and 13/16 Drive



ATV LUG NUTS



BULGE ACORN | 17MM HEX



THREAD	BULK	KITS
		4 LUG
3/8 UNF	451135	45K435
M10x1.25	451138	45K438

THREAD	BULK	KITS
		4 LUG
3/8 UNF	451135BLK	45K435BLK
M10x1.25	451138BLK	45K438BLK



THREAD	BULK	KITS
		4 LUG
3/8 UNF	451135R	45K435R
M10x1.25	451138R	45K438R

THREAD	BULK	KITS
		4 LUG
3/8 UNF	451135BL	45K435BL
M10x1.25	451138BL	45K438BL

BULGE ACORN | 14MM HEX



THREAD	BULK	KITS
		4 LUG
M10x1.25	471135	47K435

THREAD	BULK	KITS
		4 LUG
M10x1.25	471135BLK	47K435BLK


BULGE ACORN | 14MM HEX



THREAD	BULK	KITS
		4 LUG
M10x1.25	411138	41K438


THREAD	BULK	KITS
		4 LUG
M10x1.25	411138BLK	41K438BLK

FLAT SEAT | 14MM HEX



THREAD	BULK	KITS
		4 LUG
3/8 UNF	431135	43K435
M10x1.25	431138	43K438

THREAD	BULK	KITS
		4 LUG
3/8 UNF	431135BLK	43K435BLK
M10x1.25	431138BLK	43K438BLK



THREAD	BULK	KITS
		4 LUG
3/8 UNF	431138R	43K438R

THREAD	BULK	KITS
		4 LUG
3/8 UNF	431138BL	43K438BL

FLAT SEAT | 17MM



THREAD	BULK	KITS
		4 LUG
M10x1.25	401138	40K438

CFN - CAR (6 SIDED)

USE SPLINE ADAPTER 11496-16BLK



THREAD	BULK	KITS
		4 LUG
M12x1.5	341145	34K445

WHEEL LOCKS

PROTECT YOUR INVESTMENT

Wheel Locks are designed to prevent theft of wheels and spare tires. Wheel locks are extremely popular with automobile enthusiasts who install customized wheels and tires on their vehicles.

Wheel Locks are installed on one lug per wheel and they have a unique key which the end user stores in the vehicle. The unique key allows the owner to remove or install the wheels.



CLAM SHELL PACKAGING

Wheel Locks come pre-packaged with: 4 Locking Lug Nuts, 1 Unique Key, and Key Registration Card in a durable attractive package.

LUG NUT - WHEEL LOCKS

BULGE ACORN (CAR) | 13/16" & 3/4" HEX



THREAD	CLAM SHELL
7/16 UNF	741140B
1/2 UNF	741142B
M12x1.25	741144B
M12x1.50	741145B
M14x1.50	741148B
M12x1.75	741150B
M14x2.00	741173B
1/2 UNF (JEEP)	741142J
M14x1.5 (JEEP)	741148J

THREAD	CLAM SHELL
1/2 UNF	741142BLK
M12x1.25	741144BLK
M12x1.50	741145BLK
M14x1.50	741148BLK
1/2 UNF (JEEP)	741142JBLK
M14x1.5 (JEEP)	741148JBLK



LOCK KEY REGISTRATION FAST, EASY, SECURE!

Keys provided with Coyote Wheel Locks have a unique external pattern that allows for many key lock combinations. Keys are configured with 3/4" and 13/16" Hex Drive to allow the use of standard tools for installation and removal. Each key number is identified with the number stamped on the top of the key.

Replacement keys are available.

LUG NUT - WHEEL LOCKS

BULGE ACORN (TRUCK) | 13/16" & 3/4" HEX



THREAD	CLAM SHELL
1/2 UNF	741142L
M12x1.25	741144L
M12x1.50	741145L
M14x1.50	741148L
M12x1.75	741150L
9/16 UNF	741167L
M14x2.00	741173L

THREAD	CLAM SHELL
1/2 UNF	741142LBLK
M14x1.50	741148LBLK
9/16 UNF	741167LBLK
M14x2.00	741173LBLK

OE BULGE ACORN (CAR) 13/16" & 3/4" HEX



THREAD	CLAM SHELL
7/16 UNF	002700
1/2 UNF	002701
M12x1.25	002702
M12x1.50	002703
M12x1.75	002707

OE BULGE ACORN (TRUCK) 13/16" & 3/4" HEX

Long Key to clear studs



THREAD	CLAM SHELL
M14x1.50	002705L
9/16 UNF	002714L
M14x2.00	002719L

LOCK & LUG BOLTS

CLAM SHELL PACKAGING



LUG BOLT - WHEEL LOCKS

BALL SEAT LOCK BOLT

17MM & 3/4" HEX



THREAD	SHANK LENGTH	BOLT LENGTH	CLAM SHELL
M12x1.50	24mm	56mm	611147-24
M12x1.50	28mm	60mm	611147-28
M12x1.50	40mm	72mm	611147-40
M14x1.50	24mm	56mm	611156-24
M14x1.50	28mm	60mm	611156-28
M14x1.50	40mm	72mm	611156-40

ACORN SEAT LOCK BOLT

17MM & 3/4" HEX



THREAD	SHANK LENGTH	BOLT LENGTH	CLAM SHELL
M12x1.50	24mm	56mm	621147-24
M12x1.50	28mm	60mm	621147-28
M12x1.50	40mm	72mm	621147-40
M14x1.50	24mm	56mm	621156-24
M14x1.50	28mm	60mm	621156-28
M14x1.50	40mm	72mm	621156-40
M12x1.25	28mm	60mm	621149-28
M12x1.75	28mm	60mm	621155-28
M14x1.25	24mm	56mm	621157-24
M14x1.25	28mm	60mm	621157-28
M14x1.25	40mm	72mm	621157-40

OEM LUG NUTS

FACTORY STYLE



Coyote has a broad selection of chrome and black lugs which are direct replacements for OEM lug nuts. Use our lugs to dress up OEM wheels or use in concert with Aftermarket wheels designed to use OEM lugs. We also have wheel locks for many applications to secure your wheels from less than scrupulous enthusiast.

Direct OEM Replacement





TOYOTA

13/16" HEX



THREAD	BULK	KITS		
		5 LUG	6 LUG	8 LUG
M12x1.5	581145	58K545		

THREAD	BULK	KITS		
		5 LUG	6 LUG	8 LUG
M12x1.5	581145BLK	58K545BLK		



THREAD	BULK	KITS		
		5 LUG	6 LUG	8 LUG
M12x1.5	581145L	58K545L	58K645L	

THREAD	BULK	KITS		
		5 LUG	6 LUG	8 LUG
M12x1.5	581145LBLK	58K545LBLK	58K645LBLK	



LOCK KEY REGISTRATION FAST, EASY, SECURE!



Keys provided with Coyote Wheel Locks have a unique external pattern that allows for many key lock combinations. Keys are configured with 3/4" and 13/16" Hex Drive to allow the use of standard tools for installation and removal. Each key number is identified with the number stamped on the top of the key.

Replacement keys are available.



TOYOTA



7/8" HEX



THREAD	BULK	KITS	
M14x1.5	581148	5 LUG	8 LUG
		58K548	


THREAD	BULK	KITS	
M14x1.5	581148BLK	5 LUG	8 LUG
		58K548BLK	

WHEEL LOCKS | 13/16" & 3/4" HEX



THREAD	CLAM SHELL
M12X1.5	621145

THREAD	CLAM SHELL
M12X1.5	621145L





THREAD	CLAM SHELL
M14X1.5	621148





FORD

13/16" HEX



THREAD	BULK	KITS		
		5 LUG	6 LUG	8 LUG
M14x1.5	511148	51K648	51K848	
M14x2.0	511173	51K673	51K873	

THREAD	BULK	KITS		
		5 LUG	6 LUG	8 LUG
M14x1.5	511148BLK	51K648BLK	51K848BLK	
M14x2.0	511173BLK	51K673BLK	51K873BLK	



NEW!

THREAD	BULK	KITS		
		5 LUG	6 LUG	8 LUG
M14x1.5	661148	66K648		



NEW!

THREAD	BULK	KITS		
		5 LUG	6 LUG	8 LUG
M14x1.5	661148BLK	66K648BLK		



DODGE / JEEP / RAM

7/8" HEX





THREAD	BULK	KITS		
		5 LUG	6 LUG	8 LUG
M14x1.5	531148	53K548	53K648	
9/16 UNF	531167	53K567		

THREAD	BULK	KITS		
		5 LUG	6 LUG	8 LUG
M14x1.5	531148BLK	53K548BLK	53K648BLK	
9/16 UNF	531167BLK	53K567BLK		

NISSAN


13/16" HEX



THREAD	BULK	KITS		
		5 LUG	6 LUG	8 LUG
M12x1.25	581144			

THREAD	BULK	KITS		
		5 LUG	6 LUG	8 LUG
M12x1.25	581144BLK			

WHEEL LOCKS | 13/16" & 3/4" HEX




THREAD	CLAM SHELL
M12X1.25	621144



CORVETTE


3/4" HEX



THREAD	BULK	KITS		
		5 LUG	6 LUG	8 LUG
7/16 UNF	521140	52K540		

CHEVROLET


7/8" HEX



THREAD	BULK	KITS		
		5 LUG	6 LUG	8 LUG
1/2 UNF	591142			
M12x1.5	591145			
M14x1.5	591148			
9/16 UNF	591167			


GM

7/8" HEX



NEW!

THREAD	BULK	KITS		
		5 LUG	6 LUG	8 LUG
M14x1.5	531148L	53K548L	53K648L	



NEW!

THREAD	BULK	KITS		
		5 LUG	6 LUG	8 LUG
M14x1.5	531148LBLK	53K548LBLK	53K648LBLK	

PORSCHE

3/4" HEX





THREAD	BULK	KITS		
		5 LUG	6 LUG	8 LUG
M14x1.5	551148			



RANGE ROVER



7/8" HEX



THREAD	BULK	KITS		
		5 LUG	6 LUG	8 LUG
M14x1.5	711148	71K548		

THREAD	BULK	KITS		
		5 LUG	6 LUG	8 LUG
M14x1.5	711148BLK	71K548BLK		



7/8" HEX



THREAD	BULK	KITS		
		5 LUG	6 LUG	8 LUG
M14x1.5	941148C			

THREAD	BULK	KITS		
		5 LUG	6 LUG	8 LUG
M14x1.5	941148			

27MM HEX



THREAD	BULK	KITS		
		5 LUG	6 LUG	8 LUG
M14x1.5	951148			

THREAD	BAGGED
M14x1.5	621148R



ACURA / HONDA

7/8" HEX



THREAD	BULK	KITS		
		5 LUG	6 LUG	8 LUG
M14x1.5	931148	93K548		

THREAD	BULK	KITS		
		5 LUG	6 LUG	8 LUG
M14x1.5	931148BLK			



THREAD	BULK	KITS		
		5 LUG	6 LUG	8 LUG
M14x1.5	921148			

THREAD	BULK	KITS		
		5 LUG	6 LUG	8 LUG
M14x1.5	921148BLK			

3/4" HEX



THREAD	BULK	KITS		
		5 LUG	6 LUG	8 LUG
M12x1.5	461145			

THREAD	BULK	KITS		
		5 LUG	6 LUG	8 LUG
M12X1.5	691145			



LUG BOLTS

CLAMP THE WHEEL TO THE HUB



Lug Bolts can be commonly found in applications of many European cars.




ACORN SEAT
HEX BOLT

BALL SEAT
HEX BOLT

SPLINE
BOLT

SOCKET
BOLT

CHOOSE THE RIGHT BOLT



Acorn Seat

Ball Seat

The correct bolt for your wheel application is important for safety, as well as appearance.

ACORN SEAT (17MM) HEX BOLT



M12x1.5		24MM	28MM	30MM	33MM	35MM	40MM	45MM	50MM
CHROME	BULK	841156-24	841156-28	841156-30	841156-33	841156-35	841156-40	841156-45	841156-50
	5 LUG KIT	84K556-24	84K556-28				84K556-40		
BLACK	BULK	841156-24B	841156-28B	841156-30BLK	841156-33BLK	841156-35BLK	841156-40B	841156-45B	841156-50BLK
	5 LUG KIT		84K556-28BLK						
	6 LUG KIT	84K556-24BLK	84K656-28BLK				84K556-40BLK		



M12x1.5		24MM	28MM	30MM	33MM	40MM	45MM	50MM
CHROME	BULK	841147-24	841147-28	841147-30	841147-33	841147-40	841147-45	841147-50
	5 LUG KIT	84K547-24	84K547-28					
BLACK	BULK	841147-24B	841147-28B	841147-30BLK	841147-33BLK	841147-40BLK	841147-45BLK	841147-50BLK
	5 LUG KIT	84K547-24BLK	84K547-28BLK					

Coyote Accessories lug bolt finishes are corrosion tested using a 48 hour salt spray.



COYOTE LUG BOLTS

All Coyote Accessories lug bolts are forged, not cut from bar stock. Forging allows for better mechanical properties and consistent quality. Our threads are rolled (forged) onto the bolt, not cut.

All Coyote Accessories Lug Bolts are made of 1045 Carbon Steel and Heat Treated to 10.9 grade. Carbon Steel is an alloy known for its very good form-ability, comparatively high strength, and high luster surface finish. Grade 10.9 has a tensile strength of approximately 160,000 psi.

ACORN SEAT (17MM) HEX BOLT



M14x1.5		60MM
CHROME	BULK	841156-60
	5 LUG KIT	



M14X1.25		24MM	28MM	33MM	40MM	45MM
CHROME	BULK	841157-24	841157-28	841157-33	841157-40	841157-45
	5 LUG KIT	84K557-24	84K557-28	84K557-33	84K557-40	
BLACK	BULK	841157-24B	841157-28B	841157-33BLK	841157-40BLK	841157-45BLK
	5 LUG KIT	84K557-24BLK	84K557-28BLK	84K557-33BLK	84K557-40BLK	



M12x1.5		60MM
CHROME	BULK	841147-60
	5 LUG KIT	



M12X1.25		24MM	28MM	40MM
CHROME	BULK	841149-24	841149-28	841149-40
	5 LUG KIT	84K549-24	84K549-28	
BLACK	BULK	841149-24BLK	841149-28BLK	
	5 LUG KIT	84K549-24BLK	84K549-28BLK	

ACORN SEAT (17MM HEX) BOLT



M15x1.25		28MM	33MM	40MM
CHROME	BULK	841158-28	841158-33	841158-40
	5 LUG KIT	84K558-28	84K558-33	84K558-40
BLACK	BULK	841158-28BLK	841158-33BLK	841158-40BLK
	5 LUG KIT	84K558-28BLK	84K558-33BLK	84K558-40BLK



M12x1.75		28MM
CHROME	BULK	841155-28
	5 LUG KIT	84K555-28

ACORN SEAT (19MM HEX) BOLT

Exclusive OEM replacement lug bolt for RAM PROMASTER and SPRINTER aftermarket wheels



M16x1.5		30MM
CHROME	BULK	861160-30
	5 LUG KIT	86K560-30
BLACK	BULK	861160-30BLK
	5 LUG KIT	86K560-30BLK

SHORT HEAD - ACORN SEAT (17MM HEX) BOLT



M12x1.25		19MM	24MM
CHROME	BULK	841147-19S	841147-24S
	5 LUG KIT		

M12x1.5		19MM	24MM
CHROME	BULK	841149-19S	841149-24S
	5 LUG KIT		



M14x1.25		19MM	24MM
CHROME	BULK	841157-19S	841157-24S
	5 LUG KIT		

M14x1.5		19MM	24MM
CHROME	BULK	841156-19S	841156-24S
	5 LUG KIT		

BALL SEAT (17MM) HEX BOLT



M12x1.5		24MM	28MM	33MM	40MM	45MM	50MM	60MM
CHROME	BULK	814116-24	814116-28	814116-33	814116-40	814116-45	814116-50	814116-60
	5 LUG KIT	8K4516-28						
BLACK	BULK	814116-24BLK	814116-28BLK					
	5 LUG KIT	8K4516-28BLK						



M14x1.5		24MM	28MM	33MM	35MM	40MM	45MM	50MM	60MM
CHROME	BULK	819116-24	819116-28	819116-33	819116-35	819116-40	819116-45	819116-50	819116-60
	5 LUG KIT	8K9516-28							
BLACK	BULK	819116-24BLK	819116-28BLK	819116-33BLK		819116-40BLK	819116-45BLK	819116-50BLK	
	5 LUG KIT	8K9516-28BLK							



M12x1.5		60MM
CHROME	BULK	814116-40XL
	5 LUG KIT	

PACKAGING

Our attention to detail does not stop with our Manufacturing. All of Coyote Premium Wheel Accessories' products come packaged in High-strength, durable inner and outer packaging.



6 SPLINE LUG BOLT

USE SPLINE ADAPTER 11496-17



M12x1.5		24MM	28MM	30MM	33MM	40MM	45MM
CHROME	BULK	631151	631152	631145-30	631145-33	631145-40	631145-45
	5 LUG KIT	63K545-24	63K545-28				
BLACK	BULK	631151BLK	631152BLK	631145-30BLK	631145-33BLK	631145-40BLK	631145-45BLK
	5 LUG KIT	63K545-24BLK	63K545-28BLK				



M14x1.5		24MM	28MM	30MM	33MM	40MM	45MM
CHROME	BULK	631153	631154	631148-30	631148-33	631148-40	631148-45
	5 LUG KIT	63K548-24	63K548-28				
BLACK	BULK	631153BLK	631154BLK	631148-30BLK	631148-33BLK	631148-40BLK	631148-45BLK
	5 LUG KIT	63K548-24BLK	63K548-28BLK				



M14x1.25		24MM	28MM	33MM	40MM
CHROME	BULK	631157-24	631157-28	631157-33	631157-40
	5 LUG KIT	63K557-24	63K557-28	63K557-33	
BLACK	BULK	631157-24BLK	631157-28BLK	631157-33BLK	631157-40BLK
	5 LUG KIT	63K557-24BLK	63K557-28BLK	63K557-33BLK	

6 SPLINE LUG BOLT

USE SPLINE ADAPTER 11496-17



M12x1.25		24MM	28MM
CHROME	BULK	631149-24	631149-28
	5 LUG KIT		
BLACK	BULK	631149-24BLK	631149-28BLK
	5 LUG KIT		

M15x1.25		28MM	33MM	40MM
CHROME	BULK	631158-28	631158-33	631158-40
	5 LUG KIT	63K558-28	63K558-33	63K558-40
BLACK	BULK	631158-28BLK	631158-33BLK	631158-40BLK
	5 LUG KIT	63K558-28BLK	63K558-33BLK	63K558-40BLK


SOCKET LUG BOLT | 8 SIDED

USE SOCKET ADAPTER 10566



M12x1.5		24MM	28MM	33MM
CHROME	BULK	851151-24	851151-28	851151-33
	5 LUG KIT			

M14x1.5		24MM	28MM	33MM
CHROME	BULK	851154-24	851154-28	851154-33
	5 LUG KIT			



EUROPEAN HUB-CENTRIC WHEEL SPACER BOLT-ON KIT

ELIMINATE THE GAP



BEFORE

AFTER

FEATURES:

- Threaded inserts allow wheel installation with standard length lug bolts
- High tensile strength Aluminum Alloy and Grade 10.9 Hardware
- Hub Centric Design: Fits tightly to the hub & wheel to reduce any type of vibration
- Available in 20, 25, and 30mm offset

STEP 1


INSTALL SPACER ON VEHICLE WITH SHORT HEX HEAD LUG BOLT

STEP 2

INSTALL WHEEL TO SPACER WITH STANDARD HEX HEAD LUG BOLT




5 X 100 TO 5 X 112



PART NUMBER	OFFSET (X)	HUB BORE	VEHICLE THREAD	LUG BOLT FINISH
5100-20-57-M1415	20mm	57.10mm	M14x1.5	Chrome
5100-20-57-M1415BLK	20mm	57.10mm	M14x1.5	Black
5100-25-57-M1415	25mm	57.10mm	M14x1.5	Chrome
5100-25-57-M1415BLK	25mm	57.10mm	M14x1.5	Black
5100-30-57-M1415	30mm	57.10mm	M14x1.5	Chrome
5100-30-57-M1415BLK	30mm	57.10mm	M14x1.5	Black

5 X 130 TO 5 X 130



PART NUMBER	OFFSET (X)	HUB BORE	VEHICLE THREAD	LUG BOLT FINISH
5130-20-71-M1415	20mm	71.50mm	M14x1.5	Chrome
5130-20-71-M1415BLK	20mm	71.50mm	M14x1.5	Black
5130-25-71-M1415	25mm	71.50mm	M14x1.5	Chrome
5130-25-71-M1415BLK	25mm	71.50mm	M14x1.5	Black
5130-30-71-M1415	30mm	71.50mm	M14x1.5	Chrome
5130-30-71-M1415BLK	30mm	71.50mm	M14x1.5	Black

NEW!

ALL THE PARTS YOU NEED, IN 1 KIT

KIT INCLUDES:


- (1) HUB CENTRIC EUROPEAN WHEEL SPACER
- (5) M14x1.5 HEX HEAD LUG BOLTS (CHROME OR BLACK)
- (5) SHORT HEAD HEX LUG BOLTS (ZINC)



MATERIAL & FINISH:
Hub Centric Spacers are made of aircraft quality 6061-T6 aluminum and anodized to protect from corrosion

HUB CENTRIC TO WHEEL & VEHICLE


5 X 112 TO 5 X 112




PART NUMBER	OFFSET	HUB BORE	VEHICLE THREAD	LUG BOLT FINISH
5112-20-66-M1215	20mm	66.56mm	M12x1.5	Chrome
5112-20-66-M1215BLK	20mm	66.56mm	M12x1.5	Black
5112-25-66-M1215	25mm	66.56mm	M12x1.5	Chrome
5112-25-66-M1215BLK	25mm	66.56mm	M12x1.5	Black
5112-30-66-M1215	30mm	66.56mm	M12x1.5	Chrome
5112-30-66-M1215BLK	30mm	66.56mm	M12x1.5	Black
5112-20-66-M14125	20mm	66.56mm	M14x1.25	Chrome
5112-20-66-M14125BLK	20mm	66.56mm	M14x1.25	Black
5112-25-66-M14125	25mm	66.56mm	M14x1.25	Chrome
5112-25-66-M14125BLK	25mm	66.56mm	M14x1.25	Black
5112-30-66-M14125	30mm	66.56mm	M14x1.25	Chrome
5112-30-66-M14125BLK	30mm	66.56mm	M14x1.25	Black
5112-20-66-M1415	20mm	66.56mm	M14x1.5	Chrome
5112-20-66-M1415BLK	20mm	66.56mm	M14x1.5	Black
5112-25-66-M1415	25mm	66.56mm	M14x1.5	Chrome
5112-25-66-M1415BLK	25mm	66.56mm	M14x1.5	Black
5112-30-66-M1415	30mm	66.56mm	M14x1.5	Chrome
5112-30-66-M1415BLK	30mm	66.56mm	M14x1.5	Black



5 X 120 TO 5 X 120



PART NUMBER	OFFSET (X)	HUB BORE	VEHICLE THREAD	LUG BOLT FINISH
5120-20-72-M1215	20mm	72.56mm	M12x1.5	Chrome
5120-20-72-M1215BLK	20mm	72.56mm	M12x1.5	Black
5120-25-72-M1215	25mm	72.56mm	M12x1.5	Chrome
5120-25-72-M1215BLK	25mm	72.56mm	M12x1.5	Black
5120-30-72-M1215	30mm	72.56mm	M12x1.5	Chrome
5120-30-72-M1215BLK	30mm	72.56mm	M12x1.5	Black
5120-20-72-M14125	20mm	72.56mm	M14x1.25	Chrome
5120-20-72-M14125BLK	20mm	72.56mm	M14x1.25	Black
5120-25-72-M14125	25mm	72.56mm	M14x1.25	Chrome
5120-25-72-M14125BLK	25mm	72.56mm	M14x1.25	Black
5120-30-72-M14125	30mm	72.56mm	M14x1.25	Chrome
5120-30-72-M14125BLK	30mm	72.56mm	M14x1.25	Black
5120-20-72-M1415	20mm	72.56mm	M14x1.5	Chrome
5120-20-72-M1415BLK	20mm	72.56mm	M14x1.5	Black
5120-25-72-M1415	25mm	72.56mm	M14x1.5	Chrome
5120-25-72-M1415BLK	25mm	72.56mm	M14x1.5	Black
5120-30-72-M1415	30mm	72.56mm	M14x1.5	Chrome
5120-30-72-M1415BLK	30mm	72.56mm	M14x1.5	Black



PART NUMBER	OFFSET (X)	HUB BORE	VEHICLE THREAD	LUG BOLT FINISH
5120-20-74-M1215	20mm	74.10mm	M12x1.5	Chrome
5120-20-74-M1215BLK	20mm	74.10mm	M12x1.5	Black
5120-25-74-M1215	25mm	74.10mm	M12x1.5	Chrome
5120-25-74-M1215BLK	25mm	74.10mm	M12x1.5	Black
5120-30-74-M1215	30mm	74.10mm	M12x1.5	Chrome
5120-30-74-M1215BLK	30mm	74.10mm	M12x1.5	Black
5120-20-74-M14125	20mm	74.10mm	M14x1.25	Chrome
5120-20-74-M14125BLK	20mm	74.10mm	M14x1.25	Black
5120-25-74-M14125	25mm	74.10mm	M14x1.25	Chrome
5120-25-74-M14125BLK	25mm	74.10mm	M14x1.25	Black
5120-30-74-M14125	30mm	74.10mm	M14x1.25	Chrome
5120-30-74-M14125BLK	30mm	74.10mm	M14x1.25	Black
5120-20-74-M1415	20mm	74.10mm	M14x1.5	Chrome
5120-20-74-M1415BLK	20mm	74.10mm	M14x1.5	Black
5120-25-74-M1415	25mm	74.10mm	M14x1.5	Chrome
5120-25-74-M1415BLK	25mm	74.10mm	M14x1.5	Black
5120-30-74-M1415	30mm	74.10mm	M14x1.5	Chrome
5120-30-74-M1415BLK	30mm	74.10mm	M14x1.5	Black



BE A PART
OF THE **PACK**

NEW!

WHEEL SPACER - BOLT-ON (BULK)

SPACER SOLD INDIVIDUALLY (LUG BOLT SOLD SEPARATELY)

20MM



(Requires 19mm Short Hex Head Lug Bolt)

25MM




(Requires 24mm Short Hex Head Lug Bolt)


30MM




(Requires 24mm Short Hex Head Lug Bolt)




5 X 100 TO 5 X 100			
PART NUMBER	OFFSET (X)	HUB BORE	INSERT THREAD
5100-S100H-25-57	25mm	57.10mm	M14x1.5




5 X 100 TO 5 X 112			
PART NUMBER	OFFSET (X)	HUB BORE	INSERT THREAD
5100-S112H-20-57	20mm	57.10mm	M14x1.5
5100-S112H-25-57	25mm	57.10mm	M14x1.5
5100-S112H-30-57	30mm	57.10mm	M14x1.5




5 X 112 TO 5 X 112			
PART NUMBER	OFFSET (X)	HUB BORE	INSERT THREAD
5112-S112H-20-66	20mm	66.56mm	M14x1.5
5112-S112H-25-66	25mm	66.56mm	M14x1.5
5112-S112H-30-66	30mm	66.56mm	M14x1.5



5 X 120 TO 5 X 120			
PART NUMBER	OFFSET (X)	HUB BORE	INSERT THREAD
5120-S120H-20-72	20mm	72.56mm	M14x1.5
5120-S120H-25-72	25mm	72.56mm	M14x1.5
5120-S120H-30-72	30mm	72.56mm	M14x1.5



5 X 120 TO 5 X 120			
PART NUMBER	OFFSET (X)	HUB BORE	INSERT THREAD
5120-S120H-20-74	20mm	74.10mm	M14x1.5
5120-S120H-25-74	25mm	74.10mm	M14x1.5
5120-S120H-30-74	30mm	74.10mm	M14x1.5



5 X 130 TO 5 X 130			
PART NUMBER	OFFSET (X)	HUB BORE	INSERT THREAD
5130-S130H-20-71	20mm	71.50mm	M14x1.5
5130-S130H-25-71	25mm	71.50mm	M14x1.5
5130-S130H-30-71	30mm	71.50mm	M14x1.5

EUROPEAN HUB-CENTRIC WHEEL SPACERS

PRODUCT FEATURES:

- Lightening Hole to Reduce Un-Sprung Weight
- Surface Bevel for Better Clamping Strength
- Pry Slot for Easy Removal
- Labeled with Bolt Circle, Offset, and Hub Bore

STEP
1

SELECT THE VEHICLE THREAD AND BOLT PATTERN

TWO HUB-CENTRIC STYLES:

HUB CENTRIC TO VEHICLE

Offsets: 5mm, 8mm, and 10mm



HUB CENTRIC TO VEHICLE AND WHEEL

Offsets: 12mm, 15mm, 17mm, and 20mm



STEP
2

CHOOSE THE WHEEL SPACER OFFSET

OFFSETS:

5MM
8MM
10MM
12MM
15MM
17MM
20MM




WHEEL SPACERS FOR VEHICLE THREAD (M12X1.5)




4 X 100

PART #	Offset (X)
VW4100-5-57	5mm
VW4100-8-57	8mm
VW4100-10-57	10mm




PART #	Offset (X)
VW4100-12-57	12mm
VW4100-15-57	15mm
VW4100-20-57	20mm




5 X 120


PART #	Offset (X)
BMW5120-5-72	5mm
BMW5120-8-72	8mm
BMW5120-10-72	10mm



PART #	Offset (X)
BMW5120-12-72	12mm
BMW5120-15-72	15mm
BMW5120-17-72	17mm
BMW5120-20-72	20mm



PART #	Offset (X)
BMW5120-5-741	5mm
BMW5120-8-741	8mm
BMW5120-10-741	10mm




PART #	Offset (X)
BMW5120-12-741	12mm
BMW5120-15-741	15mm
BMW5120-17-741	17mm
BMW5120-20-741	20mm




5 X 112

PART #	Offset (X)
MBS112-5-666	5mm
MBS112-8-666	8mm
MBS112-10-666	10mm



PART #	Offset (X)
MBS112-12-666	12mm
MBS112-15-666	15mm
MBS112-20-666	20mm




WHEEL SPACERS FOR VEHICLE THREAD (M15X1.25)




5 X 112

PART #	Offset (X)
MBS112-5-666	5mm
MBS112-8-666	8mm
MBS112-10-666	10mm



PART #	Offset (X)
MBS112-12-666	12mm
MBS112-15-666	15mm
MBS112-20-666	20mm



STEP
3

MATCH THE OFFSET TO THE CORRECT BOLT LENGTH

OE LENGTH

24MM

28MM

WHEEL SPACER OFFSET

	5MM	8MM	10MM	12MM	15MM	17MM	20MM
30mm	30mm	33mm	35mm	35mm	40mm	45mm	45mm
33mm	33mm	35mm	40mm	40mm	45mm	45mm	50mm

BOLT LENGTH

STEP
4

PICK THE LUG BOLT STYLE

ACORN SEAT
HEX BOLT



BALL SEAT
HEX BOLT



SPLINE
BOLT



SOCKET
BOLT



LUG BOLTS FOR VEHICLE THREAD (M12X1.5)

ACORN SEAT
HEX BOLT



M12 X 1.5

BOLT LENGTH	PART #	FINISH
30mm	841147-30	Chrome
30mm	841147-30BLK	Black
33mm	841147-33	Chrome
33mm	841147-33BLK	Black
40mm	841147-40	Chrome
40mm	841147-40BLK	Black
45mm	841147-45	Chrome
45mm	841147-45BLK	Black

SPLINE
BOLT



M12 X 1.5

BOLT LENGTH	PART #	FINISH
30mm	631145-30	Chrome
30mm	631145-30BLK	Black
33mm	631145-33	Chrome
33mm	631145-33BLK	Black
40mm	631145-40	Chrome
40mm	631145-40BLK	Black
45mm	631145-45	Chrome
45mm	631145-45BLK	Black

BALL SEAT
HEX BOLT



M12 X 1.5

BOLT LENGTH	PART #	FINISH
33mm	814116-33	Chrome
40mm	814116-40	Chrome
45mm	814116-45	Chrome

SOCKET
BOLT



M12X1.5

BOLT LENGTH	PART #	FINISH
33mm	851151-33	Chrome

LUG BOLTS FOR VEHICLE THREAD (M 15X1.25)

ACORN SEAT
HEX BOLT



M15 X 1.25

BOLT LENGTH	PART #	FINISH
33mm NEW	841158-33	Chrome
33mm NEW	841158-33BLK	Black
40mm NEW	841158-40	Chrome
40mm NEW	841158-40BLK	Black

SPLINE
BOLT



M15 X 1.25

BOLT LENGTH	PART #	FINISH
33mm	631158-33	Chrome
33mm	631158-33BLK	Black
40mm	631158-40	Chrome
40mm	631158-40BLK	Black


OFFSET ON CHART
REPRESENTED BY (X)

WHEEL SPACERS FOR VEHICLE THREAD (M14X1.5)




5 X 100

PART #	(X)
VW/AUDI-5100/112-5-57	5mm
VW/AUDI-5100/112-8-57	8mm
VW/AUDI-5100/112-10-57	10mm




PART #	(X)
VW/AUDI-5100/112-12-57	12mm
VW/AUDI-5100/112-15-57	15mm
VW/AUDI-5100/112-20-57	20mm




5 X 130

PART #	(X)
PORS130-5-715	5mm
PORS130-8-715	8mm
PORS130-10-715	10mm




PART #	(X)
PORS130-12-715	12mm
PORS130-15-715	15mm
PORS130-20-715	20mm




5 X 120

PART #	(X)
BMW5120-5-741	5mm
BMW5120-8-741	8mm
BMW5120-10-741	10mm




PART #	(X)
BMW5120-12-741	12mm
BMW5120-15-741	15mm
BMW5120-17-741	17mm
BMW5120-20-741	20mm




5 X 112

PART #	(X)
MBS112-5-666	5mm
MBS112-8-666	8mm
MBS112-10-666	10mm




PART #	(X)
MBS112-12-666	12mm
MBS112-15-666	15mm
MBS112-20-666	20mm




WHEEL SPACERS FOR VEHICLE THREAD (M14 X 1.25)

PART #	(X)
BMW5120-5-72	5mm
BMW5120-8-72	8mm
BMW5120-10-72	10mm




PART #	(X)
BMW5120-12-72	12mm
BMW5120-15-72	15mm
BMW5120-17-72	17mm
BMW5120-20-72	20mm




5 X 120

PART #	(X)
BMW5120-5-741	5mm
BMW5120-8-741	8mm
BMW5120-10-741	10mm




PART #	(X)
BMW5120-12-741	12mm
BMW5120-15-741	15mm
BMW5120-17-741	17mm
BMW5120-20-741	20mm




5 X 112

PART #	(X)
MBS112-5-666	5mm
MBS112-8-666	8mm
MBS112-10-666	10mm



PART #	(X)
MBS112-12-666	12mm
MBS112-15-666	15mm
MBS112-20-666	20mm





ACORN SEAT HEX BOLT



M14 X 1.5

BOLT LENGTH	PART #	FINISH
30mm	841156-30	Chrome
30mm	841156-30BLK	Black
33mm	841156-33	Chrome
33mm	841156-33BLK	Black
35mm	841156-35	Chrome
35mm	841156-35BLK	Black
40mm	841156-40	Chrome
40mm	841156-40B	Black
45mm	841156-45	Chrome
45mm	841156-45B	Black

SPLINE BOLT



M14 X 1.5

BOLT LENGTH	PART #	FINISH
30mm	631148-30	Chrome
30mm	631148-30BLK	Black
33mm	631148-33	Chrome
33mm	631148-33BLK	Black
40mm	631148-40	Chrome
40mm	631148-40BLK	Black
45mm	631148-45	Chrome
45mm	631148-45BLK	Black

BALL SEAT HEX BOLT



M14 X 1.5

BOLT LENGTH	PART #	FINISH
33mm	819116-33	Chrome
33mm	819116-33BLK	Black
35mm	819116-35	Chrome
40mm	819116-40	Chrome
45mm	819116-45	Chrome

SOCKET BOLT



M14X1.5

BOLT LENGTH	PART #	FINISH
33mm	851154-33	Chrome

ACORN SEAT HEX BOLT



M14 X 1.25

BOLT LENGTH	PART #	FINISH
33mm	841157-33	Chrome
33mm	841157-33BLK	Black
40mm	841157-40	Chrome
40mm	841157-40BLK	Black
45mm	841157-45	Chrome
45mm	841157-45BLK	Black

SPLINE BOLT



M14 X 1.25

BOLT LENGTH	PART #	FINISH
33mm	631157-33	Chrome
33mm	631157-33BLK	Black
40mm	631157-40	Chrome
40mm	631157-40BLK	Black




WHEEL ADAPTERS

CLEARANCE IS APPEARANCE

- Installing wheels with bolt patterns different from the vehicle hub.
- Reduce fender gap by adding additional spacing between the hub assembly and wheels mounting pad.
- Improve clearance on lifted truck applications when using positive offset wheels.
- Meet customer's needs and reduce wheel inventory by using our adapters to modify wheel specification while stocking fewer wheels.




FORD



5 X 4.50 TO 5 X 4.50

PART NUMBER	VEHICLE BOLT PATTERN	WHEEL BOLT PATTERN	OFFSET (X)	STUD THREAD
5450-5450H-AA705	5 x 4.50"	5 x 4.50"	20mm	1/2 UNF
5450-5450H-AA705-14	5 x 4.50"	5 x 4.50"	20mm	M14x1.5
5450-5450-A	5 x 4.50"	5 x 4.50"	1.00"	1/2 UNF
5450-5450-A14	5 x 4.50"	5 x 4.50"	1.00"	M14x1.5
5450-5450-B	5 x 4.50"	5 x 4.50"	1.25"	1/2 UNF
5450-5450-B14	5 x 4.50"	5 x 4.50"	1.25"	M14x1.5
5450-5450-C	5 x 4.50"	5 x 4.50"	1.50"	1/2 UNF
5450-5450-C14	5 x 4.50"	5 x 4.50"	1.50"	M14x1.5
5450-5450H-E	5 x 4.50"	5 x 4.50"	2.00"	M14x1.5



6 X 135 TO 6 X 135

PART NUMBER	VEHICLE BOLT PATTERN	WHEEL BOLT PATTERN	OFFSET (X)	STUD THREAD
6135-6135H-C	6 x 135mm	6 x 135mm	1.50"	M14x1.5
6135-6135H-C142	6 x 135mm	6 x 135mm	1.50"	M14x2.0
6135-6135H-D142	6 x 135mm	6 x 135mm	1.75"	M14x2.0
6135-6135H-E	6 x 135mm	6 x 135mm	2.00"	M14x1.5
6135-6135H-E142	6 x 135mm	6 x 135mm	2.00"	M14x2.0

WHEEL ADAPTERS

Made of Air Craft
Quality 6061-T6
Aluminum

Anodized
to Protect
from Corrosion

Grade 10.9
Wheel Studs
Constructed from
1045 Carbon Steel



HUB CENTRIC:
Fits tightly to the
Hub and Wheel to
reduce vibration

OFFSET CODE

AA: 20mm
A: 1.00"
B: 1.25"
C: 1.50"
D: 1.75"
E: 2.00"



FORD



*Hub Centric on Vehicle Side Only



6 X 135 TO 6 X 5.50

PART NUMBER	VEHICLE BOLT PATTERN	WHEEL BOLT PATTERN	OFFSET (X)	STUD THREAD
6135-6550H-C	6 x 135mm	6 x 5.50"	1.50"	M14x1.5
6135-6550H-D	6 x 135mm	6 x 5.50"	1.75"	M14x1.5
6135-6550H-E	6 x 135mm	6 x 5.50"	2.00"	M14x1.5

8 X 170 TO 8 X 6.50

PART NUMBER	VEHICLE BOLT PATTERN	WHEEL BOLT PATTERN	OFFSET (X)	STUD THREAD
8170-8650H-E	8 x 170mm	8 X 6.50"	2.00"	M14x1.5

8 X 170 TO 8 X 170


PART NUMBER	VEHICLE BOLT PATTERN	WHEEL BOLT PATTERN	OFFSET (X)	STUD THREAD
8170-8170H-E14	8 x 170mm	8 x 170mm	2.00"	M14x1.5
8170-8170H-E142	8 x 170mm	8 x 170mm	2.00"	M14x2.0



HUB CENTRIC ADAPTER

HUB CENTRIC IS WHEN THE INSIDE DIAMETER OF AN ADAPTER MATCHES THE VEHICLE HUB.

FORD



NEW!

6 X 5.50 TO 6 X 5.50

PART NUMBER	VEHICLE BOLT PATTERN	WHEEL BOLT PATTERN	OFFSET (X)	STUD THREAD
6550-6550H-C931	6 x 5.50"	6 x 5.50"	1.50"	M12x1.5



NEW!


8 X 200 TO 8 X 200

PART NUMBER	VEHICLE BOLT PATTERN	WHEEL BOLT PATTERN	OFFSET (X)	STUD THREAD
8200-8200H-E	8 x 200mm	8 x 200mm	2.00"	M14x1.5

CHEVROLET / GMC


5 X 4.75 TO 5 X 4.75

PART NUMBER	VEHICLE BOLT PATTERN	WHEEL BOLT PATTERN	OFFSET (X)	STUD THREAD
5475-5475H-AA703-12	5 x 4.75"	5 x 4.75"	20mm	M12x1.5
5475-5475H-E703-12	5 x 4.75"	5 x 4.75"	2.00"	M12x1.5




5 X 120 TO 5 X 120

PART NUMBER	VEHICLE BOLT PATTERN	WHEEL BOLT PATTERN	OFFSET (X)	STUD THREAD
5120-5120H-AA72	5 x 120mm	5 x 120mm	20mm	M14x1.5
5120-5120H-B	5 x 120mm	5 x 120mm	1.25"	M14x1.5




5 X 120 TO 5 X 120

PART NUMBER	VEHICLE BOLT PATTERN	WHEEL BOLT PATTERN	OFFSET (X)	STUD THREAD
5120-5120H-AA669	5 x 120mm	5 x 120mm	20mm	M14x1.5



6 X 120 TO 6 X 120

PART NUMBER	VEHICLE BOLT PATTERN	WHEEL BOLT PATTERN	OFFSET (X)	STUD THREAD
6120-6120H-D	6 X 120mm	6 X 120mm	1.75"	M14x1.5




NEW!



CHEVROLET / GMC

8 X 6.50 TO 8 X 6.50

PART NUMBER	VEHICLE BOLT PATTERN	WHEEL BOLT PATTERN	OFFSET (X)	STUD THREAD
8650-8650H-E14	8 x 6.50"	8 x 6.50"	2.00"	M14x1.5
8650-8650H-E	8 x 6.50"	8 x 6.50"	2.00"	9/16 UNF



NEW!

STEEL ADAPTER | 8 X 6.50 TO 8 X 6.50

PART NUMBER	VEHICLE BOLT PATTERN	WHEEL BOLT PATTERN	OFFSET (X)	STUD THREAD
8650-8650HS-E14	8 x 6.50"	8 x 6.50"	2.00"	M14x1.5



8 X 210 TO 8 X 210

PART NUMBER	VEHICLE BOLT PATTERN	WHEEL BOLT PATTERN	OFFSET (X)	STUD THREAD
8210-8210H-E	8 x 210mm	8 x 210mm	2.00"	M14x1.5




**Hub Centric on Vehicle Side Only*




8 X 6.50 TO 8 X 170

PART NUMBER	VEHICLE BOLT PATTERN	WHEEL BOLT PATTERN	OFFSET (X)	STUD THREAD
8650-8170H-E	8 x 6.50"	8 x 170mm	2.00"	M14x1.5




8 X 6.50 TO 8 X 180

PART NUMBER	VEHICLE BOLT PATTERN	WHEEL BOLT PATTERN	OFFSET (X)	STUD THREAD
8650-8180H-E	8 x 6.50"	8 x 180mm	2.00"	M14x1.5




8 X 180 TO 8 X 180


PART NUMBER	VEHICLE BOLT PATTERN	WHEEL BOLT PATTERN	OFFSET (X)	STUD THREAD
8180-8180H-E	8 x 180mm	8 x 180mm	2.00"	M14x1.5



CHEVROLET / GMC



6 X 5.50 TO 6 X 135				
PART NUMBER	VEHICLE BOLT PATTERN	WHEEL BOLT PATTERN	OFFSET (X)	STUD THREAD
6550-6135H-C	6 x 5.50"	6 x 135mm	1.50"	M14x1.5
6550-6135H-D	6 x 5.50"	6 x 135mm	1.75"	M14x1.5
6550-6135H-E	6 x 5.50"	6 x 135mm	2.00"	M14x1.5




6 X 5.50 TO 6 X 5.50				
PART NUMBER	VEHICLE BOLT PATTERN	WHEEL BOLT PATTERN	OFFSET (X)	STUD THREAD
6550-6550H-C	6 x 5.50"	6 x 5.50"	1.50"	M14x1.5
6550-6550H-D	6 x 5.50"	6 x 5.50"	1.75"	M14x1.5
6550-6550H-E	6 x 5.50"	6 x 5.50"	2.00"	M14x1.5



TOYOTA


6 X 5.50 TO 6 X 5.50

PART NUMBER	VEHICLE BOLT PATTERN	WHEEL BOLT PATTERN	OFFSET (X)	STUD THREAD
6550-6550H-B106	6 x 5.50"	6 x 5.50"	1.25"	M12x1.5
6550-6550H-E106	6 x 5.50"	6 x 5.50"	2.00"	M12x1.5




5 X 4.50 TO 5 X 4.50

PART NUMBER	VEHICLE BOLT PATTERN	WHEEL BOLT PATTERN	OFFSET (X)	STUD THREAD
5450-5450H-AA601	5 x 4.50"	5 x 4.50"	20mm	M12x1.5




5 X 150 TO 5 X 150

PART NUMBER	VEHICLE BOLT PATTERN	WHEEL BOLT PATTERN	OFFSET (X)	STUD THREAD
5150-5150H-B110	5 x 150mm	5 x 150mm	1.25"	M14x1.5





HONDA



5 X 4.50 TO 5 X 4.50				
PART NUMBER	VEHICLE BOLT PATTERN	WHEEL BOLT PATTERN	OFFSET (X)	STUD THREAD
5450-5450H-AA64	5 x 4.50"	5 x 4.50"	20mm	M12x1.5

NISSAN



NEW!

6 X 5.50 TO 6 X 5.50

PART NUMBER	VEHICLE BOLT PATTERN	WHEEL BOLT PATTERN	OFFSET (X)	STUD THREAD
6550-6550H-B125	6 x 5.50"	6 x 5.50"	1.25"	M12x1.25
6550-6550H-C125	6 x 5.50"	6 x 5.50"	1.50"	M12x1.25
6550-6550H-D125	6 x 5.50"	6 x 5.50"	1.75"	M12x1.25
6550-6550H-E125	6 x 5.50"	6 x 5.50"	2.00"	M12x1.25

5 X 4.50 TO 5 X 4.50


PART NUMBER	VEHICLE BOLT PATTERN	WHEEL BOLT PATTERN	OFFSET (X)	STUD THREAD
5450-5450H-AA661	5 x 4.50"	5 x 4.50"	20mm	M12x1.25



JEEP


5 X 4.50 TO 5 X 5.00

PART NUMBER	VEHICLE BOLT PATTERN	WHEEL BOLT PATTERN	OFFSET (X)	STUD THREAD
5450-5500H-B	5 x 4.50"	5 x 5.00"	1.25"	1/2 UNF
5450-5500H-C	5 x 4.50"	5 x 5.00"	1.50"	1/2 UNF
5450-5500H-C14	5 x 4.50"	5 x 5.00"	1.50"	M14x1.5




5 X 5.00 TO 5 X 5.00

PART NUMBER	VEHICLE BOLT PATTERN	WHEEL BOLT PATTERN	OFFSET (X)	STUD THREAD
5500-5500H-B	5 x 5.00"	5 x 5.00"	1.25"	1/2 UNF
5500-5500H-C	5 x 5.00"	5 x 5.00"	1.50"	1/2 UNF
5500-5500H-C14	5 x 5.00"	5 x 5.00"	1.50"	M14x1.5
5500-5500H-D	5 x 5.00"	5 x 5.00"	1.75"	1/2 UNF
5500-5500H-D14	5 x 5.00"	5 x 5.00"	1.75"	M14x1.5



5 X 4.50 TO 5 X 4.50

PART NUMBER	VEHICLE BOLT PATTERN	WHEEL BOLT PATTERN	OFFSET (X)	STUD THREAD
5450-5450H-B	5 x 4.50"	5 x 4.50"	1.25"	M14x1.5




HUB CENTRIC WHEEL ADAPTERS




RAM

6 X 5.50 TO 6 X 5.50

PART NUMBER	VEHICLE BOLT PATTERN	WHEEL BOLT PATTERN	OFFSET (X)	STUD THREAD
6550-6550H-C14	6 x 5.50"	6 x 5.50"	1.50"	M14x1.5
6550-6550H-D14	6 x 5.50"	6 x 5.50"	1.75"	M14x1.5
6550-6550H-E14	6 x 5.50"	6 x 5.50"	2.00"	M14x1.5



HYUNDAI



5 X 4.50 TO 5 X 4.50				
PART NUMBER	VEHICLE BOLT PATTERN	WHEEL BOLT PATTERN	OFFSET (X)	STUD THREAD
5450-5450H-AA67	5 x 4.50"	5 x 4.50"	20mm	M12x1.5


DUAL DRILL WHEEL ADAPTERS

Coyote's Dual-Drill adapters reduce inventory by covering multiple fitment applications per part number. Each adapter can reduce inventory by nearly half while still having all the necessary sizes on hand.




DUAL DRILL				
PART NUMBER	VEHICLE BOLT PATTERN	WHEEL BOLT PATTERN	OFFSET (X)	STUD THREAD
6550/135-6135-CF	6 x 5.50" / 6 x 135mm	6 x 135mm	1.50"	M14x1.5
6550/135-6135-DF	6 x 5.50" / 6 x 135mm	6 x 135mm	1.75"	M14x1.5

DUAL DRILL				
PART NUMBER	VEHICLE BOLT PATTERN	WHEEL BOLT PATTERN	OFFSET (X)	STUD THREAD
6550/135-6550-CF	6 x 5.50" / 6 x 135mm	6 x 5.50"	1.50"	M14x1.5
6550/135-6550-DF	6 x 5.50" / 6 x 135mm	6 x 5.50"	1.75"	M14x1.5




DUAL DRILL				
PART NUMBER	VEHICLE BOLT PATTERN	WHEEL BOLT PATTERN	OFFSET (X)	STUD THREAD
5100/425-5450-B	5 x 100mm / 5 x 4.25"	5 x 4.50"	1.25"	M12x1.5
5100/425-5475-B	5 x 100mm / 5 x 4.25"	5 x 4.75"	1.25"	M12x1.5
5110/112-5450-B	5 x 110mm / 5 x 112mm	5 x 4.50"	1.25"	M12x1.5
5110/112-5475-B	5 x 110mm / 5 x 112mm	5 x 4.75"	1.25"	M12x1.5
5450/475-5112-B	5 x 4.50" / 5 x 4.75"	5 X 112mm	1.25"	M12x1.5
5450/475-5425-B	5 x 4.50" / 5 x 4.75"	5 x 4.25"	1.25"	M12x1.5
5450/475-5450-B	5 x 4.50" / 5 x 4.75"	5 x 4.50"	1.25"	M12x1.5
5450/475-5475-B	5 x 4.50" / 5 x 4.75"	5 x 4.75"	1.25"	M12x1.5

DUAL DRILL				
PART NUMBER	VEHICLE BOLT PATTERN	WHEEL BOLT PATTERN	OFFSET (X)	STUD THREAD
5500/550-5135-B	5 x 5.00" / 5 x 5.50"	5 X 135mm	1.25"	M12x1.5
5500/550-5450-B	5 x 5.00" / 5 x 5.50"	5 x 4.50"	1.25"	M12x1.5
5500/550-5475-B	5 x 5.00" / 5 x 5.50"	5 x 4.75"	1.25"	M12x1.5
5500/550-5500-B	5 x 5.00" / 5 x 5.50"	5 x 5.00"	1.25"	M12x1.5
5500/550-5550-B	5 x 5.00" / 5 x 5.50"	5 x 5.50"	1.25"	M12x1.5
5135/550-5135-B	5 x 135mm / 5 x 5.00"	5 x 135mm	1.25"	M12x1.5



DUAL DRILL




DUAL DRILL

PART NUMBER	VEHICLE BOLT PATTERN	WHEEL BOLT PATTERN	OFFSET (X)	STUD THREAD
5135/500-5450-B	5 x 135mm / 5 x 5.00"	5 x 4.50"	1.25"	M12x1.5
5135/500-5475-B	5 x 135mm / 5 x 5.00"	5 x 4.75"	1.25"	M12x1.5


DUAL DRILL

PART NUMBER	VEHICLE BOLT PATTERN	WHEEL BOLT PATTERN	OFFSET (X)	STUD THREAD
4425/450-4100-A	4 x 4.25" / 4 x 4.50"	4 x 100mm	1.00"	M12x1.5



DUAL DRILL

PART NUMBER	VEHICLE BOLT PATTERN	WHEEL BOLT PATTERN	OFFSET (X)	STUD THREAD
6450/500-6550-B	6 x 4.50" / 6 x 5.00"	6 x 5.50"	1.25"	M12x1.5




DUAL DRILL

PART NUMBER	VEHICLE BOLT PATTERN	WHEEL BOLT PATTERN	OFFSET (X)	STUD THREAD
6450/500-6550-B	6 x 4.50" / 6 x 5.00"	6 x 5.50"	1.25"	M12x1.5

DUAL DRILL

PART NUMBER	VEHICLE BOLT PATTERN	WHEEL BOLT PATTERN	OFFSET (X)	STUD THREAD
5450/475-5135-B	5 x 4.50" / 5 x 4.75"	5 x 135mm	1.25"	M12x1.5
5450/475-5500-B	5 x 4.50" / 5 x 4.75"	5 x 5.00"	1.25"	M12x1.5
5500/475-5450-B	5 x 5.00" / 5 x 4.75"	5 x 4.50"	1.25"	M12x1.5



DUAL DRILL

PART NUMBER	VEHICLE BOLT PATTERN	WHEEL BOLT PATTERN	OFFSET (X)	STUD THREAD
5150/550-5150-C	5 x 150mm / 5 x 5.50"	5 x 150mm	1.50"	M14x1.5




DUAL DRILL

PART NUMBER	VEHICLE BOLT PATTERN	WHEEL BOLT PATTERN	OFFSET (X)	STUD THREAD
5150/550-5150-C	5 x 150mm / 5 x 5.50"	5 x 150mm	1.50"	M14x1.5


DUAL DRILL

PART NUMBER	VEHICLE BOLT PATTERN	WHEEL BOLT PATTERN	OFFSET (X)	STUD THREAD
5135/500-5550-B	5 x 135mm / 5 x 5.00"	5 x 5.50"	1.25"	M14x1.5



DUAL DRILL


PART NUMBER	VEHICLE BOLT PATTERN	WHEEL BOLT PATTERN	OFFSET (X)	STUD THREAD
5450/475-5550-B	5 x 4.50" / 5 x 4.75"	5 x 5.50"	1.25"	M12x1.5



DUAL DRILL

PART NUMBER	VEHICLE BOLT PATTERN	WHEEL BOLT PATTERN	OFFSET (X)	STUD THREAD
5450/475-5550-B	5 x 4.50" / 5 x 4.75"	5 x 5.50"	1.25"	M12x1.5

SINGLE DRILL WHEEL ADAPTERS




8 X 170 TO 8 X 170

PART NUMBER	VEHICLE BOLT PATTERN	WHEEL BOLT PATTERN	OFFSET (X)	STUD THREAD
8170-8170-E	8 x 170mm	8 x 170mm	2.00"	9/16 UNF
8170-8170N-E	8 x 170mm	8 x 170mm	2.00"	M14x1.5
8170-8170M-E	8 x 170mm	8 x 170mm	2.00"	M14x2.0

8 X 6.50 TO 8 X 6.50

PART NUMBER	VEHICLE BOLT PATTERN	WHEEL BOLT PATTERN	OFFSET (X)	STUD THREAD
8650-8650-E	8 x 6.50"	8 x 6.50"	2.00"	9/16 UNF
8650-8650M-E	8 x 6.50"	8 x 6.50"	2.00"	M14x1.5



5 X 135 TO 5 X 4.50

PART NUMBER	VEHICLE BOLT PATTERN	WHEEL BOLT PATTERN	OFFSET (X)	STUD THREAD
5135-5450-C	5 x 135mm	5 x 4.50"	1.50"	M14x1.5



DIE CAST WHEEL SPACERS



THE PERFECT FIX FOR MINOR CLEARANCE ISSUES

Coyote Accessories offers an array of wheel spacers for autos, trucks, and SUVs. Made of high-strength die cast aluminum and shot peened for additional resistance to cracking.

4 LUG



8MM THICK

PART #	DESCRIPTION
--------	-------------

911120	4 LUG [100MM/4.25 TO 120MM/4.75 BC]
--------	-------------------------------------

4 & 5 LUG



3MM THICK

PART #	DESCRIPTION
--------	-------------

911122	4/5 LUG [100MM/4.25 TO 120MM 4.75 BC]
--------	---------------------------------------

4 & 5 LUG



5MM THICK

PART #	DESCRIPTION
--------	-------------

911129	4 & 5 LUG [100MM/4.25 TO 120MM/4.75 BC]
--------	---

5 LUG



5MM THICK

PART #	DESCRIPTION
--------	-------------

911124	5 LUG [100MM/4.25 TO 120MM/4.75 BC]
--------	-------------------------------------

5 LUG



8MM THICK

PART #	DESCRIPTION
--------	-------------

911128	5 LUG [100MM/4.25 TO 120MM 4.75 BC]
--------	-------------------------------------

5 LUG




8MM THICK

PART #	DESCRIPTION
--------	-------------

911125	5 LUG [108MM/4.25 TO 135MM/5.00 BC]
--------	-------------------------------------


DIE CAST

Coyote Accessories wheel spacers are die cast. Die casting is the metallurgical process of pouring molten metal into a mold cavity that has been created to replicate the desired part. After the molten aluminum solidifies, the part is removed for additional processes to prepare the part for use in its intended application.



FINISH

Coyote Accessories wheel spacers have a shot peened finish. Shot Peening is a cold working process in which small spherical media called shot bombard the surface of the part. During the shot peening process each piece of the shot that strikes the material acts as a tiny peening hammer, imparting to the surface a small indentation or dimple. Below the surface, the material tries to restore its original shape, thereby producing below the dimple, a hemisphere of cold-worked material highly stressed in compression.



5 LUG



12MM THICK

PART #	DESCRIPTION
911125T	5 LUG [108MM/4.25 TO 135MM/5.00 BC]

5 & 6 LUG



6MM THICK

PART #	DESCRIPTION
911130	5 & 6 LUG [135MM/5.50 BC]

5 & 6 LUG



12MM THICK

PART #	DESCRIPTION
911130T	5 & 6 LUG [135MM/5.50 BC]

8 LUG



6MM THICK

PART #	DESCRIPTION
911136	8 LUG [180MM/170MM/6.50 BC]

DIE CAST SPACER THICKNESSES AVAILABLE:

- 3mm
- 5mm
- 6mm
- 8mm
- 12mm



HUB CENTRIC RINGS

HUB CENTRIC RINGS

CREATE THE EXACT FIT



Hub Centric Rings create an exact fit between the center bore of a wheel and the hub of the vehicle. Wheels that are not hub centric can result in movement between wheel and hub during cornering and acceleration, which can cause vibration, excessive wheel bearing wear, and possible structural failure of the lugs.

VEHICLE HUB DIAMETER (CAR)	OUTSIDE DIAMETER									
	60MM	66MM	67MM	70MM	72MM	73MM	74MM	76MM	78MM	82MM
54.10		66-5410	67-5410	70-5410	72-5410	73-5410	74-5410			
56.10	60-5610		67-5610	70-5610	72-5610	73-5610	74-5610			
56.60					72-5660		74-5660			
56.91						73-5691				
57.10		66-5710	67-5710		72-5710	73-5710	74-5710		78-5710	
58.50				70-5850	72-5850		74-5850			
59.10						73-5910				
59.20							74-5920			
59.60							74-5960			
60.10		66-6010	67-6010		72-6010	73-6010	74-6010		78-6010	
63.10			67-6310							
63.40					72-6340	73-6340	74-6340		78-6340	
63.90					72-6390	73-6390	74-6390			
64.10			67-6410		72-6410	73-6410	74-6410			
65.10			67-6510		72-6510	73-6510	74-6510			
65.96					72-6596					
66.10					72-6610	73-6610	74-6610	76-6610	78-6610	
66.56					72-6656	73-6656	74-6656		78-6656	82-6656
66.90					72-6690	73-6690	74-6690		78-6690	
67.10					72-6710	73-6710	74-6710		78-6710	
68.10									78-6810	
69.70					72-6970					
70.10					72-7010	73-7010	74-7010			
70.30					72-7030	73-7030	74-7030		78-7030	
70.50					72-7050	73-7050	74-7050			
71.50					72-7150	73-7150	74-7150		78-7150	
72.56						73-7256	74-7256		78-7256	
74.10									78-7410	

ALUMINUM HUB RING AVAILABLE IN MOST 72 & 73MM OD'S | ADD "M" TO THE END OF THE PART #

PACKAGING

Coyote Hub Rings are packaged in a click and seal case that contains 4 pieces. All of Coyote Premium Wheel Accessories' products come packaged in High-strength, durable inner and outer packaging.



87-7150

Hub Ring | 87mm OD (4 Pack)
71.5mm ID

Each case has a large product identification label.

HUB RING PART IDENTIFICATION

87-7150

Hub Ring Outer Diameter = 87mm

Hub Ring Inner Diameter = 71.50mm

VEHICLE HUB DIAMETER (TRUCK)	OUTSIDE DIAMETER									
	83MM	84MM	87MM	93MM	100MM	106MM	108MM	110MM	125MM	130MM
60.10			87-6010							
66.10				93-6610						
66.56			87-6656							
66.90			87-6690							
67.10				93-6710		106-6710				
70.30	83-7030		87-7030							
70.50	83-7050									
71.50	83-7150		87-7150							
72.56			87-7256							
77.80			87-7780			106-7780	108-7780	110-7780		
78.10			87-7810	93-7810		106-7810	108-7810	110-7810		
78.20		84-7820								
87.10						106-8710	108-8710	110-8710		
93.10					100-9310	106-9310				
100.50						106-1005	108-1005	110-1005		
106.10							108-1061	110-1061		
108.00								110-1080		
117.00									125-1170	130-1170
121.30									125-1220	130-1220
124.90										130-1249

COMMON HUB RING APPLICATIONS

MAKE	HUB DIA	REV PART #
Audi	57.10	-5710
Honda/Acura	64.15	-6410
BMW	72.56	-7256
GM (Pass)	70.30	-7030
GM (Truck)	78.10	-7810
Chrysler (Pass)	71.50	-7150
Dodge (Pass)	71.50	-7150
Ram	77.80	-7780
Ford (Pass)	70.50	-7050
Ford (Truck)	87.10	-8710

MAKE	HUB DIA	REV PART #
HYUNDAI	67.10	-6710
NISSAN/INFINITI (PASS)	66.10	-6610
NISSAN/INFINITI (TRUCK)	77.80	-7780
JEEP	71.50	-7150
TOYOTA/LEXUS (PASS)	60.10	-6010
MERCEDES	66.56	-6656
SUBARU	56.10	-5610
TOYOTA/LEXUS (TRUCK)	106.10	-1061
VW	57.10	-5710
VOLVO	65.10	-6510

VINTAGE WHEEL CAPS



RALLYE (7 INCH)



CHEVY POLICE WITH BOWTIE

PART#	FINISH
1000C	CHROME
1000S	STAINLESS

PLAIN

PART#	FINISH
1002C	CHROME
1002S	STAINLESS

BABY MOON STYLE

PART#	FINISH
1008	CHROME

BULLET 1PC SHANNON CONE STYLE

PART#	FINISH
1022BU	CHROME



NON-DISC BRAKE

PART#	FINISH
1014NDC	CHROME
1014NDS	STAINLESS

DISC BRAKE

PART#	FINISH
1014C	CHROME
1014S	STAINLESS

DISC BRAKE BASE

PART#	FINISH
1016C	CHROME
1016S	STAINLESS



DERBY WITH BOWTIE

PART#	FINISH
1012BOW	CHROME

PLAIN DERBY

PART#	FINISH
1012NL	CHROME

DERBY BASE

PART#	FINISH
1012BASE	CHROME



SMOOTHIE (7.5 INCH)



BABY MOON STYLE

PART#	FINISH
1009	CHROME



BULLET 1PC SHANNON CONE STYLE

PART#	FINISH
1023BU	CHROME



PLAIN

PART#	FINISH
1003C	CHROME

OE



OE CHEVY

PART#	FINISH
1041	CHROME



'50 MERC

PART#	FINISH
2014	CHROME





CHRYSLER RALLYE



CHRYSLER VINTAGE CAP

PART#	FINISH
2027	DARK GRAY



CHRYSLER VINTAGE CAP

PART#	FINISH
2027-A	LIGHT GRAY

PONTIAC RALLYE



PONTIAC VINTAGE CAP

PART#	FINISH
2026	CHROME



PONTIAC VINTAGE CAP

PART#	FINISH
2026B	BLACK

PUSH-THRU BULLET



CHROME PUSH-THRU BULLET

PART#	DESCRIPTION
10960BULLET	BULLET 3.30" OD



CHROME PUSH-THRU BULLET

PART#	DESCRIPTION
10347BULLET	BULLET 3.195" OD

WHEEL CAPS

Coyote Accessories carries Push-Thru center caps for many wheel manufacturers. Center caps come in Chrome and Black finish.

PUSH-THRU CAPS



WHEEL HOLE ID: 5.15"				
CHROME	899060	10963	10964	10965
BLACK	899060BLK	10963BLK	10964BLK	10965BLK



WHEEL HOLE ID: 4.25"			
CHROME	10962	10961	898026
BLACK	10962BLK	10961BLK	898026BLK



WHEEL HOLE ID: 3.30"	
CHROME	10960



WHEEL HOLE ID: 2.935"	
CHROME	10959




MAG/SHANK

LUG NUTS




STD MAG | 13/16" HEX




THREAD	BULK	KITS	
		5 LUG	6 LUG
7/16 UNF	812109		
1/2 UNF	812111		
1/2 UNF LH	812115		
M12x1.25	812120		
M12x1.5	812116		
M12x1.5 LH	812117		

OE STD MAG | 13/16" HEX




THREAD	BULK	KITS	
		5 LUG	6 LUG
7/16 UNF	811140		
1/2 UNF	811142		
M12x1.5	811145		

CRAGAR SST | 13/16" HEX



THREAD	BULK	KITS	
		5 LUG	6 LUG
7/16 UNF	832109		
1/2 UNF	832111		
M12x1.5	832116		
M12x1.25	832120		

OE CRAGAR SST | 13/16" HEX




THREAD	BULK	KITS	
		5 LUG	6 LUG
7/16 UNF	891140		
1/2 UNF	891142		

SHORT SHANK | 13/16" HEX




THREAD	BULK	KITS	
		5 LUG	6 LUG
7/16 UNF	851140		
1/2 UNF	851142		
M12x1.5	851144		
M12x1.25	851145		

OE SHORT SHANK | 13/16" HEX



THREAD	BULK	KITS	
		5 LUG	6 LUG
7/16 UNF	821140		
1/2 UNF	821142		

SHORT MAG | 13/16" HEX



THREAD	BULK	KITS	
		5 LUG	6 LUG
7/16 UNF	812121		
1/2 UNF	812123		
M12x1.5	812133		

LONG MAG | 13/16" HEX



THREAD	BULK	KITS	
		5 LUG	6 LUG
7/16 UNF	822109		
1/2 UNF	822111		
M12x1.5	822116		
M12x1.25	822120		

DUALY MAG | 1" HEX



THREAD	BULK	KITS		
		5 LUG	6 LUG	8 LUG
M14x2.0	871174			
9/16 UNF	871187			
M14x1.5	871188			


DUALY ACORN | 11/16" HEX



THREAD	BULK	KITS		
		5 LUG	6 LUG	8 LUG
9/16 UNF	871195			87K895

WASHERS

Coyote Accessories washers are top quality. Wheel Manufacturers like Keystone, American Racing and Cragar use shank style lug nuts. Off-Center and On-Center washers were designed to be used on mag-style wheels that have oblong holes to accommodate for different bolt circles.



PART #	812170	812171	812172	812173
DESCRIPTION	STANDARD MAG	DUALIE MAG	DUPLEX MAG	ACORN SEAT TO BALL SEAT
FINISH	ZINC	ZINC	ZINC	ZINC



PART #	812174	812175	812176C	812177C
DESCRIPTION	KEYSTONE ON CENTER	KEYSTONE OFF CENTER	CRAGAR ON CENTER	CRAGAR OFF CENTER
FINISH	ZINC	ZINC	CHROME	CHROME

3-PIECE WHEEL HARDWARE



12 POINT CHROME STEEL	
BULK	DESCRIPTION
33012	8mm 1.25 (1.25 Long)
33017	8mm 1.25 (1.125 Long)
33019	8mm 1.25 (1.375 Long)



SERRATED NUTS	
BULK	DESCRIPTION
33011	8mm 1.25 Serrated Nut

WHEEL STUDS

All studs have Hex for easy installation



THREAD	1.50" LONG	1.75" LONG	2.25" LONG
M14x1.5	822148	822148L	822148XL



THREAD	1.50" LONG	1.75" LONG	2.00" LONG	2.25" LONG
M12x1.25	822124	822124L		

M12x1.5 822126 822126L 822126-2 822126-XL



THREAD	1.50" LONG	1.75" LONG
1/2" UNF	822132	822132L



THREAD	1.50" LONG	1.75" LONG	2.25" LONG
A: M12x1.5 B: M14x1.25	822149	822149L	822149XL



THREAD	1.50" LONG	1.75" LONG	2.25" LONG
A: 1/2" UNF B: M14x1.5	822142	822142L	822142XL



THREAD	1.75" LONG
A: M12x1.5 B: M14x1.5	822128

WHEEL DISPLAYS



Reusable • Compact • Easy to Carry



FREE STANDING DISPLAY RACK

PART #	FINISH	DESCRIPTION
999920	Black	6 Wheels (13" to 24")

89HOOK



90HOOK



899041



ACCESSORIES

PART#	SIZE
89HOOK	WHEEL HOOK - SCREW IN
90HOOK	WHEEL HOOK - SLOT WALL
899041	DISPLAY LUG NUT



CLOTH COVERS

PART#	SIZE
991517	15" to 17"
991820	18" to 20"
992022	20" to 22"
992224	22" to 24"

WHEEL WEIGHTS

WHEEL WEIGHTS

FIND YOUR BALANCE



Coyote Accessories offers wheel weights for all applications, with a wide selection of weight increments, OEM styles, and coatings to choose from.

MADE IN USA ADHESIVE

Easy to tear paper backing.
High strength adhesive sticks fast and last longer.

LOW PROFILE:

Our 1/4 oz weight is low profile for brake caliper clearance.



ATTRACTIVE PACKAGING

AFFIXED WITH CLEAR, EASY TO READ LABELS.



Coyote adhesive wheel weights are packaged in new colorful boxes. Coyote is committed to providing the best overall user experience and maintain the highest standards of quality and performance in the industry. Leverage this commitment by passing along more value and consistency to your customers.

MADE IN USA
ADHESIVE

SIDE VIEW 3MM
0.12"

1/4 OZ WHEEL WEIGHT 52 - 3 OZ STRIPS	
PART #	10005F 10005B
FINISH	SILVER BLACK

MADE IN USA
ADHESIVE

SIDE VIEW 3MM
0.12" R210
CURVED TO FIT WHEEL

1 OZ WHEEL WEIGHT TAPE 32 - 6 OZ STRIPS	
PART #	10012F 10012B
FINISH	SILVER BLACK

MADE IN USA
ADHESIVE

SIDE VIEW 6.1MM
0.24" R210

1/2 OZ WHEEL WEIGHT 52 - 3 OZ STRIPS	
PART #	10010F 10010B
FINISH	SILVER BLACK

POWDER COATED

All our adhesive style wheel weights have a premium powder coating finish resistant to chipping and scratching. Our coating also helps prevent damage and corrosion to the rims finish. Our coating meets OE corrosion resistance standards.



Breakaway Testing - Specimen is pulled off using a constant rate of 20in/min @ 22C (72F)
*Acceptable Range 36.8 - 55.2 lbf.

Peel Testing - Specimens is pulled apart at a rate of 1in/min @ 22C (72F)
*Acceptable Range 2.8 - 5.2 lbf.


STEEL (LEAD FREE)



As environmental concerns of the use of lead are on the rise many states have mandated wheel weights must be free of lead. Coyote Adhesive wheel weights are made from steel and are safe for the environment.

PERFORMANCE

RSC contracts an independent laboratory to batch test adhesive wheel weights to insure consistent performance and reliability of the product being provided to the customer. The provided specimens are randomly selected from a batch of finished goods and sent to the laboratory for testing. Specimens are attached to 304 stainless steel dollies and substrate and tested using custom fixtures. Test results are provided using Instron test equipment.



SIDE VIEW
6.1MM
0.24"




1/2 OZ WHEEL WEIGHT | 30 - 6 OZ STRIPS

PART #	10006F	10006B
FINISH	SILVER	BLACK

ADHESIVE ROLL



SIDE VIEW
3MM
0.12"




1/4 OZ WHEEL WEIGHT ROLL | 715 SEGMENTS

PART #	10009F
FINISH	SILVER

COST-EFFECTIVE OPTION



SIDE VIEW
3MM
0.12"



1/4 OZ WHEEL WEIGHT TAPE | 32 - 6 OZ STRIPS

PART #	10014F	10014B
FINISH	SILVER	BLACK



WRENCH

COYOTE MONKEY WRENCH




- 2X TORQUE compared to standard lug wrenches
- 21" Telescoping Handle
- Thin Wall Flip Sockets Included (17mm/19mm and 13/16" / 7/8")
- Carrying Pouch included

PACKAGING

Available for purchase in
Clamshell or Box



Every clamshell and box
includes nylon storage bag



MONKEY WRENCH

PART #	DESCRIPTION
980002T	Wrench & Thin Wall Flip Socket (17-19mm & 13/16-7/8) in CLAM SHELL
980002TC	Wrench & Thin Wall Flip Socket (17-19mm & 13/16-7/8) in BOX



THIN WALL SOCKET (1/2" DRIVE)

PART#	DESCRIPTION
980002-3	13/16
980002-4	3/4



FLIP SOCKET (1/2" DRIVE)

PART#	DESCRIPTION
980002-1	13/16 & 7/8
980002-2	17mm & 19mm



THIN WALL FLIP SOCKET (1/2" DRIVE)

PART#	DESCRIPTION
980002-12	13/16 & 7/8
980002-11	17mm & 19mm



FLIP SOCKET (1/2" DRIVE)

PART#	DESCRIPTION
980002-5	Extension

THIN WALL SOCKETS



13/16" SOCKET

PART#	DESCRIPTION
10384	13/16 Socket w/ 13/16 & 3/4 Hex (3/8 Drive) 27.3mm / 1.07 OD



13/16" SOCKET

PART#	DESCRIPTION
10384-2	13/16 Socket w/ 7/8 & 3/4 Hex (3/8 Drive) 27.3mm / 1.07 OD



3/4" SOCKET

PART#	DESCRIPTION
10384-3	3/4 Socket w/ 7/8 & 3/4 Hex (3/8 Drive) 27.3mm / 1.07 OD



17MM SOCKET

PART#	DESCRIPTION
10384-4	17mm Socket w/ 19mm & 17mm Hex (3/8 Drive) 24.3mm / 0.95 OD

THIN WALL SOCKETS



4 WAY FOLDING WRENCH

PART#	DESCRIPTION
980001	17mm, 19mm-3/4, 21mm-13/16, 7/8 Socket



16PC LOCKING LUG NUT KEY SET

PART#	DESCRIPTION
JS-78537	16PC Master Key Set



KIT INCLUDES:

- Car Spline [5,6,7 & 8 Sided]
- Truck Spline [6 & 7 Sided]
- Car Tuner [6,8,9 & 10 Sided]
- Truck Tuner [6,8,10 & 12 Sided]
- SAE and Metric
- Durable blow molded plastic case with locking clips

PNEUMATIC TOOLS | 1/2" DRIVE



- Twin hammer impact wrench with variable speed trigger
- 400ft-lb max Torque
- Steel Hammer case provides maximum protection

DRIVE IMPACT WRENCH

PART#	DESCRIPTION
JS-102-4	IMPACT WRENCH



FLIP IMPACT SOCKET

PART#	DESCRIPTION
JS-301150	3/4" & 13/16"



DEEP IMPACT SOCKET

PART#	DESCRIPTION
JS-78287	17mm



DEEP IMPACT SOCKET

PART#	DESCRIPTION
JS-78276	7/8"

GAUGES



THREAD GAUGE

PART#	DESCRIPTION
11005	7/16, 1/2, 9/16, 12mm 1.25-1.50-1.75, 14mm 1.50-2.00




PCO GAUGE

PART#	DESCRIPTION
11425	For 4, 5, 6, & 8 Lug Bolt Patterns



VALVE STEMS



VALVE STEMS

PASSENGER RUBBER



PART #	897230	TR412	897240	TR413	TR600HP	TR414	897250	TR418	TR423
HOLE DIA.	0.453	0.453	0.625	0.453	0.453	0.453	0.453	0.453	0.453
FINISH	Chrome	Rubber	Chrome	Rubber	Rubber	Rubber	Chrome	Rubber	Rubber

TRUCK



PART #	TR510	TR509	TR545D	TR415	TR501	TR501-OVAL	TR416	TR500	TR572	TR573
HOLE DIA.	0.625	0.625	0.625	0.625	0.625	0.625	0.625	0.625	0.625	0.625

VALVE STEM ACCESSORIES



PART #	TR413-SLEEVE	TR413FS	TR412-SLEEVE	TR412-FS	897210G	897270LG	897270SG
HOLE DIA.	TR413 SLEEVE	TR413 FULL SLEEVE	TR412 SLEEVE	TR412 FULL SLEEVE	GROGNET	LARGE GROGNET	SMALL GROGNET

COYOTE OFFERS THREE BASIC TYPES OF VALVE STEMS USED IN TUBELESS TIRE APPLICATIONS:

- Snap-In
- High Pressure Snap-In
- High-pressure metal clamp-in
 - 30% EPDM

PASSENGER METAL



PART #	897271	897276	897270	897272	897290	897210	897248	897280	005016
HOLE DIA.	0.453	0.453	0.453	0.453	0.453	0.236	0.453	0.453	0.453
INFO	FOR THREE PIECE WHEEL				60 Degree	Outer Mount	Inner Mount	Inner Mount	Flush Mount

TPMS RUBBER VALVES



PART #	930-20008	930-20008HP	930-20009	930-20010	930-20011	90-50000	90-50001
INFO					NEW		



STANDARD TPMS MOUNT. FITS SCHRADER OE SENSORS & MANY AFTERMARKET INCLUDING ORO-TEK



CLIP-IN VALVE. SIEMENS / VDO



SQUARE NIPPLE MOUNT. FIT MANY 2014+ CHRYSLER VEHICLES

VALVE STEM ACCESSORIES



PART #	897201	897200R	897200	TRCAP	897210N
DESCRIPTION	NITROGEN CAP	ROUND HEAD	FLAT HEAD	BLACK RUBBER CAP	NUT FOR 897210

TPMS ACCESSORIES

TPMS METAL VALVES



PART # 897270TPMS



This valve is used on multi-piece wheels where the valve protrudes through one of the assembly bolt holes. It includes a loop for installing sensor. It can be used for OE bolt-in style TPMS sensors when you are faced with adaptation issues, which occur with many aftermarket wheels with low profile tires or valve hole angles which differ from the OE wheels.



PART # 897210TPMS



This valve is used to hold OE bolt-in TPMS sensors when you are faced with adaptation issues, which occur with many aftermarket wheels with low profile tires or valve hole angles which differ from the OE wheels.



PART # 897210TPMS-1



Use when Customer prefers metal stem with their OE snap-in rubber stem sensor. Used in place of 930-20008.



PART # 897280TPMS-1

STRAPS AND STRAPS KITS



PART # 22102
COMMON USE FORD SENSOR KEEPER



Sensor Keeper works with FORD Banded sensor. Keeper locks sensor into the bracket.



PART # 22100
COMMON USE STAINLESS STEEL STRAP



Stainless Steel Strap works with OEM Ford Sensor on aftermarket wheels from 17"-20" in diameter and accepts the OEM Bracket.



PART # 22103
COMMON USE TPMS SENSOR BRACKET



TPMS bracket is made from 304 stainless steel and is backed with Hi-Temp adhesive. The bracket is very versatile. used with our TPMS strap part #22100 it adapts sensors to large diameter aftermarket wheels. Additionally it can be used to hold Bolt-in and Strap-in style TPMS sensors when you are faced with adaptation issues, which occur with many aftermarket wheels with low profile tires or valve hole angles which differ from the OE wheels.



PART # 22105
COMMON USE TPMS STRAP KIT



Stainless Steel Strap constructed of 304 Stainless Steel exceed OEM's Torque Specifications. Straps are very easy to install just fit around center of wheel, trim off excess, install TPMS Bracket and tighten with screwdriver. Kit includes 4 ea 22100 Straps, 4 ea 22102 Ford sensor keepers, and 4 ea 22103 TPMS sensor brackets.

VALVE HOLE ADAPTERS



PART # 897277
COMMON USE NIPPLE FIT



PART # 897278
COMMON USE LOOP FIT



PART # 897275
COMMON USE FOR BERU / HUFF

