# **PRODUCT CATALOG**

# **TABLE OF CONTENTS**



EXPERIN				
LUBRICAN	ITS			
C10	Break Away4			
C300	Fusion 3.04			
C320	Liqui Shield4			
C123	Red Grease4			
C34	White Grease4			
C33V	Silicone Spray5			
C305	ZLube 10 oz5			
C305INTL	ZLube International 10 oz5			
C306INTL	ZLube International 5.5 oz5			
C307INTL	ZLube International 3.3 oz5			
C400	Faster5			
C3322	Dry Moly5			
C661	Chain Lube5			
	ITIVES8			
C44	Max44 Gasoline8			
C44B	Max44 Gasoline 8 oz8			
C43	Gas Treatment8			
C40	Fuel Injector Clean Up8			
C41	Fuel Injector & Carb Clean8			
C47	Octane Boost9			
C290	Fuel Stabilizer 8 fl oz9			
C292	Fuel Stabilizer 32 fl oz9			
	DDITIVES			
C44D	Max44 Diesel 10			
C44D C260	Max44 Diesel10 6XT Diesel Fuel Treatment 12 fl oz10			
C44D C260 C261	Max44 Diesel			
C44D C260 C261 C285	Max44 Diesel			
C44D C260 C261 C285 C24	Max44 Diesel106XT Diesel Fuel Treatment 12 fl oz106XT Diesel Fuel Treatment 8 fl oz10Diesel Water Remover10Diesel Fuel Treatment & Anti-Gel 32 fl oz10			
C44D C260 C261 C285 C24 CDFA	Max44 Diesel106XT Diesel Fuel Treatment 12 fl oz106XT Diesel Fuel Treatment 8 fl oz10Diesel Water Remover10Diesel Fuel Treatment & Anti-Gel 32 fl oz10Diesel Fuel Treatment & Anti-Gel 3 fl oz10			
C44D C260 C261 C285 C24 CDFA C23	Max44 Diesel106XT Diesel Fuel Treatment 12 fl oz106XT Diesel Fuel Treatment 8 fl oz10Diesel Water Remover10Diesel Fuel Treatment & Anti-Gel 32 fl oz10Diesel Fuel Treatment & Anti-Gel 8 fl oz10Diesel Fuel Treatment & Anti-Gel 8 fl oz10Diesel Fuel Treatment Year Round11			
C44D C260 C261 C285 C24 CDFA	Max44 Diesel106XT Diesel Fuel Treatment 12 fl oz106XT Diesel Fuel Treatment 8 fl oz10Diesel Water Remover10Diesel Fuel Treatment & Anti-Gel 32 fl oz10Diesel Fuel Treatment & Anti-Gel 3 fl oz10			
C44D C260 C261 C285 C24 CDFA C23 C21	Max44 Diesel106XT Diesel Fuel Treatment 12 fl oz106XT Diesel Fuel Treatment 8 fl oz10Diesel Water Remover10Diesel Fuel Treatment & Anti-Gel 32 fl oz10Diesel Fuel Treatment & Anti-Gel 8 fl oz10Diesel Fuel Treatment Year Round11Diesel Fuel Injector Cleaner11			
C44D C260 C261 C285 C24 CDFA C23 C21 BRAKE	Max44 Diesel106XT Diesel Fuel Treatment 12 fl oz106XT Diesel Fuel Treatment 8 fl oz10Diesel Water Remover10Diesel Fuel Treatment & Anti-Gel 32 fl oz10Diesel Fuel Treatment & Anti-Gel 8 fl oz10Diesel Fuel Treatment Year Round11Diesel Fuel Injector Cleaner11			
C44D C260 C261 C285 C24 CDFA C23 C21 BRAKE C111	Max44 Diesel106XT Diesel Fuel Treatment 12 fl oz106XT Diesel Fuel Treatment 8 fl oz10Diesel Water Remover10Diesel Fuel Treatment & Anti-Gel 32 fl oz10Diesel Fuel Treatment & Anti-Gel 8 fl oz10Diesel Fuel Treatment Year Round11Diesel Fuel Injector Cleaner1112Brake & Parts Clean12			
C44D C260 C261 C285 C24 CDFA C23 C21 BRAKE C111 C111C	Max44 Diesel106XT Diesel Fuel Treatment 12 fl oz106XT Diesel Fuel Treatment 8 fl oz10Diesel Water Remover10Diesel Fuel Treatment & Anti-Gel 32 fl oz10Diesel Fuel Treatment & Anti-Gel 8 fl oz10Diesel Fuel Treatment Year Round11Diesel Fuel Injector Cleaner11Brake & Parts Clean12Brake & Parts Clean Low VOC12			
C44D C260 C261 C285 C24 CDFA C23 C21 BRAKE C111 C111C C111CA10V	Max44 Diesel       10         6XT Diesel Fuel Treatment 12 fl oz       10         6XT Diesel Fuel Treatment 8 fl oz       10         Diesel Water Remover       10         Diesel Fuel Treatment & Anti-Gel 32 fl oz       10         Diesel Fuel Treatment & Anti-Gel 32 fl oz       10         Diesel Fuel Treatment & Anti-Gel 8 fl oz       10         Diesel Fuel Treatment Year Round       11         Diesel Fuel Injector Cleaner       11         Brake & Parts Clean       12         Brake & Parts Clean Low VOC       12         /OC       Brake & Parts Clean Low VOC       12			
C44D C260 C261 C285 C24 CDFA C23 C21 BRAKE C111 C111C C111C C111CA10V C111SC	Max44 Diesel106XT Diesel Fuel Treatment 12 fl oz106XT Diesel Fuel Treatment 8 fl oz10Diesel Water Remover10Diesel Fuel Treatment & Anti-Gel 32 fl oz10Diesel Fuel Treatment & Anti-Gel 32 fl oz10Diesel Fuel Treatment & Anti-Gel 8 fl oz10Diesel Fuel Treatment Year Round11Diesel Fuel Injector Cleaner11Brake & Parts Clean Low VOC12VOCBrake & Parts Clean Low VOC12Brake & Parts Clean Low VOC12Brake & Parts Clean Low VOC12			
C44D C260 C261 C285 C24 CDFA C23 C21 BRAKE C111 C111C C111CA10V C111SC C101C	Max44 Diesel106XT Diesel Fuel Treatment 12 fl oz106XT Diesel Fuel Treatment 8 fl oz10Diesel Water Remover10Diesel Fuel Treatment & Anti-Gel 32 fl oz10Diesel Fuel Treatment & Anti-Gel 8 fl oz10Diesel Fuel Treatment Year Round11Diesel Fuel Injector Cleaner11Brake & Parts Clean Low VOC12Brake & Parts Clean Low VOC12Brake & Parts Clean Low VOC12Brake & Parts Clean Methanol12			
C44D C260 C261 C285 C24 CDFA C23 C21 BRAKE C111 C111C C111CA10V C111SC C101C C108C	Max44 Diesel106XT Diesel Fuel Treatment 12 fl oz106XT Diesel Fuel Treatment 8 fl oz10Diesel Water Remover10Diesel Fuel Treatment & Anti-Gel 32 fl oz10Diesel Fuel Treatment & Anti-Gel 8 fl oz10Diesel Fuel Treatment Year Round11Diesel Fuel Injector Cleaner11Brake & Parts Clean Low VOC12YOCBrake & Parts Clean Low VOC12Brake & Parts Clean Methanol12Brake & Parts Clean Low VOC12Brake & Parts Clean Low VOC12			
C44D C260 C261 C285 C24 CDFA C23 C21 BRAKE C111 C111C C111CA10V C111SC C101C C108C C32	Max44 Diesel106XT Diesel Fuel Treatment 12 fl oz106XT Diesel Fuel Treatment 8 fl oz10Diesel Water Remover10Diesel Fuel Treatment & Anti-Gel 32 fl oz10Diesel Fuel Treatment & Anti-Gel 8 fl oz10Diesel Fuel Treatment Year Round11Diesel Fuel Injector Cleaner11Brake & Parts Clean Low VOC12VOCBrake & Parts Clean Low VOC12Brake & Parts Clean Low Odor12Brake & Parts Clean Chlorinated12			
C44D C260 C261 C285 C24 CDFA C23 C21 BRAKE C111 C111C C111C C111CA10V C111SC C101C C108C C32 C109	Max44 Diesel106XT Diesel Fuel Treatment 12 fl oz106XT Diesel Fuel Treatment 8 fl oz10Diesel Water Remover10Diesel Fuel Treatment & Anti-Gel 32 fl oz10Diesel Fuel Treatment & Anti-Gel 32 fl oz10Diesel Fuel Treatment & Anti-Gel 8 fl oz10Diesel Fuel Treatment Year Round11Diesel Fuel Injector Cleaner11Brake & Parts Clean Low VOC12VOCBrake & Parts Clean Low VOC12Brake & Parts Clean Low Odor12Brake & Parts Clean Chlorinated12Parts, Tools & Brake Cleaner12			
C44D C260 C261 C285 C24 CDFA C23 C21 BRAKE C111 C111C C111C C111C C111C C111C C111SC C101C C108C C32 C109 C36	Max44 Diesel106XT Diesel Fuel Treatment 12 fl oz106XT Diesel Fuel Treatment 8 fl oz10Diesel Water Remover10Diesel Fuel Treatment & Anti-Gel 32 fl oz10Diesel Fuel Treatment & Anti-Gel 32 fl oz10Diesel Fuel Treatment & Anti-Gel 8 fl oz10Diesel Fuel Treatment Year Round11Diesel Fuel Injector Cleaner11Brake & Parts Clean Low VOC12Brake & Parts Clean Low Odor12Brake & Parts Clean Chlorinated12Disc Brake Quiet12			
C44D C260 C261 C285 C24 CDFA C23 C21 BRAKE C111 C111C C111C C111CA10V C111SC C101C C108C C32 C109 C36 C55	Max44 Diesel106XT Diesel Fuel Treatment 12 fl oz106XT Diesel Fuel Treatment 8 fl oz10Diesel Water Remover10Diesel Fuel Treatment & Anti-Gel 32 fl oz10Diesel Fuel Treatment & Anti-Gel 32 fl oz10Diesel Fuel Treatment & Anti-Gel 8 fl oz10Diesel Fuel Treatment Year Round11Diesel Fuel Injector Cleaner11Maxke & Parts Clean Low VOC12Brake & Parts Clean Low VOC12VOC Brake & Parts Clean Low VOC12Brake & Parts Clean Low Odor12Brake & Parts Clean Chlorinated12Disc Brake Quiet12Dot 3 Brake Fluid 12 fl oz13			
C44D C260 C261 C285 C24 CDFA C23 C21 BRAKE C111 C111C C111CA10V C111SC C101C C101C C108C C32 C109 C36 C55 C56	Max44 Diesel106XT Diesel Fuel Treatment 12 fl oz106XT Diesel Fuel Treatment 8 fl oz10Diesel Water Remover10Diesel Fuel Treatment & Anti-Gel 32 fl oz10Diesel Fuel Treatment & Anti-Gel 32 fl oz10Diesel Fuel Treatment & Anti-Gel 8 fl oz10Diesel Fuel Treatment Year Round11Diesel Fuel Injector Cleaner11Diesel Fuel Injector Cleaner12Brake & Parts Clean Low VOC12VOCBrake & Parts Clean Low VOC12Brake & Parts Clean Low Odor12Brake & Parts Clean Low Odor12Brake & Parts Clean Low Odor12Dot 3 Brake Fluid 12 fl oz13DOT 3 Brake Fluid 32 fl oz13			
C44D C260 C261 C285 C24 CDFA C23 C21 BRAKE C111 C111C C111CA10V C111SC C101C C101C C108C C32 C109 C36 C55 C56 C71	Max44 Diesel106XT Diesel Fuel Treatment 12 fl oz106XT Diesel Fuel Treatment 8 fl oz10Diesel Water Remover10Diesel Fuel Treatment & Anti-Gel 32 fl oz10Diesel Fuel Treatment & Anti-Gel 32 fl oz10Diesel Fuel Treatment & Anti-Gel 8 fl oz10Diesel Fuel Treatment Year Round11Diesel Fuel Injector Cleaner11Diesel Fuel Injector Cleaner12Brake & Parts Clean Low VOC12VOC Brake & Parts Clean Low VOC12Brake & Parts Clean Low Odor12Brake & Parts Clean Chlorinated12Dott 3 Brake Fluid 12 fl oz13DOT 4 Brake Fluid 12 fl oz13			
C44D C260 C261 C285 C24 CDFA C23 C21 BRAKE C111 C111C C111CA10V C111SC C101C C101C C108C C32 C109 C36 C55 C56	Max44 Diesel106XT Diesel Fuel Treatment 12 fl oz106XT Diesel Fuel Treatment 8 fl oz10Diesel Water Remover10Diesel Fuel Treatment & Anti-Gel 32 fl oz10Diesel Fuel Treatment & Anti-Gel 32 fl oz10Diesel Fuel Treatment & Anti-Gel 8 fl oz10Diesel Fuel Treatment Year Round11Diesel Fuel Injector Cleaner11Diesel Fuel Injector Cleaner12Brake & Parts Clean Low VOC12VOCBrake & Parts Clean Low VOC12Brake & Parts Clean Low Odor12Brake & Parts Clean Low Odor12Brake & Parts Clean Low Odor12Dot 3 Brake Fluid 12 fl oz13DOT 3 Brake Fluid 32 fl oz13			



	• • •
<b>CLEANERS</b>	
C30	No Stink Engine Clean 14
C39	No Stink Engine Clean Foaming14
C1	Carb Clean 12 oz 14
C5	Carb Clean 19 oz14
C1CA10V0C	Carb Clean Low VOC 12 oz 14
C1INTL	Carb Clean 12 oz14
C85	Energized Circuit & Contact Cleaner14
C87	Quick Dry Electronic Cleaner 14
C37	Electric Motor Cleaner
FNGINF &	TRANSMISSION16
C521	PermaStop
C19	Motor Flush 15 fl oz
C20	Motor Flush 30 fl oz
C99	Fast Start Starting Fluid 7.2 oz
C100	Fast Start Starting Fluid 10.7 oz
C50	Fast Flush
C45	Trans Stop Leak Conditioner
C2100	Smoke Treatment
C240M	Aluminized Stop Leak
C51	Anti-Rust & Water Pump Lubricant
C52	Stop Leak & Sealer
C53	Coolant Booster
C27	Power Steering Fluid 12 fl oz
C28	Power Steering Fluid 32 fl oz
C233	Power Steering Stop Leak
C89	Engine Stop Leak
C91	Premium Concentrated Oil Treatment
C90	Premium Gold Concentrated Oil Treatment 18
000	Freman dold concentrated on reachent. To
	ICE
C392	Max Clean All-Purpose Cleaner
C395	Deep Defend Upholstery & Carpet Cleaner 19
C331	Glass Clean
C0801	Headlight Restorer
C206	Windshield Washer Solvent Concentrate 22
C207	Windshield Washer Concentrate w/ Anti-freeze 22
C62	Foam Away Tire Care Cleaner & Shine
C64	Bug & Tar Clean
C179	Citrus Hand Cleaner with Pumice 1 gal 22



82116	Rally Cream Car Wax	23
05140	Rally Liqui-Cream Wax	23



# Bulk sizes available on most products. Inquire for details.



65864 65893

2510

2540

2233

2931

2550

Tanner's Preserve Leather Conditioner ...... 2



Rain Danc	e Premium Liquid Wax
Rain Danc	e Carnuba Car Wax
Rain Danc	e Wet Tire Shine
Rain Danc	e Quick Detailer
Rain Danc	e Premium Cleaner Wax



16140	No7 Car & Truck Wash 8 oz	
16330	No7 Car & Truck Wash 4 lb	
16340	No7 Car & Truck Wash 16 lb	
01110	No7 Auto Polish & Cleaner	
06610	No7 Clearcoat Polishing Compound	
09610	No7 Scratch Remover	
10120	No7 Chrome & Metal Polish	
08610	No7 Rubbing Compound	
07610	No7 White Polishing Compound	27
	<b>U</b> .	



ULTRAWELD	ADHEVISES & SEALANTS
C904	Headliner & Carpet Adhesive
C301	Epoxy Sticks
C943	Clear 2 Part Epoxy
C944	Steel 2 Part Epoxy
C910	Rear View Mirror Adhesive
C991-6	Black Silicone Gasket Maker 9.8 fl oz
C951	Black Silicone Gasket Maker 3 fl oz
C992-6	Red Silicone Gasket Maker 9.8 fl oz
C952	Red Silicone Gasket Maker 3 fl oz
C993-6	Clear Silicone Gasket Maker 9.8 fl oz
C953	Clear Silicone Gasket Maker 3 fl oz
C956	Blue Silicone Gasket Maker 3 fl oz
C997-6	White Silicone Gasket Maker 9.8 fl oz
C999	Grey-OX Silicone 9.8 fl oz
C959	Grey OX Silicone
C961	Black OX Silicone






Cyclo does not use ozone depleting CFC propellants!

# ULTRAMELD°

23	ULTRAWE	LD ANAEROBICS	30
23	C29010	Green Penetrating Grade 10 mL	. 30
	C29050	Green Penetrating Grade 50 mL	. 30
	C24006	Blue Medium Strength Gel 6 mL	. 30
	C24350	Blue Surface Insensitive 50 mL	. 30
	C24210	Blue Medium Strength 10 mL	. 30
24	C24250	Blue Medium Strength 50 mL	. 30
24 24	C22210	Purple Small Screws 10 mL	
24	C22250	Purple Small Screws 50 mL	. 30
24	C920	Blue Medium Strength 6 mL	
24	C925	Red High Strength 6 mL	
	C27750	Red Large Diameter 50 mL	. 31
	C27725	Red Large Diameter 250 mL	. 31
	C27250	Red High Temperature 50 mL	. 31
	C26250	Red Permanent Strength 50 mL	
	C27110	Red High Strength 10 mL	
26	C27150	Red High Strength 50 mL	. 31
26	C27006	Red High Strength Gel 6 mL	
26	C51550	Gasket Maker General Purpose 50 mL	
26	C51850	Gasket Maker Solvent Resistant 50 mL	. 31
26	C66050	Worn Part Retaining Compound 50 mL	. 32
26	C68050	Max Strength Retaining Compound 50 mL.	. 32
26	C54550	Pneumatic/Hydraulic Sealant 50 mL	. 32
27	C56750	Extreme Temp Pipe Sealant 50 mL	. 32
27	C56550	Controlled Strength Pipe Sealant 50 mL	. 32
	C59250	High Temp Pipe Sealant 50 mL	. 32
28		Υ	
28	C501	Tire SOS Non-Flammable	
28	C530	Engine Coolant Year Round	
28	C35	Rubberized Under Coating	
28	C120	Battery Cleaner & Acid Detector	
28	C121	Battery Protector	
29	C124-6	Belt Dressing	
29	C682	Anti-Seize	
29	C706	Dielectric Grease	
29	C800	Cold Galvanize	
29	C3352	Rust Converter	. 35
29		NENCE-SCEPT	
29		WW of Freehouses	
29	<b>AIR FRES</b>	HENERS	36
29	_	DUCT SHOWCASE	
29	C570	SOS Spray Off Salt 22 oz	
29	C573	SOS Spray Off Salt 1 gal	

# Look for this icon to identify Cyclo winter & storage related products

# LUBRIGANT



rust & corrosion

parts

4

**NSF** 

Stock #:

C320

12 Pack

10 oz / 284 g



# For Every Job A to Z

• 4X faster penetration than the Displaces moisture, & stops

Great for cleaning surfaces of grease, tar, marker, adhesives

> 12 pack 12 pack 12 pack

10 oz. / 284 g 5.5 oz. / 156 g 3.3 oz. / 94 g




# **Dry Moly**

# **50% Friction Reduction**

 Fills in metal imperfections to create a smooth surface Low shear resistance & quick

• Up to 800°F / 427°C working





C661 6 Pack

11 oz / 312 g




# **Chain Lube**

# **Strongest Cling to Reduce the Sling**


- Up to 800°F / 427°C working temperature
- Foams on to stay in place then penetrates to provide maximum lubrication
- O-ring safe

THE LUBRICA EXPERT		SE			ON		UID	
I Am Having Trouble With	NSE BREAK BREAKAWAY	FUSION 3.0	NSF SILICONE SPRAY		NSF LIQUI SHIELD	RED GREASE	NSF NSF WHITE GREASE	
SQUEAKY PARTS	<b>‡</b>		<b>‡</b>	\$		* * * * *	<b>‡</b>	
PROTECTION AGAINST RUST & CORROSION		\$	<b>‡</b>		4	\$		
LOOSENING STUCK NUTS, BOLTS & LOCKS	<b>\$</b>			0				1
LUBRICATION & PROTECTION AT EXTREME TEMPERATURES			<b>\$</b>	3		\$		4
REPELLING WATER				\$	\$	\$	E	
LUBRICATION & FRICTION REDUCTION	<b>\$</b>	\$	<b>\$</b>		<b>\$</b>	\$	<b></b>	
PENETRATING	<b>\$</b>	*		4			\$	2
REMOVING GREASE & GRIME				\$				2





# FUEL ADDIT





\*\*

Stock #:

C290 12 Pack

8 fl oz /


237 mL


storage

C292

poor acceleration and constantly hesitating. After one bottle it came back to life and keeps getting better with each additional bottle.

# 





Additional 35° F Protection Sub-Zero (Severe Conditions) Temperatures 4 Quarts 4 Gallons -30°\_\_\_ Additional 50° F Protection

Stock #

C21


12 Pack

32 fl oz /

946 ml

BRAK

One Can Clea		TRAKES - Quid			est Cleaning	
Stock #	Pack Size	Fill	Stock #	Pack Size	Fill	
Original Non-	Chlorinat	ed Formula	Met	hanol Forr	nula	
C111	12	14 oz / 397 g	C101C	12	13 oz / 369 g	
Low V	OC Form	ulas	Low	-Odor For	mula	
C111C	12	14 oz / 397 g	C108C	12	14 oz / 397 g	
C111-CA10VOC	12	14 oz / 397 g		inated Fo		
C111SC	12	14 oz / 397 g	C32	12	18 oz / 510 g	
12 Pack 18 oz / 510 g			Stock #: C36 12 Pack 8.5 oz / 241 g			
Parts Brake Chlorinated Non-Flamm • Excellent cle • Metal surfac clutches & b	<b>&amp;</b> able eaner, quid ces, CV joi	ck drying	High Ter Formula • Stops d • Fast dry	<b>mperatur</b> A lisc brake s	squeal	



111- 0voc	C111SC	C101C	C108C	<b>C32</b>	C109
$\textcircled{\begin{tabular}{ c c c c } \hline \hline$					
•			( <u>@</u> )		

# **GLEANERS**



# Real Mechanics Know What Works!

12 Pack 11 oz / 312 g

Stock #: C85

# Energized Circuit & Contact Cleaner

cyclo

<sup>her</sup>gized Circui CONTACT CLEANEB

# **Industrial Grade**

- 141b alternative
- No flash point & no residue
  Quickly cleans dust, dirt, lint, hair, sand, sawdust, moisture and microscopic debris from hard-to-reach areas
- Safe in enclosed areas
- Applications: office equipment, lab equipment, electronics, photo equipment, clean rooms

# The BEST At Loosening The Toughest Jobs

# 03 TRANSMISSIO

<text></text>	<text></text>	<text><text><text></text></text></text>
<ul> <li>The 60 Second Solution</li> <li>Permanent total cooling system repair</li> <li>33% more effective than the leading competition</li> <li>1 step multi-purpose system for coolant leak repair, head gaskets, radiators, heater cores, water pump casings, cylinder heads &amp; engine</li> </ul>	Cleans Engine In 3 Minutes • Easy to use, add to oil before changing • Removes power-robbing deposits • Dissolves gum, sludge & varnish & helps free sticking valve lifters & rings	C Contaitionter Boosted with Special Anti-foaming Agents • Stops leaks • Conditions seals & assures smooth, quiet shifting & performance • Compatible with all transmission fluids • Guards against wear & slippage
blocks	C20   12 pack   32 fl oz / 946 mL Stock #: C50 12 Pack 12 fl oz / 355 mL	• For all automatic transmissions
Fast Start Starting Fluid High Ether Formula • Professional quality, for gasoline & diesel engines • Fast cold weather starts to	Fast Flush         The 10-Minute Cooling         System Cleaner         • Quickly removes rust & scale         • Safe for all cooling systems	Anti-Rust & Water Pump Lubricant Fights Corrosion, Rust & Scale • Lubricates water pump seals & parts
<ul> <li>-65°F (-53°C)</li> <li>Contains upper cylinder lubricant &amp; rust inhibitor</li> <li>C100   12 pack   10.7 oz. wt. / 303 g</li> </ul>	<ul> <li>Sate for all cooling systems</li> <li>Cleans radiators &amp; operates cooler &amp; trouble-free</li> </ul>	<ul> <li>Keeps cooling system clean &amp; running cool</li> <li>Safe for all cooling systems</li> </ul>

Stock #: C2100 12 Pack 14.5 fl oz. / 429 mL SMOKE **Smoke Treatment Reduces Exhaust Smoke & Oil Consumption**  Reduces metal-to-metal contact Quiets noisy lifters, valves & pistons Increases surface film thickness to help loss of lubrication • Use every oil change Stock #: C52 12 Pack 12 fl oz / 355 mL STOPIAH **ist & Water Stop Leak & Sealer** Lubricant **The Purest Silicate Technology to Prevent** Clogging water pump seals • Quickly finds & seals leaks





12 Pack (20 tubes per pack)

.75 oz / 21.2 g Per Tube



# **Aluminized Stop Leak**

## **Stops Leaks Fast & Permanently**

- Repairs leaks in radiators, water pumps, cylinder heads, hose connections, engine blocks, freeze plugs, heaters & gasket joints
- Inhibits rust



- with natural fibers
- · Safe for all cooling systems • Circulates without clogging &
- is effective on all metals

# Stock #: C53

12 Pack

12 fl oz / 355 mL



# **Coolant Booster**

# **Restores Additives to Extend Coolant Life**

- Extends coolant life & restores additives contained in a full gallon of quality anti-freeze
- Stops rust & corrosion
- Lubricates water pump seals & moving parts to stop squeaks
- Safe for all cooling systems

# 0ð



# **Stops Oil Leaks**

- Formulated to help reduce or stop oil leaks
- Revitalizes & conditions "dried out" seals & gaskets
- Recommended for gasoline & diesel engines
- · Easy to use, just add to oil







- film
- ammonia



**NSF** 

Stock #:

C392

12 Pack

18 oz /

510 g

**Dirty Job** 

activators

# **The Best for Any**

Multi-purpose foaming cleaner boosted with citrus

Deep-cleaning foaming action Spray on, wipe off

• Applications: vinyl, chrome, fiberglass, aluminum, granite, fabric, appliances, machinery, tools, clothing, & many more



14 oz / 397 g



# **Deep Defend®**

# **4X Deeper Clean**

- Upholstery and carpet foaming cleaner and protector
- Stain shield technology
- Defeats dirt & stains and defends against future accidents
- Applications: carpet, fabric, upholstery



# **Glass Clean®**

# **100% Streakproof Formula**

 Safe for window tinting film & all auto, marine, farm & industrial equipment

• Cuts grease, grime & nicotine

• Does not run, contains no

 Applications: windshields, plastics, fiberglass, plexiglass, lexan, acrylic, chrome, aluminum, stainless steel

Stock #: C0801

6 Pack

8 fl oz / 237 mL



# **Headlight Restore**

## **Restores to Like-New** Condition

- Removes surface oxidation, pitting and scratches with long-lasting shine and protection
- Not harmful to surrounding chrome and paint
- No sanding or harsh chemicals
- Added UV protection
- Safe for all polycarbonate

# The the two sets of two se







# **ONDARANG**

Stock #: C62


12 Pack 19 oz / 539 g

# **Foam Away Tire Care**

# **One-Step Foam Cleans**, **Shines & Protects**

- Dissolves & removes dirt & brake dust
- Restores a lustrous like-new finish
- Builds a barrier against cracking, fading & discoloration
- No rinsing or wiping required





**Manufacturers**<sup>1</sup> **Trusted Choice** 



# 6 Pack 10 fl oz **Carnauba Car Wax Long-Lasting Water-Beading Shine** Contains only the purest grades of carnauba & other durable waxes that seal a vehicle's finish Smooth fine scratches & swirl marks to create a brilliant & shiny surface Blocks out damaging elements that fade paint & cause oxidation Stock #: 2550 Rain 6 Pack 16 fl oz / **Premium Cleaner Wax**

## 3 in 1 - Cleaner, Polisher & Protector

- Formulated to go deeper for a thoroughly clean surface
- Gentle abrasive formula to remove fine lines, swirl marks & contaminants not removable by regular waxes or cleaners
- Helps restore original vehicle appearance & leaves surface smooth & protected


# What Do You<br/>Want From<br/>Want From<br/>Your Car?A) More Power<br/>B) More Savings<br/>C) All The Above

# Power to the MAX Savings to the MAX






# **APPEARANGE**



**26** Professional Perfor



# T 5



# **Ultraweld® Clear Epoxy**

## **Colorless Bonding** Compound

- 4 Minute Quick Set
- Waterproof / solvent-resistant
- Can be drilled, sanded & machined
- Applications: concrete, metal, wood, glass, china, plastic, tile & more



# **Cold Welding Compound**

· Bonds bracket to windshield

• Permanent in minutes

• O.D.C free

- Fast, strong & odorless
- Quick to mix & fast to apply
- · Cures to a metal-like finish overnight
- Can be drilled, tapped or machined like original metal

# 



# **Ultraweld® Silicone Instant Gasket Makers**

- · Oxygen sensor-safe
- Forms instant leak-proof gaskets on all engines
- Low volatile formula meets GM 9985443 specs
- Pressure resistant
- Great adhesive & sealant on many materialsmetal, glass, plastic, wood, rubber, fiberglass, etc.
- Instant RTV (Black OX & Grey OX) Gasket Makers
- Hi-temp up to 650°F (343°C) & oxygen sensor safe
- · Low odor / non-corrosive
- · Forms instant leakproof gaskets on all engines

Stock #	Pack Size	Fill
	Black Silic	one
C991-6	6	9.8 fl oz / 290 mL
C951	12	3 fl oz / 89 mL
	Red Silico	ne
C992-6	6	9.8 fl oz / 290 mL
C952	12	3 fl oz / 89 mL
	Clear Silic	one
C993-6	6	9.8 fl oz / 290 mL
C953	12	3 fl oz / 89 mL
	Blue Silico	one
C956	12	3 fl oz / 89 mL
	White Silic	one
C997-6	6	9.8 fl oz / 290 mL
	Grey OX Sili	cone
C999	6	13 fl oz / 384 mL
C959	12	3.35 fl oz / 99 mL
	Black OX Sil	icone
C961	12	3.35 fl oz / 99 mL
	-	•

# **ULTRAWELD**<sup>®</sup>

# ANAEROBIC **THREAD LOCKERS**









UP 10 1/4" -65° 10 300° F

PRODUCT	PENETRATING GRADE	MEDIUM STRENGTH GEL	SURFACE INSENSITIVE	MEDIUM STRENGTH	SMALL SCREWS
TYPICAL SIZE FASTENER	#2 to 1/2" 2.2 to 12 mm	1/4" to 1" 6 to 25 mm	1/4" to 3/4" (6 to 20 mm)	1/4" to 3/4" (6 to 20 mm)	Up to 1/4" (6 mm)
BREAK/PREVAIL (INCH POUNDS)	97 / 266	115 / 50 186 / 53		115 / 53	62 / 35
TEMP. RANGE	-65° to 300° F (-54° to 149°C)	-65° to 300° F (-54° to 149°C)	-65° to 300° F (-54° to 149°C)	-65° to 300° F (-54° to 149°C)	-65° to 300° F (-54° to 149°C)
VISCOSITY CP	12	75,000 / 900,000	2,250 / 12,000	1,200 / 6,000	1,200 / 5,000
SIZES	C29010 10 mL C29050 50 mL	C24006 6 mL	C24350 50 mL	C24210 10 mL C24250 50 mL	C22210 10 mL C22250 50 mL
USE ON	Carburetors; electrical connectors; instrumentation screws; pre-assembled fasteners	Tools; pumps, compressors; gear boxes; bolts - (mounting, pulley, coupling)	Pumps; motor mounting bolts; gear boxes; presses	Tools; pumps, compressors; gear boxes; bolts - (mounting, pulley, coupling)	Set screws; throttle body assembly screws; panel mounting fasteners; meters & gauges





Group Adderen RED IREADLOCKER 1° and over 465' to 300° F

PRODUCT	LARGE DIAMETER	HIGH TEMPERATURE	PERMANENT STRENGTH	HIGH STRENGTH	HIGH STRENGTH GEL
TYPICAL SIZE FASTENER	1" and over (25 mm+)	3/8" to 1-1/2" (10 to 38 mm)	3/8" to 1" (10 to 25 mm)	3/8" to 1" (10 to 25 mm)	3/8" to 1" (10 to 25 mm)
BREAK/PREVAIL (INCH POUNDS)	284 / 284	213 / 230	177 / 266	239 / 266	195 / 248
TEMP. RANGE	-65° to 300° F (-54° to 149°C)	-65° to 450° F (-54° to 230°C)	-65° to 300° F (-54° to 149°C)	-65° to 300° F (-54° to 149°C)	-65° to 300° F (-54° to 149°C)
VISCOSITY CP	7,000	10,000	1,800 / 5,000	500	75,000 / 900,000
SIZES	C27750 50 mL C27725 250 mL	C27250 50 mL	C26250 50 mL	C27110 10 mL C27150 50 mL	C27006 6 mL
USE ON	Heavy duty equipment such as construction & railroad assemblies; suspension bolts; gear bolts	Camshaft sprockets bolts; crankshaft bolts; transmission input & output shaft threads; idler bearings; ring gear or shock bolts	Suspension fasteners; shock absorber mounts; frame brackets; wheel studs	Cylinder block bolts; transmission shaft bolts; ring gear bolts	Cylinder block / rocker arms studs; shock absorber mounts; ring gear & frame bolts



# **CONVENTIONAL THREAD LOCKERS**





# **THREAD LOCKERS - RED**

# **THREAD LOCKERS - BLUE**

**Medium Strength - Removable** 

- Locks, fastens & seals threads • Prevents loosening due
- to vibration Removable with normal hand tools

Stock #: 6 pack .20 oz. / 6 mL

EA CEA	<ul> <li>HIGH Strength - Permanent</li> <li>Locks, fastens &amp; seals threads securely</li> <li>Prevents loosening due to vibration</li> </ul>			
R S I				
25				
	Disassembly requires extra effort			
NTE das Priz.	Stock #: 6 pack .20 oz. / C925 6 pack 6 mL			

# ANAEROBIC **THREAD LOCKERS**











 Fast work time • For aluminum & rigid machined flanges Stock #: 6 pack

1.69 fl oz. / 50 mL tubes

	Red		
9°C)	-65° to 300° F (-54° to 149°C)		
	800,000 / 3,750,000		
	15 min. to 2 hrs. (primed) 1 to 12 hrs (unprimed)		
ses; timing using	Transmission pans; trans axle casings; water pumps		

# ANAEROBIC **RETAINING COMPOUNDS**

110

# ULTRAWELD


	- Marine	
PRODUCT	C66050 Worn-Part Retaining Compound	C68050 Maximum Strength Retaining Compound
MAX GAP FILL DIAMETER	Up to .020" (.5 mm)	Up to .015" (.4 mm)
SHEER Strength	<b>3000 psi</b>	4000 psi
OPERATING TEMP.	-65° to 300° F (-54° to 149°C)	-65° to 300° F (-54° to 149°C)
VISCOSITY CP	1,200,000	1,250
USES	Loose set screws; worn couplings; worn shafts & housings	Wheel & press fit bearings; replaces set screws, clamp rings, snap rings
n h		


# ANAEROBIC **PIPE SEALANT**






	C54550	C56750	C56550	C59250
PRODUCT	Pneumatic / Hydraulic Sealant	Extreme Temperature with PTFE	Controlled Strength with PTFE	High Temperature with PTFE
MAX PIPE DIAMETER	2" (50 mm)	3" (75 mm)	2" (50 mm)	2" (50 mm)
SEALS TO OPERATING PRESSURE	10,000 psi	10,000 psi	10,000 psi	10,000 psi
TEMP. Range	-65° to 300° F (-54° to 149°C)	-65° to 400° F (-54° to 200°C)	-65° to 300° F (-54° to 149°C)	-65° to 400° F (-54° to 200°C)
VISCOSITY	14,000 (cP)	300,000 (cP)	300,000 (cP)	350,000 (cP)
USES	Fitting on hydraulic lines, brakes, transmission fluid	Tapered pipe threads & fittings	Stainless steel fittings; oil & coolant lines; fuel fittings	Oil psi switches & sensors; transmission oil & coolant lines; head bolts









# **ANAEROBIC** GUIDE

## GASKETING

## **SEALING CAST RIGID FLANGES** Step 1 Apply an even, unbroken bead of Gasket Maker Step 2 Assemble and tighten parts to required strength lange **SEALING FLANGES** Step 1 Apply C518 to both sides of precut gasket Step 2 Apply gasket to

C2400

flange surface

and assemble

immediately

Step 3 Use C242, C243 or C24006 on bolt and hole threads

Flat

Flance

# 

Stock #:

C35

12 Pack

16 oz /

454 g



Stock #: C3352 12 Pack 10 oz / 284 g

friction

Stock #:

C682

12 Pack

8 fl oz /

237 mL

- lasting
- roofs & more

cyclo

UNDER

COATING TEXTURED FINISH

**Professional Looking** 

restores protection

• Paintable & quick drying

Blocks out salt & water

• Rubberized formula

**Textured Finish** 



Extra strength - up to 8 weeks Refreshes any area - home, office, vehicles **Offsets foul and unpleasant odors** 

Fresheners

# SPECIALT



# **VIVA-SCENT® PALM TREES**

- Long lasting up to 8 weeks
- Immediately ready for display/hanging
- Offset foul & unpleasant odors · Wide variety of most popular scents

**Palm Trees:** Display: 12 Case: 144

**Display Board:** Display: Case: 60 12

# **VIVA-SCENT® ORGANICS**

- Three scent infused blocks up to 60 days of scent
- Natural, pleasant scents
  Available in assorted & individual
- display boxes
- Immediately ready for counter placement

Contents: 1.5 oz. / 43 g Display: 24 Case: 144

# **SCENTS:**

# **VIVA-SCENT® PALM TREES**

**C-FHCH Cherry C-FHJS Jasmine** C-FHIB Cool Black **C-FHNC New Car C-FHPN Pine C-FHST Strawberry C-FHVN Vanilla C-FHWD Wildberry** 

# **VIVA-SCENT® ORGANICS**

C-FN2CH Cherry C-FN2JS Jasmine C-FN2NC New Car C-FN2ST Strawberry C-FN2VN Vanilla **C-FN2WD Wildberry** 



**Safe For All Surfaces & Applications** Available Sizes: 22 fl oz Premix (Stock No. C570), 1 gallon Concentrate (Stock No. C573), Applicator (Stock No. C574)

Stock #: C570 12 Pack

22 oz / 651 g

# **SPRAY OFF SALT**

# **Inhibits Corrosion**

- Removes Salt Deposits
- Biodegradable
- Marine Use
- Engine Flush & Protector

4 pack 1 GAL / 3.78 L C573

SPRAY OFF nhibits Corrosion 50% Better **Ocean** 

Friendly

Formula

CUCIO PROFESSIONAL PERFORMA

Learn more about auto detailing on our website.