

SAFETY DATA SHEET

Air Brake Anti Freeze 32 fl. oz.

Revision: 08/25/2015

Supersedes Revision: 05/05/2014

Page: 1

1. Product and Company Identification

Product Code:

Air Brake Anti Freeze 32 fl. oz. **Product Name:** CYCLO INDUSTRIES, INC. **Company Name:**

2. Hazards Identification

Flammable Liquids, Category 2

Acute Toxicity: Inhalation, Category 3 Acute Toxicity: Oral, Category 3 Acute Toxicity: Skin, Category 3

Specific Target Organ Toxicity (single exposure), Category 1







GHS Signal Word:

GHS Hazard Phrases: H225: Highly flammable liquid and vapor.

> H331: Toxic if inhaled. H301: Toxic if swallowed.

H311: Toxic in contact with skin. H370: Causes damage to organs.

GHS Precaution Phrases: P233: Keep container tightly closed.

> P210: Keep away from heat/sparks/open flames/hot surfaces - No smoking. P280: Wear protective gloves/protective clothing/eye protection/face protection.

P240: Ground/bond container and receiving equipment.

P241: Use explosion-proof electrical/ventilating/lighting equipment. P243: Take precautionary measures against static discharge.

P242: Use only non-sparking tools.

P260: Do not breathe dust/fume/gas/mist/vapours/spray. P270: Do not eat, drink or smoke when using product. P271: Use only outdoors or in a well-ventilated area.

P264: Wash hands thoroughly after handling.

P370+378: In case of fire, use alcohol foam, foam, dry chemical or carbon dioxide to **GHS Response Phrases:**

P301+330+331: IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.

P304+340: IF INHALED: Remove victim to fresh air and keep at rest in a position

comfortable for breathing.

P303+361+353: IF ON SKIN (or hair): Remove/take off immediately all contaminated

clothing. Rinse skin with water/shower.

P363: Wash contaminated clothing before reuse.

P305+351+338: IF IN EYES: Rinse cautiously with water for several minutes. Remove

contact lenses, if present and easy to do. Continue rinsing.

P309+311: Call a POISON CENTER or doctor/physician if exposed or you feel unwell.

GHS Storage and Disposal P405: Store locked up.



Page: 2

Revision: 08/25/2015 Supersedes Revision: 05/05/2014

P501: Dispose of contents/container in accordance with Phrases:

local/regional/national/international regulation.

P403+233: Store container tightly closed in well-ventilated place.

Potential Health Effects (Acute and Chronic):

No data available.

3. Composition/Information on Ingredients

Hazardous Components (Chemical Name) CAS# Concentration 67-56-1 Methanol 95.0 -100.0 %

4. First Aid Measures

Emergency and First Aid Procedures:

If swallowed, immediately call a physician/Poison Control Center. If inhaled, remove to fresh air. If not breathing give artificial respiration. If breathing is difficult, give oxygen. If in eyes, rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. In case of skin contact, wash with soap and water. Remove contaminated clothing and shoes, and launder before reuse. Call physician immediately if adverse reaction occurs.

5. Fire Fighting Measures

52.00 F (11.1 C) Method Used: TAG Closed Cup Flash Pt:

LEL: 6% UEL: 36% **Explosive Limits:**

475.00 F (246.1 C) **Autoignition Pt:**

Suitable Extinguishing Media: Alcohol foam, foam, dry chemical, carbon dioxide.

Fire Fighting Instructions: Wear approved positive-pressure self-contained breathing apparatus and protective

> clothing. Avoid water streams which may splash and spread flaming liquid. Water spray can be used to reduce the intensity of the flames and dilute spills to a non-flammable mixture. Vapor may cause flash fire. Methanol and water mixtures will burn unless very

dilute. Mixtures with 25% or more Methanol are OSHA Class 1 Flammable Liquids.

Flammable Properties and

Hazards:

No data available.

Hazardous Combustion

Products:

Carbon dioxide. Carbon monoxide. Acrid smoke and irritating fumes.

6. Accidental Release Measures

Steps To Be Taken In Case Material Is Released Or Spilled:

Wear appropriate protective clothing and equipment to prevent skin and eye contact. Avoid breathing vapor. When airborne exposure limits are exceeded use NIOSH approved respiratory protection equipment appropriate to the material and/or its components. Remove sources of ignition. Increase area ventilation. Stop release at source. Dike area and contain. Absorb spills on inert material such as perlite, vermiculite, sand or dirt. Place in double polyethylene bags. Isolate from other waste materials. Do not allow to enter sanitary drains, sewer or surface and subsurface waters.

7. Handling and Storage

Precautions To Be Taken in Handling:

Keep container tightly closed. Keep away from heat/sparks/open flames/hot surfaces -No smoking. Wear protective gloves/protective clothing/eye protection/face protection. Ground/bond container and receiving equipment. Use explosion-proof electrical/ventilating/lighting equipment. Take precautionary measures against static discharge. Use only non-sparking tools. Do not breathe dust/fume/gas/mist/vapours/spray. Do not eat,drink or smoke when using product. Use only outdoors or in a well-ventilated area. Wash hands thoroughly after handling. Keep out of the reach of children.

Page: 3

Revision: 08/25/2015 Supersedes Revision: 05/05/2014

Precautions To Be Taken in Storing:

Store locked up. Keep container closed when not in use. Keep away from heat and

flame. Avoid extreme temperatures.

8. Exposure Controls/Personal Protection

CAS # Partial Chemical Name OSHA TWA ACGIH TWA Other Limits

67-56-1 Methanol PEL: 200 ppm TLV: 200 ppm No data.

STEL: 250 ppm

Respiratory Equipment Appropriate respiratory protection shall be worn when applied engineering controls are

(Specify Type): not adec

not adequate to protect against inhalation exposure. Organic vapor cartridge respirators

NOT recommended for methanol vapor exposures.

Eye Protection: Safety glasses with side shields.

Protective Gloves: Use chemical resistant gloves for prolonged skin contact.

Other Protective Clothing: No data available.

Engineering Controls

(Ventilation etc.):

Use local exhaust. Eyewash stations. Showers.

9. Physical and Chemical Properties

Physical States: [] Gas [X] Liquid [] Solid

Appearance and Odor: Clear to light blue liquid. Mild alcohol odor.

pH: ~ 7 Melting Point: NE

Boiling Point: 148.00 F (64.4 C)

Flash Pt: 52.00 F (11.1 C) Method Used: TAG Closed Cup

Evaporation Rate: > 1

Flammability (solid, gas): No data available.

Explosive Limits: LEL: 6% UEL: 36%

Vapor Pressure (vs. Air or 135@25C

mm Hg):

Vapor Density (vs. Air = 1): 1.11

Specific Gravity (Water = 1): .791@60F

Solubility in Water: Soluble

Percent Volatile: > 98.0 %

Autoignition Pt: 475.00 F (246.1 C)

Viscosity: NE

10. Stability and Reactivity

Stability: Unstable [] Stable [X]

Conditions To Avoid - Avoid any source of ignition.

Instability:

Incompatibility - Materials To Strong oxidizing agents. Chromic anhydride, lead perchlorate and perchloric acids.

Avoid:

Hazardous Decomposition or Carbon monoxide. Carbon dioxide. Acrid smoke with irritating fumes.

Byproducts:

Possibility of Hazardous Will occur [] Will not occur [X]

Reactions:

Conditions To Avoid - No data available.

Hazardous Reactions:



Page: 4

Revision: 08/25/2015 Supersedes Revision: 05/05/2014

11. Toxicological Information

Toxicological Information: No data available.

CAS # Hazardous Components (Chemical Name) NTP IARC ACGIH OSHA

67-56-1 Methanol n.a. n.a. n.a. n.a.

12. Ecological Information

No data available.

13. Disposal Considerations

Waste Disposal Method: Dispose of contents/container in accordance with local/regional/national/international

regulation.

14. Transport Information

LAND TRANSPORT (US DOT):

DOT Proper Shipping Name: Consumer Commodity **DOT Hazard Class:** ORM-D ORM-D

UN/NA Number:

LAND TRANSPORT (European ADR/RID):

ADR/RID Shipping Name: Methanol, Ltd Qty

UN Number: 1230 Packing Group:

Hazard Class: 3 (6.1) - FLAMMABLE

LIQUID, POISON

MARINE TRANSPORT (IMDG/IMO):

IMDG/IMO Shipping Name: Methanol, Ltd Qty

UN Number: 1230 Packing Group: II
Hazard Class: 3 (6.1) - FLAMMABLE IMDG Classification: 3,6.1

LIQUID, POISON IMDG MFAG Number:

Marine Pollutant: No

IMDG EMS Page:

15. Regulatory Information

EPA SARA (Superfund Amendments and Reauthorization Act of 1986) Lists

CAS # Hazardous Components (Chemical Name) S. 302 (EHS) S. 304 RQ S. 313 (TRI)

67-56-1 Methanol No Yes 5000 LB Yes

CAS # Hazardous Components (Chemical Name) Other US EPA or State Lists

67-56-1 Methanol CAA HAP, ODC: HAP; CWA NPDES: No; TSCA: Yes -

Inventory; CA PROP.65: No; CA TAC, Title 8: TAC, Title 8; MA Oil/HazMat: Yes; MI CMR, Part 5: Part 5; NC TAP: Yes; NJ EHS: Yes - 1222; NY Part 597: Yes; PA HSL: Yes - E; SC

TAP: Yes; WI Air: Yes

CAS # Hazardous Components (Chemical Name) International Regulatory Lists

67-56-1 Methanol Canadian DSL: Yes; Canadian NDSL: No; Taiwan TCSCA:

Yes



Page: 5

Revision: 08/25/2015 Supersedes Revision: 05/05/2014

16. Other Information

08/25/2015 **Revision Date:**

Hazard Rating System:

Flammability Instability Health NFPA: Special Hazard

Additional Information About No data available.

This Product:

Company Policy or

Disclaimer:

Cyclo Industries, Inc. provides the information contained herein in good faith but makes no representation as to its comprehensiveness or accuracy. Individuals receiving this information must exercise their independent judgment in determining its appropriateness for a particular purpose. Cyclo Industries, Inc. makes no representations or warranties, either expressed or implied, of merchantability, fitness for a particular purpose with respect to the information set forth herein or to the product to which the information refers. Accordingly, Cyclo Industries, Inc. will not be responsible for damages resulting

from use of or reliance upon this information.