

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations Revision date: 05/28/2015

1.1. Product identifier	
Product form	: Mixture
Product name	: 371, DURAGLOSS ABSORB IT -ODOR ELIMINATOR
Product code	: Part# 371 16oz, 372 Gal

1.2. Relevant identified uses of the substance or mixture and uses advised against

SECTION 2: Hazards identification	
2.1. Classification of the substance or	mixture
GHS-US classification	
Eye Irrit. 2A	H319
Full text of H-phrases: see section 16	
2.2. Label elements	
GHS-US labelling	
Hazard pictograms (GHS-US)	
Signal word (GHS-US)	GHS07 : Warning
Hazard statements (GHS-US)	: H319 - Causes serious eye irritation
Precautionary statements (GHS-US)	 P264 - Wash thoroughly after handling P280 - Wear protective gloves/protective clothing/eye protection/face protection P305+P351+P338 - If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing P337+P313 - If eye irritation persists: Get medical advice/attention
2.3. Other hazards	
No additional information available	
2.4. Unknown acute toxicity (GHS-US)	
Not applicable	
SECTION 3: Composition/informati	ion on ingredients
3.1. Substance	
Not applicable	
3.2. Mixture	

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Name	Product identifier	%	GHS-US classification
1-propanol	(CAS No) 71-23-8	1 - 2	Flam. Liq. 2, H225 Eye Dam. 1, H318 STOT SE 3, H336

Full text of H-phrases: see section 16

Full text of H-phrases: see section 16	
SECTION 4: First aid measures	
4.1. Description of first aid measures	
First-aid measures general	: Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice (show the label where possible).
First-aid measures after inhalation	: Remove the victim into fresh air. If not breathing give artificial respiration. Get medical advice/attention. Allow victim to breathe fresh air. Allow the victim to rest.
First-aid measures after skin contact	 Remove affected clothing and wash all exposed skin area with mild soap and water, followed by warm water rinse. Wash contaminated clothing before reuse. If skin irritation occurs: Get medical advice/attention.
First-aid measures after eye contact	Move victim away from exposure and into fresh air. Rinse immediately with plenty of water for 15 minutes. If eye irritation persists: Get medical advice/attention. Rinse immediately with plenty of water. Obtain medical attention if pain, blinking or redness persist.
First-aid measures after ingestion	: Remove to fresh air. Do not induce vomiting. Call a physician or poison control center immediately. Rinse mouth. Do NOT induce vomiting. Obtain emergency medical attention.
4.2. Most important symptoms and eff	ects, both acute and delayed
Symptoms/injuries	: Not expected to present a significant hazard under anticipated conditions of normal use.
4.3. Indication of any immediate media	cal attention and special treatment needed
No additional information available	
SECTION 5: Firefighting measures	
5.1. Extinguishing media	
Suitable extinguishing media	: Foam. Dry chemical powder. Carbon dioxide. Dry powder. Carbon dioxide. Water spray. Sand.
Jnsuitable extinguishing media	: Do not use a heavy water stream.
5.2. Special hazards arising from the s	substance or mixture
No additional information available	
5.3. Advice for firefighters	
Firefighting instructions	: Water can be used to keep exposed containers cool, to protect;. Use water spray or fog for cooling exposed containers. Exercise caution when fighting any chemical fire. Prevent fire- fighting water from entering environment.
Protection during firefighting	: Complete protective clothing. Self-contained breathing apparatus. Do not enter fire area without proper protective equipment, including respiratory protection.
SECTION 6: Accidental release me	asures
6.1. Personal precautions, protective e	equipment and emergency procedures
General measures	: Absorb spill on vermiculite floor absorbent or other absorbent material.
6.1.1. For non-emergency personnel	
Emergency procedures	: Evacuate unnecessary personnel.
6.1.2. For emergency responders	
Protective equipment	: Equip cleanup crew with proper protection.
Emergency procedures	: Ventilate area.
5 7 1	
6.2. Environmental precautions Avoid release to the environment. Prevent spre public waters.	eading in sewers. Notify authorities if liquid enters sewers or public waters. Prevent entry to sewers and
6.3. Methods and material for contain	nent and cleaning up
For containment	: Collect spillage.
Methods for cleaning up	: Soak up spills with inert solids, such as clay or diatomaceous earth as soon as possible. Collect spillage. Store away from other materials.
6.4 Reference to other sections	

6.4. Reference to other sections

See Heading 8. Exposure controls and personal protection.

Safety Data Sheet according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

SECTION 7: Handling and storage	
7.1. Precautions for safe handling	
Precautions for safe handling	: Containers may be hazardous when emptied. Since emptied containers retain product residues, all hazard precautions given in the data sheet should be observed. Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work. Provide good ventilation in process area to prevent formation of vapour.
7.2. Conditions for safe storage, including	g any incompatibilities
Storage conditions	: Store in a well-ventilated place. Keep away from heat, sparks, and flames. Keep only in the original container in a cool, well ventilated place away from : Keep container closed when not in use.
Incompatible products	: Strong bases. Strong acids.
Incompatible materials	: Sources of ignition. Direct sunlight.
7.3. Specific end use(s)	
No additional information available	

SECTION 8: Exposure controls/personal protection		
8.1. Control parameters		
371, DURAGLOSS ABSORB IT -ODOR ELIMINATOR		
ACGIH	Not applicable	
OSHA	Not applicable	
1-propanol (71-23-8)		
ACGIH	ACGIH TWA (ppm)	100 ppm
ACGIH	ACGIH STEL (ppm)	100 ppm
ACGIH	Remark (ACGIH)	Eye & URT irr
OSHA	OSHA PEL (TWA) (mg/m³)	500 mg/m³
OSHA	OSHA PEL (TWA) (ppm)	200 ppm

Personal protective equipment	: Avoid all unnecessary exposure.	
Hand protection	: Wear protective gloves.	
Eye protection	: Chemical goggles or safety glasses.	
Respiratory protection	: Wear appropriate mask.	
Other information	: Do not eat, drink or smoke during use.	

SECTION 9: Physical and chemical properties

9.1. Information on basic physical ar	d chemical properties
Physical state	: Liquid
Appearance	: Colorless liquid.
Colour	: Colourless
Odour	: Sweet
Odour threshold	: No data available
рН	: No data available
Relative evaporation rate (butylacetate=1)	: No data available
Melting point	: <196 °F
Freezing point	: No data available
Boiling point	: >206 °F
Flash point	: >160 °F
Auto-ignition temperature	: NA
Decomposition temperature	: No data available
Flammability (solid, gas)	: No data available
Vapour pressure	: 68 .0 F @ 19.29 MBAR (14.5 mmHg)
Relative vapour density at 20 °C	: No data available

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Relative density	: 0.804 @ 68.0 F
Solubility	 Soluble in water. Water: Solubility in water of component(s) of the mixture : 1-propanol: Complete
Log Pow	: No data available
Log Kow	: No data available
Viscosity, kinematic	: No data available
Viscosity, dynamic	: No data available
Explosive properties	: No data available
Oxidising properties	: No data available
Explosive limits	: No data available
9.2. Other information	

No additional information available

SECT	ON 10: Stability and reactivity		
10.1.	Reactivity		
No addi	No additional information available		
10.2.	Chemical stability		
Stable u	nder normal conditions. Not established.		
10.3.	Possibility of hazardous reactions		
Not esta	blished.		
10.4.	Conditions to avoid		
Direct s	unlight. Extremely high or low temperatures.		
10.5.	Incompatible materials		
Strong a	acids. Strong bases.		
10.6.	Hazardous decomposition products		
fume. C	arbon monoxide. Carbon dioxide.		

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity

: Not classified

1-propanol (71-23-8)	
LD50 oral rat	> 2000 mg/kg (Rat)
LD50 dermal rabbit	4049 mg/kg (Rabbit)
LC50 inhalation rat (mg/l)	9.8 mg/l/4h (Rat)
ATE US (dermal)	4049.000 mg/kg bodyweight
ATE US (vapours)	9.800 mg/l/4h
ATE US (dust,mist)	9.800 mg/l/4h
Skin corrosion/irritation	: Not classified
Serious eye damage/irritation	: Causes serious eye irritation.
Respiratory or skin sensitisation	: Not classified
Germ cell mutagenicity	: Not classified
Carcinogenicity	: Not classified
Reproductive toxicity	: Not classified
Specific target organ toxicity (single exposure)	: Not classified
Specific target organ toxicity (repeated exposure)	: Not classified
Aspiration hazard	: Not classified
Potential adverse human health effects and symptoms	: Based on available data, the classification criteria are not met.

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

SECTION 12: Ecological information

12.1. Toxicity

1-propanol (71-23-8)	
LC50 fish 1	3200 mg/l 48 h; Salmo gairdneri (Oncorhynchus mykiss)
EC50 Daphnia 1	4415 mg/l (24 h; Daphnia magna)
EC50 other aquatic organisms 1	4168 mg/l (48 h; Protozoa)
LC50 fish 2	4480 mg/l (96 h; Pimephales promelas)
EC50 Daphnia 2	3644 mg/l (48 h; Daphnia magna)
TLM fish 1	200 - 500,Gobio gobio
TLM other aquatic organisms 1	100 - 1000,96 h
Threshold limit algae 1	2000 mg/l (Selenastrum capricornutum)
Threshold limit algae 2	3100 mg/l (168 h; Scenedesmus quadricauda)

12.2. Persistence and degradability

371, DURAGLOSS ABSORB IT -ODOR ELIMINATOR		
Persistence and degradability	Not established.	
1-propanol (71-23-8)		
Persistence and degradability	Readily biodegradable in water. Biodegradable in the soil. Biodegradable in the soil under anaerobic conditions.	
Biochemical oxygen demand (BOD)	0.47 - 1.63 g O₂/g substance	
Chemical oxygen demand (COD)	2.23 g O₂/g substance	
ThOD	2.4 g O₂/g substance	
BOD (% of ThOD)	0.20 - 0.44 % ThOD	

12.3. Bioaccumulative potential

371, DURAGLOSS ABSORB IT -ODOR ELIMINATOR		
Bioaccumulative potential	Not established.	
1-propanol (71-23-8)		
Log Pow	0.25 (Experimental value)	
Bioaccumulative potential	Low potential for bioaccumulation (Log Kow < 4).	
12.4. Mobility in soil		

12.4. Mobility in Soli

1-propanol (71-23-8)		
Surface tension	0.024 N/m (20 °C)	
12.5. Other adverse effects		
Effect on ozone layer	:	
Effect on the global warming	: No known ecological damage caused by this product.	
Other information	: Avoid release to the environment.	

SECTION 13: Disposal consideration	S
13.1. Waste treatment methods	
Waste treatment methods	: Dispose of contents/container in accordance with licensed collector's sorting instructions.
Waste disposal recommendations	: Dispose in a safe manner in accordance with local/national regulations.
Ecology - waste materials	: Avoid release to the environment.

SECTION 14: Transport Information	
In accordance with DOT	
Not regulated for transport	
Additional information	
Other information	: No supplementary information available.

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

ADR

No additional information available

Transport by sea

No additional information available

Air transport

No additional information available

SECTION 15: Regulatory information

15.1. US Federal regulations

371, DURAGLOSS ABSORB IT -ODOR ELIMINATOR

Not listed on the United States TSCA (Toxic Substances Control Act) inventory

1-propanol (71-23-8)

Listed on the United States TSCA (Toxic Substances Control Act) inventory

15.2. International regulations

CANADA

No additional information available

EU-Regulations

No additional information available

Classification according to Regulation (EC) No. 1272/2008 [CLP] Not classified

Classification according to Directive 67/548/EEC [DSD] or 1999/45/EC [DPD]

15.2.2. National regulations

15.3. US State regulations

1-propanol (71-23-8)

U.S. - New Jersey - Right to Know Hazardous Substance List

SECTION 16: Other information Revision date : 05/28/2015 Other information : None.

Full text of H-phrases:

Eye Dam. 1	Serious eye damage/eye irritation, Category 1
Eye Irrit. 2A	Serious eye damage/eye irritation, Category 2A
Flam. Liq. 2	Flammable liquids, Category 2
STOT SE 3	Specific target organ toxicity — Single exposure, Category 3, Narcosis
H225	Highly flammable liquid and vapour
H318	Causes serious eye damage
H319	Causes serious eye irritation
H336	May cause drowsiness or dizziness

SDS US (GHS HazCom 2012)

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product