

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Revision date: 05/28/2015

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product form : Mixture

Product name : 801, DURAGLOSS CHROME WHEEL CLEANER

Product code : Part# 801 8oz, 802 Gal, 803 22oz

1.2. Relevant identified uses of the substance or mixture and uses advised against

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification (GHS-US)

Skin Corr. 1A H314

Full text of H-phrases: see section 16

2.2. Label elements

GHS-US labeling

Hazard pictograms (GHS-US)



GHS05

Signal word (GHS-US) : Danger

Hazard statements (GHS-US) : H314 - Causes severe skin burns and eye damage
Precautionary statements (GHS-US) : P260 - Do not breathe dust/fume/gas/mist/vapors/spray

P264 - Wash ... thoroughly after handling

P280 - Wear protective gloves/protective clothing/eye protection/face protection

P301+P330+P331 - If swallowed: rinse mouth. Do NOT induce vomiting

P303+P361+P353 - If on skin (or hair): Take off immediately all contaminated clothing. Rinse

skin with water/shower

P304+P340 - If inhaled: Remove person to fresh air and keep comfortable for breathing

P305+P351+P338 - If in eyes: Rinse cautiously with water for several minutes. Remove contact

lenses, if present and easy to do. Continue rinsing P310 - Immediately call a poison center/doctor/... P321 - Specific treatment (see ... on this label) P363 - Wash contaminated clothing before reuse

P405 - Store locked up

P501 - Dispose of contents/container to ...

2.3. Other hazards

No additional information available

2.4. Unknown acute toxicity (GHS-US)

Not applicable

SECTION 3: Composition/information on ingredients

3.1. Substance

Not applicable

3.2. Mixture

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Name	Product identifier	%	Classification (GHS-US)
phosphoric acid, conc>=25%, aqueous solutions	(CAS No) 7664-38-2	9 - 12	Skin Corr. 1B, H314
butyl glycolether	(CAS No) 111-76-2	1 - 2	Flam. Liq. 4, H227 Acute Tox. 4 (Oral), H302 Acute Tox. 4 (Dermal), H312 Acute Tox. 4 (Inhalation:dust,mist), H332 Skin Irrit. 2, H315 Eye Irrit. 2A, H319
ammonium hydrogen difluoride, 0.1%<=conc<1%, aqueous solutions	(CAS No) 1341-49-7	1 - 2	Acute Tox. 3 (Oral), H301 Skin Corr. 1B, H314

Full text of H-phrases: see section 16

SECTION 4: First aid measures

4.1. Description of first aid measures

First-aid measures general : Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice (show the label where possible).

First-aid measures after inhalation : Remove the victim into fresh air. If not breathing give artificial respiration. Get immediate

medical advice/attention. Remove victim to fresh air and keep at rest in a position comfortable for breathing. Immediately call a poison center or doctor/physician.

First-aid measures after skin contact : Take off contaminated clothing and wash it before reuse. Rinse skin with water/shower. If skin

irritation occurs: Get medical advice/attention. Remove/Take off immediately all contaminated clothing. Immediately call a poison center or doctor/physician.

First-aid measures after eye contact : Move victim away from exposure and into fresh air. Rinse immediately with plenty of water for

15 minutes. If eye irritation persists: Get medical advice/attention. Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a poison center or doctor/physician.

First-aid measures after ingestion : Do not induce vomiting. Call a physician or poison control center immediately. Rinse mouth. Do

NOT induce vomiting. Immediately call a poison center or doctor/physician.

4.2. Most important symptoms and effects, both acute and delayed

Symptoms/injuries : Causes severe skin burns and eye damage

4.3. Indication of any immediate medical attention and special treatment needed

No additional information available

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media : Carbon dioxide. Dry chemical powder. Foam. Dry powder. Carbon dioxide. Water spray. Sand.

Unsuitable extinguishing media : Do not use a heavy water stream.

5.2. Special hazards arising from the substance or mixture

Reactivity : Corrosive vapors.

5.3. Advice for firefighters

Firefighting instructions : Water can be used to keep exposed containers cool, to protect;. Use water spray or fog for

cooling exposed containers. Exercise caution when fighting any chemical fire. Prevent fire-

fighting water from entering environment.

Protection during firefighting : Complete protective clothing. Self-contained breathing apparatus. Do not enter fire area without

proper protective equipment, including respiratory protection.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

General measures : Absorb spill on vermiculite floor absorbent or other absorbent material.

6.1.1. For non-emergency personnel

Emergency procedures : Evacuate unnecessary personnel.

6.1.2. For emergency responders

Protective equipment : Equip cleanup crew with proper protection.

Emergency procedures : Ventilate area.

6.2. Environmental precautions

Prevent spreading in sewers. Prevent entry to sewers and public waters. Notify authorities if liquid enters sewers or public waters.

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

6.3. Methods and material for containment and cleaning up

For containment : Transfer of

: Transfer contaminated absorbent, soil and othe material to containers for disposal. Close $\,$

container tightly and dispose of properly.

Methods for cleaning up : Absorb spillage to prevent material damage. Soak up spills with inert solids, such as clay or

diatomaceous earth as soon as possible. Collect spillage. Store away from other materials.

6.4. Reference to other sections

See Heading 8. Exposure controls and personal protection.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Additional hazards when processed

: Containers of this material may be hazardous when empited. All hazard precautions give

should be observed.

Precautions for safe handling : Wash hands and other exposed areas with mild soap and water before eating, drinking or

smoking and when leaving work. Provide good ventilation in process area to prevent formation

of vapor. Do not breathe dust/fume/gas/mist/vapors/spray. Avoid contact during

pregnancy/while nursing.

Hygiene measures : Wash ... thoroughly after handling.

7.2. Conditions for safe storage, including any incompatibilities

Technical measures

: Comply with applicable regulations.

Storage conditions

Emptied containers may retain product residues. Precautions apply to emptied containers. Store in a well-ventilated place. Keep away from heat, sparks, and flames. Keep only in the original container in a cool, well ventilated place away from: Keep container closed when not in

IISE

Incompatible products : Strong bases. Strong acids.
Incompatible materials : Sources of ignition. Direct sunlight.

7.3. Specific end use(s)

No additional information available

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

801, DURAGLOSS CHROME WHEEL CLEANER	
ACGIH	Not applicable
OSHA	Not applicable

butyl glycolether (111-76-2)		
ACGIH	ACGIH TWA (ppm)	20 ppm
ACGIH	ACGIH STEL (ppm)	20 ppm
OSHA	Not applicable	

phosphoric acid, conc>=25%, aqueous solutions (7664-38-2)	
ACGIH	Not applicable
OSHA	Not applicable

ammonium hydrogen difluoride, 0.1%<=conc<1%, aqueous solutions (1341-49-7)		
ACGIH	ACGIH TWA (mg/m³)	2.5 mg/m³
OSHA	Not applicable	

8.2. Exposure controls

Personal protective equipment : Avoid all unnecessary exposure.

Hand protection : Wear protective gloves.

Eye protection : Chemical goggles or face shield.
Skin and body protection : Wear suitable protective clothing.

Respiratory protection : Wear appropriate mask.

Other information : Do not eat, drink or smoke during use.

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state : Liquid
Appearance : Clear Liquid.
Color : Clear Liquid
Odor : Butyl

Odor threshold : No data available

pH : 1-2

Relative evaporation rate (butyl acetate=1) : No data available

Melting point : No Data

Freezing point : No data available

Boiling point : $212 \,^{\circ}\text{F}$ Flash point : $> 200 \,^{\circ}\text{F}$

Auto-ignition temperature : No data available
Decomposition temperature : No data available
Flammability (solid, gas) : No data available
Vapor pressure : 140 @ 130.0 F
Relative vapor density at 20 °C : No data available

Relative density : H20= >1

Solubility : Soluble in water.

Water: Solubility in water of component(s) of the mixture :

•: •:

Log Pow : No data available
Log Kow : No data available
Viscosity, kinematic : No data available
Viscosity, dynamic : No data available
Explosive properties : No data available
Oxidizing properties : No data available
Explosive limits : No data available

9.2. Other information

No additional information available

SECTION 10: Stability and reactivity

10.1. Reactivity

Corrosive vapors.

10.2. Chemical stability

Not established.

10.3. Possibility of hazardous reactions

Not established.

10.4. Conditions to avoid

Direct sunlight. Extremely high or low temperatures.

10.5. Incompatible materials

Strong acids. Strong bases.

10.6. Hazardous decomposition products

fume. Carbon monoxide. Carbon dioxide. Thermal decomposition generates: Corrosive vapors.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity : Not classified

butyl glycolether (111-76-2)	
LD50 oral rat	1746 mg/kg body weight (Rat; Equivalent or similar to OECD 401; Experimental value)

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

butyl glycolether (111-76-2)	
LD50 dermal rat	> 2000 mg/kg body weight (Rat; Experimental value; OECD 402: Acute Dermal Toxicity)
LC50 inhalation rat (mg/l)	2.2 mg/l/4h (Rat; Experimental value)
LC50 inhalation rat (ppm)	450 ppm/4h (Rat; Experimental value)
ATE US (oral)	1746.000 mg/kg body weight
ATE US (dermal)	1100.000 mg/kg body weight
ATE US (gases)	450.000 ppmV/4h
ATE US (vapors)	2.200 mg/l/4h
ATE US (dust, mist)	2.200 mg/l/4h

ammonium hydrogen difluoride, 0.1%<=conc<1%, aqueous solutions (1341-49-7)		
ATE US (oral)	100.000 mg/kg body weight	
Skin corrosion/irritation	: Causes severe skin burns and eye damage. pH: 1 - 2	
Serious eye damage/irritation	: Not classified pH: 1 - 2	
Respiratory or skin sensitization	: Not classified	
Germ cell mutagenicity	: Not classified	
Carcinogenicity	: Not classified	

butyl glycolether (111-76-2)	
IARC group	3 - Not classifiable

Reproductive toxicity : Not classified Specific target organ toxicity (single exposure) : Not classified

Specific target organ toxicity (repeated : Not classified

exposure)

Aspiration hazard : Not classified

Potential Adverse human health effects and : Based on available data, the classification criteria are not met.

symptoms

SECTION 12: Ecological information

12.1. Toxicity

butyl glycolether (111-76-2)	
LC50 fish 1	1474 ppm (96 h; Oncorhynchus mykiss)
EC50 Daphnia 1	1550 mg/l (48 h; Daphnia magna)
Threshold limit algae 1	911 mg/l (72 h; Pseudokirchneriella subcapitata)
Threshold limit algae 2	88 mg/l (72 h; Pseudokirchneriella subcapitata)

ammonium hydrogen difluoride, 0.1%<=conc-	<1%, aqueous solutions (1341-49-7)
LC50 fish 1	> 2.3 mg/l (Pisces)

12.2. Persistence and degradability

12.2. Persistence and degradability		
801, DURAGLOSS CHROME WHEEL CLEANER		
Persistence and degradability	Not established.	
butyl glycolether (111-76-2)		
Persistence and degradability	Readily biodegradable in water. Low potential for adsorption in soil. Photooxidation in the air.	
phosphoric acid, conc>=25%, aqueous solutions (7664-38-2)		
Persistence and degradability	Biodegradability: not applicable. No (test)data on mobility of the components available.	
Biochemical oxygen demand (BOD)	Not applicable	
Chemical oxygen demand (COD)	Not applicable	

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

phosphoric acid, conc>=25%, aqueous solutions (7664-38-2)	
ThOD	Not applicable
BOD (% of ThOD)	Not applicable

ammonium hydrogen difluoride, 0.1%<=conc<1%, aqueous solutions (1341-49-7) Persistence and degradability Biodegradability in soil: no data available.

12.3. Bioaccumulative potential

801, DURAGLOSS CHROME WHEEL CLEANER

	Bioaccumulative potential	Not established.	
	hutul alvestelsten (444 70.0)		
butyl glycoletner (111-76-2)			
	Lan Daw	0.04 (Table data: 20.00)	

phosphoric acid conc>=25% aqueous solutions (7664-38-2)		ons (7664-38-2)
	Bioaccumulative potential	Low potential for bioaccumulation (Log Kow < 4).
	Diagonum ulativa natantial	Low potential for bioggramulation (Log Kow < 4)
	Log Pow	0.81 (Test data; 20°C)

	Biodocamalativo potentiai	Not bloadeamaiative.	
ammonium hydrogen difluoride, 0.1%<=conc<1%, aqueous solutions (1341-49-7)		<1%, aqueous solutions (1341-49-7)	
	Bioaccumulative potential	No bioaccumulation data available.	

Not bioaccumulative

12.4. Mobility in soil

Bioaccumulative potential

butyl glycolether (111-76-2)	
Surface tension	0.065 N/m (20 °C; 003)

12.5. Other adverse effects

Effect on ozone layer

Effect on the global warming : No known ecological damage caused by this product.

Other information : Avoid release to the environment.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Waste disposal recommendations : Dispose in a safe manner in accordance with local/national regulations. Dispose of

contents/container to ...

Ecology - waste materials : Avoid release to the environment.

SECTION 14: Transport information

In accordance with DOT
Not regulated for transport
Additional information

Other information : No supplementary information available.

ADR

No additional information available

Transport by sea

No additional information available

Air transport

No additional information available

SECTION 15: Regulatory information

15.1. US Federal regulations

801, DURAGLOSS CHROME WHEEL CLEANER

Not listed on the United States TSCA (Toxic Substances Control Act) inventory

butyl glycolether (111-76-2)

Listed on the United States TSCA (Toxic Substances Control Act) inventory

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

15.2. International regulations

CANADA

No additional information available

EU-Regulations

No additional information available

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Classification according to Directive 67/548/EEC [DSD] or 1999/45/EC [DPD]

Not classified

15.2.2. National regulations

1

15.3. US State regulations

butyl glycolether (111-76-2)

U.S. - New Jersey - Right to Know Hazardous Substance List

U.S. - Pennsylvania - RTK (Right to Know) List

SECTION 16: Other information

Revision date : 05/28/2015 Other information : None.

Full text of H-phrases:

Acute toxicity (oral) Category 3
Acute toxicity (dermal) Category 4
Acute toxicity (inhalation:dust,mist) Category 4
Acute toxicity (oral) Category 4
Serious eye damage/eye irritation Category 2A
Flammable liquids Category 4
Skin corrosion/irritation Category 1A
Skin corrosion/irritation Category 1B
Skin corrosion/irritation Category 2
Combustible liquid
Toxic if swallowed
Harmful if swallowed
Harmful in contact with skin
Causes severe skin burns and eye damage
Causes skin irritation
Causes serious eye irritation
Harmful if inhaled

SDS US (GHS HazCom 2012)

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product