

FULL LINE CATALOG



Analan and






INNOVATIVE PRODUCTS SINCE 1966

The EZ RED Company Headquarters

ABOUT US

In 1966, Walter R . "Tommy" Tucker purchased a new style Battery Hydrometer to sell from his small Wagon Jobber Business which he ran out of a Volkswagen Micro Bus. He soon discovered the uniqueness and quality in this inexpensive hydrometer. Tommy sold his business and became partners with the Hydrometer's inventor from Canada. As time progressed he bought out his partner and expanded the line. Mark Tucker joined in 1975 and his son Luke in 2001. Started in Tommy's basement on Laurel Bank Avenue. The company has moved from the basement to Tommy's Riverside Trailer Park, to 28 Oak Street and 20 years ago to its present location at Evergreen Corporate Park. With 24 employees in our E-Z Red family and over 250 products sold worldwide, we are thankful and proud to be a member of the Deposit on the Delaware community.





WARRANTY

LIMITED LIFETIME WARRANTY

The EZ Red Company will guarantee this product to be free of manufacturers defects for a lifetime of intended use. This warranty shall not apply to products that have been misused, abused, damaged by accident or otherwise. Repairs or modifications performed by anyone other than The EZ Red Company or an authorized repair center will result in a breach of this warranty. The EZ Red Company is not responsible for damage or personal injury resulting from improper tool usage, product modifications, or abuse. The EZ Red Company reserves the right to repair or replace any defective products that qualify under implied warranty. Discontinued items that are covered under this warranty will be repaired or replaced for a period of 90 days following the discontinued announcement. Not all EZ Red products are covered under this Limited Lifetime Warranty.

LIMITED ONE YEAR WARRANTY

If within one (1) year from the date of purchase, the product fails due to a defect in material or workmanship, EZ Red Company will repair if possible or replace it free of charge. This warranty applies only to original purchaser, residing in the U.S. or Canada, and is non-transferable. EZ Red Company will not be liable for any incidental or consequential damages to purchaser, or any other party, for any loss, damage, injury, or expense of any kind or nature cause directly or indirectly by product or the failure of the product to operate properly. Some states do not allow the exclusion or limitation of incidental or consequential damages, so the above limitation or exclusion may not apply to you. This warranty is in lieu of all other express or implied warranties. All implied warranties, including the warranty of merchantability and the warranty of fitness of a particular purpose are hereby modified to exist only as stated above. The warranty does not apply to: (a) damage cause by accident, abuse, in handling, dropping: (b)acts of Gods;(c) units which have been subject to unauthorized repair, opened, taken apart or otherwise modified (d) units not used in accordance with directions; (e) damages exceeding the cost of the product; (f) depreciated or loss of charge time; (g) the finish on any portion of the product, such as surface scratches and/or weathering, as this is considered normal wear and tear. Some states do not allow a limitation of damages so the forgoing limitations may not apply to you. This warranty apply to you. This warranty gives you specific legal rights and you may also have other rights, which vary from state to state.

On the following pages you will see each product marked with a code:


L90 = 90 DAY WARRANTY L1Y= 1 YEAR WARRANTY LLT = LIMITED LIFETIME ND = NEW DEFECTIVE

TABLE OF CONTENTS



LIGHTING: PAGE 1

	HOOD HAWK	PAGE 2
	XTREME COB WORK LIGHT	PAGE 3
	SOLARUS LIGHT	PAGE 3
and a la l	PEN LIGHT	PAGE 3
JXJXJXJXJXJXJX	COB LED POCKET LIGHT	PAGE 4
Contraction of the second	SLIM LIGHT	PAGE 4
HYDROMETERS: PAGE 5	Selim Liam	PAUL 4
	BATTERY HYDROMETER 101	PAGE 6
	ANTI-FREEZE HYDROMETER 102	PAGE 6
	WINDSHIELD WASHER HYDROMETER 104	PAGE 6
RATCHETS: PAGE 7		
	LOCKING FLEX HEAD EXTENDABLE COMFORT GRIP	PAGE 8
	LOCKING FLEX HEAD FULL CHROME GRIP	PAGE 8
	EXTENDABLE RATCHETS COMFORT GRIP	PAGE 8
	DOUBLE EXTRA LONG FULL CHROME GRIP	PAGE 10
	3/4" EXTENDABLE FULL CHROME	PAGE 10
	1" EXTENDABLE FULL CHROME	PAGE 10
	12 12 12 12 12 12	
SPECIALTY, PAGE 13		E. F.
10101010101	QUARTER STICKS	PAGE 14,15
	HAND TOOL SETS	PAGE 17
	PLASTIC REPAIR KIT WRENCHRAC SOCKET HOLDER	PAGE 16
	FIVE IN ONE PLIERS KIWI PLIERS WRIST MAG	PAGE 18
	TELESCOPING TOOLS	PAGE 10
	RAZOR SCRAPERS	PAGE 20
	WRENCH SETS	PAGE 20
	HEX / TORX/ BIT SETS HEAT SHRINK	PAGE21
		INULLI
BATTERY, PAGE 25		sol a
	POWER POST CLEANERS PAGES 26,	27, 28, 29
し し し し し し し		ES 30, 31
	SERIES BATTERY CHARGERS	PAGE 32
	FORMATION JUMPERS / ADAPTERS	PAGE 33
	LOAD TESTERS	PAGE 34
	MEMORY SAVERS	PAGE 35
	BATTERY LIFTERS	PAGE 36
	BATTERY FILLERS	PAGE 37
	BATTERY MAINTENANCE KIT	PAGE 38



PAGE 39 PAGE 40

ALIGNMENT. PAGE 41

Jana Jana Jana	No Color Dolla	1010
INDEX	CATALOG INDEX	PAGE 46
WEIGHTS / DIMENSIONS	FOR ALL EZRED PRODUCTS	PAGE 44, 45
	EZLINE TRAILER ALIGNMENT EZLINE COMPLETE EZLINE ACCESSORIES	PAGE 42 PAGE 42 PAGE 42 PAGE 42



1





HOOD HAWK





Clamp swivels to any direction!



- COB LED 1000 lumens on high setting
- 550 lumens on low setting
- 3 hour run time on high
- . 6 hour runtime on low
- · Clamp nearly anywhere for instant illumination
- · Bumpers on clamp protect surfaces from damage
- · Light adjusts on two axes for easy positioning
- Tough and durable ABS construction

Clamp swivels to any direction! RECHARGEABLE







WORK LIGHTS / POCKET LIGHT





Wall Adapter, USB Cord, Mobile Charger Adapter



SL1350 SOLARUS Pocket Sunlight

- 150 Lumens
- Run time 14 H
- Battery 3 X AAA
- Beam Distance 7M
- Impact Rating 1.8M
- Water Resistant IPX2
- Pocket Clip

HIGH CRI VALUE PAINT MATCHING LED LIGHTING

XTREME LIGHT COB Rechargeable Work Light

- COB LEDs
- 100% field repairable
- 3.7V 4400mAh Li-ion rechargeable battery(included)
- 450 Lumens High, 250 Lumens Low
- USB charging port
- Over-charge protection
- · Impact protection, ergonomic grip handle and bumper
- · Easy operating soft touch switch
- 360 degree rotating hook for easy maneuverability
- Warranty code L1Y

XL334PK COB XTREME Work Light 4 Pack

SL3350 SOLARUS Rechargeable Sunlight

- Match colors with precision
- COLOR Matching COB LEDS
- 450 Lumens High, 250 Lumens Low
- . Up to 4 hours high / 7 hours low
- 6 hours of charging time
- 12V & 120V charger adapters included
- Over-charge protection
- Impact rating 1.8M
- 100 % Field Repairable
- USB Rechargeable
- ABS Construction
- Ratcheting Hook
- Warranty code L1Y



TF120

COB Rechargeable Pocket Light

- 120 Lumens!
- Micro USB rechargeable
- High power LED
- 2 position switch
- · Battery charge level indicator
- Up to 6 hour run time
- Water resistant
- Range up to 50 Meters
- IPX4 water resistance
- · Super strong pocket clip
- · Anodized aluminum body

3

Warranty code L1Y



POCKET LIGHTS







12 PCOB (RED)

4

PCOB12PKC



3 PCOB, 3 PCOB-OR, 3 PCOB-G, 3 PCOB-P PCOB12C2



4 PCOB-OR, 4 PCOB-G

175 LUMENS

175

LUMENS

PCOB 12 PACKS Pocket COB LED Light Sticks

-The Original —

POCKET LIGHT

SUPERCHARGED!

Pocket COB LED Light Sticks

PCOB

COB LED's

Pocket Clip

Magnetic Base

• Up to 7 Hour Run Time

Operates on 3 AAA Batteries

Weather Resistant Button

Warranty code L90

- COB LED's
- Magnetic Base
- Up to 7 Hour Run Time
- Pocket Clip
- Operates on 3 AAA Batteries
- Weather Resistant Button
- Warranty code L90









LUMENS

PL175 Series Rechargeable Slim Light

- 100 lumen beam output
- 175 lumen flood light
- Water & impact resistant
- · Micro USB rechargeable
- High power LED/COB
- Dual light: flood & beam
- Magnetic pocket clip
- Protected charge port
- · Charge indicator
- Warranty Code L1Y



ETHYLENE

ANTI-FREEZE

HYDROMETER

ELRSP102

Made In USA

5

50

-40

-20

0

S

420

.50

.34

-20

.-10

+10

*32

0

l Y

DROMUTURS

UNUME END

BATTERY HYDROMETER ANTI-FREEZE HYDROMETER WINDSHIELD WASHER HYDROMETER

1300


HYOROMETER

Made In USA

2

0009

7100





HYDROMETERS



101

Battery Hydrometer

- Temperature compensating
- · Obtain direct, accurate readings
- Designed so that anyone can see the state of the battery acid
- Wide range of 1.100 1.300 SG
- · Unbreakable, E-Z to read, economical
- · Used by battery manufacturers worldwide
- · Warranty code LLT

Please see page 33 for the B108 Refractometer.





SP102

102

Anti Freeze Hydrometer

- · Tests ethylene glycol solutions
- Temperature compensating
- · Obtain direct, accurate readings
- Wide range: +32°F to 60° F
- Fahrenheit & Celsius scales
- · Unbreakable, E-Z to read
- · Tests both hot and cold solutions
- Warranty code LLT



6

104 Windshield Washer Hydrometer


- Tests methanol solutions
- Temperature compensating
- · Obtain direct, accurate readings
- Wide range: +32°F to 60° F
- Fahrenheit & Celsius scales
- · Unbreakable, E-Z to read
- Warranty code LLT



PATCHETS


LOCKING FLEX HEAD EXTENDABLE RATCHETS , COMFORT GRIP







RATCHETS





8



MR34

Extendable 3/4" or 1" Ratchet

- · Unique, extendable locking shaft
- · Extends from approx 24" to 40"
- · Knurled handle ensures firm grip
- · Precise 15 degree drive head contains 24 teeth
- · Replacement Head Kits available
- · Meets and exceeds ANSI torque requirement
- · Warranty code LLT

PLEASE SEE FACING PAGE FOR COMPLETE SPECS.



9

All items listed below are available individually or in the 3 piece set.

RATCHET SPECS

TEM #	DESCRIPTION	SPECS	
MR12	EXTENDABLE RATCHET	.50" DRIVE X 13.78" TO EXTENDED LENGTH OF 19.79"	
MR38	EXTENDABLE RATCHET	.375" DRIVE X 9.84" TO EXTENDED LENGTH OF 13.78"	
MR14	EXTENDABLE RATCHET	.25" DRIVE X 6.89" TO EXTENDED LENGTH OF 8.85"	
MR482	SET OF 3 EXTENDABLE RATCHETS	MR12, MR38, MR14 RATCHETS	
RK12	11 PIECE REPAIR KIT FOR THE MR12 ALL THE PARTS YOU NEED TO REBUILD		
RK38	11 PIECE REPAIR KIT FOR THE MR38	ALL THE PARTS YOU NEED TO REBUILD THE RATCHET HEAD	
RK14	11 PIECE REPAIR KIT FOR THE MR14	ALL THE PARTS YOU NEED TO REBUILD THE RATCHET HEAD	

All items listed below are available individually or in the 3 piece set.

ITEM #	DESCRIPTION	SPECS	
MR12XLC	XXL FULL CHROME RATCHET	.50" DRIVE X 22" LONG	
MR38XLC	MR38XLC XXL FULL CHROME RATCHET .375" DRIVE 16.00" L		
MR14XLC XXL FULL CHROME RATCHET .25" DRIVE X		.25" DRIVE X 9.02"LONG	
MR482XLC SET OF 3 XXL FULL CHROME RATCHETS		MR12XLC, MR38XLC, MR14XLC RATCHETS	
RK12	RK12 11 PIECE REPAIR KIT FOR THE MR12XLC ALL THE PARTS YOU NEED TO REBUIL		
RK38 11 PIECE REPAIR KIT FOR THE MR38XLC ALL THE PARTS YOU NEED TO REBU		ALL THE PARTS YOU NEED TO REBUILD THE RATCHET HEAD	
RK14	11 PIECE REPAIR KIT FOR THE MR14XLC	ALL THE PARTS YOU NEED TO REBUILD THE RATCHET HEAD	

TEM #	DESCRIPTION	SPECS
MR34	EXTENDABLE RATCHET	.75" DRIVE X 24.00" TO EXTENDED LENGTH OF 39.87"
RK34	11 PIECE REPAIR KIT FOR THE MR34	ALL THE PARTS YOU NEED TO REBUILD THE RATCHET HEAD
MR1X	EXTENDABLE RATCHET	1.00" drive for the 24 to extended length of 39.47"
RK1X	11 PIECE REPAIR KIT FOR RHW MR1X	ALL THE PARTS YOU NEED TO REBUILD THE RATCHET HEAD



FLEX HEAD RATCHETS







MR12FL / MR38FL / MR14FL

Locking Flex Head Extendable Ratchet

- · Locking 180° flex heads
- 72 tooth drive
- · Comfort grip
- · Low profile
- Reversible
- Extendable locking shaft
- Exceeds ANSI specs
- · Warranty code LLT

PLEASE SEE FACING PAGE FOR COMPLETE SPECS.





MR1224FL / MR3818FL / MR1412FL Locking Flex Head Full Chrome Ratchet

- Locking 180° flex heads
- · 72 tooth drive
- · Full chrome grip
- · Low profile
- · Reversible
- · Extendable locking shaft
- · Exceeds ANSI specs
- Warranty code LLT

PLEASE SEE FACING PAGE FOR COMPLETE SPECS.



10





MR1224F / MR3818F / MR1412F **Flex Head Comfort Grip Ratchet**

- · 180° flex heads (non locking)
- 72 tooth drive
- · Comfort grip
- · Low profile
- Reversible
- · Exceeds ANSI specs
- · Ratchets are available separately
- Warranty code LLT

PLEASE SEE FACING PAGE FOR COMPLETE SPECS.



11

All items listed below are available individually or in the 3 piece set.

ITEM #	DESCRIPTION	SPECS		
MR12FL LOCKING FLEX HEAD EXTENDABLE RATCHET		.50" DRIVE X 13.78" TO EXTENDED LENGTH OF 19.79"		
MR38FL	LOCKING FLEX HEAD EXTENDABLE RATCHET	.375" DRIVE X 9.84" TO EXTENDED LENGTH OF 13.78"		
MR14FL 1/4" LOCKING FLEX HEAD EXTENDABLE RATCHET		.25" DRIVE X 6.89" TO EXTENDED LENGTH OF 8.85"		
MR482FL SET OF 3 LOCKING FLEX HEAD EXTENDABLE RATCHETS		MR12FL, MR38FL, MR14FL RATCHETS		
RK12 11 PIECE REPAIR KIT FOR THE MR12FL		ALL THE PARTS YOU NEED TO REBUILD THE RATCHET HEAD		
RK38 11 PIECE REPAIR KIT FOR THE MR38FL		ALL THE PARTS YOU NEED TO REBUILD THE RATCHET HEAD		
RK14	11 PIECE REPAIR KIT FOR THE MR14FL	ALL THE PARTS YOU NEED TO REBUILD THE RATCHET HEAD		

ITEM # DESCRIPTION MR1224FL XXL FULL CHROME LOCKING FLEX HEAD RATCHET		SPECS .50" DRIVE X 22" LONG	
MR1412FL XXL FULL CHROME LOCKING FLEX HEAD RATCHET		.25" DRIVE X 10.25"LONG	
MR1438FL SET OF 2 XXL FULL CHROME LOCKING FLEX HEAD RATCHETS		MR1412FL, AND MR3818FL RATCHETS	
RK12 11 PIECE REPAIR KIT FOR THE MR1224FL ALL		ALL THE PARTS YOU NEED TO REBUILD THE RATCHET HEAD	
RK38 11 PIECE REPAIR KIT FOR THE MR3818FL ALL TH		ALL THE PARTS YOU NEED TO REBUILD THE RATCHET HEAD	
RK14	11 PIECE REPAIR KIT FOR THE MR1412FL	ALL THE PARTS YOU NEED TO REBUILD THE RATCHET HEAD	

All items listed below are available individually or in the 3 piece set.

ITEM # DESCRIPTION MR1224F XXL FLEX ONLY RATCHET		SPECS .50" DRIVE X 24" LONG	
MR1412F	IR1412F XXL FLEX ONLY RATCHET .25" DRIVE X 12.		
MR482XLF SET OF 3 XXL FLEX ONLY RATCHETS MR1224F,		MR1224F, MR3818F, MR1412F RATCHETS	
RK12 11 PIECE REPAIR KIT FOR THE MR12XLC ALL THE PARTS YOU NEE		ALL THE PARTS YOU NEED TO REBUILD THE RATCHET HEAD	
RK38 11 PIECE REPAIR KIT FOR THE MR38XLC ALL THE PARTS YOU NEED TO RI		ALL THE PARTS YOU NEED TO REBUILD THE RATCHET HEAD	
RK14	11 PIECE REPAIR KIT FOR THE MR14XLC	ALL THE PARTS YOU NEED TO REBUILD THE RATCHET HEAD	



NEW PACKAGING



The E-Z Red logo and brand has undergone a significant transformation. The new identity had to satisfy all of the existing expectations of what our original mark stands for; quality, innovation, and strength... while simultaneously moving the brand forward.

Striving to maintain the iconic and recognizable mark was a primary goal. This was achieved by carefully reconstructing the existing mark and studying its fundamental shapes, angles and weight. Color provides a strong visual link to our brand identity across a wide range of applications. The consistent representation of these core colors helps reinforce the distinctiveness of the E-Z Red brand.

Black, red, and blue serve as our brand's corporate colors for print and electronic applications. An extended color palette has been created for use in presentations and other corporate materials. To find colors that are consistent with the business needs of your department, please refer to the relevant style guides. To ensure consistent representation of our brand identity, we always use high-quality vendors and reproduction methods. I hope you will join us in embracing these new elements, designed to integrate the strength of our past with our future. Thank you for the significant role you play in helping fulfill its mission. Your loyalty, hard work, and support are deeply appreciated.



FEP PREDPCS

10 CUT COPPER ONLY

BARE INSUL

10.2

QUARTER STICKS

Y	HCOOT	SOCKET HOLDER, WRENCHRAC, PLASTIC REPAIR KIT PICE IT
Z	KWP2	FIVE IN ONE PLIERS , KIWI PLIERS, WRIST MAG PUSE 16
5	HH1000	TELESCOPING TOOLS PAGE 19 S
2	M\$3000	RAZOR SCRAPERS PLOE 20
S.	SHM38	WRENCH RACS, SOCKET HOLDERS PAGE 17
	WR5ML	WRENCH SETS PAGE 22, 23
	T1000	HEX / TORX BIT SETS, HEAT SHRINK PAGE 21



QUARTER STICK



Locking Quarter Stick

- ¼" Combination bit and square drive with locking heads
- · Great for tight spots, under dashboards, and bumpers
- Custom Reversible switches
- · Knurled low profile thumb wheels for extra precision
- · Push button quick releases
- 180 degree locking flex heads at each end for multiple angles
- · High polished chrome finish
- · Exceeds ANSI torque requirements

Covered by US Patent No. D677, 536 and U.S. Patent No. 9,446,506.



4504

Stubby Quarter Stick

- 1/4" Combination bit and square drive
- · Great for tight spots under dashboards and bumpers
- · Custom Reversible switches
- · Knurled low profile thumb wheels for extra precision
- · Push button quick releases
- 180 degree flex heads at each end for multiple angles
- · High polished chrome finish
- Exceeds ANSI torque requirements
- · Warranty code LLT



14

4**S**38L **Dual Square Drive**

- 15° offest heads
- · Great for tight spots, under dashboards, and bumpers
- · Custom reversible switch
- Knurled low profile thumb wheel for extra precision
- · Push button quick release
- · High polished Chrome finish
- · Exceeds ANSI torque requirement
- Warranty code LLT

Covered by US Patent No. D677, 536 and U.S. Patent No. 9,446,506.

QUARTER STICK





4S12XL **Extra Long Quarter Stick**

- ¼" Combination bit and square drive with 15° offset heads
- · Great for tight spots, under dashboards, and bumpers
- Custom Reversible switches
- · Knurled low profile thumb wheels for extra precision
- Push button quick releases
- 180 degree locking flex heads at each end for multiple angles
- High polished chrome finish
- Exceeds ANSI torque requirements
- Warranty code LLT





4S08XL

8" Quarter Stick

- ¼" Combination bit and square drive with 15° offset heads
- · Great for tight spots, under dashboards, and bumpers
- Custom Reversible switches
- · Knurled low profile thumb wheels for extra precision
- Push button quick releases
- 180 degree locking flex heads at each end for multiple angles
- High polished chrome finish
- Exceeds ANSI torque requirements
- Warranty code LLT

4S04XL

Stubby Quarter Stick

- ¼" Combination bit and square drive with 15° offset heads
- Great for tight spots, under dashboards, and bumpers
- Custom Reversible switches
- · Knurled low profile thumb wheels for extra precision
- Push button quick releases
- 180 degree locking flex heads at each end for multiple angles
- · High polished chrome finish
- Exceeds ANSI torque requirements
- Warranty code LLT

RK4S12A RK4S12B

G

4**S**3XL

3 Piece Quarter Stick Set

- 15° offest heads
- · Great for tight spots, under dashboards, and bumpers
- · Custom reversible switch
- · Knurled low profile thumb wheel for extra precision

15

- Push button quick release
- High polished Chrome finish
- Exceeds ANSI torque requirement
- Warranty code LLT



HAND TOOL SETS



MMS14

1/4" Mini Master Set 20 Pieces

- 1/4" flex head drive with bit holder end
- 8 spline low profile metric sockets (4-11mm)
- 10 bits
- 3" extension
- Rugged nylon roll up pouch
- LLT (Ratchet only)



412SS

33 Piece Socket & Bit Set

- 1/4" sockets : 4mm, 5mm, 6mm, 7mm, 8mm, 9mm, 10mm, 11mm, 12mm, 13mm
- 1/4" bits: PH 1, 2, 3 PZ 0, 2(x 2pc), 3 H3, 4, 5, 6 T 8, 10, 15, 20, 25, 27, 30, 35, 40
- 1/4" drive 4" extension bar
- 4S04: Stubby bit and socket driver
- 4S12L: Extra long bit and socket driver
- Blow molded case.
- Warranty code LLT





4S3XL 3 Piece Quarter Stick Set

- 15° offest heads
- Great for tight spots, under dashboards, and bumpers
- Custom reversible switch
- Knurled low profile thumb wheel for extra precision
- Push button quick release
- High polished Chrome finish
- Exceeds ANSI torque requirement
- Warranty code LLT

WRENCH RAC SOCKET HOLDER PRK



HOLDS UP TO 15 WRENCHES



WR1500 - WR1500B - WR1500G Magnetic Wrench Rac

- Individual magnet design holds any size wrenches securely allowing EZ one handed access
- Wrench Rac is designed to magnetically hold from the center of the wrench, unlike conventional "V" style holders
- Non-scratch Heavy Duty anodized aluminum with magnetic end caps
- · Great for flex head & stubby wrenches
- · Warranty code L1Y

ALSO AVAILABLE:

WR2400 - WR2400B 24 Inch Magnetic Wrench Rac









3/8" DRIVE

1/4" DRIVE Holds 12 metric sockets

ranging from 8-19mm

Holds 11 SAE sockets

ranging from 1/4-7/8 inch

Holds 12 metric sockets

ranging from 5-15mm

Holds 10 SAE sockets

from 3/16-9/16 inch

SHM38/SHM14/SHS38/SHS14 Magnetic Socket Holders

- Socket Sizes, drive size, and type Printed right on the socket holder
- Helps cut down socket clutter and helps to find the right socket quickly
- Fits easily into tool boxes or shop cart drawers for quick storage
- Rugged EVA foam takes abuse and resists common shop fluids Warranty code L1Y

GREAT FOR DEEP SOCKETS TOO!



HC001 Cordless Plastic Repair Kit

- Adjustable head for multiple angles
- LED Light
- · LED charging and low battery indicator lights
- · 120 V charger included
- · Finished repair is strong and flexible
- Great for repairing broken locater pins, door panel clips, and tabs

17

- · Expensive plastic parts can be saved
- · 3 types of 100 repair pins included
- Kit comes in a hard plastic storage case
- Warranty code L1Y



SPECIALTY TOOLS



PG5 Five in One Pistol Grip Pliers

- 10" long nose pliers with crimping, cutting, wire stripping, and fastener extraction functions
- Offset jaws offer a clear line of sight to the work being performed
- Ergonomic design of pistol grip is easier to use in difficult to reach areas
- Offers better orientation of the hand and forearm during grip exertion, reducing muscle fatigue



KWP2

2 Piece Kiwi Pliers Set

- . Includes 6" short nose and 8" long nose Kiwi Pliers.
- · Needle-nose pliers at an angle.
- · More powerful grip with less effort.
- · Better hand alignment provides a clear line of sight.
- · Curved handles fit your hand comfortably.
- · Internal spring opens the pliers jaws.
- · Made from heat treated long lasting quality steel
- Warranty code LLT



18

WM396

Wrist mag Magnetic Wrist Band

- · Super strong with 6 neodymium magnets!
- · Rated to hold 6 pounds of steel parts.
- · Saves time by keeping steel parts close at hand.
- . Ends the frustration of losing loose nuts & bolts.
- Magnets also hold tools.
- Made from comfortable waterproof neoprene.
- Warranty code ND

MONSTER EXTENDABLE TOOLS





HH1000 / HH40

Locking / Extendable Monster Hood Props

- Exclusive double locking system includes button locks and clutch locks
- Special guide channel ensures the button lock to line up every time
- The only prop to hold SUV, crossover and mini-van gates 100% open
- Made of thick wall tube aluminum
- Warranty code L90

ITEM #	COLOR	MIN LENGTH	MAX LENGTH	DIAMETER
HH1000	Red	25"	60"	1"
ITEM #	COLOR	MIN LENGTH	MAX LENGTH	DIAMETER
HH40	Red	23"	40"	.50"



MM36 / SWMM36 / MM38

Locking / Extendable Monster Magnets

- Telescoping with clutch locks Insulated handle
- · Neodymium rare earth magnet · Removes broken axle pieces
- Will start bolts in tight spots
 Made of thick wall tube aluminum
- Warranty code L90

ITEM #	STRENGTH	MIN LENGTH	MAX LENGTH	MAGNET SIZE
MM36	10 lbs.	20.5"	36"	.50" X 1"
ITEM #	STRENGTH	MIN LENGTH	MAX LENGTH	FEATURE
SWMM36	10 lbs.	22"	38"	180 DEGREE Locking Swivel Head
ITEM #	STRENGTH	MIN LENGTH	MAX LENGTH	MAGNET SIZE
MM38	20 lbs	20.5"	38"	1" X .25"





RAZOR SCRAPERS

NEW! Solid aluminum scraper heads!





Plastic blades, Item # 77239 are also available

NEW! Solid aluminum scraper head!



Store blades in handle

Powder-coated aluminum heads.

MS3000

Monster Scraper Kit

- · Three scrapers and five spare razor blades
- Includes: 13", 8" and 4" long scrapers
- Unique design angled head
- Durable and dependable
- · In a blow molded case
- Warranty code L90

MS1900 19" Extra Long Scraper

- · Super heavy duty
- Extra long 19" length
- Rugged aluminum body
- · Comfortable poly foam grip
- . Store up to 15 extra blades in the handle
- Warranty code L90

NEW! Solid aluminum scraper head!





MS60010PK Jar of ten MS600

MS600

6" Monster Scraper

- · Pocket sized, 6" long
- Single-edge razor included
- · Heavy-duty, made to last
- Angled head
- Rugged aluminum body
- · Red vinyl grip
- · Warranty code LLT

NEW! Solid aluminum!



MS400

Compact Monster Scraper

- Compact at 4" long
- Scrape in tight spots
- Ergonomic design
- · Molded from chemical resistant PC
- · Single-edge razor blade included
- · Warranty code LLT

HEAT SHRINK AND BIT SETS





HS34

Heat Shrink Tube Set

- 8 Different size tubes.
- 158 Total pieces.
- Tubes shrink to fit over cable splices & can be used for wire harnessing, covering, marking & bundling wires.
- Use for auto, marine, home, industrial, and many more applications.
- 2:1 Shrink Ratio.
- · Case features a molded in ruler.
- · Assortment includes sizes in multi-colors:.
- 2.5 x 170mm, 3.0 x 170mm, 5.0 x 150mm, 6.0 x 150mm, 16 x 170mm, 10 x 170mm, 12 x 170mm, 20 x 170mm
- · Warranty code ND



T1000

Low Profile Torx Bit Set

- Super low profile design allows for superior access
- Wrench drive side fits securely on any 10mm,12mm,
- or 17mm wrench or socket.
- Precision made
- · Warranty code LLT



HLS1000 Low Profile HEX Bit Set

- Super low profile design allows for superior access
- Wrench drive side fits securely on any 10mm,12mm,
- or 17mm wrench or socket.
- Precision made
- Warranty code LLT

HLS1000 Sizes: SAE 1/8, 9/64, 5/32, 3/16, 7/32, 1/4, 5/16, 3/8, 7/16, 1/2, 9/16, 5/8

T1000 Sizes: T10, T15, T20, T25, T27, T30, T40, T45, T47, T50, T55, T60



SD3 3 Pc Square Adapter Bit Set

- · Low profile design for superior access to tight areas
- Wrench side fits on any 17mm, 12mm, or 10mm wrench.
- Ball Detents on both sides
- Set includes 1/2", 3/8" and 1/4" drive adapters
- Warranty code LLT

Tools and equipment for automotive technicians and battery specialists

이 같은 것은 것은 것은 것은 것은 것은 것을 같은 것은 것을 것을 수 있는 것은 것을 많은 것은 것을 많은 것은 것을 것을 것을 것을 것을 수 있는 것을 것을 했다. 것은 것은 것은 것은 것은 것은



SPLINE WRENCH SETS



WR5ML

5 Pc. Locking Flex Head Ratcheting Wrench Set

- · Box ends with offset heads for greater reach capabilities
- Extra Long Spline with 180 degree locking flex heads
- Reverse switch
- · Packaged in the signature E-Z Red high density foam tray
- Includes sizes: 8mm x 10mm, 12mm x 14mm, 13mm x 15mm, 16mm x 18mm and 17mm x 19mm
- Warranty code LLT

PLEASE SEE FACING PAGE FOR COMPLETE SPECS.



WR4SL

4 Pc. Locking Flex Head Ratcheting Wrench Set

- · Box ends with offset heads for greater reach capabilities
- Extra Long Spline with 180 degree locking flex heads
- · Reversible switch
- · Packaged in the signature E-Z Red high density foam tray
- Includes sizes: 5/16 x 3/8, 7/16 x 1/2, 9/16 x 5/8, 11/16 x 3/4
- · Warranty code LLT

PLEASE SEE FACING PAGE FOR COMPLETE SPECS.



NR5M

5 Pc. Extra Long Flex Head Ratcheting Wrench Set

- · Box ends with slim heads for greater reach capabilities
- Extra Long Spline with 180 degree flex heads
- · Packaged in the signature E-Z Red high density foam tray
- Includes sizes: 8mm x 10mm, 12mm x 14mm, 13mm x 15mm, 16mm x 18mm and 17mm x 19mm
- Warranty code LLT

PLEASE SEE FACING PAGE FOR COMPLETE SPECS.

SPLINE WRENCH SPECS





All items listed below are available individually or in the 5 piece set.

ITEM #	DESCRIPTION	DIMENSIONS	
WRM810	8 X 10 MM	9.5" LONG X .75" WIDE X .50" HIGH	
WRM1214	12 X 14 MM	12.75" LONG X 1.12" WIDE X .62" HIGH	
WRM1315	13 X 15 MM	14.25" LONG X .125" WIDE X .50" HIGH	
WRM1618	16 X 18 MM	16.75" LONG X 1.37" WIDE X .75" H	
WRM1719	17 X 19 MM	16.75" LONG X 1.37" WIDE X .75" HIGH	
WRM5L	COMPLETE SET	20.25" LONG X 9.25" WIDE X 1.25" HIGH	

Universal Spline fits 6 different fasteners

REPLACEMENT HEADS ARE AVAILABLE.



All items listed below are available individually or in the 4 piece set.

ITEM #	DESCRIPTION	DIMENSIONS		
WRS51638	5/16" X 3/8"	9.5" LONG X75" WIDE X50" HIGH		
WRS71612	7/16" X 1/2"	12.75" LONG X 1.12" WIDE X .62" HIGH		
WRS91658	9/16" X 5/8"	16.75" LONG X 1.37" WIDE X .75" HIGH		
WRS111634 11/16" X 3/4"		16.75" LONG X 1.37" WIDE X .75" HIGH		
WR4SL	COMPLETE SET	22" LONG X 8" WIDE X 1" HIGH		

Universal Spline fits 6 different fasteners REPLACEMENT HEADS ARE AVAILABLE.



All items listed below are available individually or in the 5 piece set.

ITEM #	DESCRIPTION	DIMENSIONS		
IRM810 8 X 10 MM		9.5" LONG X75" WIDE X .50" HIGH		
NRM1214	12 X 14 MM	2.75" LONG X 1.12" WIDE X .62" HIGH		
NRM1315	13 X 15 MM	14.25" LONG X .125" WIDE X .50" HIGH		
IRM1618 16 X 18 MM		16.75" LONG X 1.37" WIDE X .75" HIGH		
NRM1719 17 X 19 MM		16.75" LONG X 1.37" WIDE X .75" HIGH		
NR5M	COMPLETE SET	20.25" LONG X 9.25" WIDE X 1.25" HIGH		

REPLACEMENT HEADS ARE AVAILABLE.

SPLINE WRENCH SPECS





All items listed below are available individually or in the 5 piece set.

ITEM #	DESCRIPTION	DIMENSIONS 9.5" LONG X .75" WIDE X .50" HIGH		
WRM810	8 X 10 MM			
NRM1214 12 X 14 MM		12.75" LONG X 1.12" WIDE X .62" HIGH		
WRM1315 13 X 15 MM		14.25" LONG X .125" WIDE X .50" HIGH		
WRM1618 16 X 18 MM		16.75" LONG X 1.37" WIDE X .75" HIGH		
WRM1719 17 X 19 MM		16.75" LONG X 1.37" WIDE X .75" HIGH		
WRM5L	COMPLETE SET	20.25" LONG X 9.25" WIDE X 1.25" HIGH		

Universal Spline fits 6 different fasteners

REPLACEMENT HEADS ARE AVAILABLE.



All items listed below are available individually or in the 4 piece set.

DESCRIPTION	DIMENSIONS			
5/16" X 3/8"	9.5" LONG X75" WIDE X .50" HIGH			
7/16" X 1/2"	12.75" LONG X 1.12" WIDE X .62" HIGH			
9/16" X 5/8"	16.75" LONG X 1.37" WIDE X .75" HIGH			
11/16" X 3/4"	16.75" LONG X 1.37" WIDE X .75" HIGH			
COMPLETE SET	22" LONG X 8" WIDE X 1" HIGH			
	5/16" X 3/8" 7/16" X 1/2" 9/16" X 5/8" 11/16" X 3/4"			

Universal Spline fits 6 different fasteners REPLACEMENT HEADS ARE AVAILABLE



All items listed below are available individually or in the 5 piece set.

ITEM #	DESCRIPTION	DIMENSIONS		
IRM810 8 X 10 MM		9.5" LONG X75" WIDE X .50" HIGH		
NRM1214	12 X 14 MM	2.75" LONG X 1.12" WIDE X .62" HIGH		
NRM1315	13 X 15 MM	14.25" LONG X .125" WIDE X .50" HIGH		
NRM1618 16 X 18 MM		16.75" LONG X 1.37" WIDE X .75" HIGH		
NRM1719 17 X 19 MM		16.75" LONG X 1.37" WIDE X .75" HIGH		
NR5M	COMPLETE SET	20.25" LONG X 9.25" WIDE X 1.25" HIGH		

REPLACEMENT HEADS ARE AVAILABLE.



NEW PACKAGING



The E-Z Red logo and brand has undergone a significant transformation. The new identity had to satisfy all of the existing expectations of what our original mark stands for; quality, innovation, and strength... while simultaneously moving the brand forward.

Striving to maintain the iconic and recognizable mark was a primary goal. This was achieved by carefully reconstructing the existing mark and studying its fundamental shapes, angles and weight. Color provides a strong visual link to our brand identity across a wide range of applications. The consistent representation of these core colors helps reinforce the distinctiveness of the E-Z Red brand.

Black, red, and blue serve as our brand's corporate colors for print and electronic applications. An extended color palette has been created for use in presentations and other corporate materials. To find colors that are consistent with the business needs of your department, please refer to the relevant style guides. To ensure consistent representation of our brand identity, we always use high-quality vendors and reproduction methods. I hope you will join us in embracing these new elements, designed to integrate the strength of our past with our future. Thank you for the significant role you play in helping fulfill its mission. Your loyalty, hard work, and support are deeply appreciated.



BUTER

POWER POST CLEANERS MANUAL BATTERY POST CLEANERS SERIES BATTERY CHARGERS FORMATION JUMPERS LOAD TESTERS

MS4000	MEMORY SAVER	1E 39	
BK520	BATTERY LIFTERS	IE 34	
8901	BATTERY FILLERS PA	NE 35	A
BMK1914	BATTERY MAINTENANCE KIT	IE 36	
EZ612	DVM / SOLUTION TESTERS	IE 33	E
793CS	CABLE CUTTERS -LUG CRIMPERS	GE 30	Y Y
	Jul a la la la la		



TOP POST / JIS POWER POST CLEANERS

18mm

MAX POST DIAMETER

18mm



1.83" X 2.64"

DIMENSIONS

1.63" X 2.50"

505BT / 505BTSSHQD

"Bent-Tooth" Power Post Cleaner

- · Bent tooth staple cloth. The wires have a 70° bend.
- · Clean up to 50 posts per minute
- 400 to 800 RPM is strongly recommended
- Warranty code ND

Helpful hint:

The 505 Cleans up to 1000 battery posts in one direction. After the effectiveness diminishes, switch or reverse machine, or electric / pneumatic drill for extending the life of this cleaner.



.31"

STEM SIZE

.25"

1.18"

STEM LENGTH

1.02"

505BT

ITEM #

505BTSSHQD





.625*

MAX POST LENGTH

.625"

ITEM #	STEM SIZE	STEM LENGTH	DIMENSIONS	MAX POST DIAMETER	MAX POST LENGTH
505ST	.31"	1.18"	1.83" X 2.64"	18mm	.625"
ITEM #	STEM SIZE	STEM LENGTH	DIMENSIONS	MAX POST DIAMETER	MAX POST LENGTH
505STSSHQD	.25"	1.02"	1.63" X 2.50"	18mm	.625"

505ST / 505STSSHQD


"Straight-Tooth" Power Post Cleaner

- Straight tooth staple cloth where the wires are perpendicular from the inside circumference.
- Clean up to 50 posts per minute
- 400 to 800 RPM is strongly recommended
- Warranty code ND

Helpful hint:

The 505 Cleans up to 1000 battery posts in one direction. after the effectiveness diminishes, switch or reverse machine, or electric / pneumatic drill for extending the life of this cleaner.







ITEM #	STEM SIZE	STEM LENGTH	MAX POST DIAMETER	MAX POST LENGTH	DIMENSIONS
505JP	.25"	1.062"	11-15mm	1.75"	1.62" X 2.5"

505JP

"JIS" Power Post Cleaner

- JIS indicates Japanese Industrial Standard
- Clean up to 50 posts per minute
- 400 to 800 RPM is strongly recommended
- Warranty code ND

Helpful hint:

The 505 Cleans up to 1000 battery posts in one direction. after the effectiveness diminishes, switch or reverse the machine, or electric / pneumatic drill for extending the life of this cleaner.

NEGATIVE POWER POST CLEANERS





505N

Negative Power Post Cleaner

- · Bent tooth staple cloth. The wires have a 70° bend.
- . Clean up to 50 posts per minute
- · 400 to 800 RPM is strongly recommended
- Warranty code ND

Helpful hint:

The 505N cleans up to 1000 battery posts in one direction. after the effectiveness diminishes, switch or reverse machine, or electric / pneumatic drill for extending the life of this cleaner.

ITEM #	STEM SIZE	STEM LENGTH	MAX POST DIAMETER	MAX POST LENGTH	DIMENSIONS
505N	.25"	1.062"	16mm	1.75"	1.83" X 2.75"



ITEM #	STEM SIZE	STEM LENGTH	MAX POST DIAMETER	MAX POST LENGTH	DIMENSIONS
505NSSHQD	.25"	1.02"	16mm	1.75"	1.63" X 2.50"

505NSSHQD

Negative Power Post Cleaner Steel Shaft

- · Bent tooth staple cloth. The wires have a 70° bend.
- . Clean up to 50 posts per minute
- · 400 to 800 RPM is strongly recommended
- Warranty code ND

Helpful hint:

The 505NSSHQD cleans up to 1000 battery posts in one direction. after the effectiveness diminishes, switch or reverse machine, or electric / pneumatic drill for extending the life of this cleaner.



JIS Power Post Cleaner

- JIS indicates Japanese Industrial Standard
- Clean up to 50 posts per minute
- · 400 to 800 RPM is strongly recommended
- Warranty code ND

505JPN

Helpful hint:

The 505JPN cleans up to 1000 battery posts in one direction. after the effectiveness diminishes, switch or reverse machine, or electric / pneumatic drill for extending the life of this cleaner.

ITEM #	STEM SIZE	STEM LENGTH	MAX POST DIAMETER	MAX POST LENGTH	DIMENSIONS
505JPN	.25"	1.062"	11-13mm	1.75"	1.83" X 2.75"



TOP POST BATTERY TERMINAL CLEANERS







BK50112PCK

501

Battery Terminal Cleaner Wire Brush

- · Highest quality cleaner of its kind
- . Brush will not twist loose !!
- Protective cover fits both ends
- · Clean top post terminals
- Great for battery cable ends
- · Ensures a great connection
- · Available on vinyl cards or bulk
- · Warranty code ND



Battery Janitor

- · Reshape battery terminals
- Ensures a great connection
- Steel blades stay sharp
- · Highest quality cleaner of its kind
- · Made from unbreakable plastic
- · Available on vinyl cards or bulk
- · Warranty code ND





S503





Battery Terminal Cleaner Steel Blades

· Reshape battery cable ends

504

- Staple cloth removes corrosion from posts
- Ensures a great connection
- · Steel blades stay sharp
- · Protective cover fits both ends
- Made from durable plastic
- · Available on vinyl cards, bulk, or counter display
- Warranty code ND

BATTERY TERMINAL CLEANERS







541

4-in-1 Battery Terminal Cleaner

- · Service most battery post types and cable ends
- Top post, Group 31 Truck, Marine, and Side Terminal
- Available packaged on vinyl card for retail sales, bulk, or counter display
- · Warranty code ND



BK5340D 3/4" Wire Brush

- Quick disconnect
- · Use with pneumatic or any type of drill
- Clean top terminal cable ends
- Case quantity 10.
- · Warranty code ND



BATTERY BRUSH KIT



PP12PK

Battery Brush Kit

- · Clean and polish corroded battery posts
- 400 to 800 RPM recommended
- ¼" Hexagonal drive shaft to use with air drill or cordless driver.

KIT INCLUDES

- 6 pieces 505BTSSHQD top post power battery brushes
- 3 pieces 506COSSHQD side terminal and group 31 brushes
- 3 pieces 509SSHQD utility brushes
- Warranty code ND

Spins over the battery post, at a recommended maximum speed of 800 RPM's. When it starts losing it's effectiveness, the machine, or electric pneumatic drill can be switched to reverse to extend the life.





509SSHQD

Utility Brush

- Cleans Side terminals
- · Removes corrosion from a variety of surfaces
- Can be used in many applications
- Stainless steel brushes are made to last
- Warranty code ND





506COSSHQD S/T and Group 31 Brush

- · Center hole accommodates the threaded stud
- Outer brushes clean contact area
- Warranty code ND



505BTSSHQD **Top Post Brush**

- · Clean and polish entire battery post
- · Lasts for up to 1000 battery posts
- 400 to 800 RPM is strongly recommended
- •18mm post size. "BT" indicates bent tooth staple cloth where the wires are at a 70° bend.
- · Warranty code ND

FORMATION JUMPERS / CHARGING POSTS





BK201

Cup Ends

- · Simple to install on many different battery types
- · Pre-tinned wire will not pull out of lead
- · Used by battery manufacturers worldwide
- 10 gauge wire
- · Universally sized
- · Warranty code ND





BK260

Clip Ends

- . 50 amp clips, crimped and soldered to wire
- · Pre-tinned wire for a secure bond
- · Joints will not loosen or corrode
- · E-Z to install and remove
- •Can be used on many different battery types
- · Warranty code ND

BK500

50 Amp Replacement Clips

- · Copper plated steel
- · Red and black vinyl insulators included
- · Zinc plated 2 mm springs
- · Warranty code ND



BK601 / BK605 / BK605U Charging Post / Adapters

- The two arms make it E-Z to install and remove.
- BK601 is a one size fits all (Universal) 3/8"
 -16 thread size.
- Used for charging, testing or as an adapter.
 BK605 / BK605U fits the 3/8" -16 threaded stud on a group 31 battery.

31

· Warranty code ND

SIDE TERMINAL / GROUP 31 / COMMERCIAL CLEANERS







506

Side Terminal Cleaner

- · Center brush cleans inside threads
- of side terminal batteries
- · Outer brushes clean contact area
- · Warranty code ND

506C0 / 506COSSHQD

Group 31 Battery Post Cleaner

- · Center hole accomodates the threaded stud
- · Outer brushes clean contact area
- · Warranty code ND



- Cleans Side terminals
- · Removes corrosion from a variety of surfaces
- · Can be used in many applications
- · Stainless steel brushes are made to last
- · Warranty code ND




507BT

Bent Tooth Commercial Post

- Clean battery posts up to 1 inch in height
 Cleans tops and sides of battery posts
- · Boxed in quantities of 200 per carton · Warranty code ND

ITEM #	STEM SIZE	STEM LENGTH	DIMENSIONS	MAX POST DIAMETER	MAX POST LENGTH
507BT	.31"	1.18"	1.83" X 2.89"	18mm	.85"



502

Bi-level Marine Post

• Top layer of staple cloth cleans threaded area. • Bottom layer cloth cleans the lead base.

Boxed in quantities of 200 per carton.
 Warranty code ND

ITEM #	STEM SIZE	STEM LENGTH	DIMENSIONS	MAX POST DIAMETER	MAX POST LENGTH
502	.31"	1.18"	1.83" X 2.89"	9mm	.80"



LOAD TESTERS



KS1612

250 Amp Load Tester

- 15 second manual test
- 0-16 volt scale
- 6 and 12 volt zones
- · Convenient 6 & 12 volt test buttons
- 4 gauge test leads
- Will test up to a 500 CCA battery
- No sparking at the battery as connection is made inside the tester.
- Warranty code L90




BT104

125 Amp Load Tester

- Test 6 and 12 volt batteries.
- This rugged unit is built to last.
- Heavy duty insulated safety clamps with 300 Amp jaws.
- Perform diagnostic tests: state of charge, battery load test, charging system test.
- · Lightweight and easy to use.
- Pistol grip
- Warranty code L90





100 Amp Load Tester

- Test 6 and 12 volt batteries
- Test complete in 10 seconds
- Copper plated clamps
- · Instructions on back label
- Warranty code L90

DIGITAL VOLT METER / SOLUTION TESTERS





EZ612 Digital Volt Meter

• Test both 6 and 12V batteries.

- · Checks charging systems.
- Tests to within 1/100th of a volt.
- · Polarity reversal and over voltage protection.
- Accuracy: ± .03 DCV.
- Warranty code L90



B108

2-in-1 Refractometer

- . Use only one drop of solution
- Adjustable lens focus
- Test Propylene Glycol
- Test Ethylene Glycol
- · Calibration adjustment screw
- · Check state of battery charge (specific gravity)
- · Screwdriver, eyedropper, and padded case included.
- · Fahrenheit & centigrade scales
- Warranty code L90



101 Battery Hydrometer

- Temperature compensating
- · Obtain direct, accurate readings
- Designed so that anyone can see the state of the battery acid
- Fahrenheit & Celsius scales
- Wide range of 1.100 1.300 SG
- Unbreakable, E-Z to read, economical
- · Used by battery manufacturers worldwide
- Warranty code LLT



BATTERY LIFTERS



BK520 / S520

Side Battery Lifter

- · All steel construction makes this battery lifter last a long time
- The rubber pads are adhered with a super strong adhesive
- · Non-slip ribbed vinyl hand grip
- Lift batteries from 41/2 to 71/2 inches wide
- Warranty code L90





BK530 / S530 Super Grip Battery Lifter

- Tapered design for tight spots
- · Round over teeth grip battery tight
- · Heavy duty rivets
- All steel Construction
- Multiple ply rubber strap handle
- Fits virtually all car batteries including group 65
- Warranty code L90



BK550

Battery Lifter

- Overall spread is 18¼ inches
- · Double grip jaw with zinc plated safety catch
- Heavy duty acid resistant vinyl strap
- Warranty code L90



BK560 / S560 Deep Cycle Battery Lifter

- · Lift deep cycle golf cart batteries from golf carts
- Place the hooks on the end of the lifter into the slots at the ends of the battery
- Warranty code L90

BATTERY FILLERS





B901

Jug Type Battery Filler

- · Acid resistant polyethylene
- · Automatic shut off to prevent overflowing
- · Double action valve tip prevents after drips
- 2 ¼ quart capacity
- Warranty code ND



S929

Dry Charge Filler

- Fast, neat way to fill batteries
- S929ADP motorcycle battery adapter is included
- · Positive thumb release valve controls acid flow
- · Cell-eye shows when cell is full
- · Ribbed nipple holds tube on snugly
- Spacers included for different fill heights
- · Warranty code ND

S929ADP Motorcycle battery adapter is included with this product, but it is also available as a separate item





BATTERY MAINTENANCE KIT



BMK1914

7 Piece Battery Maintenance Kit

This kit includes everything for cleaning and maintaining battery terminals

- BK541 4-in-1 Battery Terminal Cleaner
- BK703 5/16" Side Terminal Ratchet
- BK708 10mm Side Terminal Ratchet
- BK705 XL 5/16" Side Terminal Ratchet
- BK725 Battery Pliers
- BK720IM Battery Terminal Spreader / Cleaner
- BK706 Battery Terminal Puller
- Warranty code L90



BK703 / BK705 / BK708 Side Terminal Wrenches

- · Reversible ratcheting box wrenches
- Made of heavy duty chrome plated steel
- Use for side terminal batteries only
- Insulated handle
- · Accommodates the 506 side terminal cleaner
- Warranty code L90



BK720IM Battery Terminal Spreader

- Spreads and cleans clamp in one quick operation
- · Prolongs battery terminal life
- Insulated handles
- Warranty code L90



BK725

Angle Nose Battery Pliers

- Contoured head fits in tight spots
- Grips hex, square, or rounded nuts
- Drop forged steel jaws for super gripping
- Insulated handles
- Warranty code L90



36

BK706 Battery Terminal Puller

- Tapered jaw will not damage post
- Adjustable height
- Knurled pressure screw
- Internal springs
- Warranty code L90



BK541 4-in-1 Battery Terminal Cleaner

- Service most battery post types and cable ends with one tool; Top post, Group 31 Truck, Marine, and Side Terminal
- Warranty code ND

FORMATION JUMPERS / CHARGING POSTS





BK201

Cup Ends

- · Simple to install on many different battery types
- · Pre-tinned wire will not pull out of lead
- · Used by battery manufacturers worldwide
- 10 gauge wire
- · Universally sized
- · Warranty code ND





BK260

Clip Ends

- . 50 amp clips, crimped and soldered to wire
- · Pre-tinned wire for a secure bond
- · Joints will not loosen or corrode
- · E-Z to install and remove
- •Can be used on many different battery types
- · Warranty code ND

BK500

50 Amp Replacement Clips

- · Copper plated steel
- · Red and black vinyl insulators included
- · Zinc plated 2 mm springs
- · Warranty code ND



BK601 / BK605 / BK605U Charging Post / Adapters

- The two arms make it E-Z to install and remove.
- BK601 is a one size fits all (Universal) 3/8"
 -16 thread size.
- Used for charging, testing or as an adapter.
 BK605 / BK605U fits the 3/8" -16 threaded stud on a group 31 battery.
- · Warranty code ND

Tools and equipment for automotive technicians and battery specialists

37



SERIES BATTERY CHARGERS / CHARGING POSTS



POWERMASTER

KS1272P-B / KS1272PT-B / KS1272PCLP-B /KS1272PTCLP-B

120 V AC Series Charger / Timer /Clips / Cups

- Charge rate: 0 to 8 amps
- Maximum charging capacity: 72 cells in series (12 twelve volt batteries)
- Input: 120 volts 50/60 hertz
- Output: 0-140 volts DC
- · Max output capacity: 8 amps
- Max KVA: 1.40
- Warranty code L1Y

POWERMASTER

KS1440PTCLP-B

240 V AC Series Charger / Timer /Clips

- Charge rate: 0 to 8 amps
- Maximum charging capacity: 144 cells in series 24 - twelve volt batteries or 48 - six volt batteries
- Input: 240 volts 50/60 hertz
- Output: 0-280 volts DC
- Max output capacity: 8 amps
- Max KVA: 2.6
- Warranty code L1Y





Rectifier 01306 (1272-B Series) 01304 (KS1440PTCLP-B)



Amp Meter 00520 (All)



10 amp breaker

01298 (AII)

10 amp breaker

01298 (AII)



Polarity Board 00567 (1272-B Series) 00571 (KS1440PTCLP-B)



Timer 00525 (All)

REPLACEMENT PARTS 240 V AC Series Charger / Timer /Clips 120 V AC Series Charger / Timer /Clips / Cups

POWERMASTER

- These are the most common parts for replacement for our series chargers.
- Warranty code ND

10 Ga. Output Leads

01034 (Red, Clip)

01035 (Black, Clip)

00710 (Black, Cup)

00709 (Red, Cup)



Transformer Brush 00771 (KS1272P-B) 00559 (KS1440PTCLP-B)

Transformer 00540 (KS1272P-B) 00535 (KS1440PTCLP-B)



MEMORY SAVERS







MS4000

Super Memory Saver

- NOW WITH BUILT IN CHARGER
- Direct wired OBDII Connector
- 12 volt 4.5 amp hour sealed lead acid battery
- · Power on / power off switch
- · Protected by a 4 amp circuit breaker
- Saves all codes and settings when disconnecting a vehicle's battery
- Warranty code L1Y


Also protects settings and codes for:

- Anti-theft radios Clocks Key-less entry systems
- Alarms
 Cell phone settings
 GPS memory
- TPMS Other memory related functions

MSBD28

CLA to OBDII Hi-Vis 8' Cord

- Prevents the loss of electronic memory when disconnecting the vehicle's battery
- . High visibility coiled cord stretches to 8'
- · Easy storage in tool box
- OBDII connection uses positive and ground pins only, will not interfere with fault codes
- · Coiled cord prevents tangles
- · Includes in-line fuse in the cigarette lighter input
- · Replacement 5amp fast blow fuse not included
- Warranty code L90



BMK1914 7 Piece Battery Maintenance Kit

This kit includes everything for cleaning and maintaining battery terminals

- BK541 4-in-1 Battery Terminal Cleaner
- BK703 5/16" Side Terminal Ratchet
- BK708 10mm Side Terminal Ratchet
- BK705 XL 5/16" Side Terminal Ratchet
- BK725 Battery Pliers
- BK720IM Battery Terminal Spreader / Cleaner
- BK706 Battery Terminal Puller
- Warranty code L90

Tools and equipment for automotive technicians and battery specialists

39



BATTERY CABLE TOOLS



B7946

3 Point Copper Terminal Crimper

- · Crimps terminal ends to cables
- 8 guage to 4/0 AWG cable sizes
- 3/8" drive holding fixtures, top and bottom
- · Portable, compact no need for a hammer
- Designed for 3/8" cordless or impact tools
- · Crimps cables right on the vehicle
- Great for stereo installs and hard to reach
 places like under dashboards
- · Hardened drive screw for precise crimps
- Warranty Code L1Y



B790C Hammer Indent Crimper

- Spring loaded pin
- · Compact and Lightweight
- 8 gauge to 4/0 AWG
- Made from cast steel
- Warranty code L90

793CS

Adjustable Battery Cable Stripper

- Adjustable blade
- Strips insulation jacket from cable, 8 gauge to 4/0 AWG
- · Made from ABS and hardened steel
- Impact resistant
- · Ergonomic grip ensures firm hold
- Warranty code L90

B795

Heavy-Duty Lug Crimper

- · Exerts equal pressure on all contact points
- 50 different crimp settings
- · No dies to replace or mis-align
- . 6 gauge through approximately 5/8" cable
- Warranty code L90

B798 Heavy-Duty Copper Cable Cutters

- · Cuts cable up to 3/4" in diameter
- 14" handle length
- Carbon steel blades
- · Insulated handle
- Not for solid copper or steel, strand copper only
- Warranty code L90




B796

9" Cutters Copper Cable/ Wire

- Cuts wire and cable
- up to 2/0 gauge
- Store in any tool box
- Insulated handles
- · Great gas line cutting too
- Not for solid copper or steel, Strand copper only
 Warranty code L90

40







EZLINE LASER ALIGNMENT SYSTEM





EZLINE

Complete Trailer Alignment System

- For 18 wheelers, RV's, commercial vehicles and trailers.
- Works with 95% of vehicles 2 1/2 tons and higher.
- · Precise axle & wheel alignment
- · All measurements can be made quickly
- Multipurpose measurement capabilities
- Compact design
- · Can align a fully loaded vehicle
- Aligns drop and tag axles.

Includes: 4 lasers, 2 fifth wheel pin adapters, and tape measure. Packaged in a blow-molded case.

EZLINEB1SW

Complete Trailer Alignment System

- For 18 wheelers, RV's, commercial vehicles and trailers.
- . Works with 95% of vehicles 2 1/2 tons and higher.
- · Precise axle & wheel alignment
- · All measurements can be made quickly
- · Multipurpose measurement capabilities
- Compact design
- · Can align a fully loaded vehicle
- · Aligns drop and tag axles.

Includes: 4 lasers, 2 fifth wheel pin adapters, 2 drive wheel adapters, two steer wheel bars, tape measure, and software package. Packaged in a blow-molded case.



EZSSS 4 – Spacers designed to accommodate super single wheels.

EZLDWA

2 – Drive wheel adapters designed to accommodate drive ade wheels that have automatic tire self-inflation systems.


FULL PARTS LIST EZLINE Alignment Systems


Part #	Description
EZLINE	EZ Line Laser Trailer Alignment Kit
EZLINEB1SW	Basic EZLINE Package with Software
EZLDWA	U-Shaped Drive Wheel Adaptors (2)
EZLSSS	Super Single Spacers (4)
EZLBUS	Coach Bus Front Bar Adapters
EZLINEIL	Individual Laser
EZLINEHA	Hub Adapter Kit (2)
EZLINEPA	Fifth Wheel Pin Adapter
EZLINESW	Software
EZLINETP	Tape Measure

THANK YOU FROM THE E-Z RED CREW











WEIGHTS AND DIMENSIONS

1452. 13.00* 4.00* 1.75* 2.20 12 BK706	P/N		w	H	Wt. lb.	MP	P/N	L.	W	H	Wt. lb.	MP
45121 12.25° 0.25° 1.50 100 BK708 5.56° 0.75° 0.25° 0.00° 0	412\$\$		4.00"	1.75"	2.00	12	BK706	3.00"	1.20"	4.00"	0.60	10
4381L 12.00° 1.00° 0.35 50 8725 7.50° 1.50° 0.50° 0.50° 1.50° 1.50° 1.50° 1.50° 0.50° 1.50° <th1.50°< th=""> <th1.50°< th=""> 1.50°</th1.50°<></th1.50°<>						100	BK708	5.50"	0.75"	0.25"	0.25	10
ISSU 10° 1° 1° 0 0 0.019 2.25° 2.25° 9.00° 0.20 10 4812X1 1.5° 5° 5° 25 0 6104 1.15° 4.5° 3.0° 3.00°	4\$04	4.50"	1.00"	0,15"	0.18	100			3.75"	1.50"	0.50	12
45121 12 00" 0.75" 0.35 100 BMK1914 11.50" 5.5" 2.5" 1014 11.75" 5.5" 4.50" 3.00" 3.00" 3.00 3.00 10 4500K1 8" 75 75 30 2.60 2.80" 1.50" <td< td=""><td>4\$38L</td><td></td><td>1.50"</td><td>1.00"</td><td>0.35</td><td>50</td><td></td><td></td><td>1.50"</td><td>0.50"</td><td>0.50</td><td></td></td<>	4\$38L		1.50"	1.00"	0.35	50			1.50"	0.50"	0.50	
4300xL 4.5° 5° 75 25 75 76 70 4300xL 8° 75 75 30 270 275 1.0° 30° 1.0° 30° 1.0° 30° 1.0° 1.0° 30° 500 1.0° 30° 500 1.0° 30° 500 1.0° 30° 500 1.0° 30° 500 1.0° 30° 500 1.0° 30° 500 1.0° 30° 500 1.0° 30° 500 1.0° 30° 1.0° 30° 1.0° 30° 1.0° 1.0° 30° 1.0° 1.0° 30° 1.0° 1.0° 1.0° 30° 1.0	4\$3XL		1"	1"	.90		ACCOUNT OF A REPORT OF A REPOR		2.25"	9.00"	0.20	10
4500L #" 7.5 <td>4\$12XL</td> <td></td> <td>0.75"</td> <td></td> <td>0.35</td> <td>100</td> <td>BMK1914</td> <td> 11.50"</td> <td>4.50"</td> <td>3.00"</td> <td>3.00</td> <td></td>	4\$12XL		0.75"		0.35	100	BMK1914	11.50"	4.50"	3.00"	3.00	
502 280 183 1.83 0.20 200 FZLINE 13.00 11.00 3.00 5.00 1 50581 2.80 1.63 1.63 0.10 250 FZLINE1SW 51.00 15.00 0.25 <t< td=""><td>4\$04XL</td><td>4.5"</td><td>.5"</td><td>.5"</td><td>.25</td><td>1</td><td>The state of the second s</td><td></td><td></td><td></td><td></td><td>10</td></t<>	4\$04XL	4.5"	.5"	.5"	.25	1	The state of the second s					10
5068 2.64* 1.83* 1.83* 0.10 250 FZLIMERISM 51.00** 1.50** 0.250** 0.50**** 0.50**** 0.50**** 0.50**** 0.50**** 0.50***** 0.50***** 0.50***** 0.50****** 0.50***** 0.50***** 0.50******** 0.60********* 0.60************** 0.60***********************************	4\$08XL		.75	.75	.30	1						10
5058 504.0 2.50° 1.63° 1.63° 0.10 2.50 FAB025 5.00° 5.00° 0.25° 0.25° 0.25° 0.25° 0.25° 0.25° 0.25° 0.25° 0.25° 0.25° 0.0° 1.50° 1.50° 1.50° 1.50° 1.50° 1.50° 1.50° 1.50° 1.50° 1.50° 1.50° 1.50° 1.50° 1.50° 1.50° 1.50° 1.50° 1.50° 1.00° 0.50° 1.50° 1.00° 0.50° 1.50° 1.00° 0.50° 1.50° 1.00° 0.50° 1.50° 1.00° 0.50° 1.50° 1.00° 0.50° 1.50° 1.00° 0.50° 1.50° 1.00° 0.50° 1.50° 1.00° 0.50° 1.50° 1.00° 0.50° 1.50° 1.00° 0.50° 1.50° 1.00° 0.50° 2.000° 1.50° 1.00° 0.50° 2.000° 1.50° 1.00° 0.50° 2.000° 1.50° 1.00° 0.50° 1.50° 1.00° <th< td=""><td>502</td><td>2.86" 💛</td><td>1.83"</td><td>1.83"</td><td>0.20</td><td>200</td><td></td><td></td><td></td><td></td><td></td><td>1</td></th<>	502	2.86" 💛	1.83"	1.83"	0.20	200						1
553.10 2.64 1.83 1.13 1.83 0.10 250 H240	505BT	2.64"	1.83"	1.83"	0.10	250						1
505.PN 2.64" 1.82" 1.83" 0.10 250 HC001 1.130" 4.50" 3.00" 3.00 5 505N 2.64" 1.83" 1.63" 0.10 250 3.50" 1.00" 0.50 15 505N 2.64" 1.83" 1.63" 0.10 250 H400 25.50" 3.50" 1.50" 1.00" 200 5065 2.51" 1.63" 1.63" 0.10 250 H534 7.50" 4.00" 1.50" 1.00 200 1.05" 1.00" 0.00 1.00" 200 1.05" 1.00" 0.00" 8.50" 20.00 1 5060 3.01" 1.00" 6.00" 8.50" 20.00 1 507 7.28" 1.00" 6.00" 8.50" 20.00 1 507 7.28" 1.83" 1.83" 0.20 200 K\$142PTPLPB 1.100" 6.00" 8.50" 20.00 1 500 5.57 1.50" 0.50" 3.50"					0.10	250						
555H 2540 183° 183° 0.10 250 HH100 25.50° 3.50° 1.50° 1.00° 0.50 155 555HS 2.54° 1.83° 1.63° 0.10 250 HIS100 7.50° 4.00° 1.50° 1.00 200 1.00 200 1.00 200 1.00 200 1.00° 200 200 200					0.10							
505885H0 2.59" 1.63" 1.63" 0.10 250 HH40 25.60" 3.60" 1.00" 0.50 155 50585 2.59" 1.68" 1.68" 0.10 250 H8340 7.50" 1.50" 1.00 20 50565 2.59" 1.07" 1.07" 0.10 500 K81272PL 1.100" 6.00" 8.50" 20.00 1 50660 1.97" 1.07" 0.10 500 K81272PL 1.100" 6.00" 8.50" 20.00 1 50787 2.88" 1.83" 1.32" 0.20 200 K8142P7EPLP-8 11.00" 6.00" 8.50" 20.00 1 50787 2.88" 1.83" 1.02" 2.00 K8142P7EP.8 11.00" 6.00" 8.00" 20.00 1 50787 2.89" 1.00" 1.00" 7.50" 2.00" 3.00" 1.00" 3.00" 1.00" 3.00" 1.00" 3.00" 1.00" 3.00"												
$\begin{array}{c c c c c c c c c c c c c c c c c c c $												
5055158100 2.50' 1.63'' 1.63'' 1.10'' 250 H324 H.50'' 7.50'' 1.30'' 1.00'' 200 506 2.5'' 1.07'' 1.07'' 1.07'' 1.00'' 6.00'' 8.50'' 20.00 1 506F0.58H00 2.14'' 1.07'' 1.07'' 1.00'' 500'' 8.50'' 20.00 1 5075T 2.60'' 1.83'' 1.33'' 0.20 200 K\$1472PTEP.B 1.100''' 6.00'' 8.50'' 20.00 1 5075T 2.60'' 1.83''' 1.33''' 0.20 200 K\$1447PTEP.B 1.00''' 6.00''' 8.50''' 20.00 1 5035SH00 2.14''' 1.07''' 0.10'''' 500'''''''''''''''''''''''''''''''''''						and the second sec						
506 2.5" 1.07" 1.07" 1.00" 6.00" 8.50" 20.00 1 506C0 1.7" 1.07" 1.07" 1.00" 6.00" 8.50" 20.00 1 506C0 2.14" 1.07" 0.10 500 KS172PTeLP 1.00" 6.00" 8.50" 20.00 1 507BT 2.86" 1.83" 1.63" 0.20 CN KS1272PTeLP 1.00" 6.00" 8.50" 20.00 1 507ST 2.86" 1.83" 1.23" 0.20 200 KS142PTeLP 1.00" 6.00" 8.00" 20.00 1 509SH00 2.14" 1.07" 1.07" 0.10 500 KS1612 0.00" 3.00" 1.00" 1.00" 0.30 2.50 5108 8.00" 4.00" 3.00 1.00 MM36 2.20 3.00" 1.00" 1.50" 0.35 1.50 2.00 1.0 MR124 1.20" 2.00" 2.14 2.0												
506C0 1 87" 1 07" 0 10 500 K\$1272PCLP B 11.00" 6.00" 8.50" 20.00 1 506C0SH0D 214" 107" 0.10 500 K\$1272PTLB 11.00" 6.00" 8.50" 20.00 1 5078T 2.86" 1.83" 1.83" 0.20 200 K\$1440PTCLP B 11.00" 6.00" 8.50" 20.00 1 509. 1.87" 1.07" 0.10 500 K\$1440PTCLP B 11.00" 6.00" 3.00" 1.			ACTIVITY ACTIVITY OF	A1000000000000000000000000000000000000		and the second second						20
506C005 \$H0D. 214" 107" 107" 010 500 K\$1272PT-B. 11.00" 6.00" 8.50" 20.00 1 507BT. 2.86" 1.83" 1.83" 0.20 200 K\$142PTELP.B. 11.00" 6.00" 8.50" 20.00 1 507ST. 2.86" 1.83" 1.07" 0.10" 500 K\$1440PTCLP.B. 11.00" 6.00" 9.00" 30.00 1 509s.MO. 2.14" 1.07" 0.10" 500 K\$1612 10.00" 10.00" 1.00" 1.50" 2.00 3.00" 1.00" 0.30 2.50 8108 8.50" 4.00" 3.00" 2.00 MM38 22.00" 3.00" 1.00" 2.00 2.00 2.00 2.00 2.00 2.00 2.00 2.00 2.00 2.00" 2.00" 2.00" 2.00 2.00" 2.00" 2.00 2.00 2.00 2.00 2.00 2.00 2.00 2.00 2.00 2.00 2	CT AND DO NOT ADDRESS AND TO ADDRESS	ALL										1
5078T. 2.85" 1.83" 1.83" 0.20 200 K\$1272PTCLP8 11.00" 6.00" 8.50" 20.01 1 507ST. 2.86" 1.83" 0.20 200 K\$1420PTCLP8 11.00" 6.00" 9.00" 8.75 1 509SS140D 2.14" 1.07" 0.10 500 K\$162 10.00" 9.00" 8.75 1 509SS140D 2.14" 1.07" 0.10 500 KWP2 9.00" 8.00" 1.00" 0.30.0 2.0 77239 6.00" 7.00" 4.00" 2.50 0.80 2.00" 3.00" 1.50" 0.35 2.5 8110 1.200" 7.00" 4.00" 3.00" 2.50 10 MR12 12.00" 1.50" 0.20" 2.12 8796 9.00" 3.00" 1.50" 2.50" 1.50" 0.50 1.50" 3.25" 1.25" 1.25" 1.20" 2.00" 2.40" 2.00" 2.40" 2.00" </td <td></td> <td>The second of the second</td> <td>THE ADDRESS OF THE</td> <td>AND DESCRIPTION AND ADDRESS OF</td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>1</td>		The second of the second	THE ADDRESS OF THE	AND DESCRIPTION AND ADDRESS OF								1
$\begin{array}{cccccccccccccccccccccccccccccccccccc$	A AND A REAL	100 ADD 100 BAL			A CONTRACTOR OF							1
$\begin{array}{c ccccccccccccccccccccccccccccccccccc$	2014 #017330000 SObu4680330007	STATE AND STATES IN THE ADDRESS OF	Contraction of the second seco			CARDINGS IN A				and the second second second second		1
50958H00 2.14" 1.07" 1.07" 0.10 500 KWP2 9.00" 8.00" 1.00" 1.50 20 77239 6.00" 1.75" 0.25 100 MM36 22.00" 3.00" 1.00" 0.30 25 B108 8.50" 4.00" 2.50" 0.80 20 MM38 22.00" 3.00" 1.50" 0.35 25 B10 12.00" 7.00" 4.00" 3.00 10 MM124 5.00" 1.75" 1.50" 0.35 25 B746 4.00" 3.50" 6.00 6 MR12KLC 2.200" 1.75" 2.00" 2.40 20 B796 9.00" 3.00" 1.50" 2.00 10 MR14XLC 22.00" 1.50" 0.50 10 B901 10.00" 9.00" 5.00" 1.50" 0.20 10 MR1412FL 1.08" 1.25" 0.50 10 B8101 1.00" 2.50" 1.50"<		and the second sec				100-400	ADDIDGE THE ADDIDGE THE ADD					1
$\begin{array}{c c c c c c c c c c c c c c c c c c c $								A CONTRACT OF A				1
B108 8.50" 4.00" 2.50" 0.80 20 MM38 22.200" 3.00" 1.50" 0.35 25 B110 12.00" 7.00" 4.00" 3.00 10 MM314 5.00" 1.50" 0.70 40 B796 2.50" 2.00 10 MH1224FL 22.00" 1.75" 2.00" 3.25 12 B796 9.00" 3.00" 1.50" 6.00 6 MH1224FL 22.00" 1.75" 2.00" 3.25" 12 B796 9.00" 3.00" 1.00" 0.75 20 MH124FL 13.78" 2.00" 3.25" 12 B798 7.700" 5.50" 1.50" 2.00 10 MH1412FL 10.02" 1.25" 0.50 15 B801 3.50" 2.00" 0.10 10 MH1412FL 16.80" 1.25" 0.50 15 B8101 9.50" 2.50" 1.50" 0.20 MH1412FL 16.89"								CONSCIENCE AND ADDRESS OF	A CONTRACTOR OF A CONTRACTOR O			
B110 12.00° 7.00° 4.00° 3.00 10° MMS14 5.00° 1.75° 1.50° 0.70 4.00 B790C 4.50° 3.00° 2.60° 2.00 10 MR12 12.00° 2.00° 2.14 20 B7945 2.50° 3.50° 6.00 6 MR12/L 22.00° 2.00° 2.14 20 B795 2.50° 3.50° 6.00 6 MR12/L 22.00° 2.00° 2.40 20 B798 7.00° 5.50° 1.50° 2.00 10 MR14/L 2.00° 1.50° 0.50 10 B901 0.00 9.00° 5.00° 0.35 10 MR14/EL 10.82° 1.00° 1.25° 0.50 10 BK101 9.50° 2.50° 1.50° 0.20 50 MR14/3FL 18.00° 1.75° 1.75° 1.75° 0.50 10 BK11 9.50° 2.50° 1.50° 0.20 50												
B790C 4.50" 2.00" 2.60" 2.00 10 MR12 12.00" 2.00" 2.00" 2.14 20 B7946 4.60" 3.00" 2.50 10 MR124FL 22.00" 1.75" 2.00" 3.25 12 B795 2.50" 3.00" 3.00" 0.75 20 MR124FL 27.00" 1.50" 2.00" 2.40 20 B796 9.00" 3.00" 1.00" 0.75 20 MR14L 7.00" 1.50" 0.50 1.50" 0.50 1.50" 0.50 1.50" 0.50 2.50" 1.50" 0.50 2.50" 1.50" 0.20 50 MR1412FL 10.82" 1.25" 0.50 25 25 1.50" 0.50 10 MR1412FL 10.82" 1.25" 1.50" 2.40 20 BK101 5.50" 1.50" 0.20 50 MR14142FL 6.80" 1.25" 1.25" 0.50 10 25 25" 2.50"												
B7946 4.50" 4.00" 3.00" 2.50 10 MR1224FL 22.00" 1.75" 2.00" 3.25 12 B795 2.50.0" 3.50" 6.00 6 MR12L 13.78" 2.00" 2.00" 3.25 12 B796 9.00" 3.00" 1.00" 0.75 2.00 MR12XLC 2.00" 1.75" 2.00" 3.25" 12 B798 17.00" 5.00" 1.50" 1.50" 1.50" 0.50 10 B901 0.00" 9.00" 5.00" 0.35 10 MR147L 1.682" 1.00" 1.25" 0.50 25 B901 0.00" 2.50" 1.50" 0.20 50 MR147L 6.89" 1.25" 1.25" 0.60 2.0 BK101 9.50" 2.00" 0.50" 0.10 200 MR34 25.0" 2.50" 9.50 4 BK201 4.50" 1.50" 1.50" 1.50" 1.50"	B110											
B795 25.00° 3.50° 5.50° 1.00° 0.75 20 MR12LL 13.78° 2.00° 2.00° 2.40 20 B796 9.00° 3.00° 1.00° 0.75 20 MR14 7.00° 1.50° 2.00° 3.25° 12 B798 1.700° 5.50° 1.50° 0.50° 1.50° 0.50° 1.50° 0.50° 1.50° 0.50° 1.50° 0.50° 1.50° 0.50° 1.50° 0.50° 1.50° 0.50° 1.50° 0.50° 1.50° 0.50° 1.50° 0.50° 1.50° 0.50° 1.50° 0.50° 1.50° 1.50° 0.50° 1.50° <td< td=""><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></td<>												
B796 9.00" 3.00" 1.00" 0.75 20 MR12XLC 22.00" 1.75" 2.00" 3.25" 12 B798 17.00" 5.50" 1.50" 2.00 10 MR14 7.00" 1.50" 1.50" 0.50 10 B901 0.00" 9.00" 2.00" 0.10 10 MR1412L 10.82" 1.00" 1.25" 0.50 10 B(110.1.9.2" 1.25" 1.25" 0.50 10 B(110.2.14.00" 1.25" 1.25" 0.50 10 B(112.1.40.0" 1.25" 1.25" 0.60 2.00 1.50" 0.20 50 MR14XLC 9.06" 1.25" 1.25" 0.60 2.00" 0.60" 1.25" 1.50" 0.60 2.00" 1.50" 0.60 2.50" 2.50" 1.50" 0.60 2.50" 2.50" 2.50" 9.50" 4.60 4.850 4.850 4.850 4.850 4.850 4.850 4.850 4.850 4.850 1.50" 1.50" <												
B798 17.00" 5.50" 1.50" 2.00 10 MR14 7.00" 1.50" 1.50" 0.50 10 B901 0.00" 5.00" 0.35 10 MR1412FL 10.82" 1.00" 1.25" 0.50 25 B901N 3.50" 2.00" 1.50 0.20 50 MR1412FL 10.82" 1.25" 1.25" 0.50 10 BK101 9.50" 2.50" 1.50" 0.20 50 MR14XLC 9.06" 1.25" 1.25" 0.60 20 BK201 14.00" 2.50" 1.50" 0.20 50 MR14XLC 9.06" 1.25" 1.25" 0.60 20 BK201 4.00" 1.50" 1.50" 0.10 20 MR34 25.00" 2.50" 2.50" 2.60" 40 BK501 4.50" 1.50" 0.10 25 MR381FL 1.60" 1.50" 1.50" 1.20 40 BK501 2.50" 3						and the second						
B901 10.00" 9.00" 5.00" 0.25 10 MR1412FL 10.82" 1.00" 1.25" 0.50 25 B901N 3.50" 2.00" 0.10 10 MR14FL 6.89" 1.25" 1.25" 0.50 15 BK101 9.50" 2.50" 1.50 0.20 50 MR143FL 18.00" 1.25" 1.25" 0.40 20 BK102 14.00" 2.50" 1.50" 0.20 50 MR14XLC 9.06" 1.25" 1.25" 0.60 20 BK260 20.50" 2.00" 0.50" 0.10 200 MR34 25.00" 2.50" 1.80 2.00" 4.850 4.850 1.50" 1.80 2.00 4.850												
B901N. 3.50" 2.00" 2.00" 0.10 10 MR14FL 6.89" 1.25" 1.25" 0.50 10 BK101 9.50" 2.50" 1.50 0.20 50 MR143BFL 18.00" 1.75" 2.40 20 BK102 14.00" 2.50" 1.50" 0.20 50 MR14XL 9.06" 1.25" 1.50" 0.60 2.00" BK201 18.00" 1.00" 0.75" 0.30 200 MR34 25.00" 2.50" 9.50 4 BK501 4.50" 1.50" 1.50" 1.50" 1.50" 1.80 2.00 4.00 BK501 4.50" 1.50" 1.50" 1.50" 1.80 2.00 4.00 4.00 4.00 4.00 6.00" 2.25 10 MR38L 9.84" 1.50" 1.50" 1.00 4.0 BK504 4.00" 1.50" 1.50" 1.50" 1.60 1.00" 1.00 1.00" 1.00			ALC: ALC: NO.	A CONTRACT OF A CONTRACT.	and the second se							
BK101 9.50" 2.50" 1.50 0.20 50 MR1438FL 18.00" 1.75" 1.75" 2.40 20 BK102 14.00" 2.50" 1.50" 0.20 50 MR14XLC 9.66" 1.25" 1.25" 0.60 20 BK201 18.00" 1.00" 0.75" 0.30 200 MR14XLC 9.60" 1.25" 1.25" 0.60 20 4 BK501 4.50" 1.50" 0.10 25 MR3818FL 16.73" 1.50" 1.80 20 BK501 4.60" 1.50" 0.10 25 MR3818FL 9.84" 1.50" 1.80 20 BK504 4.00" 1.50" 0.10 25 MR38LC 16.00" 1.50" 1.60 20 BK516 1.25" 1.07" 1.07" 0.09 MR482L 15.75" 2.75" 2.75" 3.80 10 BK516 1.25" 1.07" 1.07" 0.09 MR482L	ACCOUNT ALL AND AL	AND DESCRIPTION OF A DE										
BK102 14.00" 2.50" 1.50" 0.20 50 MR14XLC 9.06" 1.25" 1.25" 0.60 20 BK201 16.00" 1.00" 0.75" 0.30 200 MR1X 25.25" 2.75" 3.00" 12.85 4 BK501 4.50" 1.50" 1.50" 1.50" 1.60" 2.50" 2.50" 9.50 4 BK501 4.50" 1.50" 1.50" 1.50" 1.80 20 BK501 9.50" 8.50" 6.00" 2.25 10 MR381FL 9.84" 1.50" 1.50" 1.20 40 BK504 4.00" 1.50" 1.50" 0.10 25 MR38L 16.00" 1.50" 1.00 40 BK504 4.00" 1.50" 1.07" 0.90 MR482L 14.25" 2.75" 2.75" 3.80 10 BK516 1.25" 1.07" 1.07" 0.99 MR482L 15.75" 2.75" 2.75"		the second s	A CONTRACTOR OF THE	ALC: NO	The second se							
BK201 18.00" 1.00" 0.75" 0.30 200 MR1X 25.25" 2.75" 3.00" 12.85 4 BK260 20.50" 2.00" 0.50" 0.10 200 MR34 25.00" 2.50" 2.50" 2.50" 2.50" 2.50" 3.00" 1.285 4 BK501 4.50" 1.50" 1.50" 0.10 25 MR3818FL 6.73" 1.50" 1.50" 1.80 20 BK501 3.00" 3.00" 1.25" 0.20 25 MR38L 9.04" 1.50" 1.50" 1.00 40 BK504 4.00" 1.50" 1.50" 1.00 20 MR38L 16.00" 1.50" 1.00 40 BK504 4.00" 5.00" 2.50 MR482 14.25" 2.75" 3.80 10 BK516 1.25" 1.07" 1.07" 0.09 1 MR482FL 15.75" 2.75" 3.60 10 BK516		TOTAL ADDRESS										
BK260 20.50" 2.00" 0.50" 0.10 200 MR34 25.00" 2.50" 2.50" 9.50 4 BK501 4.50" 1.50" 1.50" 0.10 25 MR3818FL 16.73" 1.50" 1.50" 1.80 20 BK50112PCK 9.50" 8.50" 6.00" 2.25 10 MR38FL 9.84" 1.50" 1.50" 1.20 40 BK503 3.00" 3.00" 1.25" 0.20 25 MR38FL 9.00" 1.50" 1.00 40 BK504 4.00" 1.50" 1.50" 0.10 25 MR38XLC 16.00" 1.50" 1.60 20 BK506 1.07" 1.07" 0.00" 2.25 10 MR482 14.25" 2.75" 4.50 10 BK516 1.27" 1.07" 1.07" 0.00" 1.25 10 MR482FL 15.75" 2.75" 4.50 10 BK54120PCK 7.00" 6.00"		The second s	CONTRACTOR OF THE OWNER									20
BK501 4.50" 1.50" 0.10 25 MR3818FL 16.73" 1.50" 1.50" 1.80 20 BK501 3.00" 3.00" 2.25 10 MR38FL 9.84" 1.50" 1.50" 1.20 40 BK503 3.00" 3.00" 1.50" 1.50" 0.20 25 MR38 9.00" 1.50" 1.50" 1.00 40 BK504 4.00" 1.50" 1.50" 0.10 25 MR38LC 16.00" 1.50" 1.50" 1.00 40 BK504 4.00" 5.0" 0.10 25 MR38LC 16.00" 1.50" 1.50" 1.00 40 BK504 1.25" 1.07" 0.09 1 MR482LC 2.75" 2.75" 3.80 10 BK516 1.25" 1.07" 0.99 1 MR482LC 24.00" 1.75" 1.75" 5.00 8 BK520 9.00" 6.05" 1.25" 0.75 40 <td></td> <td>4</td>												4
BK50112PCK 9.50" 8.50" 6.00" 2.25 10 MR38FL 9.84" 1.50" 1.20 40 BK503 3.00" 3.00" 1.25" 0.20 25 MR38 9.00" 1.50" 1.50" 1.00 40 BK504 4.00" 1.50" 1.50" 1.50" 1.60 20 BK504 1.50" 1.50" 1.60 20 BK504 1.50" 1.50" 1.60 20 BK504 1.50" 1.50" 1.60 20 BK516 1.25" 1.0" MR38XLC 16.00" 1.50" 1.60 20 BK516 1.25" 1.0" MR482 14.25" 2.75" 2.75" 4.50 10 BK51620PCK 7.00" 4.00" 6.00" 1.25 1 MR482XLC 24.00" 1.75" 1.75" 5.00 8 BK530 9.00" 6.50" 1.25" 0.75 40 MS1300 13.00" 1.00" 1.00" 1.00" 1.00" 1.00" 1.00" <		NUMBER OF STREET	Contraction and the second second		Constanting in	A REAL PROPERTY AND A REAL		A ARRONNER VOL. AND				4
BK503 3.00" 3.00" 1.25" 0.20 25 MR38 9.00" 1.50" 1.50" 1.00 40 BK504 4.00" 1.50" 1.50" 0.10 25 MR38 9.00" 1.50" 1.50" 1.60 20 BK50412PCK 9.50" 8.50" 6.00" 2.25 10 MR482 14.25" 2.75" 2.75" 3.80 10 BK516 1.25" 1.07" 1.07" 0.09 1 MR482FL 15.75" 2.75" 4.50 10 BK51620PCK 7.00" 4.00" 6.00" 1.25 1 MR482KLC 24.00" 1.75" 1.75" 5.00 8 BK520 9.00" 6.50" 1.25" 0.75 40 MS1300 1.00" 1.00" 0.25 10 BK5340D 2.50" 1.00" 1.00" 0.10 500 MS400 4.00" 1.50" 1.25 12 BK54112PCK 9.50" 8.50"	INVESTIGATION CONTRACTOR AND	COLOR: MALACONSONS: MALA	and the second se		ACCOUNTS IN ACCOUNTS	and the second se		Receipt. And Schlidtering high				
BK504 4.00" 1.50" 0.10 25 MR38XLC 16.00" 1.50" 1.60 20 BK50412PCK 9.50" 8.50" 6.00" 2.25 10 MR482 14.25" 2.75" 2.75" 3.80 10 BK516 1.25" 1.07" 1.07" 0.09 1 MR482 14.25" 2.75" 2.75" 3.80 10 BK516 1.25" 1.07" 1.07" 0.09 1 MR482LL 15.75" 2.75" 2.75" 5.00 8 BK520 9.00" 6.00" 3.00" 1.25 1 MR482KLC 24.00" 1.75" 1.75" 5.00 8 BK520 9.00" 6.50" 1.25" 0.75 40 MS1900 21.00" 3.00" 1.25 10 BK5340 2.50" 1.00" 1.00" 0.10 500 MS4000 14.00" 5.00" 1.25" 1.25 BK54112PCK 9.50" 8.50" 6.00"									27.00 (20.00)			
BK50412PCK 9.50" 8.50" 6.00" 2.25 10 MR482 14.25" 2.75" 2.75" 3.80 10 BK516 1.25" 1.07" 1.07" 0.09 1 MR482 14.25" 2.75" 2.75" 3.80 10 BK516 1.25" 1.07" 0.09 1 MR482 14.25" 2.75" 2.75" 4.50 10 BK51620PCK 7.00" 4.00" 6.00" 1.25 1 MR482XLC 24.00" 1.75" 1.75" 5.00 8 BK520 9.00" 6.50" 1.25" 0.75 40 MS1300 1.00" 1.00" 0.25 10 BK534QD 2.50" 1.00" 1.00" 0.10 500 MS3000 4.00" 1.50" 0.25" 0.10 10 BK54112PCK 9.50" 8.50" 6.00" 2.00 10 MS400 4.00" 1.50" 0.25" 0.10 10 BK550 15.00"												
BK516 1.25" 1.07" 1.07" 0.09 1 MR482FL 15.75" 2.75" 2.75" 4.50 10 BK51620PCK 7.00" 4.00" 6.00" 1.25 1 MR482XLC 24.00" 1.75" 1.75" 5.00 8 BK520 9.00" 6.00" 3.00" 1.25 10 MR482XLC 24.00" 1.75" 1.75" 5.00 8 BK530 9.00" 6.50" 1.25" 0.75 40 MS1300 13.00" 1.00" 0.25 50 BK534QD 2.50" 1.00" 1.00" 0.10 500 MS3000 14.00" 5.00" 2.00" 1.25 12 BK541 3.75" 3.00" 1.25" 0.20 25 MS400 4.00" 1.50" 0.25" 0.10 10 BK54112PCK 9.50" 8.50" 6.00" 2.00 10 MS40020PCK 6.75" 6.50" 4.25" 1.80 10 BK560 <td></td>												
BK51620PCK 7.00" 4.00" 6.00" 1.25 1 MR482XLC 24.00" 1.75" 1.75" 5.00 8 BK520 9.00" 6.00" 3.00" 1.25 10 MS1300 13.00" 1.00" 1.00" 0.25 10 BK530 9.00" 6.50" 1.25" 0.75 40 MS1300 21.00" 3.00" 1.00" 0.25 50 BK534QD 2.50" 1.00" 1.00" 0.10 500 MS3000 14.00" 5.00" 2.00" 1.25 12 BK541 3.75" 3.00" 1.25" 0.20 25 MS400 4.00" 1.50" 0.25" 0.10 10 BK54112PCK 9.50" 8.50" 6.00" 2.00 10 MS40020PCK 6.75" 6.50" 4.25" 1.80 10 BK560 14.00" 1.00" 1.00" 2.5 20 MS4000C 13.00" 5.75" 3.50" 6.00 8 <tr< td=""><td></td><td></td><td></td><td></td><td></td><td>10</td><td></td><td></td><td></td><td></td><td></td><td></td></tr<>						10						
BK520 9.00" 6.00" 3.00" 1.25 10 MS1300 13.00" 1.00" 1.00" 0.25 10 BK530 9.00" 6.50" 1.25" 0.75 40 MS1900 21.00" 3.00" 1.00" 0.25 50 BK5340D 2.50" 1.00" 1.00" 0.10 500 MS3000 14.00" 5.00" 2.00" 1.25 12 BK541 3.75" 3.00" 1.25" 0.20 25 MS400 4.00" 1.50" 0.25" 0.10 10 BK54112PCK 9.50" 8.50" 6.00" 2.00 10 MS40020PCK 6.75" 6.50" 4.25" 1.80 10 BK550 15.00" 6.00" 1.00" 1.75 10 MS4000 13.00" 5.75" 3.50" 6.00 8 BK601 1.50" 1.25" 0.75" 0.20 200 MS600 15.0" 1.50" 1.00" 0.50 10						3.10						
BK530 9.00" 6.50" 1.25" 0.75 40 MS1900 21.00" 3.00" 1.00" 0.25 50 BK534QD 2.50" 1.00" 1.00" 0.10 500 MS3000 14.00" 5.00" 2.00" 1.25 12 BK541 3.75" 3.00" 1.25" 0.20 25 MS400 4.00" 1.50" 0.25" 0.10 10 BK541 3.75" 3.00" 1.25" 0.20 25 MS400 4.00" 1.50" 0.25" 0.10 10 BK54112PCK 9.50" 8.50" 6.00" 2.00 10 MS40020PCK 6.75" 6.50" 4.25" 1.80 10 BK550 15.00" 6.00" 1.00" 1.00" 0.25 20 MS4000 13.00" 5.75" 3.50" 6.00 8 BK601 1.50" 1.25" 0.75" 0.20 200 MS600 6.00" 1.50" 2.00" 0.50 10						10						
BK534QD 2.50" 1.00" 1.00" 0.10 500 M\$3000 14.00" 5.00" 2.00" 1.25 12 BK541 3.75" 3.00" 1.25" 0.20 25 M\$400 4.00" 1.50" 0.25" 0.10 10 BK54112PCK 9.50" 8.50" 6.00" 2.00 10 M\$400. 4.00" 1.50" 0.25" 0.10 10 BK550												
BK541 3.75" 3.00" 1.25" 0.20 25 MS400 4.00" 1.50" 0.25" 0.10 10 BK54112PCK 9.50" 8.50" 6.00" 2.00 10 MS40020PCK 6.75" 6.50" 4.25" 1.80 10 BK550 15.00" 6.00" 1.00" 1.75 10 MS4000 13.00" 5.75" 3.50" 6.00 8 BK560 14.00" 1.00" 1.00" 0.25 20 MS4000C 13.00" 5.75" 3.50" 6.00 8 BK601 1.50" 1.25" 0.75" 0.20 200 MS600 6.00" 1.50" 1.50 10 BK605N 0.75" 1.50" 1.75" 0.20 100 MS800 8.00" 1.50" 2.00" 0.70 10 BK605P 0.75" 1.50" 1.75" 0.20 100 MS60010PCK 8.75" 4.00" 4.00" 1.20 10 BK605U												
BK54112PCK 9.50" 8.50" 6.00" 2.00 10 MS40020PCK 6.75" 6.50" 4.25" 1.80 10 BK550 15.00" 6.00" 1.00" 1.75 10 MS4000 13.00" 5.75" 3.50" 6.00 8 BK560 14.00" 1.00" 1.00" 0.25 20 MS4000C 13.00" 5.75" 3.50" 6.00 8 BK601 1.50" 1.25" 0.75" 0.20 200 MS600 6.00" 1.50" 2.00" 0.50 10 BK605N 0.75" 1.50" 1.75" 0.20 100 MS800 8.00" 1.50" 2.00" 0.70 10 BK605P 0.75" 1.50" 1.75" 0.20 100 MS60010PCK 8.75" 4.00" 4.00" 1.20 10 BK605U 2.00" 0.75" 0.75" 0.20 100 MSBD28 8.00" 4.00" 0.50" 6.00 20 BK703 5.00" 1.00" 0.50" 0.20 10 MSBD28 8.												
BK550												
BK560												
BK601 1.50" 1.25" 0.75" 0.20 200 MS600 6.00" 1.50" 2.00" 0.50 10 BK605N 0.75" 1.50" 1.75" 0.20 100 MS800 8.00" 1.50" 2.00" 0.70 10 BK605P 0.75" 1.50" 1.75" 0.20 100 MS60010PCK 8.75" 4.00" 4.00" 1.20 10 BK605U 2.00" 0.75" 0.75" 0.20 100 MSBD28 8.00" 4.00" 0.50" 6.00 20 BK703 5.00" 1.00" 0.50" 0.20 10 NR5M 20.25" 9.25" 1.25" 4.80 10 BK705 9.50" 1.00" 0.50" 0.40 10 NRM810 9.50" 0.75" 0.40 10												
BK605N 0.75" 1.50" 1.75" 0.20 100 MS800 8.00" 1.50" 2.00" 0.70 10 BK605P 0.75" 1.50" 1.75" 0.20 100 MS60010PCK 8.75" 4.00" 4.00" 1.20 10 BK605U 2.00" 0.75" 0.75" 0.20 100 MS60010PCK 8.75" 4.00" 4.00" 1.20 10 BK605U 2.00" 0.75" 0.75" 0.20 100 MSBD28 8.00" 4.00" 0.50" 6.00 20 BK703 5.00" 1.00" 0.50" 0.20 10 NR5M 20.25" 9.25" 1.25" 4.80 10 BK705 9.50" 1.00" 0.50" 0.40 10 NRM810 9.50" 0.75" 0.50" 0.40 10												
BK605P 0.75" 1.50" 1.75" 0.20 100 MS60010PCK 8.75" 4.00" 4.00" 1.20 10 BK605U 2.00" 0.75" 0.75" 0.20 100 MSBD28 8.00" 4.00" 0.50" 6.00 20 BK703 5.00" 1.00" 0.50" 0.20 10 NR5M 20.25" 9.25" 1.25" 4.80 10 BK705 9.50" 1.00" 0.50" 0.40 10 NRM810 9.50" 0.75" 0.40 10		and the second	CONTRACTOR OF THE OWNER		10 march 10 m m m							
BK605U 2.00" 0.75" 0.75" 0.20 100 MSBD28 8.00" 4.00" 0.50" 6.00 20 BK703 5.00" 1.00" 0.50" 0.20 10 NR5M 20.25" 9.25" 1.25" 4.80 10 BK705 9.50" 1.00" 0.50" 0.40 10 NRM810 9.50" 0.75" 0.50" 0.40 10			100.000			Church 1	and the second of the second sec					
BK703 5.00" 1.00" 0.50" 0.20 10 NR5M 20.25" 9.25" 1.25" 4.80 10 BK705 9.50" 1.00" 0.50" 0.40 10 NRM810 9.50" 0.75" 0.50" 0.40 10												
BK7059.50" 1.00" 0.50" 0.40 10 NRM8109.50" 0.75" 0.50" 0.40 10												
	BRITOO		1.00	0.00	0.40							

WEIGHTS AND DIMENSIONS



P/N		w	H	Wt. lb.	MP	
NRM1315		1.25"	0.50"	0.75	10	
NRM1618	A CARL AND THE REAL AND THE REAL AND A CARL AND A	1.37"	0.75"	1.10	10	
NRM1719		1.37"	0.75"	1.10	10	
PCOB		3.75"	1.50"	0.25	72	
PCOB12PK	7.50"	7.50"	7.00"	2.50	8	
PCUV6		4.75"	1.50"	0.25	72	
PG5		4.50"	0.50"	0.70	40	
PL175CF		4.50"	1.50"	0.32	48	Ľ
PL175G		4.50"	1.50"	0.32	48	
PL1750		4.50"	1.50"	0.32	48	
PL175R		4.50"	1.50"	0.32	48	
PP12PK		6.00"	4.50"	1.25	12	
PV6		2.50"	0.75"	0.10	10	
PV8	ACCOUNT NO. AND COMPANY AND	2.50"	0.75"	0.10	10	
PU6		2.50"	0.75"	0.10	10	Ł
PU8		2.50"	0.75"	0.10	10	
PU6L	C The AUTOMS' Dis AUTOM	2.50"	0.75"	0.10	10	Ľ
PU8L		2.50"	0.75"	0.10	10	
PW6		2.50"	0.75"	0.10	10	
PW8		2.50"	0.75"	0.10	10	
\$104 \$500		4.50" 4.00"	1.50" 1.00"	0.25 0.20	25	
		4.00	4.00"	0.20	25 10	
\$501 \$503	A REAL PROPERTY OF A READ PROPERTY OF A REAL PROPER	3.75"	1.00"	0.25	10	
	6.50"	3.00"	4.00"	0.25	10	P
\$520		8.50"	3.00"	1.25	10	
\$530		9.00"	1.50"	0.75	10	
\$560		4.00"	1.50"	0.20	10	
\$541	6.00"	3.50"	1.50"	0.25	10	
\$919		4.50"	13.50"	0.25	10	
\$929		5.00"	1.00"	0.20	10	
\$929ADP	and the second se	2.25"	0.50"	0.05	10	
SD3	The second se	2.65"	1.00"	0.10	10	
SHM14		6.00"	1.25"	0.36	20	
SHM38		6.00"	1.25"	0.36	20	
SHS14		6.00"	1.25"	0.36	20	
SHS38		6.00"	1.25"	0.36	20	
SL1350		3.75"	1.75"	0.22	12	
SL3350		3.75"	2.50"	1.18	20	
SP101		4.50"	1.50"	0.25	25	
SP102		4.50"	1.50"	0.25	25	
SP516		2.00"	1.25"	0.05	10	
SP516R		3.00"	1.00"	0.40	10	P
SWMM36		3.00"	1.00"	0.75	25	
T1000		4.00"	1.50"	1.00	20	
TBL200	ana ana amin'ny faritr'o amin'ny faritr'	3.00"	2.25"	1.00	20	
TE120 TF120B		5.75" 5.75"	1.50" 1.50"	0.38	10 10	
TF1208		5.75"	1.50	0.38	10	
WM396		4.00"	1.50"	0.38	10	
WR1500		3.00"	1.25	1.00	25	
WR1500B		3.00"	1.25"	1.00	25	
WR1500G		3.00"	1.25"	1.00	25	
WR2400		2.75"	1.50"	1.55	20	
WR2400B		2.75"	1.50"	1.55	20	
11100000		9.25"	1.25"	4.80	10	
WRM810		0.75"	0.50"	0.40	10	
WRM1214	A STATE OF A	1.12"	0.60"	0.70	10	
Constant and the second						

P/N		W	н	Wt. lb.	MP
WRM1315		1.25"	0.50"	0.75	10
WRM1618		1.37"	0.75"	1.10	10
WRM1719		1.37"	0.75"	1.10	10
WR4SL		8.00"	1.00"	4.15	10
WRS51638		0.75"	0.50"	0.40	10
WRS71612		1.12"	0.60"	0.75	10
WRS91658		1.37"	0.75"	1.10	10
WRS111658		1.37"	0.75"	1.10	10
XL3300		3.50"	3.00"	1.50	20
XL3300FL-B		3.50"	3.00"	1.50	20
XL3300FL-G		3.50"	3.00"	1.50	20
XL3300FL-0		3.50"	3.00"	1.50	20
XL3300FL-P		3.50"	3.00"	1.50	20
XL334PK		7.50"	5.00"	6.00	5
XLUHLS	9.00"	8.00"	6.50"	2.45	8



INDEX

SD3. SHM14... SHM38 SHS14 SHS38 SL1350. SL3350 SP101 ... SP102 SP516. SP516R SWMM36 ... T1000..... TF120 **TF120B** TF120R WM396.. WR1500. WR1500B WR1500G .. WR2400. WR2400B ... WR4SL ... WR5ML. XL3300..... XL3300FL-B. XL3300FL-G. XL3300FL-0. XL3300FL-P. XL334PK **XLUHLS**

	1.1.1					
		. 4S04/4S12L combo socket set-33 pc			. Complete Trailer Alignment System	
		. 1/4" Stick Combination Drive Locking			. OBD2 to CCLA cord	
		. 1/4" Stick Combination Drive-STUBBY			. Cordless Hot Repair Kit	
		. 1/4-3/8 Stick Combination			. Monster Hood holder	
		. 3 Piece Quarter Stick Set			. Hood Prop	
		. 1/4" Stick Combination Drive			. 12 Piece SAE Hex Bit Set	
1		. Stubby Quarter Stick			. Heat Shrink Tube Set 235 pieces	
		. 8" Quarter Stick			. 120V AC 8 amp Battery charger (cup)	
1		Bi-Level Marine			. 120V AC 8 amp Battery charger (clip)	
		Bent Tooth			. 120V AC 8 amp with 12hr timer (cup)	
		. Bent Tooth Steel Shaft, QD			. 120V AC 8 amp with 12hr timer (clip)	
		Japanese Battery Post			. 240 V AC Series Charger / Timer /Clips	
		. JIS Battery Post			. 250 Amp Load Tester	
		Negative Post (Black)			. 2 Piece Kiwi Pliers Set	
		Negative Steel Shaft			. Monster Magnet	
		. Straight Tooth			. Super Monster Magnet	
9		. Straight Tooth Steel Shaft, QD			. 1/4" Mini Master Set in Roll-up Pouch	
		. S/T Battery Cleaning Brush			. 1/2 inch Drive Extendable	
U)		. Group 31 Battery Post			. 1/2" Drive locking Flex Head 22" long	
		. Group 31 Battery Post Steel Shaft			. 1/2" Drive Locking Flex Head Extendable	
		. Commercial Post Bent Tooth			. 1/2 " Drive x 22" long Ratchet	
		. Commercial Post Straight Tooth			. 1/4 inch Drive Extendable Ratchet	
		. Utility Buffer			. 1/4" Locking flex head	
		. Utility Buffer Steel Shaft, QD			. 1/4" Drive Locking Flex Head Extendable	
		. Cable Stripper			. 2 pc set-locking	
		. Handheld Refractometer			. 1/4" Drive X 9.06" Non Flex	
		. Battery Load Tester			. 1" Drive Extendable Ratchet	
		. Hammer Indent Tool			. 3/4 inch Drive Extendable Ratchet	
		. 3 Point Crimper		MR3818FL	. 3/8" Drive X 17" long locking Flex Head	.10
		. Heavy Duty Crimping Tool			. 3/8" Drive Locking Flex Head Extendable	
	B796	Nine Inch Cable/ Wire Cutters	40	MR38	. 3/8 inch Drive Extendable	8
		. Heavy Duty Cable Cutters			. 3/8" Drive x 16" Non Flex	
		. 2 1/4 Quart Battery Filler		MR482	. MR14, MR382, & MR12 Set	8
		. Top Post Formation Jumpers			. Flex Head Ratchet/locking	
		Clip Jumpers			. 3 Pc Ratchet set Xtra Long	
		. Top Post Terminal Cleaner			. 13 Inch Monster Scraper	
	BK50112PCK	. Jar of 12 501 Cleaners	28	MS1900	. 19 Inch Monster Scraper	20
2	BK503	. Battery Post Shaper	28	MS3000	. Monster Scraper Kit	20
	BK504	. Battery Post Shaper	28	MS400	. 4 Inch Monster Scraper	20
2	BK50412PCK	. Jar of 12 Battery Post Shaper	28	MS40020PCK	. Jar of 20 MS400 Scrapers	20
	BK516	Side Terminal Cleaner	29	MS4000	Automotive Memory Saver	
2	BK51620PCK	. Jar of 20 S/T Cleaners	34	MS600	. 6 Inch Monster Scraper	20
	BK520	Side Battery Lifter	34	MS60010PK	. Jar of 10 MS600	20
2	BK530	. The Gripper Battery Lifter	34	MSBD28	. Memory Saver/CLA to OBD2	39
	BK534QD	. 3/4" Power Drill Brush QD	29 🧼	NR5M	. 5 Pc Metric Flex Head Wrenches	22
2	BK541	. Four in One Battery Post Cleaner	29		. Pocket COB Light Stick 12PK	
	BK54112PCK	Jar of 12 4 in 1 Cleaners	29		. Pocket COB 12PK	
1	BK550	. Super Gripper Battery Lifter	34	PG5	. 5 IN 1 Pistol Grip Plier	18
		Strp Deep Cycle Battery Carrier		PL175CF	. Rechargeable Slim Light - Carbon Fiber.	4
	BK601	. S/T Charging Post/ Adapter	37	PL175G	. Rechargeable Slim Light - Green	4
	BK605N	. Charge Post/Adapter Negative	37 🧼	PL1750	. Rechargeable Slim Light - Orange	4
1		. Charge Post/Adapter Positive			. Rechargeable Slim Light - Red	
		. Universal Grp 31 Chrg Post			. Post Cleaner kit	
	BK703	. Side Terminal Wrench	36	S104	. Windshield Washer Hydrometer	6
	BK705	. Side Terminal Wrench	36		. Top Post/Terminal cleaner	
		. Battery Terminal Puller		S503	. Top Post/Terminal cleaner	28
	BK708	. 10 MM Wrench - Short Handle	36	S504	, Top Post/Terminal cleaner	28
	BK720IM	. Battery Terminal Spreader	36	\$520	. Side Lifter	34
		Angle Nose Battery Pliers			. Gripper	
		. Bulb Type Battery Filler			. 4 in 1 Cleaning Tool	
		Battery Maintence Kit			. Strap Deep Cycle Battery Carrier	
		. 125 Amp Load Tester			. Battery Filler	
	EZ612	Digital Volt Meter 4.99 to 19.99 V	33		. Dry Charge Battery Filler	
	EZLINE	. EZ Line Laser Alignment Tool Kit	42		. Motorcycle Battery Adapter	

 . 3 Pc Bit Set Square Adapter	
 1/4" Drive Metric Socket Holder	
. 3/8" Drive MetricSocket Holder	
1/4" Drive Standard Socket Holder	
. 3/8" Drive Standard Socket Holder	
Pocket Sunlight	
. Sunlight Rechargeable Worklight	
 Battery Hydrometer	6
. Anti Freeze Hydrometer	
Side Terminal Cleaner	
. Side Terminal Cleaner w/Ratchet	
Swivel Magnet	
 . Torx Bit Set	
	3
 . Rechargeable Pen Light - Blue	3
	3
Magnetic Wrench Rack - Red	
 Magnetic Wrench Rack - Blue	1
Magnetic Wrench Rack - Green	
 Magnetic Wrench Rack - RED	T
Magnetic Wrench Rack - BLUE	1
 . 4 Piece SAE Wrench Set Locking	2
. 5 Piece Metric Wrench Set Locking	2
 . COB EXTREME WORK LIGHT	3
NEW COB Extreme light - Blue	3
 . NEW COB Extreme light - Green	
. NEW COB Extreme light - Orange	3
 . NEW COB Extreme Light - Pink	
 NEW COB ExtremePack	3
 . Underhood Clamp Light System	2



CAT[®] LIGHTS

CAT

-0

0

E



E-Z RED Company, an official licensee of Caterpillar Inc. and a leader in lighting and battery products since 1966. E-Z RED is a family owned and operated company that stands behind its reputation for quality products.

We take great pride and responsibility in maintaining the values, integrity and reputation of the Cat Brand by producing superior products for both professional and home use.

CAT

Check out an excellent selection of hand tools we offer on our website.