

**CARBURETOR / POWER STEERING / FUEL PUMP / FUEL INJECTION ADAPTERS**

**BRAKE SYSTEM ADAPTERS**

|   | <table><tr><th>PART NO.</th><th>PKG QTY</th><th>THREAD SIZE</th></tr><tr><td>501902ERL</td><td>2</td><td>-3 AN to 4 AN</td></tr></table> | PART NO.                             | PKG QTY | THREAD SIZE                          | 501902ERL | 2 | -3 AN to 4 AN |
|------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------|---------|--------------------------------------|-----------|---|---------------|
| PART NO.                                                                           | PKG QTY                                                                                                                                  | THREAD SIZE                          |         |                                      |           |   |               |
| 501902ERL                                                                          | 2                                                                                                                                        | -3 AN to 4 AN                        |         |                                      |           |   |               |
|   | <table><tr><td>581531ERL</td><td>2</td><td>-3 AN to 3/8-24 inverted flare short</td></tr></table>                                        | 581531ERL                            | 2       | -3 AN to 3/8-24 inverted flare short |           |   |               |
| 581531ERL                                                                          | 2                                                                                                                                        | -3 AN to 3/8-24 inverted flare short |         |                                      |           |   |               |
|   | <table><tr><td>581533ERL</td><td>2</td><td>-3 AN to 3/8-24 inverted flare long</td></tr></table>                                         | 581533ERL                            | 2       | -3 AN to 3/8-24 inverted flare long  |           |   |               |
| 581533ERL                                                                          | 2                                                                                                                                        | -3 AN to 3/8-24 inverted flare long  |         |                                      |           |   |               |
|  | <table><tr><td>591932ERL</td><td>2</td><td>-3 AN to 7/16-24 inverted flare</td></tr></table>                                             | 591932ERL                            | 2       | -3 AN to 7/16-24 inverted flare      |           |   |               |
| 591932ERL                                                                          | 2                                                                                                                                        | -3 AN to 7/16-24 inverted flare      |         |                                      |           |   |               |

|   | <table><tr><th>PART NO.</th><th>PKG QTY</th><th>THREAD SIZE</th></tr><tr><td>591941ERL</td><td>2</td><td>-4 AN to 7/16-20 inverted flare</td></tr></table> | PART NO.                             | PKG QTY | THREAD SIZE                          | 591941ERL | 2 | -4 AN to 7/16-20 inverted flare |
|-------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------|---------|--------------------------------------|-----------|---|---------------------------------|
| PART NO.                                                                            | PKG QTY                                                                                                                                                    | THREAD SIZE                          |         |                                      |           |   |                                 |
| 591941ERL                                                                           | 2                                                                                                                                                          | -4 AN to 7/16-20 inverted flare      |         |                                      |           |   |                                 |
|   | <table><tr><td>591942ERL</td><td>2</td><td>-4 AN to 7/16-24 inverted flare</td></tr></table>                                                               | 591942ERL                            | 2       | -4 AN to 7/16-24 inverted flare      |           |   |                                 |
| 591942ERL                                                                           | 2                                                                                                                                                          | -4 AN to 7/16-24 inverted flare      |         |                                      |           |   |                                 |
|   | <table><tr><td>591972ERL</td><td>2</td><td>-4 AN to 3/8-24 inverted flare short</td></tr></table>                                                          | 591972ERL                            | 2       | -4 AN to 3/8-24 inverted flare short |           |   |                                 |
| 591972ERL                                                                           | 2                                                                                                                                                          | -4 AN to 3/8-24 inverted flare short |         |                                      |           |   |                                 |
|  | <table><tr><td>591982ERL</td><td>2</td><td>-4 AN to 3/8-24 inverted flare long</td></tr></table>                                                           | 591982ERL                            | 2       | -4 AN to 3/8-24 inverted flare long  |           |   |                                 |
| 591982ERL                                                                           | 2                                                                                                                                                          | -4 AN to 3/8-24 inverted flare long  |         |                                      |           |   |                                 |

CONVEX INVERTED FLARE



CONCAVE



## BRAKE SYSTEM ADAPTERS

|                                                                                     | PART NO.                    | PKG QTY | THREAD SIZE                        |
|-------------------------------------------------------------------------------------|-----------------------------|---------|------------------------------------|
|    | <b>592032ERL</b>            | 2       | -3 AN to 10mm x1.0                 |
|    | <b>592035ERL</b>            | 2       | -3 AN to 10mm x1.25 inverted flare |
|    | <b>592042ERL</b>            | 2       | -4 AN to 10mm x1.0                 |
|   | <b>592045ERL</b>            | 2       | -4 AN to 10mm x1.25 inverted flare |
|  | <b>592046ERL (Aluminum)</b> | 2       | -3 AN to 1/2-20 inverted flare     |
|  | <b>592047ERL (Aluminum)</b> | 2       | -4 AN to 1/2-20 inverted flare     |
|  | <b>592048ERL (Aluminum)</b> | 2       | -3 AN to 9/16-18 inverted flare    |
|  | <b>592049ERL (Aluminum)</b> | 2       | -4 AN to 9/16-18 inverted flare    |

| TUBING ADAPTER                                                                      | PART NO.         | PKG QTY | THREAD SIZE                             |
|-------------------------------------------------------------------------------------|------------------|---------|-----------------------------------------|
|    | <b>989531ERL</b> | 1       | -3 AN to 3/8-24 Fem.                    |
|    | <b>989543ERL</b> | 1       | -3 AN to 3/8-24 Fem. inverted flare     |
|   | <b>989534ERL</b> | 1       | -3 AN to Fem. 10mm x1.0                 |
|  | <b>989535ERL</b> | 1       | -3 AN to Fem. 10mm x1.25                |
|  | <b>989545ERL</b> | 1       | -3 AN to Fem. 10mm x1.0 inverted flare  |
|  | <b>989536ERL</b> | 1       | -3 AN to Fem. 10mm x1.25 inverted flare |

CONVEX INVERTED FLARE




CONCAVE



## BRAKE SYSTEM ADAPTERS

| TUBING<br>ADAPTER                                                                   | PART<br>NO.      | PKG<br>QTY | THREAD SIZE                                   |
|-------------------------------------------------------------------------------------|------------------|------------|-----------------------------------------------|
|    | <b>989532ERL</b> | 1          | -4 to 3/8-24 Fem.<br>inverted flare           |
|    | <b>989541ERL</b> | 1          | -4 to 3/8-24 Fem.                             |
|    | <b>989542ERL</b> | 1          | -4 to Fem. 10mm x1.0                          |
|   | <b>989544ERL</b> | 1          | -4 to Fem. 10mm x1.0<br>inverted flare        |
|  | <b>989537ERL</b> | 1          | -3 AN to 10mm x1.0<br>inverted flare (Honda)  |
|  | <b>989538ERL</b> | 1          | -3 AN to 10mm x1.0<br>inverted flare (Toyota) |
|  | <b>989548ERL</b> | 1          | -4 AN to 7/16-24<br>inverted flare            |
|  | <b>989549ERL</b> | 1          | -3 AN to 7/16-24<br>inverted flare            |
|  | <b>989500ERL</b> | 1          | -3 hose Clip-in Fairlead                      |

| BANJOS                                                                               | PART<br>NO.      | THD.<br>SIZE | HOLE<br>DIAMETER | HEIGHT |
|--------------------------------------------------------------------------------------|------------------|--------------|------------------|--------|
|    | <b>997603ERL</b> | -3 AN        | 3/8"             | .425   |
|    | <b>997604ERL</b> | -4 AN        | 7/16"            | .425   |
|    | <b>997631ERL</b> | -3 AN        | 10mm             | .425   |
|    | <b>997634ERL</b> | -3 AN        | 7/16"            | .425   |
|  | <b>997635ERL</b> | -3 AN        | 12mm             | .425   |
|  | <b>997641ERL</b> | -4 AN        | 10mm             | .425   |
|  | <b>997643ERL</b> | -4 AN        | 3/8"             | .425   |

| DOT BANJOS                                                                           | PART<br>NO.       | DESC.                      | HOLE      | WIDTH | HEIGHT |
|--------------------------------------------------------------------------------------|-------------------|----------------------------|-----------|-------|--------|
|  | <b>9976031ERL</b> | Sq. Banjo<br>Center        | 3/8"-10mm | 0.75" | 0.5"   |
|  | <b>9976032ERL</b> | Sq. Banjo<br>Center        | 7/16"     | 0.75" | 0.5"   |
|  | <b>9977031ERL</b> | 10° Sq.<br>Banjo<br>Center | 3/8"-10mm | 0.75" | 0.45"  |
|  | <b>9977032ERL</b> | 10° Sq.<br>Banjo<br>Center | 7/16"     | 0.75" | 0.45"  |

## BRAKE SYSTEM ADAPTERS

| DOT<br>BANJOS                                                                       | PART<br>NO.       | DESC.                        | HOLE      | WIDTH | HEIGHT |
|-------------------------------------------------------------------------------------|-------------------|------------------------------|-----------|-------|--------|
|    | <b>9976033ERL</b> | Sq. Banjo<br>Offset          | 3/8"-10mm | 0.75" | 0.5"   |
|    | <b>9976034ERL</b> | Sq. Banjo<br>Offset          | 7/16"     | 0.75" | 0.5"   |
|    | <b>9977033ERL</b> | 10° Sq.<br>Banjo<br>Offset   | 3/8"-10mm | 0.75" | 0.45"  |
|    | <b>9977034ERL</b> | 10° Sq.<br>Banjo<br>Offset   | 7/16"     | 0.75" | 0.45"  |
|  | <b>9978031ERL</b> | Lg. Rd.<br>Banjo             | 3/8"-10mm | -     | 10mm   |
|  | <b>9978032ERL</b> | Lg. 7° Rd.<br>Banjo          | 3/8"-10mm | -     | 10mm   |
|  | <b>9978033ERL</b> | Lg. 15°<br>Rd. Banjo         | 3/8"-10mm | -     | 10mm   |
|  | <b>9978034ERL</b> | Lg. 30°<br>Rd. Banjo         | 3/8"-10mm | -     | 10mm   |
|  | <b>9978035ERL</b> | Lg. 40°<br>Rd. Banjo         | 3/8"-10mm | -     | 10mm   |
|  | <b>9978036ERL</b> | Lg. 25°<br>side Rd.<br>Banjo | 3/8"-10mm | -     | 10mm   |

| BANJO<br>BOLTS                                                                      | PART #<br>FOR .425<br>BANJO<br>HGHT. | PART #<br>FOR 8mm<br>BANJO<br>HGHT. | THREAD<br>SIZE                    | BANJO<br>HOLE<br>DIAMETER |
|-------------------------------------------------------------------------------------|--------------------------------------|-------------------------------------|-----------------------------------|---------------------------|
|    | <b>977503ERL</b>                     | <b>997503ERL</b>                    | 3/8-24<br>Single                  | 3/8"                      |
|    | <b>977504ERL</b>                     | -                                   | 7/16-20<br>Single                 | 7/16"                     |
|    | <b>977513ERL</b>                     | -                                   | 3/8-24<br>Double for<br>2 Banjos  | 3/8"                      |
|   | <b>977514ERL</b>                     | -                                   | 7/16-20<br>Double for<br>2 Banjos | 7/16"                     |
|  | <b>977515ERL</b>                     | -                                   | 10mm x1.25<br>Single              | 10mm                      |
|  | <b>977517ERL</b>                     | <b>997517ERL</b>                    | 10mm x1.0<br>Single               | 10mm                      |
|  | <b>977518ERL</b>                     | -                                   | 10mm x1.25<br>Double              | 10mm                      |
|  | <b>977519ERL</b>                     | -                                   | 10mm x1.0<br>Double               | 10mm                      |

## BRAKE SYSTEM ADAPTERS

| BANJO BOLTS                                                                       | PART #               |                     | THREAD SIZE            | BANJO HOLE DIAMETER |
|-----------------------------------------------------------------------------------|----------------------|---------------------|------------------------|---------------------|
|                                                                                   | FOR .425 BANJO HGHT. | FOR 8mm BANJO HGHT. |                        |                     |
|  | 977520ERL            | 997520ERL           | 10mm x1.50 Single      | 10mm                |
|  | 977521ERL            | -                   | 1/8 NPT Male to 3/8-24 | 3/8"                |
|  | 977522ERL            | -                   | 7/16-24 Single         | 7/16"               |

| TEE                                                                                 | PART NO.   |                                                                           | DESCRIPTION |
|-------------------------------------------------------------------------------------|------------|---------------------------------------------------------------------------|-------------|
|                                                                                     |            |                                                                           |             |
|   | 961701ERL  | 1/8 NPT Fem. (all 3), no mounting hole                                    |             |
|  | 972050ERL  | 3/8-24 I.F. on sides, 3/8-24 straight thread on branch, 1/4 mounting hole |             |
|  | 972051ERL  | 7/16-24 I.F. on one run, 3/8-24 other run and branch, 7/16 mounting hole  |             |
|  | 972051AERL | 3/8-24 I.F. on branch, #3 AN male on one run, 7/16-24 I.F. on other run   |             |
|  | 972051BERL | #3 AN male on branch, 3/8-24 I.F. on one run , 7/16-24 I.F. on other run  |             |
|  | 972052ERL  | 3/8-24 I.F. all 3 ports, 7/16 mounting hole                               |             |
|  | 972053ERL  | 3/8-24 I.F. on branch, 3/8-24 at run, 5/8-18 mounting nut                 |             |

| TEE                                                                                  | PART NO.   | DESCRIPTION                                                                           |
|--------------------------------------------------------------------------------------|------------|---------------------------------------------------------------------------------------|
|    | 972053AERL | 3/8-24 I.F. on branch, 3/8-24 at run, 5/8-18 mount #3 AN male on other run            |
|    | 972053BERL | #3 AN male on branch, 3/8-24 I.F. on run and 5/8-18 mounting nut on run               |
|    | 972054ERL  | 3/8-24 I.F. all runs 7/16 mounting hole                                               |
|    | 972054AERL | 3/8-24 I.F. on branch, #3 AN male on one run, 3/8-24 I.F. on other run                |
|   | 972054BERL | #3 AN male on branch, 3/8-24 on both runs                                             |
|  | 972055ERL  | 3/8-24 I.F. on branch, 3/8-24 on one run, 7/16-24 I.F. on other run. 7/16" Mount hole |
|  | 972056ERL  | 10mmx1 x 10mmx1 x 3/8-24 I.F. 5/8-18 mounting nut                                     |
|  | 972057ERL  | #3 AN male on branch, 10mm x 1.0 bubble flare on both runs                            |
|  | 972057BERL | #3 AN male on branch, 10mm x 1.0 bubble flare on both runs                            |
|  | 972058ERL  | 3/8-24 I.F. (all ports) 5/8-18 mounting nut                                           |
|  | 972059ERL  | Y-fitting 3/8-24 I.F. (all ports) 7/16 mount hole                                     |
|  | 972060ERL  | Y-fitting 3/8-24 I.F. (all ports)                                                     |