

CONSTRUCTION: These factory assembled hoses are made from the same SPEED-FLEX™ stainless steel braid protected hose of extruded PTFE that is the world wide standard of the racing industry for flexible brake, clutch and instrument hoses. Hoses are assembled with Earl's SPEED-FLEX™ crimp and/or swaged permanently installed hose ends.

Each hose is pressure tested to 4,000 psi.


MAXIMUM OPERATING PRESSURE: 2,000 psi.

APPLICATION:

- Medium pressure hydraulic systems
- Flexible brake and clutch hoses
- Instrument hoses (most racing sanctioning bodies forbid the use of unarmored hoses in the cockpit area)
- Available in many configurations in lengths from 6" to 90"

Refer to the adapter section for adapter fittings, banjo bolts and plumbing accessories section for crush washers for use with these hoses.

PTFE LINED HYDRAULIC MEDIUM PRESSURE HOSE ASSEMBLIES - OFF-ROAD/RACING



****For use with 10mm or 3/8-24 UNF Banjo Bolts.**
_ _ ERL = Hose length in inches



Brake bleeding has always been an inconvenient and messy job. Commercial shops typically use an expensive pressure bleeder—which, unless used properly, can introduce air bubbles into the system through cavitation. Vacuum bleeders are less expensive but can also introduce air into the system.

The time honored manual method (still universally used in racing) requires two people: one to pump the pedal, and another to open and close each bleed screw in sequence. Again, proper procedure and coordination are required to prevent air inclusion.

Earl's **SOLO-BLEED™** bleeder screws solve both problems. A direct replacement for the original equipment bleeders, **SOLO-BLEED™** allows one person to safely bleed brakes without a mess and with no chance of air inclusion.

SAE

PART NO REPLACES FOLLOWING DIAM. & LENGTH	
280023ERL	1/4"-28 x 59/64" Thread SOLO-BLEED (pair)
280043ERL	1/4"-28 x 1-1/4" Thread SOLO-BLEED (pair)
280035ERL	5/16"-24 x 1" Thread SOLO-BLEED (pair)
280032ERL	5/16"-24 x 1-3/16" Thread SOLO-BLEED (pair)
280021ERL	3/8"-24 x 1-11/64" Thread SOLO-BLEED (pair)
280033ERL	3/8"-24 x 1-1/2" Thread SOLO-BLEED (pair)
280037ERL	3/8"-24 x 1-1/2" Thread SOLO-BLEED (pair)
280036ERL	7/16"-24 x 1-15/32" Thread SOLO-BLEED (pair)
280030ERL	7/16"-20 x 1-1/4" Thread SOLO-BLEED (pair)



METRIC

PART NO REPLACES FOLLOWING DIAM. & LENGTH	
280031ERL	6mm x 1.0 x 37mm Thread SOLO-BLEED (pair)
280025ERL	7mm x 1.0 x 34mm Thread SOLO-BLEED (pair)
280027ERL	8mm x 1.0 x 25mm Thread SOLO-BLEED (pair)
280024ERL	8mm x 1.25 x 23mm Thread SOLO-BLEED (pair)
280022ERL	10mm x 1.0 x 27mm Thread SOLO-BLEED (pair)
280040ERL	10mm x 1.0 x 32mm Thread SOLO-BLEED (pair)
280041ERL	10mm x 1.0 x 35mm Thread SOLO-BLEED (pair)
280028ERL	10mm x 1.25 x 33mm Thread SOLO-BLEED (pair)
280029ERL	10mm x 1.5 x 27mm Thread SOLO-BLEED (pair)

How SOLO-BLEED™ works:



Must be in this Position during operation of vehicle!



PART NO.	APPLICATION	YEARS	SIZE	
280022ERL	Acura	86-89	10mm x 1.0 Thread, 32.75mm length	Front & Rear
280028ERL	Acura	86-94	10mm x 1.25 Thread, 33mm length	Front & Rear
280024ERL	Acura	91-94	8mm x 1.25 thread, 23.5mm length	Slave Cyl.
280022ERL	Alfa Romeo	81-89	10mm x 1.0 Thread, 38.5mm length	Front
280025ERL	Alfa Romeo	82-91	7mm x 1.0 thread, 32 mm length	Front & Rear
280023ERL	AMC	61-83	1/4"-28 Thread, 59/64" length	Front & Rear
280021ERL	AMC	61-88	3/8"-24 Thread, 1 11/64" length	Front & Rear
280021ERL	AMC	72-78	3/8"-24 Thread, 1 11/64" length	Front & Rear
280024ERL	AMC	79-89	8mm x 1.25 thread, 23.5mm length	Front & Rear
280029ERL	AMC	79-89	10mm x 1.5 Thread, 25.5mm length	Front & Rear
280025ERL	Audi	68-93	7mm x 1.0 thread, 32 mm length	Front & Rear
280029ERL	Audi	75-91	10mm x 1.5 Thread, 25.5mm length	Front & Rear
280022ERL	Audi	89-97	10mm x 1.0 Thread, 27.5mm length	Front
280022ERL	Audi	89-97	10mm x 1.0 Thread, 27.5mm length	Rear
280022ERL	Audi	90-94	10mm x 1.0 Thread, 38.5mm length	Front & Rear
280031ERL	Audi 4000, Fox,100LS	74-87	6mm x 1.0 thread, 37.1mm length	Rear
280022ERL	BMW	94	10mm x 1.0 Thread, 27.5mm length	Front
280029ERL	BMW	77-90	10mm x 1.5 Thread, 25.5mm length	Front & Rear
280025ERL	BMW	77-94	7mm x 1.0 thread, 32 mm length	Front
280025ERL	BMW	91-94	7mm x 1.0 thread, 32 mm length	Rear
280029ERL	Buick	64-95	10mm x 1.5 Thread, 25.5mm length	Front & Rear
280021ERL	Buick	76-80	3/8"-24 Thread, 1 11/64" length	Front & Rear
280024ERL	Buick	92-94	8mm x 1.25 thread, 23.5mm length	Rear
280021ERL	Cadillac	71-78	3/8"-24 Thread, 1 11/64" length	Front & Rear
280035ERL	Cadillac	71-78	5/16"-24 Thread, 1" length	Rear
280029ERL	Cadillac	79-92	10mm x 1.5 Thread, 25.5mm length	Front & Rear
280024ERL	Cadillac	79-92	8mm x 1.25 thread, 23.5mm length	Rear
280022ERL	Capri	71-78	10mm x 1.0 Thread, 27.5mm length	Front
280024ERL	Chevy	95	8mm x 1.25 thread, 23.5mm length	Rear
280021ERL	Chevy	64-80	3/8"-24 Thread, 1 11/64" length	Front
280035ERL	Chevy	64-80	5/16"-24 Thread, 1" length	Rear
280024ERL	Chevy	76-78	8mm x 1.25 thread, 23.5mm length	Rear
280024ERL	Chevy	76-87	8mm x 1.25 thread, 23.5mm length	Rear
280029ERL	Chevy	79-95	10mm x 1.5 Thread, 25.5mm length	Front & Rear
280022ERL	Chevy	84-94	10mm x 1.0 Thread, 32.75mm length	Front & Rear
280025ERL	Chevy	85-89	7mm x 1.0 thread, 32 mm length	Rear
280030ERL	Chevy Truck	70-89	7/16"-20 Thread, 2 1/8" length	Rear
280022ERL	Chevy Truck	72-81	10mm x 1.0 Thread, 32.75mm length	Front
280022ERL	Chevy Truck	72-82	10mm x 1.0 Thread, 32.75mm length	Rear
280025ERL	Chevy Truck	72-93	7mm x 1.0 thread, 32 mm length	Front & Rear
280029ERL	Chevy Truck	72-94	10mm x 1.5 Thread, 25.5mm length	Front & Rear
280021ERL	Chevy Truck	74-78	3/8"-24 Thread, 1 11/64" length	Front & Rear
280024ERL	Chevy Truck	79-94	8mm x 1.25 thread, 23.5mm length	Rear
280022ERL	Chevy Truck	89-93	10mm x 1.0 Thread, 32.75mm length	Front
280022ERL	Chevy Truck	89-93	10mm x 1.0 Thread, 27.5mm length	Front
280022ERL	Chevy Truck LUV	81-82	10mm 1.0 Thread, 35mm length	Front
280035ERL	Chrysler	61-62	5/16"-24 Thread, 1 3/16" length	Front & Rear
280023ERL	Chrysler	61-67	1/4"-28 Thread, 59/64" length	Front & Rear
280021ERL	Chrysler	66-93	3/8"-24 Thread, 1 11/64" length	Front
280035ERL	Chrysler	66-93	5/16"-24 Thread, 1" length	Front
280035ERL	Chrysler	91-93	5/16"-24 Thread, 1 3/16" length	Rear
280022ERL	Chrysler Imports	73-93	10mm x 1.0 Thread, 32.75mm length	Front & Rear
280022ERL	Chrysler Imports	78-81	10mm x 1.0 Thread, 49.75mm length	Rear
280022ERL	Chrysler Imports	78-89	10mm 1.0 Thread, 35mm length	Front
280029ERL	Chrysler Imports	79-92	10mm x 1.5 Thread, 25.5mm length	Rear
280025ERL	Chrysler Imports	85-93	7mm x 1.0 thread, 32 mm length	Front
280029ERL	Chrysler Imports	89-92	10mm x 1.5 Thread, 25.5mm length	Front
280022ERL	Chrysler Imports	91-93	10mm x 1.0 Thread, 38.5mm length	Front
280025ERL	Daihatsu	88-93	7mm x 1.0 thread, 32 mm length	Front & Rear
280022ERL	Daihatsu	90-93	10mm x 1.0 Thread, 38.5mm length	Rear
280022ERL	Daihatsu	90-93	10mm x 1.0 Thread, 32.75mm length	Front
280035ERL	Dodge	95	5/16"-24 Thread, 1" length	Rear
280021ERL	Dodge	66-95	3/8"-24 Thread, 1 11/64" length	Front & Rear
280022ERL	Dodge	88-93	10mm x 1.0 Thread, 27.5mm length	Front
280035ERL	Dodge	92-93	5/16"-24 Thread, 1 3/16" length	Rear
280021ERL	Dodge Truck	61-93	3/8"-24 Thread, 1 11/64" length	Rear
280035ERL	Dodge Truck	61-93	5/16"-24 Thread, 1" length"	Rear
280029ERL	Dodge Truck	90-94	10mm x 1.5 Thread, 25.5mm length	Front
280022ERL	Dodge Truck	92-93	10mm x 1.0 Thread, 38.5mm length	Front
280022ERL	Eagle	88-93	10mm x 1.0 Thread, 32.75mm length	Front
280022ERL	Eagle	88-93	10mm x 1.0 Thread, 27.5mm length	Front
280022ERL	Eagle	88-93	10mm x 1.0 Thread, 27.5mm length	Rear
280035ERL	Eagle	89-92	5/16"-24 Thread, 1" length	Front & Rear
280025ERL	Eagle Talon	93	7mm x 1.0 thread, 32 mm length	Front
280024ERL	Fiat	75-79	8mm x 1.25 thread, 23.5mm length	Front & Rear
280022ERL	Fiesta	78-89	10mm x 1.0 Thread, 27.5mm length	Front
280021ERL	Ford	74	3/8"-24 Thread, 1 1/2" length	Front
280023ERL	Ford	61-80	1/4"-28 Thread, 59/64" length	Front & Rear
280021ERL	Ford	61-94	3/8"-24 Thread, 1 11/64" length	Front & Rear
280029ERL	Ford	70-92	10mm x 1.5 Thread, 25.5mm length	Front
280035ERL	Ford	73-75	5/16"-24 Thread, 1 3/16" length	Front & Rear
280022ERL	Ford	78-80	10mm x 1.0 Thread, 38.5mm length	Front & Rear
280023ERL	Ford	81-89	1/4"-28 Thread, 59/64" length	Rear
280022ERL	Ford	82-94	10mm x 1.0 Thread, 32.75mm length	Front & Rear
280027ERL	Ford	88-97	8mm x 1.0 Thread, 25.4mm length	Rear

PART NO.	APPLICATION	YEARS	SIZE	
280027ERL	Ford	89-94	8mm x 1.0 Thread, 31.9mm length	Rear
280022ERL	Ford	90-94	10mm x 1.0 Thread, 27.5mm length	Front
280025ERL	Ford	90-94	7mm x 1.0 thread, 32 mm length	Front & Rear
280021ERL	Ford Truck	61-94	3/8"-24 Thread, 1 11/64" length	Front & Rear
280030ERL	Ford Truck	70-94	7/16"-20 Tread, 1 17/64" length	Front
280035ERL	Ford Truck	71-75	5/16"-24 Thread, 1 3/16" length	Front & Rear
280023ERL	Ford Truck	71-77	1/4"-28 Thread, 59/64" length	Front
280021ERL	Ford Truck	71-94	3/8"-24 Thread, 1 1/2" length	Front
280022ERL	Ford Truck	81-85	10mm x 1.0 Thread, 38.5mm length	Rear
280035ERL	Ford Truck	83-93	5/16"-24 Thread, 1" length	Front
280021ERL	Ford Truck	86-92	3/8"-24 Thread, 1 1/2" length	Front
280035ERL	Ford Truck	90-94	5/16"-24 Thread, 1" length	Rear
280030ERL	Ford Truck		7/16"-20 Thread, 1 11/16" length	
280025ERL	Ford Truck, Courier	77-83	7mm x 1.0 thread, 32 mm length	Front
280029ERL	GEO	89-92	10mm x 1.5 Thread, 25.5mm length	Front & Rear
280022ERL	GEO	93-94	10mm x 1.0 Thread, 32.75mm length	Rear
280025ERL	GEO	93-94	7mm x 1.0 thread, 32 mm length	Front & Rear
280021ERL	GM	61-65	3/8"-24 Thread, 1 1/2" length	Front & Rear
280021ERL	GM	61-80	3/8"-24 Thread, 1 11/64" length	Front & Rear
280024ERL	GM	76-93	8mm x 1.25 thread, 23.5mm length	Front & Rear
280025ERL	GM	83-93	7mm x 1.0 thread, 32 mm length	Front & Rear
280022ERL	GM	84-93	10mm x 1.0 Thread, 32.75mm length	Front & Rear
280022ERL	GM	89-93	10mm x 1.0 Thread, 27.5mm length	Front
280035ERL	GM	61-80	5/16"-24 Thread, 1" length	Rear
280023ERL	GMC truck	60-63	1/4"-28 Thread, 1 3/8" ,length	Rear
280021ERL	GMC Truck	61-78	3/8"-24 Thread, 1 11/64" length	Front & Rear
280021ERL	GMC Truck	63-71	3/8"-24 Thread, 1 1/2" length"	Front & Rear
280030ERL	GMC Truck	70-89	7/16"-20 Thread, 2 1/8" length	Rear
280024ERL	GMC Truck	71-94	8mm x 1.25 thread, 23.5mm length	Rear
280036ERL	GMC truck	74-76	7/16"-24 Thread, 1 15/32" length	Rear
280025ERL	GMC Truck	79-93	7mm x 1.0 thread, 32 mm length	Front & Rear
280029ERL	GMC Truck	79-94	10mm x 1.5 Thread, 25.5mm length	Front & Rear
280022ERL	GMC Truck	89-93	10mm x 1.0 Thread, 32.75mm length	Front
280022ERL	GMC Truck	89-93	10mm x 1.0 Thread, 27.5mm length	Front
280030ERL	GMC Truck		7/16"-20 Thread, 1 11/16" length	
280022ERL	Honda	74-94	10mm x 1.0 Thread, 32.75mm length	Front & Rear
280024ERL	Honda	75-94	8mm x 1.25 thread, 23.5mm length	Rear
280022ERL	Honda	77-79	10mm 1.0 Thread, 35mm length	Front
280025ERL	Honda	77-79	7mm x 1.0 thread, 32 mm length	Front
280028ERL	Honda	88-94	10mm x 1.25 Thread, 33mm length	Front & Rear
280022ERL	Honda Truck	94	10mm x 1.0 Thread, 38.5mm length	Rear
280022ERL	Hyundai	83-93	10mm x 1.0 Thread, 32.75mm length	Front
280022ERL	Hyundai	86-89	10mm 1.0 Thread, 35mm length	Rear
280022ERL	Hyundai	89-95	10mm x 1.0 Thread, 27.5mm length	Front
280022ERL	Hyundai	89-95	10mm x 1.0 Thread, 27.5mm length	Rear
280035ERL	Hyundai	90-91	5/16"-24 Thread, 1" length	Rear
280022ERL	Hyundai	90-95	10mm x 1.0 Thread, 32.75mm length	Rear
280030ERL	IH Truck		7/16"-20 Thread, 2 5/8" length	
280030ERL	IH Truck		7/16"-20 Thread, 1 11/16" length	
280022ERL	Infiniti	90-94	10mm x 1.0 Thread, 32.75mm length	Front & Rear
280022ERL	Isuzu	81-84	10mm x 1.0 Thread, 32.75mm length	Front
280022ERL	Isuzu	81-93	10mm x 1.0 Thread, 38.5mm length	Rear
280025ERL	Isuzu	81-93	7mm x 1.0 thread, 32 mm length	Rear
280022ERL	Isuzu	88-91	10mm 1.0 Thread, 35mm length	Rear
280022ERL	Isuzu Truck	81-92	10mm x 1.0 Thread, 32.75mm length	Rear
280029ERL	Isuzu Truck	81-92	10mm x 1.5 Thread, 25.5mm length	Front
280022ERL	Isuzu Truck	88-94	10mm 1.0 Thread, 35mm length	Rear
280022ERL	Isuzu Truck	91-94	10mm x 1.0 Thread, 38.5mm length	Rear
280022ERL	Jaguar	73-90	10mm x 1.0 Thread, 32.75mm length	Front
280021ERL	Jaguar	74-76	3/8"-24 Thread, 1 11/64" length	Rear
280022ERL	Jaguar	86-90	10mm x 1.0 Thread, 32.75mm length	Rear
280021ERL	Jeep	61-77	3/8"-24 Thread, 1 11/64" length	Front & Rear
280023ERL	Jeep	61-77	1/4"-28 Thread, 59/64" length	Front
280021ERL	Jeep	65-93	3/8"-24 Thread, 1 11/64" length	Front & Rear
280024ERL	Jeep	79-92	8mm x 1.25 thread, 23.5mm length	Front & Rear
280029ERL	Jeep	79-93	10mm x 1.5 Thread, 25.5mm length	Front & Rear
280035ERL	Jeep	90-93	5/16"-24 Thread, 1" length	Rear
280025ERL	Lexus	90-93	7mm x 1.0 thread, 32 mm length	Front & Rear
280021ERL	Lincoln	81-93	3/8"-24 Thread, 1 11/64" length	Front & Rear
280022ERL	Lincoln	92-94	10mm x 1.0 Thread, 27.5mm length	Front & Rear
280025ERL	Mazda	72-93	7mm x 1.0 thread, 32 mm length	Front & Rear
280027ERL	Mazda	79-92	8mm x 1.0 Thread, 31.9mm length	Rear
280021ERL	Mazda	92-93	3/8"-24 Thread, 1 1/2" length	Front & Rear
280035ERL	Mazda Truck	94	5/16"-24 Thread, 1" length	Rear
280021ERL	Mazda Truck	91-94	3/8"-24 Thread, 1 1/2" length	Front & Rear
280029ERL	Mazda	73-92	10mm x 1.5 Thread, 25.5mm length	Front & Rear
280027ERL	Mazda 323	86	8mm x 1.0 Thread, 25.4mm length	Front
280027ERL	Mazda 323	90	8mm x 1.0 Thread, 25.4mm length	Front
280027ERL	Mazda 323	92-94	8mm x 1.0 Thread, 25.4mm length	Front
280027ERL	Mazda 626	81-82	8mm x 1.0 Thread, 25.4mm length	Front
280027ERL	Mazda GLC	83-85	8mm x 1.0 Thread, 25.4mm length	Front
280027ERL	Mazda Miata MX5	94	8mm x 1.0 Thread, 25.4mm length	Front
280027ERL	Mazda MX3	94	8mm x 1.0 Thread, 25.4mm length	Front
280027ERL	Mazda MX6	93-94	8mm x 1.0 Thread, 25.4mm length	Rear
280027ERL	Mazda Protege	92-94	8mm x 1.0 Thread, 25.4mm length	Front

PART NO.	APPLICATION	YEARS	SIZE	
280027ERL	Mazda RX7	94	8mm x 1.0 Thread, 25.4mm length	Front
280027ERL	Mazda RX7	86-87	8mm x 1.0 Thread, 25.4mm length	Front
280027ERL	Mazda Truck	93-94	8mm x 1.0 Thread, 25.4mm length	Front
280025ERL	Medallion	88-90	7mm x 1.0 thread, 32 mm length	Front & Rear
280024ERL	Mercedes Benz	84-94	8mm x 1.25 thread, 23.5mm length	Front & Rear
280023ERL	Mercury	81-89	1/4"-28 Thread, 59/64" length	Rear
280021ERL	Mercury	81-93	3/8"-24 Thread, 1 11/64" length	Front & Rear
280022ERL	Mercury	86-94	10mm x 1.0 Thread, 32.75mm length	Front & Rear
280027ERL	Mercury	87-94	8mm x 1.0 Thread, 31.9mm length	Rear
280022ERL	Mercury	90-94	10mm x 1.0 Thread, 27.5mm length	Front & Rear
280027ERL	Mercury	91-94	8mm x 1.0 Thread, 25.4mm length	Front
280027ERL	Mercury	91-94	8mm x 1.0 Thread, 25.4mm length	Rear
280022ERL	Mercury Truck	93-94	10mm x 1.0 Thread, 27.5mm length	Rear
280022ERL	MG	65-80	10mm x 1.0 Thread, 27.5mm length	Front
280022ERL	Mitsubishi	83-85	10mm 1.0 Thread, 35mm length	Front
280022ERL	Mitsubishi	83-93	10mm x 1.0 Thread, 32.75mm length	Front & Rear
280022ERL	Mitsubishi	90-93	10mm x 1.0 Thread, 38.5mm length	Front & Rear
280022ERL	Mitsubishi Truck	92-94	10mm x 1.0 Thread, 32.75mm length	Front & Rear
280029ERL	Nissan	69-92	10mm x 1.5 Thread, 25.5mm length	Front & Rear
280022ERL	Nissan	69-94	10mm x 1.0 Thread, 32.75mm length	Front & Rear
280025ERL	Nissan	79-93	7mm x 1.0 thread, 32 mm length	Rear
280022ERL	Nissan	81-85	10mm 1.0 Thread, 35mm length	Front
280022ERL	Nissan	89-94	10mm x 1.0 Thread, 38.5mm length	Front & Rear
280022ERL	Nissan Truck	86-94	10mm x 1.0 Thread, 32.75mm length	Front
280022ERL	Nissan Truck	88-94	10mm x 1.0 Thread, 32.75mm length	Rear
280021ERL	Nissan Truck	93-94	3/8"-24 Thread, 1 11/64" length	Front
280022ERL	Nissan Truck	93-94	10mm x 1.0 Thread, 27.5mm length	Rear
280021ERL	OH Truck	57-80	3/8"-24 Thread, 1 1/2" length	Front & Rear
280029ERL	Oldsmobile	79-94	10mm x 1.5 Thread, 25.5mm length	Front & Rear
280025ERL	Peugeot	81-89	7mm x 1.0 thread, 32 mm length	Rear
280022ERL	Peugeot	89-90	10mm x 1.0 Thread, 27.5mm length	Front
280025ERL	Plymouth	93	7mm x 1.0 thread, 32 mm length	Front
280035ERL	Plymouth	66-95	5/16"-24 Thread, 1" length	Rear
280021ERL	Plymouth	81-95	3/8"-24 Thread, 1 11/64" length	Front & Rear
280022ERL	Plymouth	90-93	10mm x 1.0 Thread, 32.75mm length	Front & Rear
280035ERL	Plymouth	92-93	5/16"-24 Thread, 1 3/16" length	Rear
280022ERL	Pontiac	94	10mm x 1.0 Thread, 32.75mm length	Rear
280029ERL	Pontiac	79-92	10mm x 1.5 Thread, 25.5mm length	Front & Rear
280022ERL	Porsche	89	10mm x 1.0 Thread, 38.5mm length	Front & Rear
280025ERL	Porsche	73-89	7mm x 1.0 thread, 32 mm length	Front
280022ERL	Porsche	87-95	10mm x 1.0 Thread, 27.5mm length	Front & Rear
280025ERL	Renault	76-89	7mm x 1.0 thread, 32 mm length	Front
280027ERL	Renault Alliance	83-87	8mm x 1.0 Thread, 25.4mm length	Rear
280027ERL	Renault Encore	84-86	8mm x 1.0 Thread, 25.4mm length	Rear
280027ERL	Renault GTA	87	8mm x 1.0 Thread, 25.4mm length	Rear
280029ERL	Saab	79-92	10mm x 1.5 Thread, 25.5mm length	Rear
280024ERL	Saab	90-92	8mm x 1.25 thread, 23.5mm length	Rear
280025ERL	Saab	90-94	7mm x 1.0 thread, 32 mm length	Rear
280022ERL	Saturn	91-94	10mm x 1.0 Thread, 32.75mm length	Front & Rear
280022ERL	Sterling	87-91	10mm x 1.0 Thread, 27.5mm length	Front & Rear
280023ERL	Studebaker	61-66	1/4"-28 Thread, 59/64" length	Front & Rear
280029ERL	Subaru	72-92	10mm x 1.5 Thread, 25.5mm length	Front & Rear
280025ERL	Subaru	76-93	7mm x 1.0 thread, 32 mm length	Front & Rear
280022ERL	Subaru	79-89	10mm x 1.0 Thread, 38.5mm length	Front & Rear
280022ERL	Subaru	82-94	10mm x 1.0 Thread, 32.75mm length	Front
280022ERL	Subaru	84-85	10mm 1.0 Thread, 35mm length	Front
280022ERL	Suzuki	86-94	10mm x 1.0 Thread, 32.75mm length	Front & Rear
280022ERL	Suzuki	89-94	10mm 1.0 Thread, 35mm length	Front & Rear
280025ERL	Suzuki	92-93	7mm x 1.0 thread, 32 mm length	Rear
280022ERL	Suzuki Truck	90-94	10mm x 1.0 Thread, 32.75mm length	Front
280022ERL	Suzuki Truck	91-94	10mm x 1.0 Thread, 32.75mm length	Rear
280022ERL	Suzuki Truck	92-94	10mm 1.0 Thread, 35mm length	Rear
280029ERL	Toyota	67-92	10mm x 1.5 Thread, 25.5mm length	Front & Rear
280022ERL	Toyota	67-93	10mm x 1.0 Thread, 32.75mm length	Front
280022ERL	Toyota	68-94	10mm x 1.0 Thread, 38.5mm length	Front & Rear
280025ERL	Toyota	75-93	7mm x 1.0 thread, 32 mm length	Front & Rear
280022ERL	Toyota Truck	89-94	10mm x 1.0 Thread, 38.5mm length	Front & Rear
280022ERL	Toyota Truck	91-94	10mm x 1.0 Thread, 32.75mm length	Front & Rear
280022ERL	Volvo	94	10mm x 1.0 Thread, 27.5mm length	Rear
280022ERL	Volvo	83-91	10mm x 1.0 Thread, 27.5mm length	Front
280025ERL	Volvo	83-91	7mm x 1.0 thread, 32 mm length	Rear
280022ERL	Volvo	84-94	10mm x 1.0 Thread, 32.75mm length	Front
280023ERL	Volvo	87-92	1/4"-28 Thread, 59/64" length	Front
280029ERL	Volvo	87-92	10mm x 1.5 Thread, 25.5mm length	Rear
280022ERL	Volvo	89-92	10mm x 1.0 Thread, 32.75mm length	Rear
280024ERL	Volvo	91-94	8mm x 1.25 thread, 23.5mm length	Rear
280025ERL	VW	65-93	7mm x 1.0 thread, 32 mm length	Front & Rear
280029ERL	VW	75-92	10mm x 1.5 Thread, 25.5mm length	Front & Rear
280022ERL	VW	84-95	10mm x 1.0 Thread, 38.5mm length	Rear
280022ERL	VW	87-94	10mm x 1.0 Thread, 38.5mm length	Rear
280031ERL	VW Golf,Jetta, Quantum, Rabbit, Scirocco	74-87	6mm x 1.0 thread, 37.1mm length	Rear
280031ERL	VW Golf,Jetta, Quantum, Rabbit, Scirocco	93-95	6mm x 1.0 thread, 37.1mm length	Rear
280030ERL	White Truck		7/16 -20 Thread, 2 5/8" length	
280024ERL	Yugo	86-90	8mm x 1.25 thread, 23.5mm length	Front & Rear