


# **Leak Repair**

# PermaDryPlus® Gaskets

Fel-Pro® PermaDryPlus gaskets are the problem-solving gaskets that feature the latest advanced technologies designed specifically for the aftermarket repair environment. These gaskets are the right choice for any application in which the OEM design and/or traditional replacement gaskets have been known to fail, or are difficult to install. When technicians install PermaDryPlus they can be confident of an easy, precise fit and superior sealing performance, even on problematic applications.


PermaDryPlus gaskets utilize various types of innovative technologies, depending on the application and type of seal required. Key benefits that apply to all are:

- One-piece, molded-rubber construction provides superior blow-out resistance
- Time-saving rigid carrier system provides instant fit without adhesives
- Lasts up to five times longer than cork-rubber
- · Precision sealing beads reinforce critical areas
- Superior heat resistance assures longer life
- Torque limiters prevent overtightening
- Added features such as Hole-Locks®, Snap-Ups®, and locating tabs help make installation easier




#### PermaDryPlus Valve Cover Gaskets

These gaskets utilize precision edge-molded silicone rubber sealing beads on a rigid carrier to resist high heat and high vacuum, and to compensate for surface irregularities. Built-in torque limiters prevent overcompression and gasket-splitting, while locating tabs and bolt Hole-Locks reduce installation time and assure proper alignment.








#### PermaDryPlus Water Outlet Gaskets

These gaskets feature rigid composite carrier construction and silicone sealing beads. The carrier prevents overtorquing, while the molded rubber assures a secure seal. These gaskets are the perfect solution for warped or corroded thermostat housing flanges.



### PermaDryPlus® Intake Manifold Gaskets

These long-lasting gaskets feature an aluminized steel carrier with fluoroelastomer rubber coating that is impervious to all types of coolants and oils. Edge-molded seals protect each port. Primary and secondary sealing beads provide additional protection while compensating for corrosion-roughened surfaces. And like all Fel-Pro® gaskets, these are engineered for easy installation as well.

Sealing beads

Silicone

elastomer coating



Fluoroelastomer coating Impervious to all types of

coolants and oils.

Aluminized steel carrier
Eliminates cracking due to vibration
and thermal expansion/contraction.

Self-centering torque limiters
Prevent overcompression and

related damage.

**Locating tabs**Save time and make installation a one-person job.

Strategically-placed sealing beads
Eliminates all potential leak paths.

## PermaDryPlus Liquid Elastomer Molded (LEM) Timing Cover Gaskets

Exclusive Fel-Pro PermaDryPlus Liquid Elastomer Molded (LEM) Timing Cover Gaskets offer a versatile, high performance sealing solution. The LEM process involves coating a metallic gasket core with a thin layer of silicone elastomer. The gasket is then bolstered in critical areas with silicone beading, allowing it to cope with the necessary clamping loads and provide superb sealing. It is easier to install (because of its rigid carrier design) than typical paper gaskets, with high durability and zero leakage.

