

181515

The JET® JLH Compact Lever Hoist integrates safety, durability and innovation enabling it to operate in the most demanding industrial environments. The lightweight design is achieved with a durable aluminum alloy housing that reduces weight for ease of transport. The dual pawl Weston style brake system splits the load to opposite sides of the ratchet gear for greater load security. Mechanical advantage is gained by the JET® exclusive addition of the five gear drive train requiring less force to lift or secure a load. Included is a nylon carrying case for convenient transportation, reducing trips to the tool room and prevents any unnecessary damage to the hoist. The JET® JLH Compact Lever Hoist is available in ¼ ton and ½ ton capacities with standard lifts of 5, 10 and 15 feet (custom lifts available). Whether it's inverted, vertical, horizontal, or any other load angle, the JET® JLH Compact Lever Hoist is the solution for your heavy-duty industrial needs.

FEATURES

- Safety
- Weston Style Dual Pawl Brake System- Dual pawl design increases safety by splitting the load to opposite sides of the ratchet gear for greater load security
- Alloy Steel Hooks- Industrial rated hooks rotate 360 degrees for easy rigging. Hooks slowly stretch to indicate an overload situation increasing jobsite safety
- Carrying Case- Included is a nylon carrying case for convenient transportation, reducing trips to the tool room and prevents any unnecessary damage to the hoist
- Performance
- Work to Weight Ratio- At 5.6 pounds, the 1/2 ton JLH Compact Lever Hoist can pull or hold a load more than 170 times its weight
- Compact Power- A 1/2 ton of pulling power that fits in the palm of your hand
- Durability
- Geared Drive Train- JET's exclusive five gear drive train requires less force to lift or secure a load
- Aluminum Housing- Durable, impact resistant, Aluminum alloy housings makes the JLH Compact lever hoist one of the lightest hoists on the market
- Grade 100 Load Chain- Corrosive resistant grade 100 load chain is stronger than grade 80 load chain extending the life of the hoist
- Cast Steel Safety Latches- Increased durability with heavy duty safety latches secured with Allen screws and lock nuts
- Heat Treated Load Plates- Heat treated for durability, these extend the life of the hoist in the harshest of environments
- Compact Design- Smaller body and lightweight design for low headroom applications and use in confined areas
- Standards
- Industry- Complies with OSHA Regulations, ANSI / ASME B30.21 and HST-3 Standards





· Load tested to 125% of capacity with certificate

STAND BEHIND YOUR WORK



181515

SPECIFICATIONS

Load Capacity (Tons)	1/2
Lift (Ft.)	15
Overload Protection	No
Ship Yard Hooks	No
Headroom (In.)	9-7/10
Handle Length (In.)	6-3/10
Lever Pull Force (LBF)	54
Lift per Turn (In.)	1/3
Number of Falls	1
Load Chain Dimensions (Mm.)	4.3 x 12
Load Capacity (Metric Tons)	.5
Weight (Lbs.)	8-3/5



STAND BEHIND YOUR WORK

550+ SERVICE CENTERS NATIONWIDE INDUSTRY-LEADING WARRANTIES EXPERT TECHNICAL SERVICE



181515

FULL SERIES

STOCK NO	MODEL NO	LOAD CAPACITY (TONS)	LIFT (FT.)	OVERLOAD PROTECTION	SHIP YARD HOOKS	HEADROOM (IN.)
376100	JLH-75WO-5	3/4	5	Yes	No	11
376101	JLH-75WO-10	3/4	10	Yes	No	11
376102	JLH-75WO-15	3/4	15	Yes	No	11
376103	JLH-75WO-20	3/4	20	Yes	No	11
376200	JLH-100WO-5	1	5	Yes	No	11-4/5
376201	JLH-100WO-10	1	10	Yes	No	11-4/5
376202	JLH-100WO-15	1	15	Yes	No	11-4/5
376203	JLH-100WO-20	1	20	Yes	No	11-4/5
376300	JLH-150WO-5	1-1/2	5	Yes	No	13-1/5
376301	JLH-150WO-10	1-1/2	10	Yes	No	13-1/5
181205	JLH-25-5	1/4	5		No	7-9/10
376302	JLH-150WO-15	1-1/2	15	Yes	No	13-1/5
376303	JLH-150WO-20	1-1/2	20	Yes	No	13-1/5
376800	JLH-150-5PSH	1-1/2	5	Yes	Yes	13-1/5
376801	JLH-150-10PSH	1-1/2	10	Yes	Yes	13-1/5
376802	JLH-150-15PSH	1-1/2	15	Yes	Yes	13-1/5
376803	JLH-150-20PSH	1-1/2	20	Yes	Yes	13-1/5
376400	JLH-250WO-5	2-1/2	5	Yes	No	14-3/4
376401	JLH-250WO-10	2-1/2	10	Yes	No	14-3/4
376402	JLH-250WO-15	2-1/2	15	Yes	No	14-3/4
376403	JLH-250WO-20	2-1/2	20	Yes	No	14-3/4
181210	JLH-25-10	1/4	10	No	No	7-9/10

STAND BEHIND YOUR WORK

D+ SERVICE CENTERS NATIONWIDE | INDUSTRY-LEADING WARRANTIES | EXPERT TECHNICAL SERV

181515

FULL SERIES

STOCK NO	MODEL NO	LOAD CAPACITY (TONS)	LIFT (FT.)	OVERLOAD PROTECTION	SHIP YARD HOOKS	HEADROOM (IN.)
376501	JLH-300WO-10	3	10	Yes	No	15-5/9
376502	JLH-300WO-15	3	15	Yes	No	15-5/9
376503	JLH-300WO-20	3	20	Yes	No	15-5/9
376900	JLH-300-5PSH	3	5	Yes	Yes	15-5/9
376901	JLH-300-10PSH	3	10	Yes	Yes	15-5/9
376902	JLH-300-15PSH	3	15	Yes	Yes	15-5/9
376903	JLH-300-20PSH	3	20	Yes	Yes	15-5/9
376600	JLH-600WO-5	6	5	Yes	No	21-1/4
376601	JLH-600WO-10	6	10	Yes	No	21-1/4
181215	JLH-25-15	1/4	15	No	No	7-9/10
376602	JLH-600WO-15	6	15	Yes	No	21-1/4
376603	JLH-600WO-20	6	20	Yes	No	21-1/4
376700	JLH-900WO-5	9	5	Yes	No	26-4/5
376701	JLH-900WO-10	9	10	Yes	No	26-4/5
376702	JLH-900WO-15	9	15	Yes	No	26-4/5
376703	JLH-900WO-20	9	20	Yes	No	26-4/5
181505	JLH-50-5	1/2	5	No	No	9-7/10
181510	JLH-50-10	1/2	10	No	No	9-7/10
181515	JLH-50-15	1/2	15	No	No	9-7/10