






17-A

Separating-set









-  Ø 12-75 mm
-  75 mm
-  60-150 mm
-  122-300 mm









Separating-set, 17-A

Contents


Inhalt/ Art.-No.	 Ø mm	 mm	 mm	 mm	 mm
 17-1	12-75	75	-	-	-
 18-1	-	-	60-150	122-200	-
 19-1-P	-	-	-	-	100

All separating sets


Art.-No.	Sätze/ Sets			
	 Ø mm	 mm	 mm	 mm
17-K	8-60	60	50-110	71-250
17-A	12-75	75	60-150	122-300
17-B	22-115	115	60-200	125-350
17-C	25-155	155	80-300	144-400




Example of application





Safety instructions



UFP-1, UFP-2 und UFP-3



 3/16 - 3 inch

 2 3/8 - 5 7/8
inch


 4 7/8 - 11 7/8
inch

metric imperial

 12 - 75 mm

 60 - 150 mm

 122 - 300 mm

 4.77 kg

metric imperial

Spare part

618175	Mechanical pressure spindle.
17-1	Separator with quick clamping pressure spindle
18-1	Pulling device
19-1-P	2 extensions for pulling devices (pair)
17-1-T	Cross-beam
18-1-T	Cross-beam
17-1-06	Spindle
017167	Side bolt complete
018265	Side bolt complete

content

17-1	Separator with quick clamping pressure spindle
18-1	Pulling device
19-1-P	2 extensions for pulling devices (pair)