

Racing Products

THE CHOICE OF PROFESSIONALS



NASCAR® Xfinity® Series. Photo courtesy of JR Motorsports and Harold Hinson Photography.



CONTENTS 2020 LONGACRE® CATALOG

4 FEATURED PRODUCTS

SCALES & ACCESSORIES

- 6 Computerscales®
- 9 Computerscales[®]: DX3[™] & DX2[™]
- 10 Computerscales®: Karting
- 11 Computerscales[®]: AccuSet II[™]
- 12 Computerscales®: Dual Load Cell
- 13 Scale Storage
- 14 SideSliders[™]
- 16 Billet Levelers
- 18 Platen Setup & Turnplates
- 20 Load Rating Machines
- 22 Coil Spring Tester
- 24 Chassis Height Measurement

25 CHASSIS SETUP EQUIPMENT

- 25 Caster/Camber Digital Gauges
- 26 Caster/Camber Digital Gauge Adapters
- 27 Caster/Camber Billet Gauges
- 29 Toe-In Plates & Accessories
- 31 Bump Steer Gauges & Accessories
- 32 Stagger Gauges

33 TIRE MANAGEMENT

- 33 Tire Pressure Gauges Quick Guide
- 34 Tire Pressure Gauges: Digital
- 37 Tire Pressure Gauges: Pro & Magnum[™]
- 38 Tire Pressure Gauges: Liquid & Deluxe
- 39 Tire Pressure Gauges: Basic & Quick Fill
- 40 TIRELIEFS[™] & Accessories
- 41 Durometers
- 42 Pyrometers
- 44 Air Tanks & Accessories

45 GAUGES, TACHS, PANELS, & ELECTRICAL

46 Digital Elite Waterproof Gauges
47 Digital Elite Waterproof Gauges Panels
48 SMi[™] Elite Waterproof Gauges
49 SMi[™] Elite Waterproof Gauges Panels
50 Tachs & Tach Panels
53 Sportsman[™] Gauges & Panels
55 Switches & Switch Panels

60 SPECIALTY TOOLS

60 Air Density Gauge61 Leak Down Testers & Shock Inflators62 Digital Levels63 Extra Tools

64 STEERING WHEELS

64 Aluminum Wheels66 Steering Accessories

67 MISCELLANEOUS

- 67 Timers & Stopwatches
- 68 Padding
- 70 Helmet Hooks, Brackets, Radio Box, Drink Holder
- 71 Mirrors & Accessories
- 72 Brake Lines & Accessories
- 73 Carb Linkage Kits & Accessories
- 74 Remote Starter Button, Spark Plug Viewer, & Accessories
- 75 Spoiler & Fender Accessories
- 76 Insulation & Apparel
- 77 Car Covers & Hard Cases
- 78 Apparel

3

FEATURED PRODUCTS









LONGACRE WATERPROOF GAUGES

THE NEXT GENERATION IN INSTRUMENTATION HAS ARRIVED!

Longacre Racing Products is proud to introduce the all-new Digital Elite Waterproof Gauges and SMi[™] Elite Waterproof Gauges. Engineered for wet and dirty environments, these gauges provide the absolute best in waterproof sealing. These elite gauges provide the most precise measurements on the market with unmatched resistance to vibration, heat, and moisture.





AUTOMATIC & MANUAL LOAD RATING MACHINES

Our machine has the ability to smash a spring/bump stop setup to 4500# and draw a pull bar up to 3000# capacity with electric motor motion. Our quick adjust wrap around spring removal arm makes easy work out of unloading spring packages, by not relying on coil spacing, but using our special spring removal cups.



FEATURED PRODUCTS

COMPUTERSCALES®

PRO WIRED HYBRID™ MODEL

10" TABLET

- High resolution 7.75" x 5.75" backlit color display.
- · Easily customizable.
- Note-taking and 50 set named memory stores weights and percentages.
- Includes high contrast display for bright sunlight.

7" TABLET

 High resolution 6" x 3.75" backlit color display.

SEMI PRO WIRED

BRID™ MODE

- Easily customizable.
- Note-taking and 10 set named memory stores weights and percentages.

RATCHETING SUSPENSION LOAD PULL STICKS

This ratcheting load stick bolts in at the car's shock location. The stick allows you to change springs with ease and accuracy, along with being able to pull the race car down to a dynamic attitude to find a suspension bind and to use on jack stands to adjust your compressed loads.





See p.9

ACCURATE SETUPS NOW MADE REALLY EASY



Everything you need is included:

Complete systems include a tablet (7" or 10") with protective enclosure, and hard case, screen saver, stylus, universal charger and USB cable, and 4-15" or 12" pads with wireless modules built in.



10" Tablet

6



7" Tablet

- The cables are gone, nothing to trip over.
- · Easily converts to metric.
- Display just the information you want, nothing you don't.
- · Satin finished scale pads.
- · Easy to upgrade.
- · Download the latest app free and keep your system stateof-the-art.
- New app with Notes Screen shown together with weights and partials, side-by-side. See everything at the same time. (On 10" tablet only.)

UTERSCALES® XLi TABLET XLi[™] SINGLE LOAD CELL

DESCRIPTION	PART #
Computerscales [®] Wireless 7" Tablet	52-72715
Computerscales® Wireless 10" Tablet	52-72717
Computerscales® Wireless Without Tablet	52-72718

COMPUTER**SCALES® XL**i TABLET XLI™ DUAL LOAD CELL

DESCRIPTION	PART #
Computerscales® Wireless 7" Tablet	52-72726
Computerscales® Wireless 10" Tablet	52-72728
Computerscales® Wireless Without Tablet	52-72729

COMPUTERSCALES® XLi

TABLET XLI™ 12" PADS

DESCRIPTION	PART #
Computerscales® Wireless 7" Tablet 1100lbs./Pad	52-72691
Computerscales® Wireless 7" Tablet, 400lbs./Pad	52-72630

*Kart, Quarter Midget, Legends, Bandeleros, etc.

Shown with Billet Levelers and Turnplate Roll-offs available separately. SCALES & ACCESSORIES

TABLET SCALE FEATURES



CURRENT WEIGHTS MEMORY WEIGHTS

Shown at the same time for easy comparison. Makes hitting your target setup simple and hassle free

Exclusive Tablet Scale Features

- An easy-to-use "Setup Page" lets you customize the partial percentage display if you wish. Change to metric readout here if needed.
- Battery condition for pads and tablet is shown on the display.
- Special high contrast screen for very bright sunlight conditions.
- 7" Tablet and smartphone automatically work in both horizontal ('landscape') and vertical ('portrait') orientation.
- · Charger for tablet is included. Pads use replaceable AA Alkaline batteries.

For the car icon on the display you can select any of the below car options.



You can even have a picture of YOUR car as the icon to personalize your system. Call for details.

CAR ICON AND ALL WEIGHTS CAN BE ROTATED ON THE DISPLAY.

Easy viewing from any position around the car. Just tap the button above the car. Wheel weights 'follow' rotation.



Best when standing on the left side of the car





Best when standing in front of the car.





DURABILITY

The tablet has a protective enclosure that helps prevent damage, a hard case, and a screen saver to protect the display.

COMPARE OUR PADS TO OTHERS

Longacre®

Other 'billet' pads

plate

.5" Thick flat

pads 1.1" Tall reinforcing ribs

Our pads use elaborate computer-designed reinforcing ribs to add rigidity that's not available with simple flat plate style 'billet' pads. The more rigid your pads are, the lower the deflection and the more accurate your setup.

FOR THE LOWEST DEFLECTION

Longacre[®] Dual Load Cell pads give you the lowest deflection. The design allows the dispersal of stress over a much larger area of the pad to minimize platform deflection. You get the least deflection and the most accurate and consistent setups possible. Best for scaling cars with high camber.



SCALE SYSTEM APP

Note-taking right on the tablet, linked to the memory number. Keep a permanent record of the changes you've made and the results you got. Type notes with the on-screen keyboard or take them by voice. You can add, edit, or delete as needed. Virtually unlimited space is available. This app can be downloaded to your current tablet scales at no cost. Just go to the Google Play™ Store. Google Play[™] is a trademark of Google Inc.

2 BACKGROUND GRAPHICS 'SKINS'

 Customize your app background with different skins. Pick the one you prefer, they are easily switched. Weights and numbers are crisp and easy to read. 673 There's a "High Contrast Display" for very bright sunlight. It makes the 576 display very readable outdoors. SAMSUNG emory: 1 Standard Red Skin Industrial Black Skin ne & Note Total 673 846 576 TAB . BATT Cross 54.15% 1519 Total 2805 Bite 270 1422 NOTE-TAKING SCREEN 50.69 Rear Front 49.31 1383 Tablet with

Side-By-Side Notes



- · Note-taking right on the tablet, tied to the Memory number.
- . Show notes on the screen with the current wheel weights and percentages. See everything at the same time.
- · Store race notes and chassis setup data (caster/camber, spring rates, tire pressures, etc.)
- Store your pre-race check list. Check the jobs off as they're done. Don't miss anything.
- · Easily build a customized template for all the info you need, just fill in the blanks.
- · Keep a permanent record of the changes made and the results.
- Type notes with on-screen keyboard or by voice.

710

84

Bright Sunlight Skin

COMPUTERSCALES'XL

Memory: 1

673

576

1343

- · Add to, edit, or delete as needed. Recall anytime.
- · Virtually unlimited space available. Scroll as needed.
- Download to a PC or e-mail.

SCALES & ACCESSORIES

OMPUTERSCALES® dx3"/dx2





WIRED HYBRID™ MODEL

- Use just like traditional wired scales or you can remove the controller tablet and use it wirelessly.
- Large high resolution 7.75" x 5.75" backlit color display. All of the features of our fully wireless tablet scales in a hybrid wired/ wireless system.
- A separate circuit board powers the load cells, connected by our Hi-Flex Polysilicone cables. The controller tablet mounts on top and is easily disconnected to become a semi-wireless system if you wish. Leave the controller in the case or remove it and place it where it's convenient. The case can be tucked under the car to keep it out of your
- Satin finished scale pads.
- · Easily converts to metric.

7.75" x 5.75" DISPLAY



10" TABLET

"High Contrast Display" for bright sunlight. Switch back and forth easily.

> Download weights to a PC or e-mail.

DESCRIPTION

DESCRIPTION	PART #
Computerscales [®] Hybrid DX3 [™]	52-72617
Computerscales [®] Hybrid DX3 [™] Dual Load Cell	52-72653



SEMI PRO d×2" WIRED HYBRID™ MODEL

- Tablet shows all wheel weights and all partial percentages. Can be easily customized to your preference. Show just what you want, nothing you don't.
- 10 Set memory stores weights and percentages, shows on the display at the same time as current weights for quick comparison.
- A handy note-taking feature lets you keep notes right on the tablet screen. Memory slots can be used for scaling notes or named to organize complete setup specs: caster/camber, stagger, toe-in, tire pressures, shocks, etc. Notes may be entered by typing or voice command and recalled at any time for reference.
- Wheel weights and percentages can be rotated on the display to make viewing from anywhere around the car easier.
- Controller tablet has rechargeable battery (charger included). Pad board runs 100+ hours on replaceable alkaline batteries. Low battery indication for both.
- Easily converts to metric.

DESCRIPTION	PART #
Computerscales [®] Hybrid DX2 [™]	52-72613
Computerscales [®] Hybrid DX2 [™] Without Tablet	52-72615

6" x 3.75" DISPLAY



9

SCALES FOR KARTING



COMPUTERSCALES® XLi WIRELESS SCALES

Everything you need is included: Complete systems include a 7" tablet with protective case, screen saver and stylus, hard case, universal charger and USB cable, and 4–12"x12" pads with wireless modules built in. Easily converts to metric.

DESCRIPTION	PART #
Computerscales [®] with 7" Tablet XLi™ Karting 400 lbs	52-72630
Computerscales [®] with 7" Tablet XLi™ 1100 lb 12" Pads	52-72691



COMPUTERSCALES® WIRED SCALES AccuSet IITM

- 4 Line display shows all 4 wheels and all partial percentages.
- CNC machined dead flat low deflection pads for the best accuracy, 400 lbs. capacity.
- Easy to use.

DESCRIPTION	
Computerscales [®] AccuSet II [™] Karting	

• 1/10 Percent accuracy.

- 2 Year limited warranty.
- · Easily converts to metric.
- Hard carrying case and red polysilicone cables.

PART # 52-72624



BILLET ALUMINUM KART SETUP FIXTURE

- Optimum rigidity for accurate setups.
- Lightweight with detachable legs for compact storage.
- Can be used with other size kart pads (Call factory.)

DESCRIPTION	PART #
Kart Setup Fixture - 12" CNC Kart Pads	52-72961
Kart Setup Fixture - 15" CNC Kart Pads	52-72962
Adjustable Kart Scale Platen Pass Thru Fixture 12"	52-72965

COMPUTERSCALES[®] AccuSet ||[™]

COMPUTER**SCALES**® AccuSet II[™] 1500 lb/PAD

Store your baseline setup in memory. Then recall it instantly to compare to the current setup. Saves time writing it down - always handy. This 1 slot memory is really helpful and is super easy to use.

- · Shows all 4 wheel weights plus cross weight.
- · Push one button for all partial percentages and weights.
- · Slanted for easier viewing.
- · Includes deluxe hard carrying case for electronics and cables.
- DESCRIPTION

Computerscales® AccuSet II™ 1500 lb/Pad

- Low profile pads with satin finish, flat to within .01" for accurate setups.
- 15" x 15" x 2.5", 1500 lbs/pad capacity.
- · Easily converts to metric.
- 2 Year limited warranty.

PART #

52-72593



NEW - Baseline Memory Recall

COMPUTERSCALES® AccuSet II™ 1100 Ib/PAD

- Display shows all 4 wheel weights plus all percentages.
- 12" x 12" x 1100 lbs. capacity powder coated pads.
- Great for IMCA cars, Legends, Dwarf, Mini Cup, Bandeleros, Road Racing Formula classes, Quads, etc.
- · Easily converts to metric.

DESCRIPTION	PART #
Computerscales [®] AccuSet II [™] 1100 lb/Pad	52-72582







with simple flat plate style 'billet' pads. The more rigid your pad is the more accurate your setup.



660

570

RR

COMPUTERSCALES

HIGHER CAPACITY PULL DOWN RIG SYSTEMS



COMPUTERSCALES® WIRELESS 10" TABLET XLi™ 3000 lbs DUAL LOAD CELL

- Wireless 10" tablet included.
- Satin finished scale pads.
- Shows 4 individual wheel weights plus all partial percentages.
- App available to use Android[™] phone as controller.
- 3,000 lbs / Pad.
- 15" x 15" x 2.5" Pads.
- Easily converts to metric.

DESCRIPTION	PART #
Computerscales [®] Wireless 10" Tablet XLi™ Dual Load Cell, 3,000 lbs / Pad	52-72675
Computerscales [®] Hybrid DX3 [™] ,10" Tablet, Dual Load Cell, 3,000 lbs / Pad*	52-72673
Computerscales [®] Hybrid DX2 [™] , No Tablet	52-72615
	*Cables still connected to pads.





COMPUTERSCALES® WIRED

- 15" x 15" x 4" (5" on #52-72668) tall HD pads.
- AA Battery powered.
- Control box shows 4 individual wheel weights plus all partial percentages.
- Extra long 24' HD Hi-Flex cables with lock ring connectors.
- Easily converts to metric.

DESCRIPTION	PART #	
Computerscales® Wired System, w/ 4"T x 3500 lb. Powder Coated Pads	52-72663	
Computerscales [®] Wired System, w/ 5"T x 5000 lb. Pads	52-72668	

STORAGE BOXES FOR 15" & 12" LOW PROFILE PADS

- Padded lining keeps pads protected.
- Heavy duty aluminum frame with scuff-resistant sides.
- Could also be used for radios or other equipment.

DESCRIPTION	PART #
15" Scale Pads Storage Box	52-72292
12" Scale Pads Storage Box	52-72280



GAS CAN SCALE

- Reads to 1/10 lb., 350 lbs. capacity.
- Weigh gas can during a pit stop to determine fuel used.
- 12" x 12" Platform.


DESCRIPTION	PART #
Gas Can Scale	52-72330





SIDESLIDERTM FOR BIND-FREE SETUPS CHASSIS ROLLER SLIP PLATE

You use ball bearing A frame pivots, low friction ball joints, greaseable Heim joints, and even ceramic bearings all to eliminate suspension friction. Don't set up your car with even a small bind at the scale pads.



See how the LF pad slides sideways, relieving camber bind.

ECONOMY SIDESLIDER™



When you lift your car to put it on scales the front wheels camber in at the bottom. As you let it down the wheels must be allowed to freely camber back out or there will be a small residual bind in the chassis. This will make your wheel weights (and your setups) less than perfect. To avoid this, the front wheels must be able to easily move sideways. With SideSlider™ your front wheels can move sideways effortlessly to relieve any camber-induced bind. This will assure you the most accurate, consistent setups possible.

- Rollers are made from a tough, low friction polymer.
- Install under Left Front wheel (it has the most camber change.)
- 3 Spacers are included to re-level your setup.
- · Use on any smooth floor surface.

DESCRIPTION	PART #
Economy SideSlider™ Single with 3 Spacers	52-72870
Economy SideSlider [™] Set with 2 Spacers	52-72872

"3D" BALL ROLLER SIDESLIDERS™

These SideSliders[™] move in 3 directions: sideways, front and back, and they

rotate. They are great for checking wheel weights with wheels turned. See

what happens to your wheel weights with different caster settings.

- Install under both front wheels.
- Must be used under scale pads.
- Supported on ball bearings made from a low friction
- 2 Spacers are included to re-level your setup.
 - Use on any smooth floor surface.







Friction free ball bearing roller. 3 Way slip plates for bind-free setups with wheels turned.

polymer.

DESCRIPTION "3D" Ball Roller SideSliders™ 2 Plates and 2 Spacers

PART #

SCALES & ACCESSORIES

14

BILLET ALUMINUM MODULAR SETUP PLATEN BEST RIGIDITY FOR ACCURATE SETUPS



ASSEMBLES IN 15 MINUTES OR LESS AND DISASSEMBLES EVEN QUICKER.



OPTIONAL VERSION:

SideSliders[™] allow the pads to float effortlessly sideways to relieve any chassis bind caused by camber change. Great for IRS cars.

52-72865

DESCRIPTION	PART #
Adjustable Scale Platen Setup Fixture with Billet Pad Levelers	52-72860
Adjustable Scale Platen Setup Fixture with 2 SideSliders [™]	52-72865
Adjustable Scale Platen Setup Fixture with 1 SideSlider™	52-72862
Adjustable Kart Scale Platen Pass Thru Fixture 12"	52-72965
Modular Ramps Only for Adjustable Platen	52-72869

EASY TO ASSEMBLE. EASY TO TRANSPORT.

The entire Platen is leveled, not just the scale pads as with hi-density foam racks. Modular components assemble quickly, then break down for efficient transportation.

- Four Billet Scale Pad Levelers with pop-out feet (24 total.)
- Two adjustable spanners.
- Two ramps.
- Two horizontal locator bars.
- Billet T6 aluminum scale pad levelers with a full floor for the best rigidity and the most accurate setups.
- · Swivel adjusting feet pop out for quick and easy storage.
- · Spanners are attached to levelers and are flush with the top of scale pad.
- For 15" x 15" x 2.5" scale pads, wired or wireless.
- · Fully adjustable for wheelbase (90" - 110") and track width.



OPTIONAL FRONT ROLL-OFF

Set caster and camber right on the platen. These attach guickly and easily to the front levelers and come with pop-out adjusting feet.

DESCRIPTION	PART #
Modular Roll-off Platforms for Turnplates - Set of 2	52-72856
Aluminum Turn Plates (Pair)	52-79800
Modular 18" Roll-offs only - Set of 2	52-72851
Modular 30" Roll-offs only - Set of 2	52-72853

This new setup platen uses the best design, engineering, and fabrication. The billet aluminum scale pad levelers are rigid for accurate setups and the formed spanners and ramps are strong, yet lightweight. Just set up the billet levelers and clip on the spanners and ramps.

ADD TO YOUR — PLATEN'S FUNCTIONALITY WITH THESE SPECIAL PURPOSE ROLL-OFFS.

BILLET LEVELERS MODULAR SCALE PAD LEVELING FIXTURES

BILLET SCALE PAD LEVELERS FOR 2.5" PADS

- CNC machined T6 aluminum.
- Leveling feet "pop in and out" for easy setup and storage. They're held in place with "Rare Earth" magnets.
- Full floor for best pad support and rigidity.

DESCRIPTION	PART #	longacre
Levelers for 2.5" Pads (Set of 4)	52-72840	

MODULAR DESIGN GIVES YOU ADDED FLEXIBILITY.



MODULAR 18" ROLL-OFFS SET OF 4

- With pop-out feet.
- Shown with Billet Levelers (not included.)
- Attach easily.

DESCRIPTION Modular 18" Roll-Offs (Set of 4)

PART # 52-72850



BILLET SCALE PAD LEVELERS WITH BUILT-IN SIDESLIDERS™

- To relieve camber-induced chassis bind for the most accurate setups.
- · Same specs as above, including pop-out feet.

DESCRIPTION	PART #
Billet Scale Pad Levelers 2 Built-in SideSliders™ for 2-1/2" Pads (Set of 4)	52-72844
Billet Scale Pad Levelers 1 Built-in SideSlider™ for 2-1/2" Pads (Set of 4)	52-72842

(For cars with independent rear suspension.)

LEVELING ACCESSORIES





Pop-out feet stored in sturdy case. 4 Adjuster tools included.

1 PIECE BILLET ROLL-OFF LEVELER FOR 2.5" PADS - SET OF 4

- Full floor for best pad support.
- CNC machined for accurate setups.
- Includes 2 sets of wheel stops.
- Use with wired or wireless scales.
- Includes 24 pop-out feet, 6 per leveler, for best support.

DESCRIPTION	PART #
Set of 4 with 18" Roll-Off Area	52-72831
Set of 4 with 2 SideSliders™	52-72845
Set of 4 with 1 SideSlider™	52-72843



FULL FLOOR FOR BEST PAD SUPPORT.



SHOWN WITH TURNPLATE ROLL-OFF.

MODULAR ROLL-OFF PLATFORMS FOR TURNPLATES

Most other roll-off fixtures only have 12" to 14" of roll-off area. Sometimes that's not quite enough. If you start with low tire pressures, the "contact patch" can be long. Set your caster and camber right on the fixture. Roll-offs for turnplates attach to front of levelers. Includes 2 pop-out leveling feet for convenient storage. (Billet pad levelers not included.)

DESCRIPTION	PART #	
Modular Roll-Off Platforms For Turnplates (Set of 2)	52-72856	



BILLET SCALE PAD LEVELERS AND 18" ROLL-OFFS - SET OF 4

DESCRIPTION	PART #
Billet Scale Pad Levelers & 18" Roll-Offs (Set of 4)	52-72830
Modular 18" Roll-Offs Only (Set of 2)	52-72851
Modular 30" Roll-Offs Only (Set of 2)	52-72853



OF 4 PART # 52-72830 52-72851 52-72853 Shown with Modular Billet leveler. Works with 1 piece Billet leveler or Modular leveler. Roll-offs for turnplates – attach to front of levelers – includes 2 pop-out leveling feet for convenient storage.





- Low profile only 1" tall.
- Reads to 0.5° Indicator can be zeroed with the car on.
- Free floating in 2 directions eliminates bind.
- Can be used on top of scale pads.


DESCRIPTION	PART #
Aluminum Turn Plates (Pair)	52-79800
Single Aluminum Turnplate with Spacer	52-79805
Turn Plate Spacers with Slip Plates (Pair)*	52-79751
	*To level rear of car when using turnplates on ground

To lever real of car when using tumplates on groun

TURN PLATE RAMPS

Roll on to avoid camber bind.

DESCRIPTION Turn Plate Ramps - Set of 4 PART # 52-79753 Turn Plates not included





- To get your car on the scales easier.
- Car rolls up on scales much easier than shorter ramps and is quicker than using a jack.
- Formed aluminum, strong, lightweight, and durable.
- Set of 4 for 2.5" scale pads.

DESCRIPTION Aluminum Ramps - 36" Long (Set of 4) PART # 52-72537



REPLACEMENT FEET SCREW-IN & POP-OUT

- Screw-in or pop-out swivel feet sold in pairs (not interchangeable).
- Screw-in feet for formed levelers and pop-out feet for billet levelers.
- Screw-in feet are 1/2"-13 thread.
- 8" Legs are made from premium SAE 4140, rolled threads and double heat treated for strength.

DESCRIPTION	PART #
Screw-In Swivel Feet 4" (Pack of 2)	52-72894
Screw-In Swivel Feet 8" (Pack of 2)	52-72890
Pop-Out Feet 4" (Pack of 2)	52-72896
Pop-Out Feet 8" (Pack of 2)	52-72893

SCALES & ACCESSORIES

FOR 2.5" SCALE PADS

- Roll car off scale pads then back on again to eliminate camber bind.
- Rigid formed and welded aluminum construction.
- Wheel stops on 2 roll-offs for safety.

Roll-Off Levelers for 2.5" Scale Pads

- 6 HD swivel feet for easy leveling on most any surface (not pop-out style.)
- New design lightweight and more rigid.

PART #

52-72905



NOTE: These devices are not for use with our dual cell low deflection scale pads. See billet levelers and roll-offs.

INDIVIDUAL SCALE PAD LEVELERS

- For a quick, accurate setup anywhere.
- 4 HD swivel feet (not pop-out style.)
- Formed and welded.

DESCRIPTION

DESCRIPTION Pad Levelers (Set of 4) PART # 52-72900



BUDGET ROLL-OFFS FOR 2.5" PADS ON GROUND

DESCRIPTION Budget Roll Offs PART # 52-72904





.



Our Jason Sivils inspired load rating machines are built with CNC machined components, giving our machines unsurpassed strength and quality.

AUTOMATIC LOAD RATING MACHINES

NEW! Automatic load rating machines

DESCRIPTION	PART #
Automatic Load Rating Machine w/ Side Unloader	52-73519
Automatic Load Rating Machine	52-73518



FEATURES & BENEFITS

Our machine has the ability to smash a spring/bump stop setup to 4500# and draw a pull bar up to 3000# capacity with electric motor motion. Our quick adjust wrap around spring removal arm makes easy work out of unloading spring packages, by not relying on coil spacing, but using our special spring removal cups.

ACCESSORIES	PART #
Rater Machine Pin with Point	52-73526
Spring Removal Arm	52-73522
Spring Adapter	52-73523
Spring Removal Cup Thin	52-73524
Rater Machine Pin with Flat	52-73525
Side Unloader Attachment for 52-73517 & 52-73518	52-73521

MANUAL LOAD RATING MACHINES

NEW! MANUAL LOAD RATING MACHINES

DESCRIPTION	PART #	
Manual Load Rating Machine w/ Side Unloader	52-73520	
Manual Load Rating Machine	52-73517	
ACCESSORIES	PART #	
Rater Machine Pin with Point	52-73526	
Spring Removal Arm	52-73522	
Spring Adapter	52-73523	
Spring Removal Cup Thin	52-73524	
Rater Machine Pin with Flat	52-73525	
Side Unloader Attachment for 52-73517 & 52-73518	52-73521	

NEW! RATCHETING SUSPENSION LOAD PULL STICK 7" STICK

This ratcheting load stick bolts in at the car's shock location. The stick allows you to change springs with ease and accuracy, along with being able to pull the race car down to a dynamic attitude to find a suspension bind and to use on jack stands to adjust your compressed loads.

DESCRIPTION 7" Suspension Load Pull Stick PART # 52-73515





NEW! DUAL SUSPENSION LOAD PULL STICK 7" STICK

DESCRIPTION 7" Dual Suspension Load Pull Stick PART # 52-73516





BILLET ALUMINUM ELECTRONIC COIL SPRING TESTER

- 0-3000 lbs. by 1 lb.
- 8.5" Space between posts.
- Digital travel to .001".
- 6" to 20" tall springs.
- 5" and 5.5" coil springs, square and 6" diameter 'pigtail' ends and coil-overs.
- Includes easy-to-use digital indicator to measure spring travel and a digital load readout.

DESCRIPTION Billet Aluminum Electronic Coil Spring Tester PART # 52-73505



AIR CYLINDER POWERED BUMP STOP SPRING RATER

- Dual stage control panel for precise travel movement.
- Rate bump stops, sets preload.
- Change springs and keep ride heights and wheel weights the same.
- Test coil-over assemblies or just the springs.
- Digital force and travel measurements (1 lb. and .001".)
- Includes spring "Unloader" attachment to remove and install soft springs.
- You have precise control over travel, to .001.

DESCRIPTION Spring Rater PART # 52-73500



VALVE SPRING TESTER 1400 lbs.

- Spring pressure from 0 to 1400 lbs. by 1 lb. increments.
- Spring travel from 0.000" to 4.000" in .001" increments.
- 1/10 of 1% accuracy on both spring pressure and travel.
- · Positive stop to make repeated spring checks at the same height.
- Check springs with or without retainer.
- Spring travel and pressure can be zeroed at any point.
- Quick and easy to use.
- Runs on battery or 110 volt (220V available.)

DESCRIPTION

Valve Spring Tester to 1400 lbs. by 1 lb.

PART # 52-73511

SHOCK UNLOAD COLLAR

Additional shock unload collar for use with Bump Stop Spring Tester - PN 73501. This collar is required when using the spring unload feature of the spring tester.

DESCRIPTION Shock Unload Collar PART # 52-73509



SPRING RUBBER LARGE SPACING COIL-OVER

Many front running teams are using the new style coil-over springs that have fewer coils and wider spacing, giving more spring travel before coil bind. With these spring rubbers, you can now fill that larger gap between coils to fine-tune your set-up.

DESCRIPTION	PART #
Orange Soft 1-1/4"	52-61016
Red Medium 1-1/4"	52-61041
Blue Hard 1-1/4"	52-61051



SPRING RUBBER STANDARD COIL-OVER & BIG SPRING

- 0.75" Thick (coil-over.)
- 1.25" Thick (5" or 5.5".)

DESCRIPTION	RUBBER	PART #
Yellow 5 – Soft*	Coil-Over Spring Rubber	52-61005
Clear 10*	Coil-Over Spring Rubber	52-61010
Orange 15*	Coil-Over Spring Rubber	52-61015
Red 40*	Coil-Over Spring Rubber	52-61040
Blue 50*	Coil-Over Spring Rubber	52-61050
Black 70 – Hard*	Coil-Over Spring Rubber	52-61070
Red 5/5.5" - Soft	Deep Grove Spring Rubber	52-61140
Blue 5/5.5" - Medium	Deep Grove Spring Rubber	52-61150
Black 5/5.5" - Hard	Deep Grove Spring Rubber	52-61170

*For relative compression only.





LASER CHASSIS HEIGHT CHECKER & LASER LEVEL

- Check actual chassis height when the car is on scales or on a leveler. Don't get your setup 'just right' only to find out the car is too low or too high once you get it back on the ground.
- Includes an easy to set-up self-leveling beam laser, 4 easy to read targets that are held to the frame with magnets, and a separate pad leveling target for leveling the scale pads and establishing the 'ground plane' to measure chassis heights.

DESCRIPTION	PARI #
2" to 6" Range	52-72983
2" to 8" Dirt Cars	52-72985
1" to 4.5" Range	52-72981



CHASSIS HEIGHT CHECKER

.

- With the car on the ground, it measures chassis height directly, accurate to .0625".
- With the car on scale pads, it measures from top of pads to frame directly (no subtracting needed.)
- Measures chassis height dynamically, as you work on car. Magnet holds tape to frame. Indicator shows height as car moves up and down. Use set of 4 to quickly see height at all 4 corners.
- 2 Lengths 24" for perimeter frames, 36" for straight rail cars on right side.
- Measures height from 2"-10" on 24" and 2"-15" on 36".

DESCRIPTION	PART #
Chassis Height Checker - Short 24" Model (1)	52-78320
Chassis Height Checker - Short 24" Model (set of 4)	52-78322
Chassis Height Checker - Long 36" Model (1)	52-78325
Chassis Height Checker - Set of 4 - (2) 24" & (2) 36"	52-78326



MINI CHASSIS HEIGHT CHECKER

Great for quick, accurate checks of chassis height. Push it under the car, raise the tape with the knob, pull it out, and read the height. Range is 2"-8", accurate to .0625". This is a shortened and simplified version of the Chassis Height Checker above. Quick, accurate, and easy-to-use. It's a great replacement for 'step' type tools, more accurate, more versatile, and easier to use.

DESCRIPTION Mini Chassis Height Checker

PART # 52-78318

24 SCALES & ACCESSORIES



- AccuLevel[™] Pro Model.
- Super Magnetic adapter.
- Padded carrying case.

THIS IS A MUST HAVE TOOL.

Here's a super accurate digital caster/camber gauge that reads to 0.1° (1/10°) and at a price any serious team can easily justify. It comes with our latest magnetic adapter and a padded hard carrying case. There is a backlight for dark areas and a "Hold" feature for hard-to-reach places.

DESCRIPTION	PART #
Caster / Camber w/ AccuLevel™	52-78290
Caster / Camber w/ AccuLevel [™] Less Adapter	52-78291
Kart Caster / Camber Gauge w/ AccuLevel™	52-78292



NEW: Billet Magnetic adapter now with 8 premium "Rare Earth" magnets for a stronger pull. Installed from the back for protection. Flush face and easy to clean.

001



AccuLevel[™]

Easily removes from gauge and can be used for other measurements such as spoiler and A frame angles, suspension, driveline, etc.

Great for bump stop cars with high LF camber. Reads as high as you need.

3:43

edar Inn

Gehrin



Comes with hard case.

DIGITAL CASTER/CAMBER GAUGE ACCULEVEL™ & QUICKSET™ ADAPTER

This is the fastest way to check your front end alignment, just hold it against the rim for easy, accurate readings. No spindle adapters required here. Made from CNC machined billet aluminum. Works on most race cars, up to a 17" wheel. Three point design squares up to your wheel, folds up for easy storage. Uses most caster/camber gauges. Billet aluminum fully CNC machined. Rigid for accurate readings Three-leg design squares gauge to your wheel.

- Billet aluminum fully CNC machined. Rigid for accurate readings. 3-Leg design squares gauge to your wheel.
- Comes with hard case.
- Reads to 0.1°.
- Will work on most cars.
- AccuLevel[™] digital readout can be easily removed and used for other angle measurements on the car.
- Can compensate for unlevel ground and more accurate readings.

- Just hold it against the rim to take a measurement, no adapter needed.
- Digital C/C gauge with AccuLevel[™] and QuickSet[™] adapter with case and reads to 0.1° camber.
- For wheels 12" to 17".

DESCRIPTION	PART #
Digital C/C Gauge with AccuLevel™ & QuickSet™ Adapter	52-78295
QuickSet™ Adapter Only	52-78428



QUICKSETTM ADAPTER FOR LARGE WHEELS

- Folds up for easy storage.
- For 13" to 24" aluminum wheels.
- 'Feet' adapt to wheel bead.
- Folds for storage.

DESCRIPTION	PART #
Digital C/C Gauge with AccuLevel™ & QuickSet™ Adapter	52-78298
QuickSet™ C/C Adapter Only	52-78430
Stepped Tips for QuickSet [™] Adapter (Set of 3)	52-78306



VIAL STYLE CASTER/CAMBER GAUGE WITH QUICKSET™ ADAPTER

- No adapter needed just hold it against the wheel.
- Reads camber +/- 9°, caster + 12° to -4°.
- For wheels 13" to 17".

DESCRIPTION	PART #
Billet Caster / Camber Gauge with QuickSet [™] Adapter	52-78274
Pointed Tips QuickSet™ Adapter	52-78305

CHASSIS SETUP EQUIPMENT

26

billet caster/camber **GAUGES**

.....

CNC machined from a solid billet of T6 aluminum polished, Bright Dip anodized and laser engraved.

THIS IS A PROFESSIONAL GRADE TOOL.

BILLET CASTER/CAMBER GAUGES

- Expanded range measures camber to + or -9° and caster + 12° to -4°.
- Glow-in-the-dark vials, much easier to read.
- CNC machined billet aluminumpolished, Bright Dip anodized, laser etched.
- Super Magnetic adapter, stronger pull. Uses 8 premium "Rare Earth" magnets to hold to your hub better.
- CNC machined for a dead flat surface and the highest accuracy possible.
- Can measure caster with or without turnplates. Best accuracy if used with turnplates.
- All vials checked for accuracy to 1/4°, assembled on a precision fixture.

DESCRIPTION	RED PART #	BLACK PART #
Gauge with Magnetic Adapter	52-78272	52-78260
Gauge with GM Factory Adapter 3/4" – 20	52-78261	52-78262
Gauge with Wide 5 Adapter 1-13/16" - 16	52-78263	52-78264
Gauge with Kart Adapter 5/8" – 18	52-78266	52-78265
Gauge and Case Only – NO ADAPTER	52-78273	52-78250



SEPARATE ADAPTERS

DESCRIPTION	PART #
Wide 5 Spindle Adapter 1-13/16" – 16	52-78405
Factory GM Adapter 3/4" – 20	52-78410
Allison Legacy / Big Ford Adapter 13/16" – 20	52-78412
Ford Pinto Adapter 3/4" – 16	52-78414
Billet Magnetic Adapter – For 52-78272	52-78424
Large Wheel QuickSet™ Billet Caster / Camber Adapter	52-78430
Fine Go-Kart Adapter 5/8" – 18	52-78438
Kart Adapter – (Metric) – 14 mm x 1.5	52-78439
Legend Car – (Metric) – 19 mm x 1.5	52-78445
QuickSet [™] Billet Caster / Camber Adapter*	52-78428
	*For more info on QuickSet [™] Adapters see p.26



Magnetic adapter with 8 premium "Rare Earth" magnets that hold to your hub better. Magnets installed from the back.

Most adapters screw onto spindle, except magnetic and QuickSet[™].



KART CAMBER GAUGE

- Specially built for karts.
- Reads ± 6° camber.
 - 5/8"-18 screw-on kart adapter.
 - Metric adapters available.

DESCRIPTION Kart Camber Gauge PART #

ALUMINUM A-ARM SPACERS

- Won't fall out when setting front end.
- Lightweight aluminum.
- 6" Bolt centers.

 DESCRIPTION
 PART #

 Kit (all 4) 1 Each of 1/16", 1/8", and 2 Each of 1/4"
 52-78512

TOE-IN PLATES DELUXE HD

- Thicker material and deeper bend gives you more rigid plates for better accuracy.
- Higher kick-out on bottom holds plate against the wheel better. Great for cars with high camber LF wheels (bump stop cars).
- Magnets on one plate hold the tapes in place.

DESCRIPTION Deluxe HD Toe-In Plates (Pair) PART # 52-79505





Magnets hold tapes in place during use.



Easier to read.

Great for high camber LF wheel.

.....



Magnets hold tapes in place during use.



Magnets hold tapes in place as you work.

TOE-IN PLATES STANDARD

- Quickest and simplest way to measure toe-in.
- Rest one of these plates against the tire on each side and measure toe directly using the 2 tapes included.
- Formed design is rigid for accuracy and stays put against the tire.

DESCRIPTION	PART #
Standard Toe-In Plates (Pair)	52-79501



QuickToe™ SETTING TOOL

Here's a different way to set your critical toe-in. A pair of three pointed fixtures mount to the wheels (with magnets) for super accuracy. You can even attach a caster/camber gauge to either side. Use tapes included to measure toe directly.

- Includes set of 2 fold-up fixtures, 2 tapes, hard carrying case.
- Magnets in the legs hold your steel wheel one on each side.
- Eliminates tire 'bulge' error.

DESCRIPT	ION	
QuickToe™	Setting	Tool

PART # 52-79630



Mounts on the wheel for best accuracy.



Makes setting toe a quick 1 person job.



Attaches to steel wheels.



TOE-IN BAR

Similar to our 52-79620 Toe-In Gauge, but this new model measures to the outside of the tire. No scribe line needed. Reads toe to 1/16". Can be done by one person. Billet aluminum. Adjustable up to 88" in width. Great for wide track cars, Corvettes, etc.

DESCRIPTION Toe-In Bar

PART # 52-79622

TOE-IN GAUGE

To get a very accurate toe-in measurement, jack up front wheels and scribe a true running line on the face of the tire. (See Billet Tire Scribe.) Place the gauge in front of the tires and align the pointers with the scribe lines. Then, move the gauge to the rear of the tires and align the fixed end with the scribe line. On the other end, loosen the thumb screws and move the slider until the pointer aligns with the other line. Now read the exact toe-in on the scale.

- An accurate way to measure toe-in to within 1/16".
- Easily done by one person.
- See 52-79610 Billet Tire Scribe.

DESCRIPTION Toe-In Gauge PART # 52-79620



BILLET TIRE SCRIBE

- Use to make a true running line on the face of the tire for measuring toe-in.
- Use with 52-79620 Toe-In Gauge.

· Folds up for easy storage.

- Spring loaded for easy one person use.

DESCRIPTION Billet Tire Scribe PART # 52-79610



30

POWER TAPES

- 1/4" x 10' for stagger inches only.
- 3/4" x 16' for toe-in, wheelbase, etc. Inches only.

DESCRIPTION	PART #
Power Tape 1/4"x 10'	52-50870
Power Tape 3/4"x 16'	52-50875



TIRE ROLL OUT FIXTURE

- Wheel spins freely.
- Find leaks, punctures, or tire damage fast.
- Includes 10' stagger tape.

DESCRIPTION Tire Roll Out Fixture

PART # 52-50853



DESCRIPTION Chassis Setup / Tire Chart

CHASSIS SETUP CHARTS

- Punched for 3 ring binder.
- Packaged 1 pad, 50 sheets.

PART # 52-22528

PRECISION BUMP STEER GAUGE **BILLET PLATE**

This simplified design uses a single indicator to tell you the exact amount of bump steer within .001". No need to subtract one dial reading from another, less chance for error.

- Precision plate. 3/8" Thick T6 aluminum billet for the ultimate in accuracy. Anodized and laser engraved.
- Compact frame. More rigid billet and tube design for the best accuracy. Bright Dip anodized.
- · Most accurate, easiest, and quickest way to measure your critical bump steer.
- Extended height design. Check bump steer at ride height or on stands.
- 3/8" Thick wheel plate has mounting holes for most 5 bolt patterns (4-1/2" to 5") and most wide 5 with 4, 5, and 8 bolt flanges.
- Center hole is 3-1/4".

DESCRIPTION	PART #
Gauge with 5 Bolt, Wide 5 Plate	52-79005
Gauge with Blank Billet Plate	52-79011
Gauge with 4 & 5 Bolt Sport/Compact Plate	52-79003



DIGITAL BUMP STEER GAUGE WITH BILLET

- Similar to 52-79005 above, but with precision digital readout.
- Easy to use Push Zero, move suspension, read bump directly to .001".
- Includes billet plate see above.

DESCRIPTION Digital Bump Steer Gauge with Billet Plate

.....

PART #	
52-79015	



SNAP CAP HUB MOUNTING **FAND-OFFS**

- For hubs with no mounting holes. These stand-offs screw on wheel studs (5/8" C.)
- Set of 2 stand-offs and bolts.

DESCRIPTION	PART #
Hub Mounting Stand-Offs	52-79121



BILLET PLATE 3/8" THICK

DESCRIPTION	PART #
5 Bolt, Wide 5	52-79020
Blank Plate	52-79022
4 & 5 Bolt Sport Compact	52-79023

STORAGE CASE BUMP STEER GAUGE

PART #

52-79019



DESCRIPTION Storage Case

STAGGER GAUGES CHECK YOUR STAGGER QUICKLY AND ACCURATELY



BILLET ALUMINUM STAGGER GAUGE

- 3/8" Thick T6 billet aluminum arms for extra rigidity and accuracy.
- Tight tolerance square tubes for accuracy. Custom extruded 6061-T6 aluminum.
- 62" to 110" circumference, in 1/8" increments.

DESCRIPTION Billet Aluminum Stagger Gauge • Scale on two sides. Easy to read with tires on the car or flat on the ground.

- Bolted together no welding distortion.
- Anodized red.

PART # 52-50840

DELUXE BILLET STAGGER GAUGE WITH ROLLER

- Roller on one end makes measurements easier.
- 3/8" Thick T6 billet aluminum arms for extra rigidity and more accurate readings.
- Measures from 62" to 110" in 1/8" increments.
- Tight tolerance square tube design for accurate results.
- Extra long billet arms, longer 9-3/4" for wider tires.
- Scale on two sides easy to read with tires on the car or flat on the ground.
- Bolted together, no welding, anodized red.

DESCRIPTION	PART #
Deluxe Billet Stagger Gauge with Roller	52-50846



Both models use custom tight tolerance aluminum tubes for more accurate readings.



Both have dual scales on two sides. Easy to read with tires on the car or flat on the ground.



Glow-in-the-dark dials.

- New 40 psi models.
- Gauges are damped for greater accuracy and durability.
- Digital, analog, and liquid filled.
- Durable mechanisms stand up to tough racing use and maintain accuracy.
- Most gauges come with both angle and ball chucks.

THE PERFECT GAUGE FOR EVERY PREFERENCE.



A TOTALLY NEW KIND OF **TIRE PRESSURE GAUGE** Tire Pressure & Pyrometer Combined

If tire pressures are critical to your car's performance, closer than +/- 1 psi, then you really need what this gauge can do for you. Pressures must be set in the pits, but the tires sitting there can easily vary by as much as 20°. If you want the tire to grow to 38 psi on the track, you set it in the pits at 28 psi. Sounds reasonable. You have been doing it for years.

But what was the temperature in the pits? If it was 80° you are OK. But what if one or two had been in the sun and had crept up to 90°? For every 10° temperature change, there is a 0.8 psi change. So instead of 28 psi (at 90°) you effectively set it at 27.2 psi. (What it would have been at 80° rather than 90°?)

Would this make a difference? If it would, you really need to set all starting pressures at the same temperature, week in and week out. This way, the on-track pressures will be the same. But how do you do that? You will have great difficulty controlling the temperatures, and yet you need to.

A better way is to correct the pressures to what they would have been had you been able to keep the tires at a constant temperature. You could use a pyrometer to measure the tire's temperature, then use a calculator to compute what the pressure should be at that temp rather than just putting in 28 psi.

But you don't have to do that. This "Temperature Compensating Tire Pressure Gauge" will do it for you. It can take the temperature of the tire using a traditional tire temp probe, instantly calculate the correction back to a standard temperature, and show the pressure you should be putting in the tire. It may not be the actual pressure at that moment, but it will be the correct pressure when it counts on the track.

Find more information and compare with other Longacre® Gauges on p.36

With Tire Temperature Probe

- Corrects tire pressures back to a standard temperature.
- Displays an estimate of the pressure at this temperature.
- Reads 0-100 psi by 0.1 psi.
- Will also function as a traditional tire pressure gauge showing actual pressures with all 4 stored on display.
- Works as a precision tire pyrometer, displaying all 12 tire temperatures at the same time.
- Back light for night use.

DESCRIPTION	PARI #
0-100 psi Gauge w/ Pyrometer & Case	52-53050
0-100 psi Gauge w/ Case Only	52-53053





US Pat. #6,983,209

TEMPERATURE

COMPENSATING TIRE


PRESSURE GAUGE

TO 0.1 PSI



them down as you go.

COMPENSATED PRESSURE MODE:



DADT "



34

PRO DIGITAL TIRE GAUGES

NEW AND IMPROVED ELECTRONICS WITH HIGHER ACCURACY & WIDER **TEMPERATURE OPERATING RANGE.**

ASPHALT 0-60 PSI • DUAL BLEED BUTTONS

- Accurate to 0.3%, reads to 0.1 psi.
- Rubber bumper protects 2.5" gauge.
- 17" Hose.

- · Swivel chuck.
- · Auto-Off feature to extend battery. · Hard case included on all Pro Digital.

PART #

52-53000

DESCRIPTION Gauge with Angle & Ball Chuck

DIRT LATE MODEL, SPRINT, KART 0-25 PSI • DUAL BLEED BUTTONS

- · Reads to 0.1 psi.
- 2 Bleed buttons give faster adjustment at low pressures.

DESCRIPTION	PART #
Gauge with Angle & Ball Chuck	52-53010

METRIC DIGITAL TIRE GAUGE METRIC 0-4 BAR BY .01 BAR

DESCRIPTION Gauge with Angle & Ball Chuck

PART # 52-53060

PRO DIGITAL TIRE GAUGE 0-125 PSI • FOR THE HAULER OR TRAILER

Reads to 0.5 psi.

DESCRIPTION	PART #
Gauge with Angle & Ball Chuck	52-53028
Gauge with Foot Valve (No Angle & Ball Chuck)	52-53026



Connect to air line fill and bleed with one gauge. Reads to 0.1 psi.

DESCRIPTION

Gauge with Angle & Ball Chuck



Hard case included on all Pro Digital.



Angle and ball chuck included on most Tire Gauges.

PART #

52-53008









ULTIMATE DIGITAL 0-100 PSI

- Accurate to 0.1%, reads to 0.1 psi.
- 3.5" Face.
- Saves all 4 tire pressures on the display.
- Back light for night use.
- Swivel angle chuck and 17" hose for ease of use.



Tire temperature pyrometer probe included with 52-53050 see p.34 for details.

• 3 High volume bleed-off

• Includes hard case.

· Ball chuck included.

stops.

buttons for fast setting on pit

• Comes with a rubber bumper for gauge protection.

DESCRIPTION	PART #
0-100 psi Gauge w/ Pyrometer & Case	52-53050
0-100 psi Gauge w/ Case Only	52-53053



SEMI PRO DIGITAL

- Reads to 0.1 psi 0.5% accuracy (0.5% of 1%.)
- 2.5" Face with larger easy-to-read numbers.
- Back light for night use.
- Air release button, 17" hose and swivel chuck.

 DESCRIPTION
 PART #

 0-60 psi
 52-53003



BASIC DIGITAL 0-100 PSI • 0-60 PSI

- 2" Face with large numbers.
- Reads to 0.2 psi 0.8% accuracy.
- Air release button, 14" hose.

DESCRIPTION	PART #
0-60 psi	52-53006
0-100 psi	52-53036

PRO PRECISION TIRE GAUGE 4.5" FACE

- 0.5% Accuracy.
- Gauge bumper.
- Dual button air release.
- Swivel angle chuck.
- Holds reading until released.
- Comes with hard case.
- Glow-in-the-dark 4.5" face.




DESCRIPTION	PART #
0-60 psi by 0.5 psi	52-52000




MAGNUM[™] TIRE GAUGE 3.5" FACE

- 3.5" Glow-in-the-dark face for high accuracy and the easiest readability.
- High flow release button, one piece swivel chuck.
- Holds pressure until released.
- Internal gauge damper for more consistent, accurate reading.
- 17" Hose with swivel.
- Comes with hard case.

DESCRIPTION	PART #
0-60 by 0.5 lb.	52-52001
0-40 by 0.5 lb.	52-52011
0-30 by 0.25 lb.	52-52021
0-15 by 0.25 lb.	52-52031






.....

DESCRIPTION	PART #
0-60 psi by 1/2 psi	52-52002
0-45 psi by 1/2 psi	52-52012
0-30 psi by 1/2 psi	52-52022
0-15 psi by 1/4 psi	52-52032

Note: Liquid Filled gauges are filled to 85% to allow for temperature expansion.



DELUXE TIRE GAUGE 2.5" FACE

- 2.5" Glow-in-the-dark face for easy readability.
- High flow release button and one piece swivel chuck.
- Holds pressure until released.
- Internal gauge damper for more accurate readings and longer life.
- 17" Hose and angle swivel chuck.

DESCRIPTION	PART #
0-60 by 0.5 lb.	52-52003
0-40 by 0.5 lb.	52-52013
0-30 by 0.25 lb.	52-52023
0-15 by 0.25 lb. Dual Bleed	52-52033
Metric 0-4 BAR by 0.01 BAR	52-52073
0-100 Angle Chuck	52-52053
0-100 With 'Foot' Valve	52-52063



52-52063 Features 'Foot' valve for 'Duallies'.

BASIC TIRE GAUGE FACE

- Air pressure release button.
- Internal gauge damper for more accurate readings and longer life.
- 2" Dial face, 14" hose and swivel chuck.
- · Glow-in-the-dark dial faces.
- Note: Does not hold pressure.

DESCRIPTION	PART #
0-60 by 1 lb.	52-52004
0-30 by 0.25 lb.	52-52024
0-15 by 0.25 lb.	52-52034



QUICK FILL 2.5" & 3.5" FACE

- Connect your air line, press the lever, and fill your tires twice as fast.
- Bleed button for excess pressure.
- 4 Different dial or digital gauges.

DESCRIPTION	PART #
2-1/2" Deluxe Gauge	52-52009
3-1/2″ Magnum™ Gauge	52-52007
2-1/2" Liquid Filled Gauge	52-52008
2-1/2" 0-125 Digital Gauge	52-53098
2-1/2" 0-60 PRO Digital Gauge	52-53008











AUTO-FILL TIRE INFLATOR

• Automatically fills tires to pre-set pressure.

- Bleeds off tires at an adjustable rate.
- Regulator and tire pressure gauge, hose with clip-on chuck, and regulator valve.

DESCRIPTION Auto-Fill Tire Inflator / Deflator

PART # 52-50581





PRO-TEAM TIRELIEFS™ KIT INCLUDES HARD CASE

- Kit includes: 6 TIRELIEF™ valves, 12 wheel adapters, setting tool, inflation adapter, and carrying case.
- TIRELIEFS[™] are designed only to relieve normal tire pressure build-up on the track. They should not be used as a safety device.

TIRELIEFS™ TIRE PRESSURE RELIEF VALVES

DESCRIPTION Pro-Team TIRELIEFS™ Kit

PART # 52-50100



QUICK CHANGE ADAPTER

- Makes guick work of changing or resetting TIRELIEFS™.
- Unscrew and remove the TIRELIEF™ valve from the rim without losing air pressure.
- · Aircraft alloy aluminum, low profile.
- Installs in 5/8" hole in rim, use factory valve stem hole or drill a new one.

DESCRIPTION	PART #
TIRELIEFS™ Kit	52-50240
Replacement Grommets 4*	52-50301
	*** ***

Not for use with 52-50265



INFLATION ADAPTER

- Use to air up tires when a quick change adapter is installed in the valve stem hole.
- Saves drilling a hole in the rim.

DESCRIPTION	PART #
TIRELIEFS™ Kit	52-50220




TIRELIEF™ TING TOOL

- Let's you set your TIRELIEFS™ valves before you install them in the rims.
- · Uses compressed air to accurately simulate tire pressure.

DESCRIPTION PART # 0-60 psi 52-50290







- 3-40 psi range.
 - 100 Mesh inlet filter, to keep dirt inside tire from plugging TIRELIEFS™.
- · Lightweight aluminum, only 9 grams, won't affect wheel balance.
- To install, drill, and tap a 1/8" NPT thread in rim.

DESCRIPTION Set of 4

PART # 52-50000



HI TEMP 400° SILICON VALVE STEM QC GROMMETS

DESCRIPTION TIRELIEF™ QC Grommets* TIRELIEF™ Replacement "O" Rings & Quad Seals - Set of 4

PART # 52-50301 52-50008

*Not for use with 52-50265.

LOW PROFILE VALVE STEMS

- High temperature grommets.
- · Low profile.
- Set of 4.
- Hole size to be drilled into the wheel: 5/8".

DESCRIPTION	PART #
Brass Set of 4	52-50265

TIRE MANAGEMENT

DUROMETERS DIGITAL & DELUXE DIAL TYPE

- · Straight edge on base to 'rock' durometer for more consistent results.
- Dial type reads from 0-100 points.
- Shore 'A' scale.

- Non-slip coating for better grip.
- Dial type calibration test block included.
- Dial type can be 'Zeroed'.
- Come with hard case and pouch.

DESCRIPTION	PART #
Digital Durometer	52-50547
Deluxe Dial Type Durometer	52-50546



- Racing tire hardness tester.
- Reads from 0-100 points.
- Dial can be 'Zeroed'. (Shore 'A' scale.)

DESCRIPTION	PART #
Basic Dial Durometer	52-50553
Durometer for RC Car Tires	52-79980



Comes with hard case.

50

TREAD DEPTH GAUGES & PRO DIGITAL

- Dial Type reads in 1/32", accurate to 1/128".
- · Pro Digital is the ultimate in digital accuracy, to 0.001".
- · Quick and easy to use
- · Precision billet aluminum base.

DESCRIPTION
Digital Tread Depth Gauge with Hard Case
Dial Tread Depth Gauge with Pouch

Precision	hillet alı	iminum	hag

• Can be easily field calibrated.

SCRIPTION	PART #
ital Tread Depth Gauge with Hard Case	52-50565
I Tread Depth Gauge with Pouch	52-50560



EAD DEPTH GAUGE SETS PE & DIGITAL D

DESCRIPTION	PART #	
Dial Durometer & Tread Depth Gauge Set	52-50556	
Digital Durometer & Tread Depth Gauge Set	52-50557	





MEMORY TIRE **PYROMETER**

Large High Resolution 7" display shows all 12 temperatures at the same time. Memory for 100 sets of temps can be scrolled up or down to compare with current temperature. Includes a lightweight clipboard to hold the tablet and wireless probe.

- Fast response for quick temps use the exclusive "Anticipation Mode" that uses a precision algorithm to predict the ultimate temperature. Makes taking all 12 temps even faster and more accurate.
- Computes tire temperature averages.
- Fast response tire probe with adjustable tip length.
- Comes with hard carrying case.
- Comes with a 7" tablet (52-50650 Only) or use the tablet from your scales (or even a Smartphone). Just download the free app.

DESCRIPTION	TABLET	PART #
Pyrometer with Tablet	7" Included	52-50650
Pyrometer Probe fits 10" Tablet	Not Included	52-50747
Pyrometer Probe fits 7" Tablet	Not Included	52-50745
Replacement Pyrometer Probe	Not Included	52-50730
Adjustable Pyrometer Probe	Not Included	52-50750

Image: Constraint of the second o



See p.34 for info on our TEMPERATURE COMPENSATING TIRE PRESSURE GAUGE

DELUXE MEMORY TIRE PYROMETER

Memory stores 10 complete sets of temps (120 total) with quick and easy recall. Special software prevents accidental erasure of temps. Take tire temps in the pre-programmed order or select any order you prefer. Computes tire temp averages for temps just taken, recalled from memory, or you can even manually enter temps taken previously to compute averages. Advanced electronics stabilize your readings quickly giving you accurate, consistent results. Pyrometer comes with a built-in night light with auto shutoff, fast response coiled cord adjustable tire probe, and carrying case. It also features a built-in four car stopwatch with 70 lap memory for all 4 cars.

- Displays all 12 tire temperatures at the same time.
- Memory stores 10 complete sets of temperatures.
- Computes tire temperature averages.
- Built-in 4 car 70 lap Memory Stopwatch with interval timing.
- Electronics stabilize readings for consistent results.
- Takes temperatures in any order.
- Carrying case & adjustable probe included.
- Built-in night light.

- Uses 9 volt battery (included).
 Interval Timing: In addition to our 4 cor built in stopurtab function.
- 4 car built-in stopwatch function you can now get overall lap times plus 3 different segments within that lap. Check corner exit times, straightaway times, or individual corner times - any partial lap segment time you want.
- Adjust the probe depth to your preference or type of tire.
- Metric Option: Factory switchable to read in °F or °C.
- Standard version comes without averaging, stopwatch, or backlight, and has non-adjustable tip probe.

DESCRIPTION	PART #	
Deluxe Memory Tire Pyrometer, Reads °F	52-50690	
Deluxe Memory Tire Pyrometer, Reads °C	52-50691	
Standard Memory Tire Pyrometer, Reads °F	52-50682	
Standard Memory Tire Pyrometer, Reads °C	52-50683	

INFRARED LASER PYROMETER STANDARD & HIGH TEMPERATURE

- Instant response, non-contact temps.
- 600°F for Standard, 1400°F for High Temp.
- Reads Fahrenheit or Celsius.
- Back light for night use.
- Laser sighting for accuracy.
- Holds readings longer for easier use.





DUAL FUNCTION LASER PYROMETER WITH TIRE PROBE

• Use as a probe type pyrometer for tires or as non-contact IR pyrometer.

- Accurate, fast response in either mode.
- 1400° Range on IR, 500° range with tire probe.
- Includes tire probe and new hard case.

Reads Fahrenheit or Celsius.



DESCRIPTION	PART #
Infrared Laser Pyrometer with Tire Probe	52-50620

TIRE PYROMETERS BASIC & DELUXE

- Accurate, fast response.
- Reads Fahrenheit or Celsius.
- Low battery indicator and auto shut-off.
- 2000° Range on deluxe, 1400° range on basic (with proper probe.)
- Can hold highest temperature reached.

• Compares one temperature to another with the push of a button.

- Deluxe comes with coil cord tire probe and carrying case.
- Basic pyrometer comes with straight cord tire probe.

DESCRIPTION	PART #
Basic Digital Tire Pyrometer	52-50635
Deluxe Digital Tire Pyrometer & Case	52-50640
Deluxe Digital Tire Pyrometer & Clipboard	52-50642

TIRE TEMPERATURE CHARTS

- 2 Tire temperatures on front, chassis setup sheets on back.
- 1 Pad of 50 sheets.

DESCRIPTION Tire Temperature Charts PART # 52-22528







POLISHED AIR TANKS PORTABLE ULTRA LIGHTWEIGHT

- Available with or without filler tire gauge.
- Special Inlet valve fills tank in less than 15 seconds with adequate air supply.
- Filling most tanks can take 90 seconds of precious practice time.
- These tanks include a Universal Air Quick-Change coupler.

LIGHTWEIGHT AIR TANKS

Standard 5 Gallon Tank - No Tire Pressure Gauge

Standard 2 Gallon Tank - No Tire Pressure Gauge

DESCRIPTION

DESCRIPTION

Deluxe 5 Gallon Tank - No Tire Pressure Gauge - with Special Inlet Valve	52-50316	
Deluxe 5 Gallon Tank w/ Quick Fill Tire Pressure Gauge - Angle Chuck*	52-50315	
Deluxe 5 Gallon Tank w/ Digital Quick Fill Tire Pressure Gauge - Angle Chuck	* 52-50311	
	*Courses read 0. / (۰.

Gauges read 0-60psi.

PART #



36" Hose, tire chuck, standard fill valve.

COMPACT VALVE CORE TOOL

- Aluminum body, steel tip.
- · Put on your key chain, for quick access.

DESCRIPTION PART # Core Tool 52-50272

FULL FLOW AIR FILLER CHUCK

- · For filling tires.
- Not for gauges.
- Fitting not included.

DESCRIPTION PART # Filler Chuck 52-50490

UNIVERSAL AIR TOOL QUICK DISCONNECT

· Connects to all 3 common fittings.

.....

. No more switching fittings to use that new or borrowed tool.

DESCRIPTION	PART #	
Pair	52-36013	

4 WAY VALVE CORE REPAIR TOOL

- R & R valve cores.
- Recuts damaged threads.

.....

TIRE GAUGE CHUCKS

- · Swivel fitting for easy use.
- "Angle" style chuck.
- "Ball" chuck.

DESCRIPTION PART # Angle Chuck 52-50496 Ball Chuck 52-50494



.

BILLET ALUMINUM **VALVE CORE STEM** TOOL



PART #

52-50305

52-50308

- · Anodized billet aluminum with stainless steel tip.
- Includes 3 spare valve cores.
- Conveniently stores spare valve cores in the handle.

DESCRIPTION	PART #
Core Stem Tool	52-50270
••••••	

TIRE MARKING STICK



Writes reliably on any surface.

DESCRIPTION	PART #
Single Stick	52-50880
Box of 12 Bulk	52-50881

TIRE MARKING PEN



- · Makes a finer line, easy to read.
- · Mark tire sizes, pressures, etc.
- Hard paint won't come off from heat.

DESCRIPTION	PART #
Single Stick	52-50882
Box of 12 Bulk	52-50883





DESCRIPTION PART # Core Repair Tool 52-50274



THE NEXT GENERATION IN INSTRUMENTATION HAS ARRIVED! Longacre Racing Products is proud to introduce the all-new Digital Elite Waterproof Gauges and SMiTM Elite Waterproof Gauges. Engineered for wet and dirty environments, these gauges provide the absolute best in waterproof sealing. These elite gauges provide the most precise measurements on the market with unmatched resistance to vibration, heat, and moisture.









Digital Elite Waterproof Gauges



NEW! WATERPROOF GAUGES FEATURES AND BENEFITS

- The new waterproof design eliminates the need to remove gauges before you wash your car.
- Manufactured with IP-66 certified methods to be waterproof; dust tight and safe against powerful water jets.
- Digital Elite gauges feature LED digital numbers and illuminated dial lights.
- Custom set your warning settings and brightness.

- Panels are completely wired and ready for quick installation.
- Many panel combinations are available to suit your specific racing needs.
- Available with sensors included or without sensors to allow a retro fit to your existing Longacre® sensors.

PART #
52-46857
52-46858
52-46859
52-46860
52-46861
52-46862
52-46863
52-46864

GAUGES ONLY	PART #
Oil Pressure 0-120 psi Gauge	52-46865
Fuel Pressure 0-15 psi Gauge	52-46866
Fuel Pressure 0-120 psi Gauge	52-46867
Water Temperature 100-280°F Gauge	52-46868
Oil Temperature 100-340°F Gauge	52-46869
Water Pressure 0-60 psi Gauge	52-46872

Digital Elite WATERPROOF ALUMINUM PANELS

WATERPROOF LED PANELS

DESCRIPTION	PART #
2 Gauge - Oil Pressure, Water Temperature	52-44660
3 Gauge - Oil Pressure, Water Temperature, Oil Temperature	52-44661
3 Gauge - Oil Pressure, Water Temperature, Fuel Pressure-15 psi	52-44662
3 Gauge - Oil Pressure, Water Temperature, Fuel Pressure-120 psi	52-44663
4 Gauge - Oil Pressure, Water Temperature, Oil Temperature, Fuel Pressure	52-44666

<u>NEW!</u>



PRESSURE SENSOR FIREWALL MOUNTS FOR LED WATERPROOF GAUGES

MUST BE USED FOR WARRANTY WITH LED AND SMI[™] GAUGES!





Isolates sensors to eliminate engine vibrations. Available with 1, 2, and 3 ports. Allows for remote mounting sensors away from heat. Allows remote mounting for applications where the engine is far from the drivers compartment. For use with all 1/8" NPT pressure sending units.

DESCRIPTION	PART #
1 Port Sensor Mount	52-43540
2 Port Sensor Mount	52-43541
3 Port Sensor Mount	52-43542







SMi[™] Elite Waterproof Gauges



GAUGES WITH SENSOR	PART #	
Oil Pressure 0-120 psi	52-46741	
Fuel Pressure 0-15 psi	52-46742	50 m
Fuel Pressure 0-120 psi	52-46743	and.
Water Temperature / Oil Temperature 100-280°F	52-46744	
Water Temperature / Oil Temperature 100-340°F	52-46745	
Volt gauge 8-18 VOLT	52-46746	
Tachometer 2-5/8"	52-46747	
Water Pressure 0-60 psi	52-46748	
GAUGES ONLY	PART #	
Oil Pressure 0-120 psi	52-46749	
Fuel Pressure 0-15 psi	52-46750	
Fuel Pressure 0-120 psi	52-46751	
Water Temperature / Oil Temperature 100-280°F	52-46752	
Water Temperature / Oil Temperature 100-340°F	52-46753	
Water Pressure 0-60 psi	52-46756	

PRESSURE SENSOR FIREWALL MOUNTS FOR SMI™ WATERPROOF GAUGES

MUST BE USED FOR WARRANTY WITH LED AND SMi[™] GAUGES!

Isolates sensors to eliminate engine vibrations. Available with 1, 2, and 3 ports. Allows for remote mounting sensors away from heat. Allows remote mounting for applications where the engine is far from the drivers compartment.



Available with or without sensors.

DESCRIPTION	PART #
1 Port Sensor Mount	52-43540
2 Port Sensor Mount	52-43541
3 Port Sensor Mount	52-43542

GAUGES, TACHS, PANELS, & ELECTRICAL

SMi^T Elite WATERPROOF

WATERPROOF SMI™ GAUGE PANELS

- New waterproof design eliminates the need to remove gauges before you wash your car.
- LED backlit numbers and illuminated pointers.
- Custom set your warnings and brightness.
- Backlight changes color based on the warning.
- Panels are completely wired and ready for quick installation.
- · Many panel combinations available to suit your specific racing needs.
- All sensors are included.
- New 2-5/8" tachometer available with high RPM, average low RPM, and average high RPM recall.
- New water pressure gauge option available.
- Legal in most sanctioning bodies, including IMCA.

DESCRIPTION	PART #
2 Gauge - Oil Pressure, Water Temperature	52-44560
3 Gauge - Oil Pressure, Water Temperature, Oil Temperature	52-44561
3 Gauge - Oil Pressure, Water Temperature, Fuel Pressure-15 psi	52-44562
3 Gauge - Oil Pressure, Water Temperature, Fuel Pressure-120 psi	52-44563
4 Gauge - Oil Pressure, Water Temperature, Oil Temperature, Fuel Pressure	52-44566
4 Gauge - Oil Pressure, Water Temperature, Oil Temperature, Fuel Pressure	52-44567
2 Gauge - Oil Pressure, Water Temperature, TACH	52-44572
3 Gauge - Oil Pressure, Water Temperature, Oil Temperature, TACH	52-44573
4 Gauge - Oil Pressure, Water Temperature, Fuel Pressure, TACH	52-44574
4 Gauge - Oil Pressure, Water Temperature, Oil Temperature,	52-44577
Fuel Pressure, TACH	

























Pre-wired and ready to install. Saves time and hassle. Panels are also available with 100 psi fuel pressure and volt meter gauges. Please call for part numbers and pricing.

V F V



WATERPROOF TACHS 2-5/8" LED & SMI[™] MEMORY TACHS

- · LED backlit numbers and illuminated pointers.
- · Compact lightweight design.
- Improved larger digital readout.

and the state the state of the second state of the state

- · 100 lap average low and high RPM recall. · Works with all cylinder combinations.
- · Works with 2 stroke or 4 stroke engines

• will recall with ignition turned off.	
DESCRIPTION	PART #
Digital Elite Tach	52-46863
SMi™ Elite Tach	52-46747







"STEPPER MOTOR" SM 4.5" MEMORY TACHS

- SMi[™] AccuTech[™] 4.5" Memory Tach.
- · Maximum RPM recall.

DESCRIPTION

Tach with Panel

Silver Face Tach Only

Silver Face Tach with Panel

Tach Only

- · LED back light shows through the dial face and the pointer is LED illuminated to make this the easiest tach to read.
- · Stepper motor precision tach at an affordable price.
- High RPM Warning light: 2 stage. First warning can be set for just over your normal maximum RPM, the second stage at the redline. You get a warning of too many revs before you blow an engine.

PART #

52-44384

52-44477

52-44381

52-44389

· Can also be used as a 2 stage shift light.

-5 -4 -4	000394 7000	
C a Activ	DLi	

DIGITAL MEMORY TACH



- Accuracy to within 10 RPM
- Ultra lightweight only about 1.5 oz.
- Fast response, easy recall.
- High RPM warning light, helps prevent accidental over revving of expensive motors.
- Includes mounting bracket.

car's power for back light and

 Battery lasts 300+ hours, with the option to connect to

Tach function is self

powered.

warning light.

DLi" **DATA LOGGING** STEPPER MOTOR TACHS

- · DCi[®] Tach: better than only 3 or 4 highs and lows.
- · See all the highs and lows to closely analyze RPM changes.
- · Records RPM all around the track. Replay in the pits.
- to see a full lap quickly.
- · You can record multiple sessions or just highest RPM if that's all you need.
- Multi-stage progressive shift light for precision shift points or a pit road speed indicator.
- · The 2 stage high RPM warning light will help prevent over-revving expensive motors.
- · Playback can be real time, 1/2 speed, or double · The numbers are LED backlit and the pointer is illuminated for easy reading.

DESCRIPTION	PART #
Tach Only	52-44390
Tach with Panel	52-44479

DESCRIPTION PART # 0 - 10,000 RPM Digital Memory Tach 52-44391 0 - 19,000 RPM Digital Memory Tach 52-44402

GAUGES, TACHS, PANELS, & ELECTRICAL



GAUGE LINES STEEL BRAIDED

SS braided Teflon lines.

60" With Block Fitting

• Can be removed and replaced over again without breaking or leaking.

	DESCRIPTION	
A AND DOWN	24" With Block Fitting	
	36" With Block Fitting	
with Pressure	48" With Block Fitting	

Use with Pressure Firewall Mounts (right).

0	0	
PART #		
52-45020		
52-45030		
52-45040		
52-45050		



PRESSURE SENSOR FIREWALL MOUNTS FOR SMI™ WATERPROOF GAUGES

Isolates sensors to eliminate engine vibrations.

MUST BE USED FOR WARRANTY WITH	
LED AND SMi [™] GAUGES!	

DESCRIPTION	PART #
1 Port Sensor Mount	52-43540
2 Port Sensor Mount	52-43541
3 Port Sensor Mount	52-43542



ADDITIONAL MANIFOLD SPARE MOTOR FITTINGS FOR TEMP GAUGES

For AccuTech[™] (Sportsman[™] and SMi[™]) and most other major brands of water and oil temperature gauges.

DESCRIPTION	PART #
1/2" NPT Manifold Fitting	52-46150
3/8" NPT Manifold Fitting	52-46160
1/4" NPT Manifold Fitting	52-46181



BLOCK FITTINGS FOR OP & FP GAUGES

DESCRIPTION	PART #
1/8" NPT to #4 AN Straight Oil Pressure Block Fitting	52-45240
1/8" NPT to #4 AN 90° Oil Pressure Block Fitting	52-45230



EXTRA SMi[®] SENSORS FOR YOUR SPARE MOTORS

Sensors are included with all SMi[™] panels.

DESCRIPTION	PART #
0-100 psi Oil or Fuel Pressure	52-43520
0-60 Water Press, 0-15 Fuel Press	52-43510
100-280° Water or Oil Temperature	52-43500
100-340° Water or Oil Temperature	52-43505



STEPPER MOTOR TACHOMETER FILTER

DESCRIPTION 'Stepper Motor' Tachometer Filter

PART # 52-44410



WATERPROOF WIRE HARNESS

DESCRIPTION	PART #
WP SMi™ Voltage	52-43533WR
LED Voltage	52-43533LED
WP SMi™ OP	52-43534WR
LED OP	52-43534LED
SMi™ WT/OT	52-43536WR
LED WT/OT	52-43536LED
SMi™ FP/WP	52-43532WR
LED FP/WP	52-43532LED
SMi™ Tach	52-43538WR
LED Tach	52-43538LED



NON-WATER RESISTANT

DESCRIPTION	PART #
Wire Harness - SMi [™] VOLT Gauge	52-43533
Wire Harness - OP Gauge	52-43534
Wire Harness - WT/OT Gauge	52-43536
Wire Harness - FP Gauge	52-43532
Wire Harness - DLi Tac	52-43539
Wire Harness - Memory Tach	52-43538
SMi [™] Press Sensor Wire- FP/OP	52-43530

SPORTSMAN™ GAUGES

- · Quality built mechanical racing gauges.
- · Solid brass CNC machined gears.
- · Viscous damped pointers for steady readings.
- Gauges come complete with back lights, temperature manifold fittings, and brackets.

DESCRIPTION	PART #
Oil Pressure 1-100 psi	52-46511
Fuel Pressure 0-15 psi	52-46506
Water Temperature 100°-280°	52-46516
Oil Temperature 100°-280°	52-46521

52-46511 Oil Pressure 0-100 psi





52-46506

52-46516 Water Temp. 100°-280°

52-46521 Oil Temp. 100°-340°

ALUMINUM PANELS WITH SMi[®] STEPPER MOTOR MEMORY TACHS SPORTSMAN™ MECHANICAL GAUGES

- Maximum RPM recall. Just push the "Recall" button.
- · High RPM warning light helps prevent over-revving expensive motors.
- Tach has LED back light, shows through the dial face, and the pointer is LED illuminated.
- Sportsman[™] gauges are pre-wired and come with warning lights and all senders.

DESCRIPTION	PART #
2 Gauge Oil Pressure, Water Temperature	52-44440
3 Gauge Oil Pressure, Water Temperature, Oil Temperature	52-44441
3 Gauge Oil Pressure, Water Temperature, Fuel Pressure	52-44443
4 Gauge Oil Pressure, Water Temperature, Oil Temperature, Fuel Pressure	52-44445







ALUMINUM PANELS

SPORTSMAN™ MECHANICAL GAUGES

- · Gauges have viscous-damped pointers for steady readings.
- Gauge mechanism uses solid brass CNC machined gears.
- Panels are pre-wired, ready to install, and have all senders.



Wiring is premium fine strand with high temperature silicone insulation, soldered and heat shrunk terminals.

DESCRIPTION	PART #
2 Gauge Oil Pressure, Water Temperature	52-44430
3 Gauge Oil Pressure, Water Temperature, Oil Temperature	52-44431
3 Gauge Oil Pressure, Water Temperature, Fuel Pressure	52-44433
4 Gauge Oil Pressure, Water Temperature, Oil Temperature, Fuel Pressure	52-44435







GAUGES, TACHS, PANELS, & ELECTRICAL 53



SPRINT CAR GAUGE PANEL DESIGNED TO STAY WITH MOTOR

- Ultra lightweight weather resistant aluminum gauges with shock reducing rubber mounting "O" rings and genuine carbon fiber panel.
- Includes mag kill switch and low oil pressure warning light (9 volt battery powered), 52-44423 only.
- Mounts from engine side of firewall, attach with Dzus™ fasteners, permanently mount.

DESCRIPTION	PART #
Sprint Car Panel	52-44423
Sprint Car Panel Without Light/Switch	52-44421





- Mini panel includes two 1.5" 1500 psi gauges and fittings with bleeders.
- Full size panel includes two 2.5" 1500 psi gauges and fittings with bleeders.
- See exactly what your balance is.
- Liquid Filled Gauges are not filled to the top.

DESCRIPTION	PART #
Full Size Brake Bias Panel	52-44134
Mini Brake Bias Panel	52-44124

GENUINE CARBON FIBER SWITCH PANELS



- High capacity 40 amp switches (at 12 volts) with rubber switch boots to seal out moisture.
- Red safety flip-up switch covers.
- High insulation wiring with soldered terminals.

DESCRIPTION	PART #
Ignition & Start	52-44510
Ignition, Start & 2 Accessory Switche	es 52-44535

BOLT-ON SWITCH PANEL MOUNTING BRACKETS



- Mount your switch panel quickly and easily. Switch panels only, not for battery disconnect or gauge panels.
- Includes 2 brackets.

DESCRIPTION	PART #
1-1/3" Bar-Universal	52-22783
1-1/2" Bar-Universal	52-22787

HEAVY DUTY WIRING HARNESS



- Plugs into all Longacre® switch panels.
- Color coded wires match Longacre[®] dash panels.

DESCRIPTION	PART #
Heavy Duty Wiring Harness	52-44930

BLACK ALUMINUM SWITCH PANELS

START/IGNITION PANELS

- High capacity (40 amp @ 12 volts DC) ignition switch and starter button with weatherproof covers.
- Plugs into Longacre[®] wiring harness.
- Great-looking aluminum panel black anodized with clean, modern graphics.
- Pre-wired with high insulation "Fat" wires and soldered terminals with heat shrunk connections.



52-44861

52-44863

DESCRIPTION	PART #
Start/Ignition Panel	52-44861
Start/Ignition Panel with Flip-Up Safety Cover & Pilot Light	52-44863



.....

52-44869




All of our switch panels use 12 Volt HD 40 amp ignition switches, HD start buttons, and high capacity wire with soldered and heat-shrunk terminals. They are pre-wired and ready to install.

Most of these switch panels include an optional weatherproof switch cover if you prefer that style. Easy to change.





52-45760



52-44865

DESCRIPTION	PART #
Start/Ign. Panel: Flip-Up Safety Cover, 4 Acc. Switches & Pilot Lights	52-44869
Start/Ign. Panel: Flip-Up Safety Cover, 1 Acc. Switch & Pilot Lights	52-44866
Start/Ign. Panel: Flip-Up Safety Cover, 2 Acc. Switches & Pilot Lights	52-44867
Start/Ign./ Master Disconnect Panel: Flip-Up Safety Cover & Pilot Light	52-44871
Battery Disconnect Panel Switch 2 Post	52-45760
Battery Disconnect Panel Switch 4 Post Altn.	52-45784
Panel With 4 Acc. Switches & Pilot Lights	52-44865





- SILVER PLATED CONTACTS.
- SOLID BRASS MECHANISMS.
- •TOUGH PHENOLIC BODIES.

IGNITION SWITCH





With silicone rubber weatherproof switch cover and 2 terminals.

DESCRIPTION	PART #
Switch, Cover, Terminals	52-45420
Weatherproof Switch	52-45423
3 Terminal Switch	52-45430
Momentary Toggle Start	52-45462

IGNITION/START SWITCH COMBINATION



 Pre-wired with color coded harness and flip-up switch cover.

- 1 Switch does it all.
- Down is off.
- Middle is ignition on.
- Up is momentary start

DESCRIPTION	PART #
Ignition/Start Switch Combo	52-45490

REPLACEMENT COVERS





DESCRIPTION	PART #
Black Weatherproof Cover	52-45300
Red Flip-Up Safety Cover	52-45370



IGNITION SWITCH WITH FLIP-UP COVER

- Shut off quickly in an emergency like a stuck throttle.
- Prevents accidental turn on of ignition.

DESCRIPTION	PART #
HD Switch, Safety Cover, Terminals	52-45470



MAGNETO SWITCH

- 2 Circuits that kill mag and shut-off accessories.
- Weatherproof cover.

DESCRIPTION	
Switch & Cover	

PART #	
52-45440	

.....



STARTER BUTTON

Push Button with weather proof rubber cover and 2 terminals.

DESCRIPTION Starter Button PART # 52-45460



STARTER SOLENOID KIT WITH FIREWALL STARTER BUTTON

- High capacity extra heavy duty metal cased solenoid, wiring harness, and remote starter button.
- Remote start button is great for setting valves, etc.

DESCRIPTION	PART #
Complete Kit	52-45800
Complete Kit with Start Button	52-45803
Solenoid Only	52-45900

GAUGES, TACHS, PANELS, & ELECTRICAL

BATTERY DISCONNECT SWITCHES

- Battery disconnect switches with a bright red handle.
- Easier to find in an emergency.
- Prevents battery drain.
- 175 Amp Continuous Rating, 6-36 Volt, 1000 Amps peak alternator circuit 20 amps. (Except 52-45782, 125 amps.)







DESCRIPTION	PART #
2 Terminal for Cars without Alternator in Aluminum Panel	52-45760
4 Terminal for Cars with or without Alternator in Aluminum Panel - Alternator Circuit 20 Amps	52-45784
4 Terminal Extra High Capacity - Alternator Circuit 125 Amps with Panel	52-45783
2 Terminal for Cars without Alternator - Switch Only	52-45750
4 Terminal for Cars with or without Alternator – Switch Only, Alternator Circuit 20 Amps Max	52-45780
2 Terminal Push-Pull - Switch Only, Shut Off Entire Electrical System in an Emergency with a Quick 'Hit'	52-45749
Economy Battery Disconnect Switch - Switch Only	52-45748
4 Terminal, Extra High Capacity – Alternator Circuit Carries 125 Amps, Battery Circuit 175 Amps Cont Switch Only*	52-45782

*Needed for cars using very high capacity alternators.

WEATHERPROOF SWITCHES SEALED WITH TOUGH POLYMER COATING


DESCRIPTION	PART #
Battery Disc., Weatherproof 2 Terminal with Panel	52-45760
Battery Disc, Weatherproof 4 Terminal with Panel, Alternator 20 amps MAX	52-45784
Extra High Capacity Weatherproof 4 Terminal with Panel	52-45791
HD 40 amp Ignition Switch	52-45423
Starter Button	52-45466
Battery Disconnect 2 Terminal	52-45753
Battery Disconnect 4 Terminal - Alternator 20 amps MAX	52-45788
Extra High Capacity Battery Disconnect 4 Terminal	52-45789



TTERY CESSORIES

DESCRIPTION	PART #
Remote Battery Positive (Red)	52-45720
Remote Battery Negative (Black)	52-45740
2 Battery Cable Ends	52-45660
Battery Through Panel	52-45700
Universal Battery Terminal	52-45680





• Color coded protective boot.

• For safely running battery cable through your firewall.

· Prevents shorts.



DESCRIPTION	PART #
1 Pin	52-44911
2 Pin	52-44912
3 Pin	52-44913
4 Pin	52-44914
6 Pin	52-44916
Weather Pack Replacement M/F Pins and Seals (10 Each)	52-44919



WEATHER PACK CRIMP TOOL WITH CRIMP DIES

• Use with Weather Pack connector kits.

WEATHER PACK

· Seals out dirt and water.

CONNECTOR KITS

- Fast and easy.
- Ratchet style crimper insures a positive connection.

PART #

52-44905

DESCRIPTION Crimp Tool & Dies



REAR BATTERY CABLE KIT

- Ends are factory soldered and include an extra terminal just in case you need to change the length.
- Kit includes high amp battery cable, end terminals, color coded terminal boots to prevent arcing, Firebraid[™] insulation, firewall grommet, Adel[™] clamps, and wire ties.
- The longer your battery cables are, the heavier gauge they need to be.

DESCRIPTION	PART #
13' 1/0 Cable, Battery Behind Differential	52-48050
10' #2 Cable, Battery Behind Driver	52-48000

DELUXE BATTERY CABLE KIT

- Includes solenoid and battery disconnect switch.
- Ends are factory soldered for quick, simple installation.
- Includes ground cable and all cables from battery to switch.
- Starter cable heat protected with Firebraid[™].

DESCRIPTION Deluxe Battery Cable Kit PART # 52-48115 **ADEL™ LINE CLAMPS**

- High temperature neoprene lining makes a neat and safe installation.
- Keeps lines and wiring where they belong.

DESCRIPTION	PART #
3/16" ID Steel Brake Lines - 10 Pack	52-47000
3/16" ID Steel Brake Lines - 100 Pack	52-47050
5/16" ID #4 An Lines - 10 Pack	52-47100
5/16" ID #4 An Lines - 100 Pack	52-47150
9/16" ID Fuel Line - 10 Pack	52-47200
9/16" ID Fuel Line - 100 Pack	52-47250
13/16" ID #8 An Line - 10 Pack	52-47300
13/16" ID #8 An Line - 100 Pack	52-47350
15/16" ID #10 & 12 Lines - 10 Pack	52-47400
15/16" ID #10 & 12 Lines - 100 Pack	52-47450
1-3/16" ID #16 An Lines - 10	52-47500

PIN EXTRACTION TOOL

Required for safe removal of pins from Weather Pack housing.

DESCRIPTION
Pin Extraction Tool

PART # 52-44909

GROUND STRAP HEAVY DUTY



Braided 14" long to complete the installation.

DESCRIPTION	PART #
Ground Strap Heavy Duty	52-48110





Great for dry sump oil heaters.

DESCRIPTION 110V Flange Mount Connection PART # 52-45662

GAGELITESTM ENGINE WARNING LIGHT SYSTEMS

DESCRIPTION	COMPLETE KIT PART #	SENDER ONLY PART #
20 psi Oil Pressure 1/8" NPT	52-40000	52-43080
15-50 psi Oil Pressure 1/8" NPT	52-40100	52-43000
230° Water Temperature 1/2" NPT	52-40150	52-43250
230° Water Temperature 3/8" NPT	52-40152	52-43252
250° Water Temperature 1/2" NPT	-	52-43300
270° Oil Temperature 1/2" NPT	52-40350	52-43350
300° Oil Temperature 3/8" NPT	52-40400	52-43400
2-7 psi adj. Fuel Pressure 1/8" NPT	52-40250	52-43020
4 psi Fuel Pressure 1/8" NPT	52-40251	52-43021



Kit includes sender, light, wire, and terminals.

WARNING LIGHT KITS WATER & LOW OIL PRESSURE

- WP Kit: Light comes on if you have sudden loss of coolant pressure.
- WP Kit: Alerts you to a punctured radiator or burst hose, helps prevent expensive engine damage.
- OP Kit: For cars without batteries.
- OP Kit: Includes holder for lightweight 9V battery (not included), low oil pressure switch (20 psi), warning light, heavy duty mag kill switch with weatherproof switch cover, wire, and terminals.



DESCRIPTION	PART #
Water Pressure Warning Light Kit	52-40141
Water Pressure Warning Light Kit - Sender Only	52-43241
Low Oil Pressure Warning Light Kit	52-45624

REPLACEMENT LIGHT ASSEMBLIES

New brighter design same as on panels (install in 3/4" hole).



DESCRIPTION	PART #
Clear	52-41801
Red	52-41802
Amber	52-41803
Green	52-41804
Blue	52-41805

SWITCH PANEL PILOT LIGHT REPLACEMENT

DESCRIPTION	PART #
Pilot Light Replacement	52-42300

Ŋ

LOW OIL PRESSURE IGNITION OR ELECTRIC FUEL PUMP SHUTOFF SWITCH

- Switch shuts off the ignition or electric fuel pump when oil pressure drops below 12 psi.
- Helps prevent engine damage or fire and keeps the motor from starting until the oil pressure is up
- Should be used with momentary bypass switch for starting.

	U			
	1	120		-
		1		9
		-	9	
ıp.	0	3	Γ	

DESCRIPTION	PART #
Switch	52-43600
Momentary Bypass Switch	52-45462



DIGITAL AIR DENSITY GAUGE

- Accurate electronic air density measurement with easy-to-read digital display.
- Shows your baseline so you don't forget.
- A red LED flashes to let you know if you need to change jets (air density has changed since baseline.)
- Also displays current temp and barometric pressure.

DESCRIPTION Digital Air Density Gauge PART # 52-50887



COIL-OVER WRENCH BILLET ALUMINUM

- Billet aluminum keeps coil-overs undamaged.
- Replaceable stainless steel pin.
- Comfortable handle with rounded edges makes adjustments easy.

DESCRIPTION Coil-Over Wrench PART # 52-22589



OIL FILTER CUTTER BILLET ALUMINUM

- Billet anodized aluminum, ball bearings.
- Cuts smaller filters too, from 2-3/8" to 4-3/4" in diameter.

DESCRIPTION Oil Filter Cutter • Cut your old filter open to spot problems before they cost you an engine.

PART # 52-77750

ENGINE LEAK DOWN TESTER DIAL MODEL

- · Easy-to-use tester checks ring seal, valves, and head gaskets.
- Quickly tell from the outside when your engine needs an overhaul.

DESCRIPTION	PART #
With 14 mm Spark Plug Fitting	52-73010
With 12 mm Spark Plug Fitting	52-73011
14 mm Replacement Hose for Leak Down Tester	52-73012
12 mm Replacement Hose for Leak Down Tester	52-73013
Barrel Valve Setting Tool	52-73016
Barrel Valve Setting Tool Replacement Hose	52-73017
14 mm Replacement Hose for Leak Down Tester 12 mm Replacement Hose for Leak Down Tester Barrel Valve Setting Tool	52-73012 52-73013 52-73016



LEAK DOWN TESTER DIGITAL

- Much more accurate than traditional testers.
- Reads critical leak down to 0.5% (0.5 of 1%.)
- · Gauges have back lights for easy readability and low battery indicators.

 14mm Spark plug connector included (12 mm and barrel valve available.)

 Control inlet valve avoids shock to gauges when air is turned on, allowing more accurate readings, easier use, and longer gauge life.




DESCRIPTION	PART #
Tester with Hard Case	52-73014
Tester with 12 mm Fitting	52-73015

DIGITAL SHOCK INFLATORS

- · Easy to read and use with controlled flow valves.
- · 300 psi Digital gauge easily reads to 0.5 psi.
- · Controlled flow inlet and bleed valves makes precision shock settings much easier.
- Special chuck prevents pressure loss and inaccurate settings.
- Extra long hose makes filling shocks on car a snap.
- Fill and bleed quickly and accurately.
- Inlet valve prevents air contamination when not in use, connect directly to nitrogen line.

DESCRIPTION **Digital Shock Inflator**

PART # 52-50473



C SHOCK ATORS **MODEL & DIGITAL** DIAL

- · Both models read to 300 psi by 0.5 psi units.
- Digital model includes special chuck that prevents pressure loss.

DESCRIPTION	PART #
Dial Model Shock Inflator	52-50493
Digital Model Shock Inflator	52-50483





AccuLevel[™] DIGITAL LEVELS PRO MODEL

- Back light for dark places under car.
- Measure suspension and spoiler angles.
- Includes hard case.
- Reads to 0.1° (1/10°) from 0 to 90°.
- Simple to use, easy to read, accurate.
- Can be field calibrated to maintain accuracy.
- Used in our Digital Caster/Camber gauges.



DESCRIPTION Pro Model AccuLevel™ Digital Level





Acculevel[™] DIGITAL LEVELS BASIC MODEL

- Measure suspension and spoiler angles and lots more.
- Reads to 0.1° +/- from 0 to 90°.
- Simple to use, easy to read, accurate.
- Can be quickly field calibrated to maintain accuracy.

DESCRIPTION	PART #
Basic Model AccuLevel [™] Digital Level	52-78310



CNC IMPACT SOCKETS

- ½" Drive impact grade sockets for 1" lug nuts.
- · Double heat treated for severe service.
- CNC Machined from SAE 4340 alloy billet.

DESCRIPTION CNC Impact Short Socket 2 1/4" L

- Special machined socket grabs the flats and instantly kicks out the lug nuts for ultra fast pit stops.

PART # 52-68525



SAFETY WIRE PLIERS

- Ensures parts stay on your car.
- Quickly and neatly twists wire.
- A must for all high vibration locations.

DESCRIPTION PART # Safety Wire Pliers 52-22598



SAFETY WIRE

• 0.032 Stainless steel wire.

DESCRIPTION Safety Wire



PLUMB BOB KIT

• Square rear end.

DESCRIPTION Plumb Bob Kit

PART # 52-50820

PART #

52-22599



HOT SLEEVE

- · Protects arms from burns while working around engine.
- Washable.

• Right or left arm.

Made of Kevlar[®].

DESCRIPTION Single Sleeve

PART # 52-11230





3 Hole 5/16" x 1-3/4"

ALUMINUM SPOKES WITH SMOOTH & BUMP GRIP

• These wheels have a high grip polyurethane coating.

.....



ALUMINUM WHEEL "FAT" GRIP

- Thicker rim for a better grip and less wrist and arm strain.
- Ideal size for long races.
- 15" Dished aluminum wheel.

DES	SCRIPTI	ON				
15″	Black -	Smooth	Grip -	Dished	(2.75")	

PART # 52-56809



STEEL WHEELS

- Where steel wheels are required.
- Smooth Grip-Dished 2.75".

DESCRIPTION	PART #
15" Steel Wheel - Black Smooth Grip	52-56841
17" Steel Wheel - Black Smooth Grip	52-56851

PRO ALUMINUM STEERING WHEELS WITH SUEDE WRAPPED RIM

- Suede gives you an excellent grip for better car control plus reduced wrist and arm strain during the race.
- Lightweight 2.3 lbs.
- Can be easily cleaned.
- 15" with 2.5" dish.

- Std. 3 bolt mounting (5/16" x 1-3/4".)
- Center has CNC machined beveled edges.
- Red stripe on the rim at the top indicating 'straight ahead'.




DESCRIPTION	PART #
Suede Dished Steering Wheel - 15" Black Center	52-56797
Suede Dished Steering Wheel - 15" Natural Center	52-56800

ULTRA LIGHTWEIGHT ALUMINUM STEERING WHEELS DRILLED OR UNDRILLED

- These drilled wheels are half the weight of other brands.
- Drilled on 2 sides for additional weight savings.
- Shot peened rim for good grip.
- Holes give even better grip.

DRILLED	PART #	
15" Uncoated Black – Dished (2.5")	52-56838	
15" Uncoated Aluminum – Dished (2.5")	52-56837	
15" Uncoated Black – Flat	52-56867	
15" Uncoated Aluminum – Flat	52-56866	
14" Uncoated Black – Dished (2.5")	52-56833	
14" Uncoated Aluminum – Dished (2.5")	52-56835	
UNDRILLED	PART #	
15" Uncoated Aluminum – Smooth – Dished (2.5")	52-56836	















All hubs and spuds include a second safety groove for your protection.

3 Hole 5/16" x 1-3/4"

STEERING WHEEL QUICK DISCONNECT SPLINED

Any play in the steering, including the hub, takes away control from the driver, letting the car 'wander around'. This Pro hub has a precision machined 4130 spud and a T6 Hard Anodized splined hub for a super tight fit, yet is easy to remove and install. Plus, there are multiple sets of mounting holes so you can 'clock' your wheel 3 times closer. For safety, there are 2 sets of retaining grooves. If you don't get the ring engaged, it will catch on the second safety groove rather than come off on the track. The steel spuds can be installed on either $3/4^{\circ}$ or $5/8^{\circ}$ shafts. Splined hub – pull ring release with double safety grooves on weld-on SAE 4130 spud.

DESCRIPTION Precision Fit Splined Hub PART # 52-56605



Hex type.

- Weld to 3/4" or 5/8" (karts) steering shafts.
- Aluminum hub.
- Double safety grooves.

DESCRIPTION Hex Hub – Push Button Release PART # 52-56600



STEERING WHEEL HOOK

- Hang your wheel out of the way.
- Bolts onto roll bar with no welding required.

DESCRIPTION	PART #
1-3/4" Roll Bar Size	52-22576
1-1/2" Roll Bar Size	52-22577



STEERING WHEEL NOSE PAD

- Required by most rules.
- Medium density.
- Product is 6 inches in diameter.

DESCRIPTION Nose Pad PART # 52-56899

GPS TRIGGERED IN-CAR TIMER

- . This in-car timing system lets the driver see their lap times as they happen. Try different lines around the track to instantly find the fastest way. The GPS replaces the IR beam.
- Track mapping: divide the track into timed segments and see where you are fast and where you are losing time.
- Recall segment times in pits and compare laps.
- 3" Backlit graphic display.

DESCRIPTION Hot Lap™ GPS Triggered In-Car Timer

GPS sensor

mounts in car.





STOPWATCHES ROBIC™

Robic[™] SC 606W

· Clocks every lap.

· Counts laps to 999.

• 50 Lap memory.

- Computes average MPH.
- Robic[™] SC 505W • Time every lap plus automatic lap count.
- 12 Memory recall.
 - One button action for simple timing.

PART #

52-21730

PART #

52-22324

52-22319

52-22321

52-22314





STOPWATCH CLIPBOARDS

Lightweight aluminum won't break like plastic can.

• Rubber feet prevent sliding and protect car's finish.

· Powder coat finish with edge protectors.

2 Car Stopwatch Clipboard w/ Robic™ SC 505W

1 Car Stopwatch Clipboard w/ Robic™ SC 606W

2 Car Stopwatch Clipboard w/ Robic™ SC 606W



• Professional color lap charts included with practice times on back.



2 Watch Economy Clipboard With Robic™ SC 505W Watches Times every lap, counts laps, and has 5 lap memory.

Clipboards With Robic™ SC 606W Watches These watches clock every lap, show average MPH, and have a 50 lap dual memory.



10

LAP TIMES/ **CHASSIS SHEETS**

DESCRIPTION

DESCRIPTION

Clipboard Only

PART #

- · Lap times practice times on back.
- · Chassis setup sheets tire temps on back.
- Punched for 3 ring binder.
- 2 Sided Get added use.



MISCELLANEOUS 67



SFITM EMBOSSED ROLL BAR PADDING 3' BLACK

- Provides maximum in energy absorption and flame retardation and will not drip or melt in a fire.
- Required in NHRA[®], SCCA[®], and recommended in NASCAR[®].

SFI™ Embossed Roll Bar Padding 3' Black

DESCRIPTION

- Meets new SFi™ spec 45.1.
- Pre-taped for easy installation.
- Fits bars 1-1/2" to 1-3/4" x 36" length.

PART # 52-65169





"MINI" PADDING

REGULAR SIZE

Der 11

All Longacre® HD padding is "pre taped" with adhesive to make installation easier.

HIGH DENSITY ROLL BA	R PADDING
REGULAR & "MINI" SIZE	

- · Provides maximum in energy absorption and flame retardation.
- Will not drip or melt in fire.
- Fits bars for 1-1/2" to 1-3/4".
- Self-adhesive (pre-taped) for a quick and clean installation.
- "Mini" padding has a streamlined shape to focus padding where you need it, improve sightlines and reduce blind spots.

DESCRIPTION	PART #
Black - High Density Roll Bar Padding – 3'	52-65162
Blue - High Density Roll Bar Padding – 3'	52-65164
Red - High Density Roll Bar Padding – 3'	52-65166
Black - HD Mini Roll Bar Padding – 3'	52-65182
Blue - HD Mini Roll Bar Padding – 3'	52-65183
Red - HD Mini Roll Bar Padding – 3'	52-65184

ROLL BAR PADDING PROTECTO 180[™] MEDIUM DENSITY New 180° Design: don't pad the back of your roll bars. For 1-3/8" to 1-3/4" bars. 1-1/8" Thick at top x 36". DESCRIPTION PART # Back ProTecto 180[™] Medium Density Roll Bar Padding 52-65692

ROLL BAR PADDING KITS BLACK TAPED

All the padding needed to do most cars in a convenient package. You get a combination of high density full size padding for around your head. Mini HD padding for posts where line-of-sight is important, and new ProTecto 180[™] for arm and leg protection.

Kit includes:

- 2) Full size high density pad.
- 2) Mini high density.
- 4) New ProTecto 180[™].

DESCRIPTION

Roll Bar Padding Kit - Black Taped

PART

TRAILER HITCH PAD

- Uses material similar to our high density roll bar padding for good protection.
- Easy to install without removing the ball takes less than 1 minute.
- Doesn't interfere with normal trailer use.
- Fits most hitches with no modification (many others with only slight modification.)
- Held on with wire ties (included.)

DESCRIPTION	
Trailer Hitch Pad	

PART # 52-65885

DOOR BAR PADDING MAT

- Protect your left elbow, arm, hand, and wrist.
- Made from fire resistant padding similar to our high density roll bar padding but slightly softer.
- Saves you tons of time, no need to cut and fit several separate pieces.
- DESCRIPTION Door Bar Padding Mat

- Mounts quickly with adjustable molded-in straps.
- Sharp-looking with a clean appearance.
- Size: 39-1/2" x 16-1/2" x 1" thick.

PART #

52-65130





COMPACT RADIO BOX

- For the latest small radios.
- 2 Velcro straps hold the radio securely in place.
- Internal padding prevents damage.
- 3 Sided for easy access.
- Adjustable brackets mount to your roll-bar at multiple angles Easier to install!
- Available for 1-3/4" or 1-1/2" bar.

DESCRIPTION	PART #
1-3/4" Compact Radio Box	52-22560
1-1/2" Compact Radio Box	52-22562

DRINK HOLDER

- Large capacity insulated bottle with tube.Includes "bite valve" to avoid leaks from tube.
- Bolts onto your roll bar no welding required.
- Powder coated with anodized bracket.

DESCRIPTION	PART #
1-3/4" Drink Holder	52-22551
1-1/2" Drink Holder	52-22553
Drink Bottle and Hose Only	52-22556
Drink Bottle Replacement Hose Only	52-22552

ADJUSTABLE BRACKETS MOUNT AT MULTIPLE ANGLES, EASIER TO INSTALL, & NO WELDING!



- Mount your switch panel quickly and easily.
- Lightweight aluminum.
- Includes 2 brackets.

DESCRIPTION	PART #
1-3/4" Switch Panel Bracket	52-22783
1-1/2" Switch Panel Bracket	52-22787
1-1/2" Switch Panel Bracket	52-22787



- Protect your helmet.
- Bolts onto roll bar no welding.
- Lightweight billet aluminum black anodized.

DESCRIPTION	PART #	
1-3/4" Helmet Hook	52-22570	
1-1/2" Helmet Hook	52-22572	



- Mount mirror, switch panel, etc.
- Lightweight aluminum.
- Bolts onto your roll bar.

DESCRIPTION	PART #
1-3/4" Short Universal Bracket	52-22755
1-1/2" Short Universal Bracket	52-22757

70 MISCELLANEOUS

WIDE ANGLE MIRROR KITS

- You can quickly and easily add a wide angle racing mirror to your race car with one of our mirror kits.
- These mirrors come with bolt on brackets made of anodized black billet aluminum.
- Longacre[®] rear view mirrors fasten onto your roll cage in seconds and won't vibrate loose.
- Mirror brackets available in two lengths of adjustment to fit 1-1/2" or 1-3/4" roll bars.

PART # 52-22535 52-22537 52-22534 52-22536 52-22531 52-22533

52-22530

52-22532 52-22544 52-22547

• Mounts on driver's side or

PART # 52-22548 52-22549 52-22550



Short Brackets: 1/2" to 2-1/2 Range Long Brackets: 2" to 5-1/2" Range

DESCRIPTION

14" Wide Angle Mirror Kit - Short Brackets - 1-1/2"	
14" Wide Angle Mirror Kit - Long Brackets - 1-1/2"	
14" Wide Angle Mirror Kit - Short Brackets - 1-3/4"	
14" Wide Angle Mirror Kit - Long Brackets - 1-3/4"	
17" Wide Angle Mirror Kit - Short Brackets - 1-1/2"	
17" Wide Angle Mirror Kit - Long Brackets - 1-1/2"	
17" Wide Angle Mirror Kit - Short Brackets - 1-3/4"	
17" Wide Angle Mirror Kit - Long Brackets - 1-3/4"	
14" Wide Angle Replacement Mirrors	
17" Wide Angle Replacement Mirrors	

Long Brackets: 2"

SPOT MIRRORS CLAMP ON

- 3-3/4" Spot Mirror with bracket for 1-3/4" or 1-1/2" roll bar.
- · Adjusts easily.

DESCRIPTION
Spot Mirror 1-3/4"
Spot Mirror 1-1/2"
Replacement Spot Mirror 3-3/4"

passenger's side. • Bolts in place solidly.



.....

BRACKETS ONLY

• Brackets for Longacre[®] wide angle racing mirrors.

.....

- No welding bolts to your roll bars.
- Brackets adjust from 2" to 5-1/2".
- Brackets CNC machined from billet aluminum.
- Includes 2 brackets.

DESCRIPTION	PART #
Mirror Bracket Pair - Short - 1-3/4"	52-22538
Mirror Bracket Pair - Short - 1-1/2"	52-22539
Mirror Bracket Pair - Long - 1-3/4"	52-22540
Mirror Bracket Pair - Long - 1-1/2"	52-22541

BILLET REAR END BREATHER KIT

- Includes vent, hardware, and hose for a complete installation.
- Clamp on design no welding required.
- 1/4" NPT.
- Available with bracket for either 1-3/4" or 1-1/2" roll bars.

DESCRIPTION	PART #
Billet Rear End Breather Kit 1-3/4"	52-22568
Billet Rear End Breather Kit 1-1/2"	52-22569
Billet Rear End Breather 1-3/4"	52-22564
Billet Rear End Breather 1-1/2"	52-22566





COMPLETE BRAKE LINE KIT

Includes 4 SS braided lines to go from the chassis to the wheels, an assortment of preflared bendable steel chassis lines, fittings, connectors, frame tabs, Adel™ clamps, and wire ties. (Order caliper fittings separately.)

DESCRIPTION	PART #
Complete Brake Line Kit - #3 AN	52-45215
Complete Brake Line Kit - #4 AN	52-45216
	02 10210

Note: Not for street driven cars minimum bending radius 2".



STEEL BRAIDED BRAKE LINES

Stainless steel braided teflon line with permanently swedged fittings. 2500 psi working pressure. #4 AN fittings on both ends

DESCRIPTION	PART #	
Brake Line - 22" #4 AN	52-45150	
Brake Line - 22" #3 AN	52-45153	
Brake Line - 24" #4 AN	52-45160	
Brake Line - 24" #3 AN	52-45163	



DESCRIPTIO 1/8" NPT to # 1/8" NPT to # 1/8" NPT x #3 1/8" NPT x #3



• Fits most popular models.

DN	PART #
4 AN Straight	52-45240
4 AN 90°	52-45230
3 AN Straight	52-45243
3 AN 90°	52-45233





- 1/8" NPT 90° with #4 and long leg for extra clearance.
- 7/16"-20 #4 AN 90°. (Fits GM single piston.)

DESCRIPTION	PART
1/8" NPT x #4 AN 90°	52-45
7/16"-20 x #4 AN 90°	52-45

ARI#	
-45220	
-45250	



BRAKE FLUID BLEED BOTTLE Back of bottle has a

- magnet to hold it in place.
- Split hose connect to one or two bleeders at once.


DESCRIPTION	PART #
Brake Fluid Bleed Bottle Kit	52-45200
Single Brake Fluid Bleed Bottle	52-45202



BRAKE LINE FRAME TAB & FITTINGS

• #3 or 4 AN x 3/16" brake line, "bulkhead" style, with jam nut for easy mounting.

DESCRIPTION	PART #
#3 AN Brake Line Frame Fitting	52-45263
#4 Brake Line Frame Fitting	52-45273
#3 Brake Line Frame Fitting w/ Tab & Nut	52-45286
#4 Brake Line Frame Fitting w/ Tab & Nut	52-45288
Frame Tab Pack of 4	52-45284
Frame Tab Pack of 10	52-45285



BRAKE BALANCE ADJUSTERS UXE & BASIC

- Frictionless polymer bearing mount for easy, no-bind adjustments.
- Detents every 90° make precise adjustments easier. "Click" the exact change you want.
- HD braided flex connector: shorter virtually no 'wrap up'.
- 3/8"-24 or 7/16"-20 connector to your bias bar. (Check before ordering.)

DESCRIPTION	PART #
Billet Aluminum Brake Balance Adjuster - 3/8" – 24	52-44108
Billet Aluminum Brake Balance Adjuster - 7/16" – 20	52-44109
Basic Brake Balance Adjuster - 3/8" – 24	52-44107

MISCELLANEOUS 72

CARB LINKAGE KITS STANDARD • EXTENDED • DELUXE

- Includes 2 all metal rod ends, aircraft aluminum tube, Holley[®] carb bushing, 2 return springs, bolts, and nuts.
- Just bend to clear air cleaner, cut to length, and thread one end (requires 1/4"-28 tap.)
- Easily forms to any car or use straight.
- 6061 T6 Heat treated aluminum alloy is tough to bend but stays to shape in use. Won't straighten out and cut throttle travel, costing you precious horsepower.
- Throttle rod length 23-1/4".
- Only fits small block Chevy.



DESCRIPTION	PART #
Standard Carb Linkage Kit	52-32700
Extended Carb Linkage Kit	52-32702
Deluxe Carb Linkage Kit - Short	52-32720

ALUMINUM AIR CLEANER STUD KIT

- Includes aluminum stud and thumb knob, air cleaner lid mounting stop, and jam nut.
- Mounting stop and jam nut go under air cleaner lid so you can tighten the thumb knob without distorting the lid.
- Set screw in thumb knob keeps it from coming loose.
- Built-in rubber seal keeps dust out of your engine.
- Top thread 5/16", bottom carb thread 1/4", or 5/16".



DESCRIPTION	
Aluminum Air Cleaner Stud Kit - 5/16" Carb Thread - Holley®	
Aluminum Air Cleaner Stud Kit - 1/4" Carb Thread	

Replacement Thumb Knob for Air Cleaner Stud Kit

PART #	
52-32750	
52-32752	
52-32754	

QUICK CHECK BRAKE PRESSURE GAUGE SET

- Check brake pressures at the caliper.
- Set front-to-rear bias for best braking performance.
- Temporarily installs in bleeder valve.

-	1000000	54
-		Ĩ

DESCRIPTIONPART #Quick Check Brake Pressure Gauge Set 1/4" - 2852-44145Quick Check Brake Pressure Gauge Set GM Metric 10mm52-44147Quick Check Brake Pressure Gauge Set 3/4" - 2452-44149

CARB BUSHINGS

.....

• Split bushing for Holley[®] carbs.

DESCRIPTION Replacement Carb Bushings - Aluminum



PART # 52-32707

THROTTLE STOP BRACKET

- Helps prevent broken throttle arms with a positive stop.
- Lightweight aluminum won't change in use.

DESCRIPTION	PART #
Primary Throttle Stop Bracket - Holley® 4 BBL	52-32730
Primary Throttle Stop Bracket - Holley® 2 BBL	52-32732

THROTTLE RETURN KITS

- Lightweight aluminum bracket, 2 springs, Holley[®] carb bushing, and miscellaneous hardware.
- Only fits small block Chevy.

/	Á
5	.

DESCRIPTION	PART #
Throttle Return Kit - Short	52-32710
Replacement Throttle Return Springs (Pack of 2)	52-32500



BILLET REMOTE STARTER BUTTON

· Crank your motor over from the engine compartment.

Cool billet aluminum.

DESCRIPTION PART # Billet Remote Starter Button 52-45795



SPARK PLUG VIEWER

- · Get your jetting right for maximum power.
- · Batteries included.

- 10X Magnification. Includes spark plug holder: 52-50886.

DESCRIPTION	PART #
Spark Plug Viewer with Holder	52-50886
Spark Plug Viewer	52-50884
Spark Plug Holder	52-50885



ENGINE COMPRESSION TESTER

- 14 mm Plug adapter.
- · Check for bent or leaking valves, bad ring seal, even leaking head gaskets.

DESCRIPTION	PA
Engine Compression Tester	52·

.....

ART # -73025



BRAIDED TEFLON FUEL LINE

- Smooth bore #8 AN 1/2" teflon fuel line won't collapse at high fuel draw.
- Ends installed and ready-to-use.

PART #

52-33900

• 144" Length for 102" to 114" wheelbase cars.

DESCRIPTION Braided Teflon Fuel Line



MAGNETIC DRAIN PLUG

- Traps ferrous particles and keeps them from damaging your equipment.
- · Check often to spot developing problems.

DESCRIPTION	PART #
Drain Plug - 1/2"-20	52-33300
Drain Plug - 3/8" Npt	52-33320



HOOD PIN KITS

· Includes pins, jam nuts, scuff plates, and flip style safety pins.

DESCRIPTION	PART #
Aluminum Kit - 1/2"-20 Set of 2	52-23500
Aluminum Kit - 1/2"-20 Set of 6	52-23502
Aluminum Kit - 3/8"-24 Set of 2	52-23510
Steel Kit - 3/8"-24 Set of 2	52-23600
2 Replacement Torsion Clips	52-23550



HYDRAULIC CLUTCH

- SS braided line quickly and easily connects the clutch master cylinder to the slave cylinder.
- · Comes complete with fittings for most applications.
- 36" For suspended pedals.

DESCRIPTION Hydraulic Clutch Line Kit PART # 52-28050



UNIVERSAL AIR TOOL QUICK DISCONNECT

- Connects to all 3 commonly used fittings.
- · No more switching fittings to use that new or borrowed tool.
- Female only (Sold in pairs).

DESCRIPTION Universal Air Tool Quick Dis.

PART # 52-36013



HEADER BOLTS CHEVY SMALL BLOCK

- Compact 12 point head use a 3/8" box wrench to tighten around big tubes.
- · Grade 9 alloy steel.
- 170,000 psi.

DESCRIPTION	PART #
Header Bolts	52-35600

MISCELLANEOUS



SPOILER & SPLITTER SUPPORTS

- Lightweight T6 aluminum tube with R & L threads.
- Can also be used for windshield supports.
- 6", 8", and 10" in black anodized tubes.
- Includes both flat top and button head mounting screws.
- Splitter supports have high strength steel pivot ends to help prevent breakage.

DESCRIPTION

Aluminum Support Rod 6"

Aluminum Support Rod 8"

Aluminum Support Rod 10"

Aluminum Splitter Support Rod 6"

Aluminum Splitter Support Rod 8"

Aluminum Splitter Support Rod 10'

Aluminum Spoiler Support 6"

Aluminum Spoiler Support 8"

Aluminum Spoiler Support 10"

- Ultra Lightweight Aluminum: CNC machined billet aluminum, black anodized.
- Ultra Lightweight Aluminum: high strength, lightweight tapered tube.
- Ultra Lightweight Aluminum: Bolts on easily and uses specially built aluminum heim joints to adjust for any angle.

PART #

52-23756

52-23758

52-23760

52-23776

52-23778

52-23780

52-23706

52-23708

52-23710



Length shown is the rod. Heim joints add 1" overall, pivot center-to-center. Adjustment is +1.5" beyond this. 6" support will be center-to-center min 7", max 8.5".

FENDER SUPPORT KIT

- Two flexible supports made from lightweight break resistant polymer material.
- Includes all hardware for a quick and professional installation.
- Lightweight aluminum mounts.

DESCRIPTION	PART #
Fender Support Kit	52-23720
Adjustable Fender Support Kit	52-23740
Replacement Fender Support Rods - 1 Pair	52-23744

.....

LONGACRE® RADIATOR CAPS

DESCRIPTION Radiator Cap 22 - 24 psi Radiator Cap 29 - 31 psi



Use to support Lexan[®] spoiler or use to fasten spoiler to deck lid.

DESCRIPTION Backing Disk for Spoiler

L.	V	
PART #		

52-75260

52-75265

PART #

52-23702

SHIFTER STICK

- CNC machined billet aluminum.
- Lightweight yet strong.
- To replace heavier steel original.
- Slotted bottom hole to install easier.



52-22613





Adjustable style fender support bracket comes

with 52-23740.

DESCRIPTION Shifter Stick 3"

MISCELLANEOUS



ALUMINIZED **INSULATION CLOTH**

- · Easy to work with just cut shape with scissors.
- · Good insulation for firewall, floor, and tunnel.
- Max ambient temp: 600°F.

.....

• Aluminized on one side to reflect heat, silicone coated on the other.

DESCRIPTION Aluminized Insulation Cloth 58" x 24"

52-64150

PART #

PART #



FIREBRAID™ INSULATION SLEEVING

- High temp, flexible insulating sleeving.
- Maximum Temperature: 500°F.
- · Silicon coated fiberglass braid keeps headers from burning wires.
- Plug wires, battery cables, insulates fuel and oil lines, and will not burn.

DESCRIPTION

Insulation Sleeving - 5/16 in - 36 in	52-49500
Insulation Sleeving - 5/16 in - 10 ft	52-49520
Insulation Sleeving - 3/8 in - 36 in	52-49600
Insulation Sleeving - 3/8 in - 10 ft	52-49620
Insulation Sleeving - 9/16 in - 36 in	52-49700
Insulation Sleeving - 9/16 in - 10 ft	52-49720
Insulation Sleeving - 11/16 in - 36 in	52-49750
Insulation Sleeving - 11/16 in - 10 ft	52-49770
Insulation Sleeving - 13/16 in - 36 in	52-49800
Insulation Sleeving - 13/16 in - 10 ft	52-49820
Insulation Sleeving - 15/16 in - 36 in	52-49850
Insulation Sleeving - 15/16 in - 10 ft	52-49870
Insulation Sleeving - 1-1/8 in - 36 in	52-49900
Insulation Sleeving - 1-1/8 in - 10 ft	52-49920



INSULATING FLOOR MATS

- · Specially designed • Maximum temp: for use in driver's compartment. . In the middle is a
- Made from fireproof nonasbestos heavy weight cloth.

other side.

· Eyelets in the Silicon coated corners to mount on one side and with rivets or aluminized for heat screws. reflection on the

600°F.


material.

heavy duty high temp insulation

DESCRIPTION	PART #
Floor Mat - 24" x 18"	52-64320
Floor Mat - 18" x 18"	52-64360
Floor Mat - 24" x 10"	52-64400
Floor Mat - 12" x 8"	52-64420



Not recommended for street applications.



hood temperatures.

INSULATION 'TAPE'

HEADER

- 2" x 1/16".
- 100' Roll will do for most V8 headers.
- Maximum temp: 1,250°F.

DESCRIPTION	PART #	
100' Header Insulation 'Tape'	52-64850	
50' Header Insulation 'Tape'	52-64870	
25' Header Insulation 'Tape'	52-64880	
10' x 2" x 1/32" White Insulation 'Tape'	52-64835	
50' x 2" 1/32" Insulation 'Tape'	52-64830	

STAINLESS STEEL TIES FOR HEADER TAPE, ETC.

- - · Stays tight.
- Use as a super strong wire tie.
- Heat resistant.

PART #

52-47840

- - Maximum temp: 1,250°F.

DESCRIPTION
Header Wrap Locking Ties 8", 8-Ties
Header Wrap Locking Ties 8", 12-Ties

Header Wrap Locking Ties 8", 12-Ties	52-47843
Header Wrap Locking Ties 8", 24-Ties	52-47846
Header Wrap Locking Ties 14", 4-Ties	52-47842
Header Wrap Locking Ties 14", 12-Ties	52-47845
Header Wrap Locking Ties 14", 24-Ties	52-47848



- #1 Cleaner removes dirt and leaves a glaze that cuts static and repels dust.
- #2 Polish to remove fine scratches and haze works great for polishing car paint, removing oxide and scuffs.
- #3 Polish for deeper scratches.

DESCRIPTION	PART #
Lexan™ #1 Cleaner	52-63500
Lexan [™] #2 Polish	52-63600
Lexan [™] #3 Polish	52-63700





DESCRIPTION	PART #
Longacre [®] Black Twill Hat	52-11655
Longacre [®] Pit Gear Bag	52-11911
Longacre [®] Pit Gloves	52-11208



MISCELLANEOUS

76

 Holds header insulation in place.

CAR COVERS PAVEMENT • DIRT LM • OPEN WHEEL MOD

Pavement Late Model & Open Wheel Modified

Heat reflective silver color.

- Soft liner won't scratch paint.
- Moisture resistant.
- Zippered window to get in and out.
- Will fit most Late Model cars: All Pro, ASA, and SW Series, etc.
- Eyelets along bottom to secure cover from tampering.

DESCRIPTION	PART #
Pavement Late Model Car Cover	52-11150
Dirt Late Model Car Cover	52-11152
Dirt Late Model Rear Car Cover	52-11153
Open Wheel Modified Car Cover	52-11154
Cockpit Car Cover	52-11156

Dirt Late Model

- Custom designed for Dirt Late Model race cars.
- Hood zipper allows engine work without removing cover.



COCKPIT CAR COVER

- Keeps windows & cockpit free of rain & dust.
- Eyelets along bottom to
- secure cover. • Storage bag included.
- Soft liner won't scratch windows or paint.



KEEP EVERYTHING IN ORDER AT THE TRACK OR AROUND THE SHOP WITH OUR STURDY CASES.

Sizes are approximate and are subject to minor changes.



- Matches all our other hard cases.
- Store parts neatly, not rolling around in your tool box.
- Radios, rivets, drills, stopwatches, tire gauges, durometers, etc.

PART #

52-72292

52-50522

52-50515

52-50518

52-50514

52-50512

52-50516

52-50513

52-50511

52-79019

52-72280

52-50520

52-50517

If you're looking for quality automotive tools, visit our website.