



# Instant Shudder Fixx™

**INSTANTLY eliminates torque converter lock up shudder in automatic transmissions**

LUBEGARD® Instant Shudder Fixx™ is a concentrated friction modifier formulated specifically for eliminating torque converter shudder problems. It is the #1 shudder fix used by professionals.

- » Instantly eliminates torque converter shudder and problem shifts
- » Provides 4X less wear than regular ATF
- » Safe for use in ALL automatic transmissions except Ford Type F, CVT, and DCT
- » Compatible with conventional and synthetic ATFs
- » Commonly used as a diagnostic tool to determine if a problem is fluid related or a more mechanical fix is required
- » INSTANT GRATIFICATION PRODUCT
- » **Note:** For long term transmission benefits, use LUBEGARD® Synthetic ATF Protectant (60902)



19610 »

## AVAILABILITY

| Stock No.                           | Unit Size | Case Qty |
|-------------------------------------|-----------|----------|
| 19610                               | 2oz       | 24/c     |
| 19610TL<br>TRI-LINGUAL<br>PACKAGING | 2oz       | 24/c     |
| 19680 (Clamshell)                   | 2 oz.     | 12/c     |
| 19689 (Display Box)                 | 2 oz.     | 6/c      |

19680 »



19689 »





# Lubegard® Dr. Tranny's Instant Shudder Fixx

## Safety Data Sheet

Conforms to United States OSHA 2012 HazCom

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1. Product identifier

Product name : Lubegard® Dr. Tranny Instant Shudder Fixx  
Product code : 19610, 19680, 19688, 19689

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

##### 1.2.1 Relevant identified uses

Use of the Substance/Mixture : Lubricant

##### 1.2.2 Uses advised against

No additional information available

### SECTION 2: Hazards identification

#### 2.1. Classification of the substance or mixture

Classification according to United States OSHA 2012 HazCom

##### Hazard Class

Serious Eye Damage, Category 1  
Skin Irritant, Category 2

#### 2.2. Label elements

Label elements according to United States OSHA 2012 HazCom

##### Hazard Pictograms



##### Signal Word

Danger

##### Hazard Statements

H315 – Causes skin irritation  
H318 - Causes serious eye damage

##### Precautionary Statements

###### Prevention

P264 – Wash hands after handling  
P280 - Wear protective gloves/protective clothing/eye protection/face protection

###### Response

P362 – Take off contaminated clothing and wash before reuse.  
P302+P352 - IF ON SKIN: Wash with plenty of soap and water  
P332+P313 – If skin irritation occurs: Get medical advice/attention.

# Lubegard® Dr.Tranny's Instant Shudder Fixx

## Safety Data Sheet

Conforms to United States Regulation 2012 OSHA HazCom

P305+P351+P338 - IF IN EYES: Wash cautiously for several minutes. Remove contact lenses if present and easy to do. Continue rinsing.

P310 – Immediately call a POISON CENTER or doctor/physician.

### Storage

Not applicable

### Disposal

P501 - Dispose of contents and container in accordance with all local, regional, national, and international regulations

### 2.3. Other hazards

No additional information available

### 2.4. Unknown acute toxicity

87% of the mixture consists of ingredient(s) of unknown acute toxicity

## SECTION 3: Composition/information on ingredients

### 3.1. Substance

Not applicable

### 3.2. Mixtures

| Ingredient Name  | CAS Number | Weight % | GHS – OSHA Classification  |
|--|------------|----------|--|
| Lubricating oils, refined , used   | 68476-77-7 | 30 - 60  | Not Classified   |
| Amines, C12-14-alkyl, C6-10-alkyl phosphates                                     | 68603-55-4 | 30 - 60  | Serious Eye Irritation Category 2A   |
| Zinc, bis[O,O-bis(2-ethylhexyl) phosphorodithioato-.kappa.S.,.kappa.S']-, (T-4)- | 4259-15-8  | 7 - 13   | Serious Eye Damage Category 1  |
| Ethylbenzene   | 100-41-4   | < 0.1%   | Flammable Liquid 2<br>Acute Toxicity 4 (inhalation)<br>Carcinogen Category 2 |

## SECTION 4 : First aid measures

### 4.1. Description of first aid measures

|                                       |   |
|---------------------------------------|---|
| First-aid measures after inhalation   | : If breathing is difficult, remove victim to fresh air and keep at rest in a position comfortable for breathing. Get medical advice/attention if you feel unwell.  |
| First-aid measures after skin contact | : In case of contact, immediately flush skin with plenty of water. Remove contaminated clothing and shoes. Wash contaminated clothing before reuse. Call a physician if irritation develops and persists. |
| First-aid measures after eye contact  | : In case of contact, immediately flush eyes with plenty of water. If easy to do, remove contact lenses. Immediately call a poison center/doctor.   |
| First-aid measures after ingestion    | : If swallowed, do NOT induce vomiting unless directed to do so by medical personnel. Never give anything by mouth to an unconscious person. Seek medical attention/advice if you feel unwell.            |

### 4.2. Most important symptoms and effects, both acute and delayed

|                                      |   |
|--------------------------------------|---|
| Symptoms/injuries after inhalation   | : May cause respiratory tract irritation.   |
| Symptoms/injuries after skin contact | : May cause skin irritation. Symptoms may include redness, drying , defatting and cracking of the skin.   |
| Symptoms/injuries after eye contact  | : Causes serious eye damage. Symptoms may include discomfort or pain, excessive blinking and tear production, with possible redness and swelling. |
| Symptoms/injuries after ingestion    | : Harmful if swallowed. May cause stomach distress, nausea or vomiting.   |

### 4.3. Indication of any immediate medical attention and special treatment needed

Symptoms may not appear immediately. In case of accident or if you feel unwell, seek medical advice immediately (show the label or SDS where possible).

## SECTION 5 : Firefighting measures

### 5.1. Extinguishing Media

# Lubegard® Dr.Tranny's Instant Shudder Fixx

## Safety Data Sheet

Conforms to United States Regulation 2012 OSHA HazCom

**Suitable Extinguishing Media:** Powder, water spray, foam, carbon dioxide.

**Unsuitable Extinguishing Media:** Do not use a stream of water.

### 5.2. Special Hazards Arising from the Chemical

**Fire Hazard:** May include, but are not limited to oxides of carbon, oxides of phosphorous, sulfur dioxide.

### 5.4. Special Protective Equipment and Precautions for Fire Fighters

Keep upwind of fire. Wear full fire fighting turn-out gear (full Bunker gear) and respiratory protection (SCBA).

## SECTION 6 : Accidental release measures

### 6.1. Personal precautions, protective equipment and emergency procedures

**6.1.1. For non-emergency personnel:** Use personal protection recommended in Section 8. Isolate the hazard area and deny entry to unnecessary and unprotected personnel.

**6.1.2. For emergency responders:** No additional information available.

### 6.2. Methods and material for containment and cleaning up

For containment : Contain and/or absorb spill with inert material (e.g. sand, vermiculite), then place in a suitable container. Do not flush to sewer or allow the material to enter waterways. Use appropriate Personal Protective Equipment (PPE).

Methods for cleaning up : Vacuum or sweep material and place in a disposal container. Provide ventilation.

## SECTION 7: Handling and storage

### 7.1. Precautions for safe handling

Precautions for safe handling : Avoid contact with skin and eyes. Do not swallow. Open and handle container with care. When using do not eat, drink or smoke. Do not breathe gas/fumes/vapor/spray. (See Section 8)

General hygiene advice : Launder contaminated clothing before reuse. Wash hands before eating, drinking, or smoking.

### 7.2. Conditions for safe storage, including any incompatibilities

Storage conditions : Keep out of the reach of children. Keep container tightly closed. Keep away from food, drink and animal feedingstuffs. Do not store at temperatures above 49°C (120°F) (See Section 10)

### 7.3. Specific End use(s)

Not available.

## SECTION 8: Exposure controls/personal protection

### 8.1. Control parameters

#### Exposure Guidelines

| Occupational Exposure Limits  |               |               |
|---|---------------|---------------|
| Ingredient Name   | OSHA-PEL      | ACGIH-TLV     |
| Lubricating oils, refined , used  | Not available | Not available |
| Amines, C12-14-alkyl, C6-10-alkyl phosphates                                    | Not available | Not available |
| Zinc, bis[O,O-bis(2-ethylhexyl) phosphorodithioato-.kappa.S,.kappa.S']-, (T-4)- | Not available | Not available |
| Ethylbenzene  | 100 ppm       | 20 ppm        |

### 8.2. Exposure controls

|                      |   |  |
|----------------------|---|--|
| Engineering Controls | : | Use ventilation adequate to keep exposures (airborne levels of dust, fume, vapor, etc.) below recommended exposure limits. |
|----------------------|---|--|

### 8.3. Individual Protective Measures

|                               |   |                       |
|-------------------------------|---|-----------------------|
| Personal Protective Equipment | : |                       |
| Hand protection               | : | Wear suitable gloves. |

# Lubegard® Dr.Tranny's Instant Shudder Fixx

## Safety Data Sheet

Conforms to United States Regulation 2012 OSHA HazCom

|                                    |   |   |
|------------------------------------|---|---|
| Eye protection                     | : | Wear approved eye protection (properly fitted dust-proof or splash-proof chemical safety goggles) and face protection (face shield).  |
| Skin and body protection           | : | Wear suitable protective clothing.  |
| Respiratory protection             | : | In case of insufficient ventilation, wear suitable respiratory equipment. Respirator selection must be based on known or anticipated exposure levels, the hazards of the product, and the safe working limits of the selected respirator. |
| General health and safety measures | : | Handle according to established industrial hygiene and safety practices.  |

## SECTION 9: Physical and chemical properties

### 9.1. Information on basic physical and chemical properties

|  |   |                                |
|--|---|--------------------------------|
| Appearance, physical state and color   | : | Transparent red-colored liquid |
| Odor                                   | : | Slight petroleum odor          |
| Odor threshold                         | : | No data available              |
| pH                                     | : | No data available              |
| Melting point / Freezing Point         | : | No data available              |
| Initial boiling point / Boiling range  | : | No data available              |
| Flash point                            | : | > 205°C (> 401°F)              |
| Relative evaporation rate              | : | No data available              |
| Flammability (solid, gas)              | : | Not flammable                  |
| Lower flammable / Explosive limit      | : | No data available              |
| Upper flammable / Explosive limit      | : | No data available              |
| Vapor pressure                         | : | < 0.1 mm Hg @ 25°C (77°F)      |
| Vapor density                          | : | No data available              |
| Relative density                       | : | 0.90 g/cm <sup>3</sup> @ 60°F  |
| Solubility                             | : | Insoluble                      |
| Partition coefficient: n-octanol/water | : | No data available              |
| Auto-ignition temperature              | : | No data available              |
| Decomposition temperature              | : | No data available              |
| Viscosity, kinematic                   | : | No data available              |
| Viscosity, dynamic                     | : | 60 cSt @ 40°C                  |
| Oxidizing properties                   | : | No data available              |
| Explosive properties                   | : | No data available              |

## SECTION 10: Stability and reactivity

### 10.1. Reactivity

No dangerous reaction known under conditions of normal use.

### 10.2. Chemical stability

Stable under normal storage conditions.

### 10.3. Possibility of hazardous reactions

No dangerous reaction known under conditions of normal use.

### 10.4. Conditions to avoid

Heat. Incompatible materials.

### 10.5. Incompatible materials

Strong oxidizers

### 10.6. Hazardous decomposition products

May include, but are not limited to oxides of carbon, oxides of phosphorous sulfur dioxide

## SECTION 11: Toxicological information

### 11.1. Information on toxicological effects

#### Lubegard® Dr. Tranny's Instant Shudder Fixx

|               |                       |
|---------------|-----------------------|
| LD50 oral rat | >300 but ≤ 2000 mg/kg |
|---------------|-----------------------|

# Lubegard® Dr.Tranny's Instant Shudder Fixx

## Safety Data Sheet

Conforms to United States Regulation 2012 OSHA HazCom

### Lubegard® Dr. Tranny's Instant Shudder Fixx

|                     |                   |
|---------------------|-------------------|
| LD50 dermal rabbit  | No data available |
| LC50 inhalation rat | No data available |

### Lubricating Oils, Refined, Used (68476-77-7)

|                     |                   |
|---------------------|-------------------|
| LD50 oral rat       | No data available |
| LD50 dermal rabbit  | No data available |
| LC50 inhalation rat | No data available |

### Amines, C12-14-alkyl, C6-10-alkyl phosphates (68603-55-4)

|                     |                   |
|---------------------|-------------------|
| LD50 oral rat       | No data available |
| LD50 dermal rabbit  | No data available |
| LC50 inhalation rat | No data available |

### Zinc, bis[O,O-bis(2-ethylhexyl) phosphorodithioato-.kappa.S,.kappa.S']-, (T-4)- (4259-15-8)

|                     |                   |
|---------------------|-------------------|
| LD50 oral rat       | 3100 mg/kg        |
| LD50 dermal rabbit  | >5000 mg/kg       |
| LC50 inhalation rat | No data available |

### Ethylbenzene (100-41-4)

|                     |                    |
|---------------------|--------------------|
| LD50 oral rat       | 3500 mg/kg         |
| LD50 dermal rabbit  | 15354 mg/kg        |
| LC50 inhalation rat | 17.2 mg/l, 4 hours |

| Ingredient  | Chemical Listed as a Carcinogen or Potential Carcinogen (NTP, IARC, OSHA, ACGIH, Prop 65) (See Section 15 for more information) |
|---|---|
| Lubricating oils, refined , used  | Not listed  |
| Amines, C12-14-alkyl, C6-10-alkyl phosphates                                    | Not listed  |
| Zinc, bis[O,O-bis(2-ethylhexyl) phosphorodithioato-.kappa.S,.kappa.S']-, (T-4)- | Not listed  |
| Ethylbenzene  | G-A3, 1-2B, CP65  |

#### Skin Corrosion/Irritation:

#### Serious Eye Damage/Irritation:

#### Respiratory or Skin Sensitization:

#### Germ Cell Mutagenicity:

#### Carcinogenicity:

#### Reproductive Toxicity:

#### Specific Target Organ Toxicity - Single Exposure:

#### Specific Target Organ Toxicity - Repeated Exposure:

#### Aspiration Hazard:

#### Symptoms/injuries after inhalation:

#### Symptoms/injuries after skin contact:

#### Symptoms/injuries after eye contact:

#### Symptoms/injuries after ingestion:

Causes skin irritation.

Causes serious eye damage.

Based on available data, the classification criteria are not met.

Based on available data, the classification criteria are not met.

Based on available data, the classification criteria are not met.

Based on available data, the classification criteria are not met.

Based on available data, the classification criteria are not met.

Based on available data, the classification criteria are not met.

Based on available data, the classification criteria are not met.

May cause respiratory tract irritation.

May cause skin irritation. Symptoms may include redness, drying, defatting, and cracking of the skin.

Causes serious eye damage. Symptoms may include discomfort or pain, excessive blinking and tear production, with possible redness and swelling.

May be harmful if swallowed. May cause stomach distress, nausea, or vomiting.

## SECTION 12: Ecological information

### 12.1. Ecotoxicity

Acute/Chronic Toxicity

May cause long-term adverse effects in the aquatic environment.



# Lubegard® Dr.Tranny's Instant Shudder Fixx

## Safety Data Sheet

Conforms to United States Regulation 2012 OSHA HazCom

### 12.2. Persistence and degradability

Persistence and degradability Not available

### 12.3. Bioaccumulative potential

Bioaccumulation Not available

### 12.4. Mobility in soil

Not available

### 12.5. Other adverse effects

Not available

## SECTION 13: Disposal considerations

### 13.1. Waste treatment methods

**Disposal Method:** This material must be disposed of in accordance with all local, state, provincial, and federal regulations.

**Other Disposal Recommendations:** Not available.

## SECTION 14: Transport information

In accordance with DOT

### 14.1 UN NUMBER

Not regulated

### 14.2 UN PROPER SHIPPING NAME

Not regulated

### 14.3 ADDITIONAL INFORMATION

Other information: No supplementary information available.


Special transport precautions: Do not handle until all safety precautions have been read and understood.

## SECTION 15: Regulatory information

### 15.1. Safety, health and environmental regulations/legislation specific for the chemical

**15.1.1. United States :** Safety data sheet prepared pursuant to the Hazard Communication Standard, 29 CFR 1910.1200 (2012 OSHA HazCom)

| SARA Title III   |                              |                           |                  |             |
|--|------------------------------|---------------------------|------------------|-------------|
| Ingredient Name  | Section 302 (EHS) TPQ (lbs.) | Section 304 EHS RQ (lbs.) | CERCLA RQ (lbs.) | Section 313 |
| Lubricating oils, refined used   | Not listed                   | Not listed                | Not listed       | Not listed  |
| Amines, C12-14-alkyl, C6-10-alkyl phosphates   | Not listed                   | Not listed                | Not listed       | Not listed  |
| Zinc, bis[O,O-bis(2-ethylhexyl) phosphorodithioato- $\kappa$ S, $\kappa$ S]-, (T-4)- | Not listed                   | Not listed                | —                | 313         |
| Ethylbenzene   | Not Listed                   | Not Listed                | 1000             | 313         |

| State Regulations  |
|--|
| <b>California Proposition 65:</b>  |
|  WARNING: This product can expose you to ethyl benzene, which is known to the State of California to cause cancer. For more information, go to <a href="http://www.P65Warnings.ca.gov">www.P65Warnings.ca.gov</a> . |

| Ingredient Name                | USA TSCA |
|--------------------------------|----------|
| Lubricating oils, refined used | Yes      |

# Lubegard® Dr.Tranny's Instant Shudder Fixx

## Safety Data Sheet

Conforms to United States Regulation 2012 OSHA HazCom

|   |     |
|---|-----|
| Amines, C12-14-alkyl, C6-10-alkyl phosphates                                    | Yes |
| Zinc, bis[O,O-bis(2-ethylhexyl) phosphorodithioato-.kappa.S,.kappa.S']-, (T-4)- | Yes |
| Ethylbenzene  | Yes |

| NFPA - National Fire Protection Association |   |
|---|---|
| Health:                                     | 2 |
| Fire:                                       | 1 |
| Reactivity:                                 | 1 |

Hazard Rating: 0 = minimal, 1 = slight, 2 = moderate, 3 = severe, 4 = extreme

| HMIS – Hazardous Materials Identification System |   |
|--|---|
| Health:  | 2 |
| Fire:  | 1 |
| Reactivity:                                      | 1 |

Hazard Rating: 0 = minimal, 1 = slight, 2 = moderate, 3 = severe, 4 = extreme

### SOURCE AGENCY CARCINOGEN CLASSIFICATIONS:

**CP65**                **California Proposition 65**

**OSHA**                **Occupational Safety and Health Administration.**

**ACGIH**                **American Conference of Governmental Industrial Hygienists.**

- A1 - Confirmed human carcinogen.
- A2 - Suspected human carcinogen.
- A3 - Animal carcinogen.
- A4 - Not classifiable as a human carcinogen.
- A5 - Not suspected as a human carcinogen.

**IARC**                **International Agency for Research on Cancer.**

- 1 - The agent (mixture) is carcinogenic to humans.
- 2A - The agent (mixture) is probably carcinogenic to humans; there is limited evidence of carcinogenicity in humans and sufficient evidence of carcinogenicity in experimental animals.
- 2B - The agent (mixture) is possibly carcinogenic to humans; there is limited evidence of carcinogenicity in humans in the absence of sufficient evidence of carcinogenicity in experimental animals.
- 3 - The agent (mixture, exposure circumstance) is not classifiable as to its carcinogenicity to humans.
- 4 - The agent (mixture, exposure circumstance) is probably not carcinogenic to humans.

**NTP**                **National Toxicology Program.**

- 1 - Known to be carcinogens.
- 2 - Reasonably anticipated to be carcinogens.

### SECTION 16: Other information

**Date of Preparation:**                February 7, 2014

**Version:**                                1.3

**Revision Date:**                        July 18, 2018

**Disclaimer:** We believe the statements, technical information and recommendations contained herein are reliable, but they are given without warranty or guarantee of any kind. The information contained in this document applies to this specific material as supplied. It may not be valid for this material if it is used in combination with any other materials. It is the user's responsibility to satisfy oneself as to the suitability and completeness of this information for the user's own particular use.