## 43013 VACUUM-TYPE COOLING SYSTEM FILLER KIT


### **FEATURES:**

- Significantly shortens time for refilling new coolant by creating a vacuum in the cooling system
- No need to undergo the time-consuming air bleeding
- Minimizes the risks of engine overheating

## **SAFETY WARNING AND PRECAUTIONS:**



- · Never change coolant when it is hot
- Wear goggles and gloves during operation





# **PRODUCT PARTS:**

- A. Gauge
- B. Hook
- C. Air Valve
- D. Air Connector
- F. Air Switch
- E. Coolant Valve
- G. Exhaust Connector
- H. Coolant Hose Connector
- I. Universal Radiator Adapter

# **OPERATING INSTRUCTIONS:** CREATE A VACUUM

- 1. Drain coolant from the radiator.
- 2. Hook the gauge underneath the car's hood.
- 3. Connect an air line to Air Connector (D).
- Connect the proper adapter or use the Universal Radiator Adapter (I) provided onto the radiator filler neck (as in Figure 1).



FIGURE 1

5. Toggle the Air Switch (E) to the ON position and open the Air Valve (C), while Coolant Valve (F) remains off, to create a vacuum in the cooling system (as in Figure 2).




FIGURE 2

- 6. When the pressure falls into the range between -50 and -60 cmHg (-20 and -25 inHg), close the Air Valve (C) and toggle the Air Switch (E) to the OFF position.
- Leave the gauge on the radiator for approximately 10 minutes to check if there are leaks in the cooling system before refilling new coolant.

#### REFILL NEW COOLANT

- 8. Connect the Coolant Hose to the Coolant Hose Connector (H).
- Put the other end of the hose into a container filled with pre-mixed new coolant.
- Open the Coolant Valve (F) (while the Air Valve (C) is closed and the Air Switch (E) remains OFF), coolant will flow into the radiator immediately (as in Figure 3).
- 11. The refilling process is completed when the gauge reads zero.
- 12. Before putting the gauge back to the case, remove the residual coolant in the gauge.



FIGURE 3

<sup>⚠</sup> WARNING: This product can expose you to chemicals including lead and Di (2-ethylhexyl) phthalate, which are known to the State of California to cause cancer and birth defects or other reproductive harm.