Safety Data Sheet (SDS) NANOSKIN SPEEDY BRITE Organic Wheel & Tire Acid Cleaner



1. PRODUCT AND COMPANY IDENTIFICATION

1.1 Product identifiers

Product name Product identifier Product Family NANOSKIN SPEEDY BRITE Organic Wheel & Tire Acid Cleaner

uct identifier : NA-SBE

Product Family : Aqueous mixture

1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified Uses : Automotive body detailing

:

1.3 Details of the supplier of the safety data sheet

Company

NANOSKIN Car Care Products Total Import Solutions, Inc.

2. HAZARDS IDENTIFICATION

2.1 Classification of the substance or mixture

GHS Classification in accordance with 29 CFR 1910(OSHA HCS)

H302- Harmful if swallowed

H314 - Causes severe skin burns and eye damage

H318 - Causes serious eye damage

H301 Toxic if swallowed.

Precautionary Statements

P260 - Do not breathe mist, vapours, spray

P264 Wash skin thoroughly after handling.

P270 Do not eat/drink/smoke while using product.

P273 Avoid release to the environment.

P280 Wear eye protection.

P301 + P312 + P330 IF SWALLOWED: Call a POISON CENTER or doctor/ physician if you feel unwell. Rinse mouth. P302 + P352 + P312 IF ON SKIN: Wash with plenty of soap and water. Call a POISON CENTER or doctor/ physician if you feel unwell.

P304 + P340 + P312 IF INHALED: Remove person to fresh air and keep comfortable for breathing. Call a POISON CENTER or doctor/ physician if you feel unwell.

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P332 + P313 If skin irritation occurs: Get medical advice/ attention.

P337 + P313 If eye irritation persists: Get medical advice/ attention.

2.2 GHS Label elements, including precautionary statements SIGNAL WORD: WARNING



3. COMPOSITION/INFORMATION ON INGREDEINTS

Component	CAS number	Warnings	Concentration
WATER	7732-18-5		75-80%
Phosphoric acid	7664-38-2		10-15%
Citric Acid	77-92-9		1-5%
Ammonium Biflouride	1341-49-7		1-5%
1, 1'-oxybisbenzene Tetrapropylene Derivs., Sulfonated, Sodium Salt	119345-04-9		1-3%
2-Butoxy Ethanol	111-76-2		1-5%

4. FIRST AID MEASURES

First aid procedures INHALATION:

Remove from exposure and get fresh air. Keep warm and at rest. Get medical attention immediately if artificial respiration is required.

SKIN CONTACT:

Remove contaminated clothing, jewelry and shoes immediately. Flush affected area with large amounts of water, then use soap or mild detergent and large amounts of water for 15-20 minutes to cleanse area. If skin is severely irritated or burned, get medical attention immediately.

EYE CONTACT:

Immediately flush eyes with large amounts of water occasionally lifting upper and lower lids for at least 15 minutes. Get immediate medical attention.

INGESTION

Rinse mouth with water. DO NOT INDUCE VOMITING unless instructed to by medical personnel. If vomiting occurs keep head lower than hips to help prevent aspiration. If person is unconscious, do not induce vomiting; turn their head to the side. Never make an unconscious person vomit or drink fluids. Get medical attention.

5. FIRE FIGHTING MEASURES		
Flashpoint: 100C/212F		
Lower explosion limit: Not ap	oplicable	
Upper explosion limit: Not ap		
Self ignition: Not applicable		
Ignition temperature: not test		
	lucts: carbon oxides, carbon monoxide, corrosive vapors. spray jet, alcohol-resistant foam, carbon dioxide, dry powder.	
	ng apparatus and other protective clothing.	
6. ACCIDENTAL RELEASE MEASU	RES	
Personal Precautions	Use the Personal protective Equipment recommended in Section 8 of this SDS	
Environmental Precaution	ns Spilled product may present a slipping hazard or result in unintended	
	fumes. Please absorb excess, rinse area and ensure adequate ventilation.	
Methods for Containments		
and Clean-up	Isolate area; keep unnecessary personnel away. Do not discharge into drains.	
	Ventilate closed spaces before entering. Prevent further leakage or spillage if	
	safe to do so. Prevent entry into waterways, sewers, basements or confined	
	areas. Wear appropriate protective equipment and clothing during cleanup. Use	
	a non-combustible material like vermiculite, sand or earth to soak up the	
	product and place into a container for later disposal.	
7. HANDLING AND STORAGE		
Handling	Do not get in eyes, on skin, or on clothing. Do not breathe vapor. Keep	
contai	iner closed. Promptly clean up spills. Wash thoroughly after handling.	
Storage	Store with caution. Do not store in temperatures above 120F. Bottle/container	
may s	well and or fumes accumulate. Store in adequate ventilation.	
8. EXPOSURE CONTROLS/PERSO		
Exposure Guideline Comments	Exposure Limits:	
PHOSPHORIC ACID	USA OSHA OSHA PEL (TWA) (mg/m ³) 1 mg/m ³	
Ammonium bifluoride	1341-49-7 TWA 2.500000 mg/m3 USA. Occupational Exposure Limits (OSHA) -	
	Z-1 Limits for Air Contaminants	
119345-04-9	Product Rohm and Haas TWA Respirable fraction. 1 mg/m3	
2-Butoxyethanol	111-76-2 TWA 20.000000 ppm USA. ACGIH Threshold Limit Values (TLV)	
Eye/Face Protection	Wear safety-glasses. Do not inhale. Use adequate ventilation.	
Skin Protection	Wear gloves while in use.	
Respiratory Protection	Niosh approved respirator for airborne particles if adequate ventilation not	
presei		
General Hygiene Considerations	Treat products as sum of its components. Oxides and particulate matter may	
	e lungs. Wash hands before and after use and before smoking eating or	
drinking.		
9. PHYSICAL AND CHEMICAL PRO	JPEKIIES	

Physical State

liquid

Appearance	purple
Particle Size	liquid
	•
Odor	FRAGRANT
Odor Threshold	No Available Data
Molecular Formula	Mixture
Molecular Weight	Mixture
Boiling Point	180F
Decomposition Temperature	No Available Data
Melting point	32F
Freezing Point	32F
Relative Density	.97g/cm3
Bulk Density	No Available Data
Solubility in Water	100%
Solubility in other liquids	No Available Data
рН	4
Flash point	No Available Data
10. STABILITY AND REACTIVITY	
Chemical Stability	Stable under normal conditions.
Conditions to Avoid	Avoid extreme temperatures.
Hazardous Decomposition	
Products	carbon oxides, sodium oxides, corrosive vapors
Possibility of Hazardous	

Do not bring into contact with oxidizers, ammoniac compounds, caustic	
compounds or aluminum.	

11. TOXICOLOGICAL INFORMATION		
2-Butoxy Ethanol	LD50 Oral - Rat - male - 880 mg/kg (OECD Test Guideline 401)	
119345-04-9	Acute oral toxicity LD50 rat female > 2,000 mg/kg	
Citric Acid	LD50 oral rat 5400 mg/kg	
Phosphoric Acid	LD50 oral rat ≥ 90000 mg/kg	

Skin Irritation/Corrosion May be irritating to skin. Eye Irritation/Corrosion May cause eye irritation/damage. Effects of Short-Term (Acute) Exposure No data available. Inhalation No data available. Ingestion No data available.

Reactions

•	lestructive to tissue of the mucous membranes and upper respiratory tract, eyes, and s of breath, Headache, Nausea
12. ECOLOGICAL TOXICITY	
General Comments	
<u>2-Butoxy Ethanol</u>	Toxicity to fish static test LC50 - Oncorhynchus mykiss (rainbow trout) - 1,474 mg/l - 96 h (OECD Test Guideline 203)
<u>119345-04-9</u>	No Data Available

LC50 fishes 1 440 mg/l EC50 Daphnia 1 1534 mg/l LC50 fishes 1 138 mg/l (96 h; Pisces; PURE SUBSTANCE)

13. DISPOSAL CONSIDERATIONS

Dispose of in accordance with federal, provincial and local government regulations. Containers should NOT be reused. Containers should be disposed of in accordance with government guidelines.

14. TRANSPORT INFORMATION

Shipping Information

Phosphoric acid solution. 8-ckass 8 corrosive material 49 CFR 173.136

8-CORROSIVE SUBSTANCES

UN-No.(DOT) 1805

UN1805

Citric Acid

Phosphoric Acid

Ship in accordance with 49 CFR parts 100-185. Non-hazardous for air, sea and road freight.
Special Shipping Information
Not applicable.
NFPA/HMIS
2 HEALTH
0 FLAMMABILITY
0 REACTIVITY

15. REGULATORY INFORMATION

United States SARA 313 Components The following components are subject to reporting levels established by SARA Title III, Section 313: 2-Butoxyethanol CAS-No. 111-76-2 Revision Date 1993-04-24 SARA Section 311/312 Hazard Classes Immediate (acute) health hazard Phosphoric Acid, 10% v/v California Product is not known, at this time, to contain any California prop 65 materials. SARA 311/312 Hazards **Acute Health Hazard Massachusetts Right To Know Components** Ammonium bifluoride CAS-No. 1341-49-7 Revision Date 1993-04-24 2-Butoxyethanol CAS-No. 111-76-2 Revision Date 1993-04-24 Pennsylvania Right To Know Components Ammonium bifluoride CAS-No. 1341-49-7 Revision Date 1993-04-24 2-Butoxyethanol CAS-No. 111-76-2 Revision Date 1993-04-24 **New Jersey Right To Know Components** Ammonium bifluoride CAS-No. 1341-49-7 Revision Date 1993-04-24 2-Butoxyethanol CAS-No. 111-76-2 Revision Date 1993-04-24 California Prop. 65 Components This product does not contain any chemicals known to State of California to cause cancer, birth defects, or any other reproductive harm. **16. OTHER INFORMATION**

SDS Prepared by

Total Import Solutions, Inc. dba NANOSKIN Car Care Products

This health and safety information is correct to the best of our knowledge and belief at the date of its publication, but we cannot accept liability for any loss, injury or damage which may result from its use. We shall ensure, so far as is reasonably practicable, to maintain revised copies of this information to be requested. When applicable, revised copies shall be sent to customers whom have been directly supplied with this substance. It must be known that it is the responsibility of any intermediate supplier to ensure that such revision is passed to the user. The information given in the Data Sheet is designed only as guidance for safe handling, storage and the use of the substance. It is not a specification nor does it guarantee any specific properties. All chemicals should be handled only be competent personnel, within a controlled environment. Should further information be required, this can be obtained through the sales office whose address is at the top of this sheet.