OTC

LUBRICATION SERVICE

If it moves, grease it.

Keep it moving, smoothly Grease Guns, Barrel/Bucket Pumps and Accessories

From ball joints to control arms and tie rods, the grease fitting has made a comeback, meaning more opportunity for failure. Keep your customer's car moving smoothly with OTC's new line of lubrication service products. Universal adapters, flexible hoses and even a mini gun get the grease where it's needed, while a 3-jaw locking coupler helps prevent getting it where it's not.

A series of drum, bucket and transfer pumps makes easy work of transporting various oils and other shop and vehicle fluids.









LIBRICATION SERVICE

Grease Guns



2300 PROFESSIONAL LEVER GREASE GUN

- Heavy duty die cast aluminum grease gun head.
- Grease gun head fitted with automatic air bleeder.
- Large diameter piston for working in cold.
- Built-in variable stroke for greasing fittings with limited access.
- Includes 6" bent steel extension, easy access 24" high pressure hose and 3 jaw slim coupler.
- / 10,000 PSI.
- For use with 14 oz. grease cartridge.



2302 "MINI" LEVER GREASE GUN

- Die cast aluminum grease gun head.
- Lever action with best in class performance, delivers 6000 PSI.
- Includes bent 6" steel extension with 3 jaw slim coupler.
- ✓ For use with 3 oz. grease cartridge.



2304 PROFESSIONAL PISTOL GREASE GUN

- Heavy duty die cast aluminum grease gun head with integrated die cast fixed handle.
- Grease gun head fitted with automatic air bleeder.
- Large diameter piston for working in cold.
- Built-in variable stroke for greasing fittings with limited access.
- Includes 4" straight steel extension, easy access 24" high pressure grease hose and 3 jaw slim coupler.
- √ 7500 PSI.
- For use with 14 oz. grease cartridge.



2310 AIR OPERATED GREASE GUNCONTINUOUS FLOW

- Heavy duty die cast aluminum grease gun head.
- Grease gun head fitted with automatic air bleeder.
- Larger pumping chamber, honed for rapid operation.
- Includes 6" bent steel extension, easy access 24" high pressure grease hose and 3 jaw slim coupler.
- ✓ 4800 PSI.

For use with 14 oz. grease cartridge.



LUBRICATION SERVICE

Grease Guns and Accessories



2332 QUICK CONNECT GREASING ACCESSORY KIT

- 7 piece Quick Connect Greasing Accessory Kit
- Includes 1 each of the following quick connect

Accessories:

- 1. Recessed lube adapter.
- 2. Angle lube adapter.
- 3. Narrow needle nose adapter.
- 4. Seal off dispenser.
- 5. Right angled grease coupler.
- 6. Heavy duty hose fitted with spring guard and slim coupler.
- 7. Grease injector needle 1.42" long x 18G.



2340 HEAVY DUTY GREASE GUN HOLDER

- Great grease gun storage accessory.
- Can be mounted to walls, machinery, or heavy equipment.
- Design to retain your grease gun in high vibration environments.
- Works with all standard 14 oz. grease guns and 16 oz. suction guns.



2334 GREASE FITTING UNBLOCKER

- Opens clogged grease fittings and loosens hardened grease joints.
- Comes with grease coupler.
- Includes flexible hose to reach difficult areas.
- Built in hand guard for safe usage.
- Includes two spare piston seals.

ACCESSORIES

	2320	Slim Coupler
	2322	Right Angle Grease Coupler
	2325	14 inch Grease Gun Hose
	2326	24 inch Grease Gun Hose
	2327	Narrow Needle Nose Dispenser
2	2328	Grease Injector Needle
N TO THE REAL PROPERTY.	2330	SAE Grease Fitting Assortment kit (80 piece)



LUBRICATION SERVICE

ARAL SAAA

Barrel/Bucket Pumps



2350 LEVER ACTION DRUM PUMP

- Lever Action Drum Pump
- ✓ Fits 15 55 gallon drums.
- Telescoping suction tube.
- 3 Position Handle for different fluid viscosity.
- Extra tall pump cylinder allows smaller bucket to be placed under spout.
- Brass piston rings for extended wear resistance.
- Threaded outlet spout for use with common hoses.
- Up to 14 oz. / stroke.
- For use with oil based fluids, heating oils, motor oils, heavy and light oils, diesel and kerosene.



2355 PROFESSIONAL ROTARY DRUM PUMP

- Professional pump with die cast aluminum body and zinc rotor and vanes.
- ✓ Fits 15 55 gallon drums.
- Includes 3 piece threaded suction tube.
- Horizontal pump outlet connects to a filter or meter.
- ✓ Up to 7 oz. / rotation.
- For use with lubricating oils, diesel, gasoline, kerosene etc.



2352 LEVER ACTION BUCKET PUMP

- Fits 5 gallon pails.
- Includes 12" drum cover.
- 3 position handle for different fluid viscosity.
- Steel discharge spout.
- Supplied with 5' hose.
- ✓ Up to 4.6 oz. / stroke.
- For use with transmission differentials and heavier oils.



2359 SUCTION OIL GUN

- For use with gear oils to get them both into/out of gear boxes, transfer cases and differentials.
- 16 oz capacity and 14" hose.



2357 BRASS TRANSFER PUMP

- Drain oil from crankcase or ATF through dipstick tube from underhood – not undercar.
- Pumps 3.2 oz per stroke.