




POWERTRAX[®]

EXTREME TRACTION SYSTEMS



POWERTRAX[®]
No-Slip Traction System™



**LOCK
RIGHT[®]**
POWERTRAX

Application Guide



POWERTRAX® *No-Slip Traction System™*

With the **Powertrax® No-Slip Traction System**, you can unleash your performance vehicle's maximum power or give your truck /SUV the ability to get you just about anywhere. Whether you want the added safety of high traction for everyday street use or extreme traction for the most demanding applications, the No-Slip advantage is just a simple upgrade away. Precision synchronization control provides exceptionally smooth and quiet operation. There are no friction clutches to wear out and no special lubricants required. Installs easily in about an hour with no special tools or setup needed. Easily converts your "open", limited-slip or locking differential for superior traction output.



LOCK RIGHT® **POWERTRAX**

Powertrax® Lock-Right Lockers are brute force devices for rugged truck applications. They provide the best value for greatly increasing the traction of 2-wheel drive and 4x4 trucks and Jeeps. Lock-Right is the first design not requiring complete replacement of the differential case assembly. Installation is simple because the ring and pinion setups are not altered. Installs easily in rear axle, front axle, or both front and rear. Best suited for extreme off-road to severe on-road use.



SECTION III Contents

EXTREME TRACTION SYSTEMS!



- Brute force for rugged applications - on & off-road
- Best value for increasing traction in 2 & 4 WD vehicles
- Positive Traction, Full Locker



- Smooth, quiet operation - fully automatic
- Ultimate traction for 2 & 4 WD vehicles
- Ideal for both street & off-road
- Positive Traction, Full Locker

CONTENTS	PAGE
No-Slip and Lock-Right Model Listing	4
Application Guide by Vehicle, Model, and Year.....	5-33
Front Axle Application Information	34
FAQ	34-35
Installation overview	36
Warnings and Cautions	37

Model Listing

MFG	Size	Axle Code	Spline	Type	Spec Note	PowerTrax	Lock Right
AMC	8.875	AMC-20	29	OPEN		92-0120-2900	1710-LR
AMC	8.875	AMC-20	29	TRAC-LOK		92-0120-2920	
CHRY	8.250		27	OPEN		92-0382-2705	1230-LR
CHRY	8.250		27	TRAC-LOK		92-0382-2725	
CHRY	8.250		29	OPEN		92-0382-2905	
CHRY	8.250		29	TRAC-LOK		92-0382-2925	
CHRY	8.750		30	OPEN			1240-LR
CHRY	9.250		31	OPEN		92-0392-3105	1220-LR
CHRY	9.250		31	TRAC-LOK		92-0392-3125	
CHRY			"POWER WAGON, WC, M"				1210-LR
DANA	7.750	MODEL-25	10	OPEN			2110-LR
DANA	7.200	MODEL-27	10	OPEN			2115-LR
DANA	6.625	MODEL-28	23	OPEN			2116-LR
DANA	7.200	MODEL-30	27	OPEN		92-0430-2700	2210-LR
DANA	7.565	MODEL-35	27	OPEN	NON C CLIP	92-0435-2700	2310-LR
DANA	7.565	MODEL-35	27	OPEN	IFS	92-0435-2701	2310-LR
DANA	7.565	MODEL-35	27	OPEN	IFS & ABS	92-0435-2702	2311-LR
DANA	7.565	MODEL-35	27	OPEN	C CLIP	92-0435-2705	2310-LR
DANA	7.565	MODEL-35	27	OPEN	C CLIP & ABS	92-0435-2706	2311-LR
DANA	7.565	MODEL-35	27	OPEN	TRAC-LOK NON C CLIP	92-0435-2720	
DANA	7.565	MODEL-35	27	OPEN	TRAC-LOK C CLIP	92-0435-2725	
DANA	8.500	MODEL-44	19	OPEN			2413-LR
DANA	8.500	MODEL-44	27	OPEN		92-0444-2700	2414-LR
DANA	8.500	MODEL-44	30	OPEN		92-0444-3000	2410-LR
DANA	8.500	MODEL-44	10	OPEN			2415-LR
DANA	8.500	MODEL-44	10	OPEN			2416-LR
DANA	8.500	MODEL-44	30	OPEN		92-0444-3001	2410-LR
DANA	8.500	MODEL-44	30	TRAC-LOK		92-0444-3020	
DANA	9.000	MODEL-50	30	OPEN			2510-LR
DANA	9.000	MODEL-50	30	OPEN			2510-LR
DANA	9.750	MODEL-60	30	OPEN	NON C CLIP	92-0460-3000	2610-LR
DANA	9.750	MODEL-60	30	OPEN	C CLIP	92-0460-3005	2610-LR
DANA	9.750	MODEL-60	30	TRAC-LOK	NON C CLIP	92-0460-3020	
DANA	9.750	MODEL-60	30	TRAC-LOK	C CLIP	92-0460-3025	
DANA	9.750	MODEL-60	32	OPEN		92-0460-3200	
DANA	9.750	MODEL-60	32	TRAC-LOK		92-0460-3220	
DANA	9.750	MODEL-60	35	OPEN		92-0460-3500	2620-LR
DANA	9.750	MODEL-60	35	TRAC-LOK		92-0460-3520	
DANA	10.500	MODEL-70	32	OPEN		92-0470-3200	2711-LR
DANA	10.500	MODEL-70	35	OPEN		92-0470-3500	2710-LR
DANA	11.250	MODEL-80	35	OPEN		92-0480-3500	2810-LR
DANA	11.250	MODEL-80	37	OPEN		92-0480-3700	2811-LR
FORD	7.500		28	OPEN		92-0675-2805	1830-LR
FORD	8.000		28	OPEN		92-0680-2800	1810-LR
FORD	8.800	3/4 SHAFT	28	OPEN		92-0688-2807	1820-LR
FORD	8.800	3/4 SHAFT	28	TRAC-LOK		92-0688-2827	
FORD	8.800	3/4 SHAFT	31	OPEN		92-0688-3107	1821-LR
FORD	8.800	7/8 SHAFT	31	OPEN		92-0688-3108	1822-LR
FORD	8.800	3/4 SHAFT	31	TRAC-LOK		92-0688-3127	
FORD	8.800	7/8 SHAFT	31	TRAC-LOK		92-0688-3128	
FORD	9.000		28	OPEN		92-0690-2800	1810-LR
FORD	9.000		31	OPEN		92-0690-3100	1810-LR
FORD	9.000		35	OPEN		92-0690-3500	
FORD	9.750		34	OPEN		92-0697-3405	
FORD	10.250		35	OPEN			1840-LR
FORD	10.500	3 PINION	35	OPEN		92-0605-3500	
GM	7.200		26	OPEN	IFS		1935-LR
GM	7.500	10 BOLT	26	OPEN		92-0775-2605	1930-LR
GM	7.625	10 BOLT	26	OPEN		92-0776-2605	1932-LR
GM	7.625	10 BOLT	28	OPEN		92-0776-2805	1931-LR
GM	8.200	10 BOLT	28	OPEN	B.O.P.	92-0782-2801	
GM	8.200	10 BOLT	28	OPEN		92-0782-2805	1940-LR
GM	8.500	10 BOLT	28	OPEN		92-0785-2805	1920-LR
GM	8.500	10 BOLT	30	OPEN		92-0785-3005	1921-LR
GM	8.600	10 BOLT	30	OPEN		92-0786-3005	
GM	8.875	12 BOLT	30	OPEN		92-0788-3005	1910-LR
GM	9.200	14 BOLT	33	OPEN	IFS	92-0792-3301	1950-LR
GM	9.500	14 BOLT	33	OPEN		92-0795-3305	1950-LR
GM	10.500	14 BOLT	30	OPEN		92-0705-3000	1955-LR
NISSAN	9.100	H 233	31	OPEN			3220-LR
NISSAN		C200K		OPEN		92-1480-3100	
SUZUKI	6.900		26	OPEN	SAMURAI		1510-LR OR 1530-LR
SUZUKI	6.900		26	OPEN	SIDEKICK		1512-LR OR 1532-LR
TOYOTA	7.500		27	OPEN			1611-LR
TOYOTA	8.000	2 PINION	30	OPEN	PRE - 95	92-2080-3001	1610-LR
TOYOTA	8.000	2 PINION	30	OPEN	TACOMA	92-2080-3002	1615-LR
TOYOTA	8.000	4 PINION	30	OPEN			1620-LR
TOYOTA	8.875	12 BOLT	10	OPEN	LAND CRUISER	92-2088-1005	1631-LR
TOYOTA	8.875	12 BOLT	30	OPEN	LC FRONT	92-2088-3001	

Application Guide

LOCK RIGHT
Open Case

POWERTRAX
Open Case

POWERTRAX
For Posi Case

BUICK® RANIER

2004-2007 - GM 8" MIDSIZE TRUCK & SUV - REAR

n/a

n/a

n/a

CADILLAC® ESCALADE (a) 2007 & newer requires change to 2000.5-2006 model case sold separately

1999-2000 - GM 10 BOLT 8.5" - 30 SPLINE AXLES - REAR

1921-LR

92-0785-3005

n/a

2002-2006 - GM 10 BOLT 8.6" - 30 SPLINE AXLES - REAR

n/a

92-0786-3005

n/a

2007-UP - GM 10 BOLT 8.6" - 30 SPLINE AXLES - REAR

n/a

92-0786-3005 (a)

n/a

2007-UP - 14 BOLT 9.5" - REAR

1950-LR

92-0795-3305

n/a

CHEVROLET® ASTRO (a) fits equal opening 7.5" case - for unequal opening 7.625" case use 1932-LR. (b) fits equal opening 7.5" case - for unequal opening 7.625" case use 92-0776-2605

1985-1989 - GM 10 BOLT 7.5" - 26 SPLINE AXLES - REAR

1930-LR (a)

92-0775-2605 (b)

n/a

1990-2005 - GM 10 BOLT 7.625" - 28 SPLINE AXLES - REAR

1931-LR

92-0776-2805

n/a

CHEVROLET® AVALANCHE 1500 (a) 2007 & newer requires change to 2000.5-2006 model case sold separately

2002-2006 - GM 10 BOLT 8.6" - 30 SPLINE AXLES - REAR

n/a

92-0786-3005

n/a

2007-UP - GM 10 BOLT 8.6" - 30 SPLINE AXLES - REAR

n/a

92-0786-3005 (a)

n/a

CHEVROLET® AVALANCHE 2500

2002-UP - 14 BOLT 9.5" - REAR

1950-LR

92-0795-3305

n/a

2002-2006 - 14 BOLT 10.5" - REAR

1955-LR

92-0705-3000

n/a

CHEVROLET® BLAZER - FULL SIZE

1969-1982 - GM 12 BOLT 8.875" TRUCK - REAR

1910-LR

92-0788-3005

n/a

1982-1988 - GM 10 BOLT 8.5" - 28 SPLINE AXLES - REAR

1920-LR

92-0785-2805

n/a

1988-1994 - GM 10 BOLT 8.5" - 30 SPLINE AXLES - REAR

1921-LR

92-0785-3005

n/a

CHEVROLET® BLAZER - S10

1983-1989 - GM 10 BOLT 7.5" - 26 SPLINE AXLES - REAR

1930-LR (a)

92-0775-2605 (b)

n/a

1988-2005 - GM 10 BOLT 7.625" - 28 SPLINE AXLES - REAR

1931-LR

92-0776-2805

n/a

1995-2001 - GM 10 BOLT 8.5" - 30 SPLINE AXLES - REAR

1921-LR

92-0785-3005

n/a

2002-2005 - GM 10 BOLT 8.6" - 30 SPLINE AXLES - REAR

n/a

92-0786-3005

n/a

CHEVROLET® COLORADO (a) 2007 & newer requires change to 2000.5-2006 model case sold separately

2004-UP - GM 8" MIDSIZE TRUCK & SUV - REAR

n/a

n/a

n/a

2009-UP - GM 10 BOLT 8.6" - 30 SPLINE AXLES - REAR

n/a

92-0786-3005 (a)

n/a

CHEVROLET® PICKUP - C/K10

1955-1962 - GM CORP 9.375" - REAR

n/a

n/a

n/a

1963-1982 - GM 12 BOLT 8.875" TRUCK - REAR

1910-LR

92-0788-3005

n/a

1982-1988 - GM 10 BOLT 8.5" - 28 SPLINE AXLES - REAR

1920-LR

92-0785-2805

n/a

1988-1999 - GM 10 BOLT 8.5" - 30 SPLINE AXLES - REAR

1921-LR

92-0785-3005

n/a

1988-1999 - 14 BOLT 9.5" - REAR

1950-LR

92-0795-3305

n/a

CHEVROLET® PICKUP - SILVERADO 1500 (a) 2007 & newer requires change to 2000.5-2006 model case sold separately

1999-2006 & 2007 'CLASSIC' - GM 10 BOLT 8.6" - 30 SPLINE AXLES - REAR

n/a

92-0786-3005

n/a

2007-UP - GM 10 BOLT 8.6" - 30 SPLINE AXLES - REAR

n/a

92-0786-3005 (a)

n/a

1999-UP - 14 BOLT 9.5" - REAR

1950-LR

92-0795-3305

n/a

CHEVROLET® PICKUP - SILVERADO 1500HD

2001-2007 - 14 BOLT 9.5" - REAR

1950-LR

92-0795-3305

n/a

CHEVROLET® PICKUP - C/K20

1963-1967 - GM CORP HO72 - REAR

n/a

n/a

n/a

1968-1972 - DANA 60 - 30 SPLINE AXLES - FULL FLOAT - REAR

2610-LR

92-0460-3000

92-0460-3020

1973-1987 - 14 BOLT 10.5" - REAR

1955-LR

92-0705-3000

n/a

1981-1987 - 14 BOLT 9.5" - REAR

1950-LR

92-0795-3305

n/a

CHEVROLET® PICKUP - R/V2500

1988-1989 - 14 BOLT 9.5" - REAR

1950-LR

92-0795-3305

n/a

1988-1989 - 14 BOLT 10.5" - REAR

1955-LR

92-0705-3000

n/a

Application Guide

LOCK RIGHT
Open Case

POWERTRAX
Open Case

POWERTRAX
For Posi Case

CHEVROLET® PICKUP - C/K 2500

1988-2000 - 14 BOLT 9.5" - REAR	1950-LR	92-0795-3305	n/a
1988-2000 - 14 BOLT 10.5" - REAR	1955-LR	92-0705-3000	n/a

CHEVROLET® PICKUP - SILVERADO 2500

1999-2004 - 14 BOLT 9.5" - REAR	1950-LR	92-0795-3305	n/a
1999-2004 - 14 BOLT 10.5" - REAR	1955-LR	92-0705-3000	n/a
1999-2004 - AAM 14 BOLT 11.5" - REAR	n/a	n/a	n/a

CHEVROLET® PICKUP - SILVERADO 2500HD

2001-2005 - 14 BOLT 9.5" - REAR	1950-LR	92-0795-3305	n/a
2001-2006 & 2007 'CLASSIC' - 14 BOLT 10.5" - REAR	1955-LR	92-0705-3000	n/a
2001-2006 & 2007 'CLASSIC' - AAM 14 BOLT 11.5" - REAR	n/a	n/a	n/a
2007-UP - 14 BOLT 10.5" - REAR	1955-LR	92-0705-3000	n/a
2007-UP - AAM 14 BOLT 11.5" - REAR	n/a	n/a	n/a

CHEVROLET® PICKUP - C/K30

1973-1987 - 14 BOLT 10.5" - REAR	1955-LR	92-0705-3000	n/a
1973-1987 - DANA 70HD - 35 SPLINE AXLES - REAR	2710-LR	92-0470-3500	n/a

CHEVROLET® PICKUP - R/V3500

1988-1991 - 14 BOLT 10.5" - REAR	1955-LR	92-0705-3000	n/a
1988-1991 - DANA 70HD - 35 SPLINE AXLES - REAR	2710-LR	92-0470-3500	n/a

CHEVROLET® PICKUP - C/K3500

1988-2002 - 14 BOLT 10.5" - REAR	1955-LR	92-0705-3000	n/a
1988-1991 - DANA 70HD - 35 SPLINE AXLES - REAR	2710-LR	92-0470-3500	n/a
1992-2002 - DANA 80 - 35 SPLINE AXLES - REAR	2810-LR	92-0480-3500	n/a

CHEVROLET® PICKUP - SILVERADO 3500

2001-UP - AAM 14 BOLT 11.5" - REAR	n/a	n/a	n/a
------------------------------------	-----	-----	-----

CHEVROLET® PICKUP - S10

1983-1989 - GM 10 BOLT 7.5" - 26 SPLINE AXLES - REAR	1930-LR (a)	92-0775-2605 (b)	n/a
1988-2004 - GM 10 BOLT 7.625" - 28 SPLINE AXLES - REAR	1931-LR	92-0776-2805	n/a
1994-2001 - GM 10 BOLT 8.5" - 30 SPLINE AXLES - REAR	1921-LR	92-0785-3005	n/a
2002-2006 - GM 10 BOLT 8.6" - 30 SPLINE AXLES - REAR	n/a	92-0786-3005	n/a

(a) fits equal opening 7.5" case - for unequal opening 7.625" case use 1932-LR.
(b) fits equal opening 7.5" case - for unequal opening 7.625" case use 92-0776-2605

CHEVROLET® SUBURBAN - C/K/R/V 10 1500 (a) 2007 & newer requires change to 2000.5-2006 model case sold separately

1965-1981 - GM 12 BOLT 8.875" TRUCK - REAR	1910-LR	92-0788-3005	n/a
1965-1968 - DANA 44 - 30 SPLINE - REAR	2410-LR	92-0444-3000	n/a
1968-1970 - DANA 60 - 30 SPLINE AXLES - SEMI FLOAT - REAR	2610-LR	92-0460-3005	n/a
1982-1988 - GM 10 BOLT 8.5" - 28 SPLINE AXLES - REAR	1920-LR	92-0785-2805	n/a
1982-1999 - 14 BOLT 9.5" - REAR	1950-LR	92-0795-3305	n/a
1988-1999 - GM 10 BOLT 8.5" - 30 SPLINE AXLES - REAR	1921-LR	92-0785-3005	n/a
2000-2006 - GM 10 BOLT 8.6" - 30 SPLINE AXLES - REAR	n/a	92-0786-3005	n/a
2007-UP - GM 10 BOLT 8.6" - 30 SPLINE AXLES - REAR	n/a	92-0786-3005 (a)	n/a
2007-UP - 14 BOLT 9.5" - REAR	1950-LR	92-0795-3305	n/a

CHEVROLET® SUBURBAN - C/K/R/V 20 2500

1973-1991 - 14 BOLT 10.5" - REAR	1955-LR	92-0705-3000	n/a
1982-2007 - 14 BOLT 9.5" - REAR	1950-LR	92-0795-3305	n/a
2000-UP - 14 BOLT 10.5" - REAR	1955-LR	92-0705-3000	n/a

CHEVROLET® SSR

2004-2006 - GM 10 BOLT 8.6" - 30 SPLINE AXLES - REAR	n/a	92-0786-3005	n/a
2004-2006 - 14 BOLT 9.5" - REAR	1950-LR	92-0795-3305	n/a

Application Guide

LOCK RIGHT
Open Case

POWERTRAX
Open Case

POWERTRAX
For Posi Case

CHEVROLET® TAHOE (a) 2007 & newer requires change to 2000.5-2006 model case sold separately

1995-1999 - GM 10 BOLT 8.5" - 30 SPLINE AXLES - REAR	1921-LR	92-0785-3005	n/a
2000-2006 - GM 10 BOLT 8.6" - 30 SPLINE AXLES - REAR	n/a	92-0786-3005	n/a
2007-UP - GM 10 BOLT 8.6" - 30 SPLINE AXLES - REAR	n/a	92-0786-3005 (a)	n/a
2007-UP - 14 BOLT 9.5" - REAR	1950-LR	92-0795-3305	n/a

CHEVROLET® TRAILBLAZER (a) 2007 & newer requires change to 2000.5-2006 model case sold separately

2002-2009 - GM 8" MIDSIZE TRUCK & SUV - REAR	n/a	n/a	n/a
2002-2006 - GM 10 BOLT 8.6" - 30 SPLINE AXLES - REAR	n/a	92-0786-3005	n/a
2007-2009 - GM 10 BOLT 8.6" - 30 SPLINE AXLES - REAR	n/a	92-0786-3005 (a)	n/a
2006-2009 - 14 BOLT 9.5" - REAR	1950-LR	92-0795-3305	n/a

CHEVROLET® VAN - G10 EXPRESS 1500 (a) 2007 & newer requires change to 2000.5-2006 model case sold separately

1964-1971 - GM CHEVY 8.2" 10 BOLT - REAR	1940-LR	92-0782-2805	n/a
1964-1981 - GM 12 BOLT 8.875" TRUCK - REAR	1910-LR	92-0788-3005	n/a
1978-1988 - GM 10 BOLT 8.5" - 28 SPLINE AXLES - REAR	1920-LR	92-0785-2805	n/a
1988-2002 - GM 10 BOLT 8.5" - 30 SPLINE AXLES - REAR	1921-LR	92-0785-3005	n/a
2003-2006 - GM 10 BOLT 8.6" - 30 SPLINE AXLES - REAR	n/a	92-0786-3005	n/a
2007-UP - GM 10 BOLT 8.6" - 30 SPLINE AXLES - REAR	n/a	92-0786-3005 (a)	n/a

CHEVROLET® VAN - G20 EXPRESS 2500

1967-1981 - GM 12 BOLT 8.875" TRUCK - REAR	1910-LR	92-0788-3005	n/a
1979-1988 - GM 10 BOLT 8.5" - 28 SPLINE AXLES - REAR	1920-LR	92-0785-2805	n/a
1988-1995 - GM 10 BOLT 8.5" - 30 SPLINE AXLES - REAR	1921-LR	92-0785-3005	n/a
1996-2002 - 14 BOLT 9.5" - REAR	1950-LR	92-0795-3305	n/a
1996-2002 - 14 BOLT 10.5" - REAR	1955-LR	92-0705-3000	n/a
2009-UP - 14 BOLT 9.5" - REAR	1950-LR	92-0795-3305	n/a

CHEVROLET® VAN - G30 EXPRESS 3500

1973-1978 - DANA 60 - 30 SPLINE AXLES - FULL FLOAT - REAR	2610-LR	92-0460-3000	92-0460-3020
1973-1987 - 14 BOLT 10.5" - REAR	1955-LR	92-0705-3000	n/a
1975-1987 - DANA 60 - 35 SPLINE AXLES - FULL FLOAT - REAR	2620-LR	92-0460-3500	92-0460-3520
1975-1983 - DANA 70B - 35 SPLINE AXLES - REAR	2710-LR	92-0470-3500	n/a
1975-1978 - DANA 70HD - 35 SPLINE AXLES - REAR	2710-LR	92-0470-3500	n/a
1984-1991 - DANA 70U - 35 SPLINE AXLES - REAR	2710-LR	92-0470-3500	n/a
1988-1991 - DANA 70-3HD - 35 SPLINE AXLES - REAR	2710-LR	92-0470-3500	n/a
1988-2002 - 14 BOLT 10.5" - REAR	1955-LR	92-0705-3000	n/a
2009-UP - 14 BOLT 9.5" - REAR	1950-LR	92-0795-3305	n/a

DODGE® DAKOTA

1987-1993 - CHRYSLER 7.25" - REAR	n/a	n/a	n/a
1987-1996 - CHRYSLER 8.25" 10 BOLT - 27 SPLINE - REAR	1230-LR	92-0382-2705	92-0382-2725
1987-2010 - CHRYSLER 9.25" 12 BOLT - REAR	1220-LR	92-0392-3105	92-0392-3125
1997-2010 - CHRYSLER 8.25" 10 BOLT - 29 SPLINE - REAR	1250-LR	92-0382-2905	92-0382-2925

DODGE® DURANGO

1998-2008 - CHRYSLER 8.25" 10 BOLT - 29 SPLINE - REAR	1250-LR	92-0382-2905	92-0382-2925
1998-2008 - CHRYSLER 9.25" 12 BOLT - REAR	1220-LR	92-0392-3105	92-0392-3125

DODGE® PICKUP- D/W 100/150/1500

1959-1968 - DANA 60 - 16 SPLINE AXLES - FULL FLOAT - REAR	n/a	n/a	n/a
1963-1971 - CHRYSLER 8.75" 741 - REAR	1240-LR	n/a	n/a
1963-1968 - CHRYSLER 8.75" 742 - REAR	1240-LR	n/a	n/a
1969-1974 - CHRYSLER 8.75" 489 - REAR	1240-LR	n/a	n/a
1972-1993 - CHRYSLER 8.25" 10 BOLT - 27 SPLINE - REAR	1230-LR	92-0382-2705	92-0382-2725
1974-2010 - CHRYSLER 9.25" 12 BOLT - REAR	1220-LR	92-0392-3105	92-0392-3125
2006-2010 - CHRYSLER 10.5" - REAR	n/a	n/a	n/a

Application Guide

LOCK RIGHT
Open Case

POWERTRAX
Open Case

POWERTRAX
For Posi Case

DODGE® PICKUP- D/W 200/250/2500

1959-1970 - DANA 60 - 16 SPLINE AXLES - FULL FLOAT - REAR	n/a	n/a	n/a
1969-2002 - DANA 60 - 30 SPLINE AXLES - FULL FLOAT - REAR	2610-LR	92-0460-3000	92-0460-3020
1974-2002 - CHRYSLER 9.25" 12 BOLT - REAR	1220-LR	92-0392-3105	92-0392-3125
1987-1990 - DANA 70U - 35 SPLINE AXLES - REAR	2710-LR	92-0470-3500	n/a
1991-2002 - DANA 70U - 32 SPLINE AXLES - REAR	2711-LR	92-0470-3200	n/a
1994-2002 - DANA 80 - 35 SPLINE AXLES - REAR	2810-LR	92-0480-3500	n/a
2003-2010 - CHRYSLER 10.5" - REAR	n/a	n/a	n/a
2003-2010 - AAM 14 BOLT 11.5" - REAR	n/a	n/a	n/a

DODGE® PICKUP- D/W 300/350/3500

1958-1968 - DANA 70B - 23 SPLINE AXLES - REAR	n/a	n/a	n/a
1969-1990 - DANA 70B - 35 SPLINE AXLES - REAR	2710-LR	92-0470-3500	n/a
1983-1995 - DANA 60 - 30 SPLINE AXLES - FULL FLOAT - REAR	2610-LR	92-0460-3000	92-0460-3020
1974-2002 - CHRYSLER 9.25" 12 BOLT - REAR	1220-LR	92-0392-3105	92-0392-3125
1991-2002 - DANA 70U - 32 SPLINE AXLES - REAR	2711-LR	92-0470-3200	n/a
1994-2002 - DANA 80 - 35 SPLINE AXLES - REAR	2810-LR	92-0480-3500	n/a
2003-2010 - AAM 14 BOLT 11.5" - REAR	n/a	n/a	n/a

DODGE® RAMCHARGER

1974-1993 - CHRYSLER 9.25" 12 BOLT - REAR	1220-LR	92-0392-3105	92-0392-3125
1978-1993 - CHRYSLER 8.25" 10 BOLT - 27 SPLINE - REAR	1230-LR	92-0382-2705	92-0382-2725

DODGE® VAN - B100/1500

1971-1996 - CHRYSLER 8.25" 10 BOLT - 27 SPLINE - REAR	1230-LR	92-0382-2705	92-0382-2725
1971-1974 - CHRYSLER 8.75" 489 - REAR	1240-LR	n/a	n/a
1971 - CHRYSLER 8.75" 741 - REAR	1240-LR	n/a	n/a
1974-2003 - CHRYSLER 9.25" 12 BOLT - REAR	1220-LR	92-0392-3105	92-0392-3125
1997-2003 - CHRYSLER 8.25" 10 BOLT - 29 SPLINE - REAR	1250-LR	92-0382-2905	92-0382-2925

DODGE® VAN - B200/2500

1971-1996 - CHRYSLER 8.25" 10 BOLT - 27 SPLINE - REAR	1230-LR	92-0382-2705	92-0382-2725
1971-2003 - DANA 60 - 30 SPLINE AXLES - FULL FLOAT - REAR	2610-LR	92-0460-3000	92-0460-3020
1971 - CHRYSLER 8.75" 741 - REAR	1240-LR	n/a	n/a
1973-1978 - DANA 70B - 35 SPLINE AXLES - REAR	2710-LR	92-0470-3500	n/a
1984-2003 - CHRYSLER 9.25" 12 BOLT - REAR	1220-LR	92-0392-3105	92-0392-3125

DODGE® VAN - B300/3500

1971-2003 - DANA 60 - 30 SPLINE AXLES - FULL FLOAT - REAR	2610-LR	92-0460-3000	92-0460-3020
1973-1978 - DANA 70B - 35 SPLINE AXLES - REAR	2710-LR	92-0470-3500	n/a
1984-2003 - CHRYSLER 9.25" 12 BOLT - REAR	1220-LR	92-0392-3105	92-0392-3125

FORD® AEROSTAR

1986-1991 - DANA 30 - REAR	2210-LR	92-0430-2700	n/a
1986-1997 - FORD 7.5" - REAR	1830-LR	92-0675-2805	92-0675-2825
1990-1997 - FORD 8.8" - 28 SPLINE - REAR	1820-LR	92-0688-2807	92-0688-2827

FORD® BRONCO

1966-1977 - FORD 9" - 28 SPLINE - REAR	1810-LR	92-0690-2800	n/a
1978-1986 - FORD 9" - 31 SPLINE - REAR	1810-LR	92-0690-3100	n/a
1983-1986 - FORD 8.8" - 31 SPLINE - REAR	1821-LR	92-0688-3107	92-0688-3127
1987-1996 - FORD 8.8" - 31 SPLINE - REAR	1822-LR	92-0688-3108	92-0688-3128

FORD® BRONCO II

1983-1990 - FORD 7.5" - REAR	1830-LR	92-0675-2805	92-0675-2825
------------------------------	---------	--------------	--------------

FORD® EXCURSION

2000-2005 - FORD STERLING 10.5" - REAR	n/a	92-0605-3500	n/a
--	-----	--------------	-----

FORD® EXPEDITION

1997-2010 - FORD 9.75" - REAR	n/a	92-0697-3405	n/a
1997-2005 - FORD 8.8" - 31 SPLINE - REAR	1822-LR	92-0688-3108	92-0688-3128

Application Guide

LOCK RIGHT
Open Case

POWERTRAX
Open Case

POWERTRAX
For Posi Case

FORD® EXPLORER

1991-2005 - FORD 8.8" - 31 SPLINE - REAR	1822-LR	92-0688-3108	92-0688-3128
--	---------	--------------	--------------

FORD® PICKUP - F150

1948-1966 - DANA 44 - 19 SPLINE - REAR	2413-LR	92-0444-1900	n/a
1957-1981 - FORD 9" - 28 SPLINE - REAR	1810-LR	92-0690-2800	n/a
1964-1969 - DANA 60 - 30 SPLINE AXLES - FULL FLOAT - REAR	2610-LR	92-0460-3000	92-0460-3020
1968-1986 - FORD 9" - 31 SPLINE - REAR	1810-LR	92-0690-3100	n/a
1967-1968 - DANA 44 - 30 SPLINE - REAR	2410-LR	92-0444-3000	n/a
1977-1979 - DANA 44 - 30 SPLINE - REAR	2410-LR	92-0444-3000	n/a
1983-1986 - FORD 8.8" - 31 SPLINE - REAR	1821-LR	92-0688-3107	92-0688-3127
1987-2010 - FORD 8.8" - 31 SPLINE - REAR	1822-LR	92-0688-3108	92-0688-3128
1997-2010 - FORD 9.75" - REAR	n/a	92-0697-3405	n/a

FORD® PICKUP - F250

1960-1975 - DANA 60 - 16 SPLINE AXLES - FULL FLOAT - REAR	n/a	n/a	n/a
1974-1975 - DANA 70B - 23 SPLINE AXLES - REAR	n/a	n/a	n/a
1975-1979 - DANA 60 - 30 SPLINE AXLES - FULL FLOAT - REAR	2610-LR	92-0460-3000	92-0460-3020
1975-1978 - DANA 70B - 35 SPLINE AXLES - REAR	2710-LR	92-0470-3500	n/a
1980-1985 - DANA 60 - 35 SPLINE AXLES - SEMI FLOAT - REAR	n/a	n/a	n/a
1985-1992 - FORD STERLING 10.25" - SEMI FLOAT - REAR	1840-LR	n/a	n/a
1993-1998 - FORD STERLING 10.25" - SEMI FLOAT - REAR	1840-LR	n/a	n/a
1999-UP - FORD STERLING 10.5" - REAR	n/a	92-0605-3500	n/a

FORD® PICKUP - F250LD

1997-1999 - FORD 9.75" - REAR	n/a	92-0697-3405	n/a
1997-1999 - FORD STERLING 10.25" - SEMI FLOAT - REAR	1840-LR	n/a	n/a

FORD® PICKUP - F350

1960-1975 - DANA 70B - 23 SPLINE AXLES - REAR	n/a	n/a	n/a
1975-1983 - DANA 70B - 35 SPLINE AXLES - REAR	2710-LR	92-0470-3500	n/a
1981-1987 - DANA 70HD - 35 SPLINE AXLES - REAR	2710-LR	92-0470-3500	n/a
1983 - DANA 60 - 35 SPLINE AXLES - SEMI FLOAT - REAR	n/a	n/a	n/a
1983-1984 - DANA 70U - 35 SPLINE AXLES - REAR	2710-LR	92-0470-3500	n/a
1985-1992 - FORD STERLING 10.25" - FULL FLOAT - REAR	1840-LR	n/a	n/a
1988-1989 - DANA 80 - 35 SPLINE AXLES - REAR	2810-LR	92-0480-3500	n/a
1990-1991 - DANA 80 - 37 SPLINE AXLES - REAR	2811-LR	92-0480-3700	n/a
1993-1997 - FORD STERLING 10.25" - FULL FLOAT - REAR	1840-LR	n/a	n/a
1999-UP - DANA 80 - 35 SPLINE AXLES - REAR	2810-LR	92-0480-3500	n/a
1999-UP - FORD STERLING 10.5" - REAR	n/a	92-0605-3500	n/a

FORD® PICKUP - F450

1987-1989 - DANA 80 - 35 SPLINE AXLES - REAR	2810-LR	92-0480-3500	n/a
1987-2004 - DANA 80 - 37 SPLINE AXLES - REAR	2811-LR	92-0480-3700	n/a
2001-2004 - FORD STERLING 10.5" - REAR	n/a	92-0605-3500	n/a
2005-2009 - SPICER S110 - REAR	n/a	n/a	n/a

FORD® PICKUP - F550

1999-2004 - DANA 80 - 37 SPLINE AXLES - REAR	2811-LR	92-0480-3700	n/a
1999-2004 - SPICER S135 - REAR	n/a	n/a	n/a
2005-2009 - SPICER S110 - REAR	n/a	n/a	n/a

FORD® VAN - E100/150

1963-1981 - FORD 9" - 28 SPLINE - REAR	1810-LR	92-0690-2800	n/a
1981-1987 - FORD 9" - 31 SPLINE - REAR	1810-LR	92-0690-3100	n/a
1987-2006 - FORD 8.8" - 31 SPLINE - REAR	1822-LR	92-0688-3108	92-0688-3128
1997-2006 - FORD 9.75" - REAR	n/a	92-0697-3405	n/a

FORD® VAN - E200/250

1968-1974 - FORD 9" - 28 SPLINE - REAR	1810-LR	92-0690-2800	n/a
1980 - DANA 60 - 30 SPLINE AXLES - FULL FLOAT - REAR	2610-LR	92-0460-3000	92-0460-3020
1981-2001 - DANA 60 - 35 SPLINE AXLES - SEMI FLOAT - REAR	n/a	n/a	n/a
1983-1986 - FORD 8.8" - 31 SPLINE - REAR	1821-LR	92-0688-3107	92-0688-3127
1997-2003 - FORD 9.75" - REAR	n/a	92-0697-3405	n/a

Application Guide

LOCK RIGHT
Open Case

POWERTRAX
Open Case

POWERTRAX
For Posi Case

FORD® VAN - E300/350

1968-1996 - DANA 60 - 30 SPLINE AXLES - FULL FLOAT - REAR	2610-LR	92-0460-3000	92-0460-3020
1974-1983 - DANA 70B - 35 SPLINE AXLES - REAR	2710-LR	92-0470-3500	n/a
1981-2001 - DANA 70HD - 35 SPLINE AXLES - REAR	2710-LR	92-0470-3500	n/a
1982-1994 - DANA 70U - 35 SPLINE AXLES - REAR	2710-LR	92-0470-3500	n/a
1992-1998 - DANA 70U - 32 SPLINE AXLES - REAR	2711-LR	92-0470-3200	n/a
1992-2001 - DANA 70-2U - 32 SPLINE AXLES - REAR	2711-LR	92-0470-3200	n/a
1994-1995 - DANA 70HD - 32 SPLINE AXLES - REAR	2711-LR	92-0470-3200	n/a
1995-2001 - DANA 60 - 32 SPLINE AXLES - REAR	n/a	92-0460-3200	92-0460-3220
1996-1999 - DANA 80 - 35 SPLINE AXLES - REAR	2810-LR	92-0480-3500	n/a

GMC® CANYON

2004-UP - GM 8" MIDSIZE TRUCK & SUV - REAR	n/a	n/a	n/a
--	-----	-----	-----

GMC® ENVOY (a) 2007 & newer requires change to 2000.5-2006 model case sold separately

1998-2001 - GM 10 BOLT 7.625" - 28 SPLINE AXLES - REAR	1931-LR	92-0776-2805	n/a
1998-2001 - GM 10 BOLT 8.5" - 30 SPLINE AXLES - REAR	1921-LR	92-0785-3005	n/a
2002-2006 - GM 10 BOLT 8.6" - 30 SPLINE AXLES - REAR	n/a	92-0786-3005	n/a
2007-2009 - GM 10 BOLT 8.6" - 30 SPLINE AXLES - REAR	n/a	92-0786-3005 (a)	n/a
2002-2009 - GM 8" MIDSIZE TRUCK & SUV - REAR	n/a	n/a	n/a
2006-2009 - 14 BOLT 9.5" - REAR	1950-LR	92-0795-3305	n/a

GMC® ENVOY XL

2002-2009 - GM 8" MIDSIZE TRUCK & SUV - REAR	n/a	n/a	n/a
2002-2006 - GM 10 BOLT 8.6" - 30 SPLINE AXLES - REAR	n/a	92-0786-3005	n/a

GMC® JIMMY - FULL SIZE

1970-1982 - GM 12 BOLT 8.875" TRUCK - REAR	1910-LR	92-0788-3005	n/a
1982-1988 - GM 10 BOLT 8.5" - 28 SPLINE AXLES - REAR	1920-LR	92-0785-2805	n/a
1988-1991 - GM 10 BOLT 8.5" - 30 SPLINE AXLES - REAR	1921-LR	92-0785-3005	n/a

GMC® JIMMY - S15 (a) fits equal opening 7.5" case - for unequal opening 7.625" case use 1932-LR. (b) fits equal opening 7.5" case - for unequal opening 7.625" case use 92-0776-2605

1983-1989 - GM 10 BOLT 7.5" - 26 SPLINE AXLES - REAR	1930-LR (a)	92-0775-2605 (b)	n/a
1983-2001 - GM 10 BOLT 7.625" - 28 SPLINE AXLES - REAR	1931-LR	92-0776-2805	n/a
1995-2001 - GM 10 BOLT 8.5" - 30 SPLINE AXLES - REAR	1921-LR	92-0785-3005	n/a

GMC® PICKUP - C/K1500

1955-1964 - GM CORP 9.375" - REAR	n/a	n/a	n/a
1963-1982 - GM 12 BOLT 8.875" TRUCK - REAR	1910-LR	92-0788-3005	n/a
1982-1988 - GM 10 BOLT 8.5" - 28 SPLINE AXLES - REAR	1920-LR	92-0785-2805	n/a
1988-1999 - GM 10 BOLT 8.5" - 30 SPLINE AXLES - REAR	1921-LR	92-0785-3005	n/a
1988-1999 - 14 BOLT 9.5" - REAR	1950-LR	92-0795-3305	n/a

GMC® PICKUP - SIERRA 1500 (a) 2007 & newer requires change to 2000.5-2006 model case sold separately

1999-2006 - GM 10 BOLT 8.6" - 30 SPLINE AXLES - REAR	n/a	92-0786-3005	n/a
2007-UP - GM 10 BOLT 8.6" - 30 SPLINE AXLES - REAR	n/a	92-0786-3005 (a)	n/a
1999-UP - 14 BOLT 9.5" - REAR	1950-LR	92-0795-3305	n/a

GMC® PICKUP - SIERRA 1500HD

2001-2007 - 14 BOLT 9.5" - REAR	1950-LR	92-0795-3305	n/a
---------------------------------	---------	--------------	-----

GMC® PICKUP - C/K2500

1963-1967 - GM CORP HO72 - REAR	n/a	n/a	n/a
1968-1972 - DANA 60 - 30 SPLINE AXLES - FULL FLOAT - REAR	2610-LR	92-0460-3000	92-0460-3020
1973-1987 - 14 BOLT 10.5" - REAR	1955-LR	92-0705-3000	n/a
1973-1987 - 14 BOLT 9.5" - REAR	1950-LR	92-0795-3305	n/a

GMC® PICKUP - R/V2500

1988-1989 - 14 BOLT 9.5" - REAR	1950-LR	92-0795-3305	n/a
1988-1989 - 14 BOLT 10.5" - REAR	1955-LR	92-0705-3000	n/a

Application Guide

LOCK RIGHT
Open Case

POWERTRAX
Open Case

POWERTRAX
For Posi Case

GMC® PICKUP - C/K2500

1988-2000 - 14 BOLT 9.5" - REAR	1950-LR	92-0795-3305	n/a
1988-2000 - 14 BOLT 10.5" - REAR	1955-LR	92-0705-3000	n/a

GMC® PICKUP - SIERRA 2500

1999-2004 - 14 BOLT 9.5" - REAR	1950-LR	92-0795-3305	n/a
1999-2004 - 14 BOLT 10.5" - REAR	1955-LR	92-0705-3000	n/a
1999-2004 - AAM 14 BOLT 11.5" - REAR	n/a	n/a	n/a

GMC® PICKUP - SIERRA 2500HD

2001-UP - 14 BOLT 9.5" - REAR	1950-LR	92-0795-3305	n/a
2001-UP - 14 BOLT 10.5" - REAR	1955-LR	92-0705-3000	n/a
2001-UP - AAM 14 BOLT 11.5" - REAR	n/a	n/a	n/a

GMC® PICKUP - C/K3500

1973-1987 - 14 BOLT 10.5" - REAR	1955-LR	92-0705-3000	n/a
1973-1987 - DANA 70HD - 35 SPLINE AXLES - REAR	2710-LR	92-0470-3500	n/a

GMC® PICKUP - R/V3500

1988-1991 - 14 BOLT 10.5" - REAR	1955-LR	92-0705-3000	n/a
1988-1991 - DANA 70HD - 35 SPLINE AXLES - REAR	2710-LR	92-0470-3500	n/a

GMC® PICKUP - C/K3500

1988-2002 - 14 BOLT 10.5" - REAR	1955-LR	92-0705-3000	n/a
1988-1991 - DANA 70HD - 35 SPLINE AXLES - REAR	2710-LR	92-0470-3500	n/a
1992-2002 - DANA 80 - 35 SPLINE AXLES - REAR	2810-LR	92-0480-3500	n/a

GMC® PICKUP - SIERRA 3500

2001-UP - AAM 14 BOLT 11.5" - REAR	n/a	n/a	n/a
------------------------------------	-----	-----	-----

GMC® PICKUP - S15

(a) fits equal opening 7.5" case - for unequal opening 7.625" case use 1932-LR.

(b) fits equal opening 7.5" case - for unequal opening 7.625" case use 92-0776-2605

1982-1989 - GM 10 BOLT 7.5" - 26 SPLINE AXLES - REAR	1930-LR (a)	92-0775-2605 (b)	n/a
1988-2004 - GM 10 BOLT 7.625" - 28 SPLINE AXLES - REAR	1931-LR	92-0776-2805	n/a
1994-2000 - GM 10 BOLT 8.5" - 30 SPLINE AXLES - REAR	1921-LR	92-0785-3005	n/a
2001-2003 - GM 10 BOLT 8.6" - 30 SPLINE AXLES - REAR	n/a	92-0786-3005	n/a

GMC® SAFARI

(a) fits equal opening 7.5" case - for unequal opening 7.625" case use 1932-LR.

(b) fits equal opening 7.5" case - for unequal opening 7.625" case use 92-0776-2605

1985-1989 - GM 10 BOLT 7.5" - 26 SPLINE AXLES - REAR	1930-LR (a)	92-0775-2605 (b)	n/a
1990-2005 - GM 10 BOLT 7.625" - 28 SPLINE AXLES - REAR	1931-LR	92-0776-2805	n/a

GMC® SUBURBAN C/K1500

1965-1981 - GM 12 BOLT 8.875" TRUCK - REAR	1910-LR	92-0788-3005	n/a
1965-1968 - DANA 44 - 30 SPLINE - REAR	2410-LR	92-0444-3000	n/a
1968-1970 - DANA 60 - 30 SPLINE AXLES - SEMI FLOAT - REAR	2610-LR	92-0460-3005	n/a
1982-1988 - GM 10 BOLT 8.5" - 28 SPLINE AXLES - REAR	1920-LR	92-0785-2805	n/a
1982-1999 - 14 BOLT 9.5" - REAR	1950-LR	92-0795-3305	n/a
1988-1999 - GM 10 BOLT 8.5" - 30 SPLINE AXLES - REAR	1921-LR	92-0785-3005	n/a

GMC® SUBURBAN C/K2500

1973-1991 - 14 BOLT 10.5" - REAR	1955-LR	92-0705-3000	n/a
1982-1999 - 14 BOLT 9.5" - REAR	1950-LR	92-0795-3305	n/a

GMC® YUKON

(a) 2007 & newer requires change to 2000.5-2006 model case sold separately

1992-1999 - GM 10 BOLT 8.5" - 30 SPLINE AXLES - REAR	1921-LR	92-0785-3005	n/a
2000-2006 - GM 10 BOLT 8.6" - 30 SPLINE AXLES - REAR	n/a	92-0786-3005	n/a
2007-UP - GM 10 BOLT 8.6" - 30 SPLINE AXLES - REAR	n/a	92-0786-3005 (a)	n/a
2007-UP - 14 BOLT 9.5" - REAR	1950-LR	92-0795-3305	n/a

Application Guide

LOCK RIGHT
Open Case

POWERTRAX
Open Case

POWERTRAX
For Posi Case

GMC® YUKON XL 1500

(a) 2007 & newer requires change to 2000.5-2006 model case sold separately

2000-2006 - GM 10 BOLT 8.6" - 30 SPLINE AXLES - REAR	n/a	92-0786-3005	n/a
2007-UP - GM 10 BOLT 8.6" - 30 SPLINE AXLES - REAR	n/a	92-0786-3005 (a)	n/a
2000-UP - 14 BOLT 9.5" - REAR	1950-LR	92-0795-3305	n/a

GMC® YUKON XL 2500

2000-UP - 14 BOLT 9.5" - REAR	1950-LR	92-0795-3305	n/a
2000-UP - 14 BOLT 10.5" - REAR	1955-LR	92-0705-3000	n/a

GMC® VAN - G1500/SAVANA 1500

(a) 2007 & newer requires change to 2000.5-2006 model case sold separately

1964-1971 - GM CHEVY 8.2" 10 BOLT - REAR	1940-LR	92-0782-2805	n/a
1964-1981 - GM 12 BOLT 8.875" TRUCK - REAR	1910-LR	92-0788-3005	n/a
1978-1988 - GM 10 BOLT 8.5" - 28 SPLINE AXLES - REAR	1920-LR	92-0785-2805	n/a
1988-2002 - GM 10 BOLT 8.5" - 30 SPLINE AXLES - REAR	1921-LR	92-0785-3005	n/a
2003-2006 - GM 10 BOLT 8.6" - 30 SPLINE AXLES - REAR	n/a	92-0786-3005	n/a
2007-UP - GM 10 BOLT 8.6" - 30 SPLINE AXLES - REAR	n/a	92-0786-3005 (a)	n/a

GMC® VAN - G2500/SAVANA 2500

1967-1981 - GM 12 BOLT 8.875" TRUCK - REAR	1910-LR	92-0788-3005	n/a
1979-1988 - GM 10 BOLT 8.5" - 28 SPLINE AXLES - REAR	1920-LR	92-0785-2805	n/a
1988-1995 - GM 10 BOLT 8.5" - 30 SPLINE AXLES - REAR	1921-LR	92-0785-3005	n/a
1996-2002 - 14 BOLT 9.5" - REAR	1950-LR	92-0795-3305	n/a
1996-1997 - 14 BOLT 10.5" - REAR	1955-LR	92-0705-3000	n/a
1998-2002 - 14 BOLT 10.5" - REAR	1955-LR	92-0705-3000	n/a

GMC® VAN - G3500/SAVANA 3500

1973-1978 - DANA 60 - 30 SPLINE AXLES - FULL FLOAT - REAR	2610-LR	92-0460-3000	92-0460-3020
1973-1987 - 14 BOLT 10.5" - REAR	1955-LR	92-0705-3000	n/a
1975-1987 - DANA 60 - 35 SPLINE AXLES - FULL FLOAT - REAR	2620-LR	92-0460-3500	92-0460-3520
1975-1983 - DANA 70B - 35 SPLINE AXLES - REAR	2710-LR	92-0470-3500	n/a
1975-1978 - DANA 70HD - 35 SPLINE AXLES - REAR	2710-LR	92-0470-3500	n/a
1984-1991 - DANA 70U - 35 SPLINE AXLES - REAR	2710-LR	92-0470-3500	n/a
1988-1991 - DANA 70-3HD - 35 SPLINE AXLES - REAR	2710-LR	92-0470-3500	n/a
1988-2002 - 14 BOLT 10.5" - REAR	1955-LR	92-0705-3000	n/a
2009-UP - 14 BOLT 9.5" - REAR	1950-LR	92-0795-3305	n/a

HUMMER® H1

(a) 2007 & newer requires change to 2000.5-2006 model case sold separately

1992-2006 - AMC MODEL 20 - REAR	1710-LR	92-0120-2900 (a)	92-0120-2920 (a)
---------------------------------	---------	------------------	------------------

HUMMER® H2 SUT

2004-2007 - 14 BOLT 9.5" - REAR	1950-LR	92-0795-3305	n/a
---------------------------------	---------	--------------	-----

HUMMER® H2 SUV

2003-2009 - 14 BOLT 9.5" - REAR	1950-LR	92-0795-3305	n/a
---------------------------------	---------	--------------	-----

HUMMER® H3T

(a) 2007 & newer requires change to 2000.5-2006 model case sold separately

2009-2010 - GM 10 BOLT 8.6" - 30 SPLINE AXLES - REAR	n/a	92-0786-3005 (a)	n/a
--	-----	------------------	-----

HUMMER® H3 SUV

(a) 2007 & newer requires change to 2000.5-2006 model case sold separately

2005-2006 - GM 10 BOLT 8.6" - 30 SPLINE AXLES - REAR	n/a	92-0786-3005	n/a
2007-2010 - GM 10 BOLT 8.6" - 30 SPLINE AXLES - REAR	n/a	92-0786-3005 (a)	n/a

INTERNATIONAL® SCOUT

1961-1967 - DANA 27 - REAR	2115-LR	n/a	n/a
1968-1971 - DANA 44 - 30 SPLINE - REAR	2210-LR	92-0430-2700	n/a

INTERNATIONAL® SCOUT II

1971-1980 - DANA 44 - 30 SPLINE - REAR	2410-LR	92-0444-3000	92-0444-3020
--	---------	--------------	--------------

Application Guide

LOCK RIGHT
Open Case

POWERTRAX
Open Case

POWERTRAX
For Posi Case

JEEP® CHEROKEE

(a) Fits 1.625" side gear hub - If 1.56" side gear hub, use 1994 application listing

1974-1979 - DANA 44 - 30 SPLINE - REAR	2410-LR	92-0444-3000	92-0444-3020
1976-1983 - AMC MODEL 20 - REAR	1710-LR	92-0120-2900	92-0120-2920
1984-1989 - DANA 35 - REAR	2309-LR	92-0435-2700	92-0435-2720
1990-1992 - DANA 35 - REAR	2310-LR	92-0435-2705	92-0435-2725
1993 - DANA 35 - REAR	2310-LR (a)	92-0435-2705 (a)	92-0435-2725
1994-2001 - DANA 35 - REAR	2311-LR	92-0435-2706	92-0435-2725
1987-1989 - DANA 44 - 30 SPLINE - REAR	2410-LR	92-0444-3000	92-0444-3020
1991-1996 - CHRYSLER 8.25" 10 BOLT - 27 SPLINE - REAR	1230-LR	92-0382-2705	92-0382-2725
1997-2001 - CHRYSLER 8.25" 10 BOLT - 29 SPLINE - REAR	1250-LR	92-0382-2905	92-0382-2925

JEEP® CJ2A

1941-1948 - DANA 41 - 10 SPLINE - REAR	2416-LR	n/a	n/a
--	---------	-----	-----

JEEP® CJ3A

1948 - DANA 41 - 10 SPLINE - REAR	2416-LR	n/a	n/a
1949-1953 - DANA 44 - 10 SPLINE - REAR	2415-LR	n/a	n/a

JEEP® CJ3B

1952-1965 - DANA 44 - 10 SPLINE - REAR	2415-LR	n/a	n/a
--	---------	-----	-----

JEEP® CJ5

1966-1968 - DANA 44 - 19 SPLINE - REAR	2413-LR	92-0444-1900	n/a
1969-1975 - DANA 44 - 30 SPLINE - REAR	2410-LR	92-0444-3000	92-0444-3020
1976-1983 - AMC MODEL 20 - REAR	1710-LR	92-0120-2900	92-0120-2920

JEEP® CJ6

1966-1968 - DANA 44 - 19 SPLINE - REAR	2413-LR	92-0444-1900	n/a
1969-1975 - DANA 44 - 30 SPLINE - REAR	2410-LR	92-0444-3000	92-0444-3020
1976 - AMC MODEL 20 - REAR	1710-LR	92-0120-2900	92-0120-2920

JEEP® CJ7

1977-1986 - AMC MODEL 20 - REAR	1710-LR	92-0120-2900	92-0120-2920
1986 - DANA 44 - 30 SPLINE - REAR	2410-LR	92-0444-3000	92-0444-3020

JEEP® CJ8

1981 - AMC MODEL 20 - REAR	1710-LR	92-0120-2900	92-0120-2920
1982-1985 - AMC MODEL 20 - REAR	1710-LR	92-0120-2900	92-0120-2920

JEEP® COMANCHE

1986-1989 - DANA 35 - REAR	2309-LR	92-0435-2700	92-0435-2720
1990-1992 - DANA 35 - REAR	2310-LR	92-0435-2705	92-0435-2725
1986-1992 - DANA 44 - 30 SPLINE - REAR	2410-LR	92-0444-3000	92-0444-3020
1986-1992 - CHRYSLER 8.25" 10 BOLT - 27 SPLINE - REAR	1230-LR	92-0382-2705	92-0382-2725

JEEP® COMMANDO

1967-1973 - DANA 44 - 30 SPLINE - REAR	2410-LR	92-0444-3000	92-0444-3020
1967-1970 - DANA 30 - REAR	2210-LR	92-0430-2700	n/a

JEEP® GRAND CHEROKEE

(a) Fits 1.625" side gear hub - If 1.56" side gear hub, use 1994 application listing

1992 - DANA 35 - REAR	2310-LR	92-0435-2705	92-0435-2725
1993 - DANA 35 - REAR	2310-LR (a)	92-0435-2705 (a)	92-0435-2725
1994-2004 - DANA 35 - REAR	2311-LR	92-0435-2706	92-0435-2725
1992-1996 - CHRYSLER 8.25" 10 BOLT - 27 SPLINE - REAR	1230-LR	92-0382-2705	92-0382-2725
1996-2000 - DANA 44 ZJ/WJ - 3/8" RING GEAR BOLTS - REAR	n/a	n/a	n/a
2000-2004 - DANA 44 ZJ/WJ - 7/16" RING GEAR BOLTS - REAR	n/a	n/a	n/a
1997-2004 - CHRYSLER 8.25" 10 BOLT - 29 SPLINE - REAR	1250-LR	92-0382-2905	92-0382-2925

JEEP® GRAND WAGONEER

1984-1986 - AMC MODEL 20 - REAR	1710-LR	92-0120-2900	92-0120-2920
1984-1991 - DANA 44 - 30 SPLINE - REAR	2410-LR	92-0444-3000	92-0444-3020

Application Guide

LOCK RIGHT
Open Case

POWERTRAX
Open Case

POWERTRAX
For Posi Case

JEEP® J10

1974-1975 - AMC MODEL 20 - REAR	1710-LR	92-0120-2900	92-0120-2920
1974-1988 - DANA 44 - 30 SPLINE - REAR	2410-LR	92-0444-3000	92-0444-3020
1980-1986 - AMC MODEL 20 - REAR	1710-LR	92-0120-2900	92-0120-2920

JEEP® J20

1974-1988 - DANA 60 - 30 SPLINE FULL FLOAT - REAR	2610-LR	92-0460-3000	92-0460-3020
1974-1988 - DANA 60 - 35 SPLINE AXLES - SEMI FLOAT	2620-LR	n/a	n/a

JEEP® LIBERTY

2002-2009 - CHRYSLER 8.25" 10 BOLT - 29 SPLINE - REAR	1250-LR	92-0382-2905	92-0382-2925
---	---------	--------------	--------------

JEEP® WAGONEER

1974-1983 - AMC MODEL 20 - REAR	1710-LR	92-0120-2900	92-0120-2920
1984-1989 - DANA 35 - REAR	2309-LR	92-0435-2700	92-0435-2720
1990 - DANA 35 - REAR	2310-LR	92-0435-2705	92-0435-2725
1984-1990 - CHRYSLER 8.25" 10 BOLT - 27 SPLINE - REAR	1230-LR	92-0382-2705	92-0382-2725

JEEP® WRANGLER

(a) Fits 1.625" side gear hub - If 1.56" side gear hub, use 1994 application listing

1987-1989 - DANA 35 - REAR	2309-LR	92-0435-2700	92-0435-2720
1990-1992 - DANA 35 - REAR	2310-LR	92-0435-2705	92-0435-2725
1993 - DANA 35 - REAR	2310-LR (a)	92-0435-2705(a)	92-0435-2725
1994-2006 - DANA 35 - REAR	2311-LR	92-0435-2706	92-0435-2725
1987-2006 - DANA 44 - 30 SPLINE - REAR	2410-LR	92-0444-3000	92-0444-3020
2003-2006 - DANA 44 TJ RUBICON TYPE - REAR	n/a	n/a	n/a
2007-UP - DANA 44 JK TYPE - REAR	n/a	n/a	n/a
2007-UP - DANA 44 JK RUBICON TYPE - REAR	n/a	n/a	n/a

LINCOLN® BLACKWOOD

2002 - FORD 9.75" - REAR	n/a	92-0697-3405	n/a
--------------------------	-----	--------------	-----

LINCOLN® NAVIGATOR

1998-UP - FORD 9.75" - REAR	n/a	92-0697-3405	n/a
-----------------------------	-----	--------------	-----

MERCURY® MOUNTAINEER

1997-2006 - FORD 8.8" - 31 SPLINE - REAR	1822-LR	92-0688-3108	92-0688-3128
--	---------	--------------	--------------

NISSAN® FRONTIER

2004-2007 - DANA 44 - 32 SPLINE - REAR	n/a	n/a	n/a
--	-----	-----	-----

NISSAN® PATHFINDER

1986-1996 - H233B - REAR	3220-LR	n/a	n/a
--------------------------	---------	-----	-----

NISSAN® PICKUP - HARDBODY

1986-1996 - H233B - REAR	3220-LR	n/a	n/a
--------------------------	---------	-----	-----

NISSAN® TITAN

2004-2007 - DANA 44 - 32 SPLINE - REAR	n/a	n/a	n/a
--	-----	-----	-----

NISSAN® XTERRA

2000-2001 - H233B - REAR	3220-LR	n/a	n/a
2004-2007 - DANA 44 - 32 SPLINE - REAR	n/a	n/a	n/a

OLDSMOBILE® BRAVADA

1991-2001 - GM 10 BOLT 7.625" - 28 SPLINE AXLES - REAR	1931-LR	92-0776-2805	n/a
2002-2004 - GM 8" MIDSIZE TRUCK & SUV - REAR	n/a	n/a	n/a

Application Guide

LOCK RIGHT
Open Case

POWERTRAX
Open Case

POWERTRAX
For Posi Case

PLYMOUTH® TRAILDUSTER

1974-1981 - CHRYSLER 9.25" 12 BOLT - REAR

1220-LR

92-0392-3105

92-0392-3125

1978-1981 - CHRYSLER 8.25" 10 BOLT - 27 SPLINE - REAR

1230-LR

92-0382-2705

92-0382-2725

SUZUKI® GRAND VITARA

1999-2001 - REAR

1520-LR

n/a

n/a

SUZUKI® SAMURAI

(a) kit 1530-LR replaces side gears - kit 1510-LR uses factory side gears, which must be in good condition to operate properly.

1985-1995 - REAR

1530-LR (a)

n/a

n/a

SUZUKI® SIDEKICK

(a) kit 1532-LR replaces side gears - kit 1512-LR uses factory side gears, which must be in good condition to operate properly

1989-1995 - REAR

1532-LR (a)

n/a

n/a

TOYOTA® 4 RUNNER

1984-1995 - TOYOTA 8" 4CYL - REAR

1610-LR

92-2080-3001

n/a

1984-UP - TOYOTA 8" 6CYL (non-TRD) - REAR

1620-LR

n/a

n/a

1996-UP - TOYOTA 8" WITH TRD PUSH BUTTON LOCKER - REAR

n/a

n/a

n/a

TOYOTA® FJ CRUISER

2007-UP - TOYOTA 8" 6CYL (non-TRD) - REAR

1620-LR

n/a

n/a

2007-UP - TOYOTA 8" WITH TRD PUSH BUTTON LOCKER - REAR

n/a

n/a

n/a

TOYOTA® LANDCRUISER

1950-1968 - TOYOTA LANDCRUISER 9.5" - 10 SPLINE - REAR

n/a

92-2088-1005

n/a

1968-1998 - TOYOTA LANDCRUISER 9.5" - 30 SPLINE - REAR

1630-LR

92-2088-3005

n/a

TOYOTA® PICKUP

1976-1995 - TOYOTA 7.5" - REAR

1611-LR

n/a

n/a

1979-1995 - TOYOTA 8" 4CYL - REAR

1610-LR

92-2080-3001

n/a

1979-1995 - TOYOTA 8" 6CYL - REAR

1620-LR

n/a

n/a

TOYOTA® T100

1993-1998 - TOYOTA TACOMA STYLE 8" (NON-TRD) - REAR

1615-LR

92-2080-3002

n/a

1995-1998 - TOYOTA 8" WITH TRD PUSH BUTTON LOCKER - REAR

n/a

n/a

n/a

TOYOTA® TACOMA

1995-UP - TOYOTA TACOMA STYLE 8" (NON-TRD) - REAR

1615-LR

92-2080-3002

n/a

1995-UP - TOYOTA 8" WITH TRD PUSH BUTTON LOCKER - REAR

n/a

n/a

n/a

TOYOTA® TUNDRA

2001-2006 - TOYOTA TACOMA STYLE 8" (NON-TRD) - REAR

1615-LR

92-2080-3002

n/a

2001-2006 - TOYOTA 8" WITH TRD PUSH BUTTON LOCKER - REAR

n/a

n/a

n/a

TOYOTA® SEQUOIA

2001-2007 - TOYOTA TACOMA STYLE 8" (NON-TRD) - REAR

1615-LR

92-2080-3002

n/a

2001-2007 - TOYOTA 8" WITH TRD PUSH BUTTON LOCKER - REAR

n/a

n/a

n/a

BUICK® RAINIER

2004-2007 - GM 7.25" IFS - FRONT

1935-LR

n/a

n/a

CADILLAC® ESCALADE

1999-2000 - GM 8.25" IFS - FRONT

n/a

n/a

n/a

2002-UP - GM 8.25" IFS - FRONT

n/a

n/a

n/a

CHEVROLET® ASTRO

1990-2005 - GM 7.25" IFS - FRONT

1935-LR

n/a

n/a

Application Guide

LOCK RIGHT
Open Case

POWERTRAX
Open Case

POWERTRAX
For Posi Case

CHEVROLET® BLAZER - FULL SIZE

1969-1979 - DANA 44 - 30 SPLINE - FRONT	2410-LR	92-0444-3000	92-0444-3020
1980-1988 - GM 10 BOLT 8.5" - 28 SPLINE AXLES - FRONT	1920-LR	92-0785-2805	n/a
1988-1991 - GM 10 BOLT 8.5" - 30 SPLINE AXLES - FRONT	1921-LR	92-0785-3005	n/a

CHEVROLET® COLORADO

2004-UP - GM 7.6" IFS - FRONT	n/a	n/a	n/a
-------------------------------	-----	-----	-----

CHEVROLET® PICKUP - C/K10 SERIES

1963-1979 - DANA 44 - 30 SPLINE - FRONT	2410-LR	92-0444-3000	92-0444-3020
1980-1987 - GM 10 BOLT 8.5" - 28 SPLINE AXLES - FRONT	1920-LR	92-0785-2805	n/a
1988-1999 - GM 8.25" IFS - FRONT	n/a	n/a	n/a

CHEVROLET® PICKUP - SILVERADO 1500 SERIES

1999-UP - GM 8.25" IFS - FRONT	n/a	n/a	n/a
--------------------------------	-----	-----	-----

CHEVROLET® PICKUP - SILVERADO 1500HD SERIES

2001-2007 - GM 9.25" IFS - FRONT	1950-LR	92-0792-3301	n/a
----------------------------------	---------	--------------	-----

CHEVROLET® PICKUP - C/K20 SERIES

1963-1980 - DANA 44 - 30 SPLINE - FRONT	2410-LR	92-0444-3000	92-0444-3020
1981-1987 - GM 10 BOLT 8.5" - 28 SPLINE AXLES - FRONT	1920-LR	92-0785-2805	n/a

CHEVROLET® PICKUP - R/V2500 SERIES

1988 - GM 10 BOLT 8.5" - 28 SPLINE AXLES - FRONT	1920-LR	92-0785-2805	n/a
1988-1989 - GM 10 BOLT 8.5" - 30 SPLINE AXLES - FRONT	1921-LR	92-0785-3005	n/a

CHEVROLET® PICKUP - C/K2500 SERIES

1988-2000 - GM 9.25" IFS - FRONT	1950-LR	92-0792-3301	n/a
----------------------------------	---------	--------------	-----

CHEVROLET® PICKUP - SILVERADO 2500 SERIES

1999-2004 - GM 9.25" IFS - FRONT	1950-LR	92-0792-3301	n/a
----------------------------------	---------	--------------	-----

CHEVROLET® PICKUP - SILVERADO 2500HD SERIES

2001-2007 - GM 9.25" IFS - FRONT	1950-LR	92-0792-3301	n/a
----------------------------------	---------	--------------	-----

CHEVROLET® PICKUP - SILVERADO 2500HD SERIES (NEWER BODY STYLE)

2007-UP - GM 9.25" IFS - FRONT	1950-LR	92-0792-3301	n/a
--------------------------------	---------	--------------	-----

CHEVROLET® PICKUP - C/K30 SERIES

1977-1987 - DANA 60 - 35 SPLINE AXLES - FRONT	2620-LR	92-0460-3500	92-0460-3520
---	---------	--------------	--------------

CHEVROLET® PICKUP - R/V3500 SERIES

1988-1991 - DANA 60 - 35 SPLINE AXLES - FRONT	2620-LR	92-0460-3500	92-0460-3520
---	---------	--------------	--------------

CHEVROLET® PICKUP - C/K3500 SERIES

1988-2002 - GM 9.25" IFS - FRONT	1950-LR	92-0792-3301	n/a
----------------------------------	---------	--------------	-----

CHEVROLET® PICKUP - SILVERADO 3500 SERIES

2001-UP - GM 9.25" IFS - FRONT	1950-LR	92-0792-3301	n/a
--------------------------------	---------	--------------	-----

CHEVROLET® SUBURBAN - C/K/R/V10 1500

1965-1979 - DANA 44 - 30 SPLINE - FRONT	2410-LR	92-0444-3000	92-0444-3020
1980-1988 - GM 10 BOLT 8.5" - 28 SPLINE AXLES - FRONT	1920-LR	92-0785-2805	n/a
1988-1991 - GM 10 BOLT 8.5" - 30 SPLINE AXLES - FRONT	1921-LR	92-0785-3005	n/a
1992-1999 - GM 8.25" IFS - FRONT	n/a	n/a	n/a
1995-1999 - GM 9.25" IFS - FRONT	1950-LR	92-0792-3301	n/a
2000-UP - GM 8.25" IFS - FRONT	n/a	n/a	n/a

Application Guide

LOCK RIGHT
Open Case

POWERTRAX
Open Case

POWERTRAX
For Posi Case

CHEVROLET® SUBURBAN - C/K/R/V20 2500

1971-1981 - DANA 44 - 30 SPLINE - FRONT	2410-LR	92-0444-3000	92-0444-3020
1981-1988 - GM 10 BOLT 8.5" - 28 SPLINE AXLES - FRONT	1920-LR	92-0785-2805	n/a
1988-1991 - GM 10 BOLT 8.5" - 30 SPLINE AXLES - FRONT	1921-LR	92-0785-3005	n/a
1992-1999 - GM 9.25" IFS - FRONT	1950-LR	92-0792-3301	n/a
2000-UP - GM 9.25" IFS - FRONT	1950-LR	92-0792-3301	n/a

CHEVROLET® S10 BLAZER

1983-2005 - GM 7.25" IFS - FRONT	1935-LR	n/a	n/a
----------------------------------	---------	-----	-----

CHEVROLET® S10 PICKUP

1982-2004 - GM 7.25" IFS - FRONT	1935-LR	n/a	n/a
----------------------------------	---------	-----	-----

CHEVROLET® TAHOE

1995-1999 - GM 8.25" IFS - FRONT	n/a	n/a	n/a
2000-UP - GM 8.25" IFS - FRONT	n/a	n/a	n/a

CHEVROLET® TRAILBLAZER

2002-2009 - GM 7.25" IFS - FRONT	1935-LR	n/a	n/a
----------------------------------	---------	-----	-----

CHEVROLET® VAN - EXPRESS 1500 SERIES

2003-UP - GM 7.25" IFS - FRONT	1935-LR	n/a	n/a
--------------------------------	---------	-----	-----

CHEVROLET® VAN - EXPRESS 2500 SERIES

2003-2006 - GM 7.25" IFS - FRONT	1935-LR	n/a	n/a
----------------------------------	---------	-----	-----

DODGE® DAKOTA

1987-1996 - CHRYSLER 7.25" - FRONT	n/a	n/a	n/a
1997-1999 - DANA 35 IFS WITH C.V. AXLESHAFTS - FRONT	2311-LR	92-0435-2702	n/a
2000-2010 - CHRYSLER 8" IFS - FRONT	n/a	n/a	n/a

DODGE® DURANGO

1998-1999 - DANA 35 IFS WITH C.V. AXLESHAFTS - FRONT	2311-LR	92-0435-2702	n/a
2000-2003 - CHRYSLER 8" IFS - FRONT	n/a	n/a	n/a

DODGE® PICKUP - D/W 100/150 & RAM 1500

1959-1968 - DANA 44 - 19 SPLINE - FRONT	2413-LR	92-0444-1900	n/a
1969-2001 - DANA 44 - 30 SPLINE - FRONT	2410-LR	92-0444-3000	92-0444-3020
2002-2010 - CHRYSLER 8" IFS - FRONT	n/a	n/a	n/a

DODGE® PICKUP - D/W 200/250 & RAM 2500

1959-1968 - DANA 44 - 19 SPLINE - FRONT	2413-LR	92-0444-1900	n/a
1969-2002 - DANA 44 - 30 SPLINE - FRONT	2410-LR	92-0444-3000	92-0444-3020
1972-1974 - DANA 70B - 35 SPLINE AXLES - FRONT	2710-LR	92-0470-3500	n/a
1975-1993 - DANA 60 - 35 SPLINE AXLES - FRONT	2620-LR	92-0460-3500	92-0460-3520
1994-1999 - DANA 60 - 30 SPLINE AXLES - FRONT	2610-LR	92-0460-3000	92-0460-3020
2000-2002 - DANA 60 - 32 SPLINE AXLES - FRONT	n/a	92-0460-3200	92-0460-3220
2003-2010 - AAM 9.25" - FRONT	n/a	n/a	n/a

DODGE® PICKUP - D/W 300/350 & RAM 3500

1958-1965 - DANA 70B - 35 SPLINE AXLES - FRONT	2710-LR	92-0470-3500	n/a
1975-1993 - DANA 60 - 35 SPLINE AXLES - FRONT	2620-LR	92-0460-3500	92-0460-3520
1994-1999 - DANA 60 - 30 SPLINE AXLES - FRONT	2610-LR	92-0460-3000	92-0460-3020
2000-2002 - DANA 60 - 32 SPLINE AXLES - FRONT	n/a	92-0460-3200	92-0460-3220
2003-2010 - AAM 9.25" - FRONT	n/a	n/a	n/a

DODGE® RAMCHARGER

1974-1993 - DANA 44 - 30 SPLINE - FRONT	2410-LR	92-0444-3000	92-0444-3020
---	---------	--------------	--------------

Application Guide

LOCK RIGHT
Open Case

POWERTRAX
Open Case

POWERTRAX
For Posi Case

FORD® BRONCO - FULL SIZE

1966-1971 - DANA 30 - FRONT	2210-LR	92-0430-2700	n/a
1971-1977 - DANA 44 - 30 SPLINE - FRONT	2410-LR	92-0444-3000	92-0444-3020
1978-1996 - DANA 44 REVERSE CUT - HIGH-PINION - FRONT	2410-LR	92-0444-3000	92-0444-3020

FORD® BRONCO II

1983-1990 - DANA 28 - FRONT	2116-LR	n/a	n/a
-----------------------------	---------	-----	-----

FORD® EXCURSION

2000-2001 - DANA 50 - 30 SPLINE AXLES - FRONT	2510-LR	n/a	n/a
2002-2005 - DANA 60 REVERSE CUT - HIGH-PINION - FRONT	2620-LR	92-0460-3500	92-0460-3520

FORD® EXPEDITION

1997-2010 - FORD 8.8" IFS WITH C.V. AXLESHAFTS - FRONT	1820-LR	92-0688-2807	n/a
--	---------	--------------	-----

FORD® EXPLORER

1991-1994 - DANA 35 IFS WITH I-BEAM SUSPENSION - FRONT	2310-LR	92-0435-2705	92-0435-2725
1995-2005 - DANA 35 IFS WITH C.V. AXLESHAFTS - FRONT	2311-LR	92-0435-2706	n/a
2001-2005 - DANA 30 - FRONT	n/a	n/a	n/a

FORD® PICKUP - F100/F150

1959-1966 - DANA 44 - 19 SPLINE - FRONT	2413-LR	92-0444-1900	n/a
1967-1977 - DANA 44 - 30 SPLINE - FRONT	2410-LR	92-0444-3000	92-0444-3020
1976-1996 - DANA 44 REVERSE CUT - HIGH-PINION - FRONT	2410-LR	92-0444-3000	92-0444-3020
1997-2010 - FORD 8.8" IFS WITH C.V. AXLESHAFTS - FRONT	1820-LR	92-0688-2807	n/a

FORD® PICKUP - F250

1960-1966 - DANA 44 - 19 SPLINE - FRONT	2413-LR	92-0444-1900	n/a
1967-1977 - DANA 44 - 30 SPLINE - FRONT	2410-LR	92-0444-3000	92-0444-3020
1975-1977 - DANA 60 - 30 SPLINE AXLES - FRONT	2610-LR	92-0460-3000	92-0460-3020
1977-1988 - DANA 44 REVERSE CUT - HIGH-PINION - FRONT	2410-LR	92-0444-3000	92-0444-3020
1978-1979 - DANA 60 REVERSE CUT - HIGH-PINION - FRONT	2620-LR	92-0460-3500	92-0460-3520
1981-1998 - DANA 50 - 30 SPLINE AXLES - FRONT	2510-LR	n/a	n/a
1999-2001 - DANA 50 - 30 SPLINE AXLES - FRONT	2510-LR	n/a	n/a
2002-UP - DANA 60 REVERSE CUT - HIGH-PINION - FRONT	2620-LR	92-0460-3500	92-0460-3520

FORD® PICKUP - F250 LIGHT DUTY

1997-1999 - FORD 8.8" IFS WITH C.V. AXLESHAFTS - FRONT	1820-LR	92-0688-2807	n/a
--	---------	--------------	-----

FORD® PICKUP - F350

1978-UP - DANA 60 REVERSE CUT - HIGH-PINION - FRONT	2620-LR	92-0460-3500	92-0460-3520
1980-2001 - DANA 50 - 30 SPLINE AXLES - FRONT	2510-LR	n/a	n/a
1981-1985 - DANA 44 REVERSE CUT - HIGH-PINION - FRONT	2410-LR	92-0444-3000	92-0444-3020

FORD® F450 SUPERDUTY

1999-2009 - DANA 60 REVERSE CUT - HIGH-PINION - FRONT	2620-LR	92-0460-3500	92-0460-3520
---	---------	--------------	--------------

FORD® F550 SUPERDUTY

1999-2009 - DANA 60 REVERSE CUT - HIGH-PINION - FRONT	2620-LR	92-0460-3500	92-0460-3520
---	---------	--------------	--------------

FORD® RANGER

1982-1989 - DANA 28 - FRONT	2116-LR	n/a	n/a
1990-1997 - DANA 35 IFS WITH I-BEAM SUSPENSION - FRONT	2310-LR	92-0435-2705	92-0435-2725
1998-UP - DANA 35 IFS WITH C.V. AXLESHAFTS - FRONT	2311-LR	92-0435-2706	n/a

GMC® CANYON

2004-UP - GM 7.6" IFS - FRONT	n/a	n/a	n/a
-------------------------------	-----	-----	-----

GMC® ENVOY

1998-2009 - GM 7.25" IFS - FRONT	1935-LR	n/a	n/a
----------------------------------	---------	-----	-----

Application Guide

LOCK RIGHT
Open Case

POWERTRAX
Open Case

POWERTRAX
For Posi Case

GMC® ENVOY XL

2002-2006 - GM 7.25" IFS - FRONT

1935-LR

n/a

n/a

GMC® JIMMY - FULL SIZE

1969-1979 - DANA 44 - 30 SPLINE - FRONT

2410-LR

92-0444-3000

92-0444-3020

1980-1988 - GM 10 BOLT 8.5" - 28 SPLINE AXLES - FRONT

1920-LR

92-0785-2805

n/a

1988-1991 - GM 10 BOLT 8.5" - 30 SPLINE AXLES - FRONT

1921-LR

92-0785-3005

n/a

GMC® PICKUP - C/K/R/V 1500 SERIES

1963-1979 - DANA 44 - 30 SPLINE - FRONT

2410-LR

92-0444-3000

92-0444-3020

1980-1987 - GM 10 BOLT 8.5" - 28 SPLINE AXLES - FRONT

1920-LR

92-0785-2805

n/a

1988-1999 - GM 8.25" IFS - FRONT

n/a

n/a

n/a

GMC® PICKUP - SIERRA 1500 SERIES

1999-UP - GM 8.25" IFS - FRONT

n/a

n/a

n/a

GMC® PICKUP - SIERRA 1500HD SERIES

2001-2007 - GM 9.25" IFS - FRONT

1950-LR

92-0792-3301

n/a

GMC® PICKUP - C/K/R/V 2500 SERIES

1963-1980 - DANA 44 - 30 SPLINE - FRONT

2410-LR

92-0444-3000

92-0444-3020

1981-1987 - GM 10 BOLT 8.5" - 28 SPLINE AXLES - FRONT

1920-LR

92-0785-2805

n/a

1988 - GM 10 BOLT 8.5" - 28 SPLINE AXLES - FRONT

1920-LR

92-0785-2805

n/a

1988-1989 - GM 10 BOLT 8.5" - 30 SPLINE AXLES - FRONT

1921-LR

92-0785-3005

n/a

1988-2000 - GM 9.25" IFS - FRONT

1950-LR

92-0792-3301

n/a

GMC® PICKUP - SIERRA 2500 SERIES

1999-2004 - GM 9.25" IFS - FRONT

1950-LR

92-0792-3301

n/a

GMC® PICKUP - SIERRA 2500HD SERIES

2001-2007 - GM 9.25" IFS - FRONT

1950-LR

92-0792-3301

n/a

GMC® PICKUP - C/K/R/V 3500 SERIES

1977-1987 - DANA 60 - 35 SPLINE AXLES - FRONT

2620-LR

92-0460-3500

92-0460-3520

1988-1991 - DANA 60 - 35 SPLINE AXLES - FRONT

2620-LR

92-0460-3500

92-0460-3520

1988-2002 - GM 9.25" IFS - FRONT

1950-LR

92-0792-3301

n/a

GMC® PICKUP - SIERRA 3500 SERIES

2001-UP - GM 9.25" IFS - FRONT

1950-LR

92-0792-3301

n/a

GMC® SUBURBAN - C/K/R/V 1500

1965-1979 - DANA 44 - 30 SPLINE - FRONT

2410-LR

92-0444-3000

92-0444-3020

1980-1988 - GM 10 BOLT 8.5" - 28 SPLINE AXLES - FRONT

1920-LR

92-0785-2805

n/a

1988-1991 - GM 10 BOLT 8.5" - 30 SPLINE AXLES - FRONT

1921-LR

92-0785-3005

n/a

1992-1999 - GM 8.25" IFS - FRONT

n/a

n/a

n/a

1995-1999 - GM 9.25" IFS - FRONT

1950-LR

92-0792-3301

n/a

GMC® SUBURBAN - C/K/R/V 2500

1971-1981 - DANA 44 - 30 SPLINE - FRONT

2410-LR

92-0444-3000

92-0444-3020

1981-1988 - GM 10 BOLT 8.5" - 28 SPLINE AXLES - FRONT

1920-LR

92-0785-2805

n/a

1988-1991 - GM 10 BOLT 8.5" - 30 SPLINE AXLES - FRONT

1921-LR

92-0785-3005

n/a

1992-1999 - GM 9.25" IFS - FRONT

1950-LR

92-0792-3301

n/a

GMC® S15 JIMMY

1983-2001 - GM 7.25" IFS - FRONT

1935-LR

n/a

n/a

GMC® S15 PICKUP

1982-1993 - GM 7.25" IFS - FRONT

1935-LR

n/a

n/a

Application Guide

LOCK RIGHT
Open Case

POWERTRAX
Open Case

POWERTRAX
For Posi Case

GMC® SAFARI

1990-2005 - GM 7.25" IFS - FRONT

1935-LR

n/a

n/a

GMC® SONOMA

1994-2004 - GM 7.25" IFS - FRONT

1935-LR

n/a

n/a

GMC® VAN - SAVANA 1500 SERIES

2003-UP - GM 7.25" IFS - FRONT

1935-LR

n/a

n/a

GMC® VAN - SAVANA 2500 SERIES

2003-2006 - GM 7.25" IFS - FRONT

1935-LR

n/a

n/a

GMC® YUKON

1992-1999 - GM 8.25" IFS - FRONT

n/a

n/a

n/a

2000-UP - GM 8.25" IFS - FRONT

n/a

n/a

n/a

GMC® YUKON XL 1500

2000-UP - GM 8.25" IFS - FRONT

n/a

n/a

n/a

GMC® YUKON XL 2500

2000-UP - GM 9.25" IFS - FRONT

1950-LR

92-0792-3301

n/a

HUMMER® H1

1992-2006 - AMC MODEL 20 - FRONT

1710-LR (a)

92-0120-2900 (a)

92-0120-2920 (a)

HUMMER® H2 SUT

2004-2007 - GM 9.25" IFS - FRONT

1950-LR

92-0792-3301

n/a

HUMMER® H2 SUV

2003-2009 - GM 9.25" IFS - FRONT

1950-LR

92-0792-3301

n/a

HUMMER® H3T

2009-2010 - GM 7.6" IFS - FRONT

n/a

n/a

n/a

HUMMER® H3 SUV

2005-2010 - GM 7.6" IFS - FRONT

n/a

n/a

n/a

INTERNATIONAL® SCOUT

1961-1971 - DANA 27 - FRONT

2115-LR

n/a

n/a

1968-1971 - DANA 30 - FRONT

2210-LR

92-0430-2700

n/a

INTERNATIONAL® SCOUT II

1971-1977 - DANA 30 - FRONT

2210-LR

92-0430-2700

n/a

1973-1980 - DANA 44 - 30 SPLINE - FRONT

2410-LR

92-0444-3000

92-0444-3020

JEEP® CHEROKEE

1974-1979 - DANA 44 - 30 SPLINE - FRONT

2410-LR

92-0444-3000

92-0444-3020

1980-1983 - DANA 44 - 30 SPLINE - FRONT

2410-LR

92-0444-3000

92-0444-3020

1984-1999 - DANA 30 REVERSE - FRONT

2210-LR

92-0430-2700

n/a

2000-2001 - DANA 30 TJ TYPE - FRONT

2210-LR

92-0430-2700

n/a

JEEP® CJ2A

1945-1949 - DANA 25 - 10 SPLINE - FRONT

2110-LR

n/a

n/a

JEEP® CJ3A

1948-1953 - DANA 25 - 10 SPLINE - FRONT

2110-LR

n/a

n/a

Application Guide

LOCK RIGHT
Open Case

POWERTRAX
Open Case

POWERTRAX
For Posi Case

JEEP® CJ3B

1952-1964 - DANA 25 - 10 SPLINE - FRONT
1964-1968 - DANA 27 - 10 SPLINE - FRONT

2110-LR
2115-LR

n/a
n/a

n/a
n/a

JEEP® CJ5

1971-1983 - DANA 30 - FRONT

2210-LR

92-0430-2700

n/a

JEEP® CJ6

1971-1976 - DANA 30 - FRONT

2210-LR

92-0430-2700

n/a

JEEP® CJ7

1977-1981 - DANA 30 - FRONT
1982-1986 - DANA 30 - FRONT

2210-LR
2210-LR

92-0430-2700
92-0430-2700

n/a
n/a

JEEP® CJ8

1981 - DANA 30 - FRONT
1982-1985 - DANA 30 - FRONT

2210-LR
2210-LR

92-0430-2700
92-0430-2700

n/a
n/a

JEEP® COMANCHEE

1986-1992 - DANA 30 REVERSE - FRONT

2210-LR

92-0430-2700

n/a

JEEP® COMMANDO

1967-1971 - DANA 27 - 10 SPLINE - FRONT
1972-1973 - DANA 30 - FRONT

2115-LR
2210-LR

n/a
92-0430-2700

n/a
n/a

JEEP® GRAND CHEROKEE

1992-1996 - DANA 30 ZJ TYPE - FRONT
1996-2004 - DANA 30 TJ TYPE - FRONT

2210-LR
2210-LR

92-0430-2700
92-0430-2700

n/a
n/a

JEEP® GRAND WAGONEER

1984-1991 - DANA 44 - 30 SPLINE - FRONT

2410-LR

92-0444-3000

92-0444-3020

JEEP® J10

1974-1988 - DANA 44 - 30 SPLINE - FRONT

2410-LR

92-0444-3000

92-0444-3020

JEEP® J20

1974-1988 - DANA 44 - 30 SPLINE - FRONT

2410-LR

92-0444-3000

92-0444-3020

JEEP® LIBERTY

2002-2007 - DANA 30 KJ TYPE - FRONT

2210-LR

92-0430-2700

n/a

JEEP® WAGONEER

1971-1983 - DANA 44 - 30 SPLINE - FRONT
1971-1973 - DANA 30 - FRONT
1984-1990 - DANA 30 REVERSE - FRONT

2410-LR
2210-LR
2210-LR

92-0444-3000
92-0430-2700
92-0430-2700

92-0444-3020
n/a
n/a

JEEP® WRANGLER

1987-1996 - DANA 30 REVERSE - FRONT
1997-2006 - DANA 30 TJ TYPE - FRONT
2003-2006 - DANA 44 TJ RUBICON TYPE - FRONT
2007-2011 - DANA 30 JK TYPE - FRONT
2007-2011 - DANA 44 JK RUBICON TYPE - FRONT

2210-LR
2210-LR
n/a
n/a
n/a

92-0430-2700
92-0430-2700
n/a
n/a
n/a

n/a
n/a
n/a
n/a
n/a

LINCOLN® NAVIGATOR

1998-UP - FORD 8.8" IFS WITH C.V. AXLES/SHAFTS - FRONT

1820-LR

92-0688-2807

n/a

MERCURY® MOUNTAINEER

1997-2006 - DANA 35 IFS WITH C.V. AXLES/SHAFTS - FRONT
2001-2006 - DANA 30 - FRONT

2311-LR
n/a

92-0435-2706
n/a

n/a
n/a

Application Guide

LOCK RIGHT
Open Case

POWERTRAX
Open Case

POWERTRAX
For Posi Case

OLDSMOBILE® BRAVADA

1991-2004 - GM 7.25" IFS - FRONT

1935-LR

n/a

n/a

PLYMOUTH® TRAILDUSTER

1974-1981 - DANA 44 - 30 SPLINE - FRONT

2410-LR

92-0444-3000

92-0444-3020

SUZUKI® SAMURAI

1985-1995 - FRONT

(a) Kit 1510-LR uses factory side gears, which must be in good condition to operate properly

1510-LR (a)

n/a

n/a

TOYOTA® 4 RUNNER

1984-1985 - TOYOTA 8" - FRONT

1610-LR

92-2080-3001

n/a

1986-1995 - TOYOTA 7.5" IFS WITH C.V. AXLESshafts - FRONT

1611-LR

n/a

n/a

1995-2002 - TOYOTA TACOMA/TUNDRA 7.5" C.V. STYLE - FRONT

1611-LR

n/a

n/a

2003-UP - TOYOTA 8" HIGH-PINION IFS - FRONT

n/a

n/a

n/a

TOYOTA® FJ CRUISER

2007-UP - TOYOTA 8" HIGH-PINION IFS - FRONT

n/a

n/a

n/a

TOYOTA® LANDCRUISER

1950-1968 - TOYOTA LANDCRUISER 9.5" - 10 SPLINE - FRONT

n/a

92-2088-1005

n/a

1968-1989 - TOYOTA LANDCRUISER 9.5" - 30 SPLINE - FRONT

1630-LR

92-2088-3005

n/a

1990-1998 - 8" IFS - FRONT

1610-LR

92-2080-3001

n/a

TOYOTA® PICKUP

1976-1995 - TOYOTA 8" - FRONT

1610-LR

92-2080-3001

n/a

1986-1995 - TOYOTA 7.5" IFS WITH C.V. AXLESshafts - FRONT

1611-LR

n/a

n/a

TOYOTA® T100

1993-1996 - TOYOTA 7.5" IFS WITH C.V. AXLESshafts - FRONT

1611-LR

n/a

n/a

1997-1998 - TOYOTA TACOMA/TUNDRA 7.5" C.V. STYLE - FRONT

1611-LR

n/a

n/a

TOYOTA® TACOMA

1995-2004 - TOYOTA TACOMA/TUNDRA 7.5" C.V. STYLE - FRONT

1611-LR

n/a

n/a

2005-UP - TOYOTA 8" HIGH-PINION IFS - FRONT

n/a

n/a

n/a

TOYOTA® TUNDRA

1995-2004 - TOYOTA TACOMA/TUNDRA 7.5" C.V. STYLE - FRONT

1611-LR

n/a

n/a

TOYOTA® SEQUOIA

1995-2004 - TOYOTA TACOMA/TUNDRA 7.5" C.V. STYLE - FRONT

1611-LR

n/a

n/a

AMC® AMBASSADOR

1967-1974 - AMC MODEL 20

1710-LR

92-0120-2900

92-0120-2920

AMC® AMX

1968-1979 - AMC MODEL 20

1710-LR

92-0120-2900

92-0120-2920

AMC® CONCORD

1978-1981 - AMC MODEL 20

1710-LR

92-0120-2900

92-0120-2920

AMC® EAGLE

1980-1988 - AMC MODEL 20

1710-LR

92-0120-2900

92-0120-2920

1980-1988 - DANA 35

2310-LR

92-0435-2700

92-0435-2720

1980-1988 - DANA 30 - (FRONT)

2210-LR

92-0430-2700

n/a

AMC® GREMLIN

1970-1978 - AMC MODEL 20

1710-LR

92-0120-2900

92-0120-2920

1973-1978 - DANA 35

2310-LR

92-0435-2700

92-0435-2720

Application Guide

LOCK RIGHT
Open Case

POWERTRAX
Open Case

POWERTRAX
For Posi Case

AMC® HORNET

1970-1977 - AMC MODEL 20
1970-1977 - DANA 35

1710-LR
2310-LR

92-0120-2900
92-0435-2700

92-0120-2920
92-0435-2720

AMC® JAVELIN

1968-1974 - AMC MODEL 20
1970-1974 - DANA 35

1710-LR
2310-LR

92-0120-2900
92-0435-2700

92-0120-2920
92-0435-2720

AMC® MARLIN

1967 - AMC MODEL 20

1710-LR

92-0120-2900

92-0120-2920

AMC MATADOR

1971-1978 - AMC MODEL 20

1710-LR

92-0120-2900

92-0120-2920

AMC® PACER

1978-1979 - AMC MODEL 20
1975-1978 - DANA 35

1710-LR
2310-LR

92-0120-2900
92-0435-2700

92-0120-2920
92-0435-2720

AMC® RAMBLER

1969 - AMC MODEL 20

1710-LR

92-0120-2900

92-0120-2920

AMC® REBEL

1969 - AMC MODEL 20

1710-LR

92-0120-2900

92-0120-2920

AMC® SPIRIT

1979 - AMC MODEL 20
1979-1982 - DANA 35

1710-LR
2310-LR

92-0120-2900
92-0435-2700

92-0120-2920
92-0435-2720

BUICK® APOLLO

1973-1975 - GM 10 BOLT 7.5" - 26 SPLINE AXLES
1973-1975 - GM 10 BOLT 8.5" - 28 SPLINE AXLES

(a) fits equal opening 7.5" case - for unequal opening 7.625" case use 1932-LR.
(b) fits equal opening 7.5" case - for unequal opening 7.625" case use 92-0776-2605

1930-LR (a)
1920-LR

92-0775-2605 (b)
92-0785-2805

n/a
n/a

BUICK® CENTURION

1971-1973 - GM 10 BOLT 8.5" - 28 SPLINE AXLES

1920-LR

92-0785-2805

n/a

BUICK® CENTURY

1973-1977 - GM 10 BOLT 8.5" - 28 SPLINE AXLES
1978-1981 - GM 10 BOLT 7.5" - 26 SPLINE AXLES

(a) fits equal opening 7.5" case - for unequal opening 7.625" case use 1932-LR.
(b) fits equal opening 7.5" case - for unequal opening 7.625" case use 92-0776-2605

1920-LR
1930-LR (a)

92-0785-2805
92-0775-2605 (b)

n/a
n/a

BUICK® ELECTRA

1971-1985 - GM 10 BOLT 8.5" - 28 SPLINE AXLES
1977-1985 - GM 10 BOLT 7.5" - 26 SPLINE AXLES

(a) fits equal opening 7.5" case - for unequal opening 7.625" case use 1932-LR.
(b) fits equal opening 7.5" case - for unequal opening 7.625" case use 92-0776-2605

1920-LR
1930-LR (a)

92-0785-2805
92-0775-2605 (b)

n/a
n/a

BUICK® GRAND NATIONAL, T-TYPE & GNX

1982-1987 - GM 10 BOLT 7.5" - 26 SPLINE AXLES
1984-1987 - GM 10 BOLT 8.5" - 28 SPLINE AXLES

(a) fits equal opening 7.5" case - for unequal opening 7.625" case use 1932-LR.
(b) fits equal opening 7.5" case - for unequal opening 7.625" case use 92-0776-2605

1930-LR (a)
1920-LR

92-0775-2605 (b)
92-0785-2805

n/a
n/a

BUICK® LASABRE

1971-1985 - GM 10 BOLT 8.5" - 28 SPLINE AXLES
1975-1985 - GM 10 BOLT 7.5" - 26 SPLINE AXLES

(a) fits equal opening 7.5" case - for unequal opening 7.625" case use 1932-LR.
(b) fits equal opening 7.5" case - for unequal opening 7.625" case use 92-0776-2605

1920-LR
1930-LR (a)

92-0785-2805
92-0775-2605 (b)

n/a
n/a

BUICK® REGAL

1973-1977 - GM 10 BOLT 8.5" - 28 SPLINE AXLES
1978-1987 - GM 10 BOLT 7.5" - 26 SPLINE AXLES
1984-1987 - GM 10 BOLT 8.5" - 28 SPLINE AXLES

(a) fits equal opening 7.5" case - for unequal opening 7.625" case use 1932-LR.
(b) fits equal opening 7.5" case - for unequal opening 7.625" case use 92-0776-2605

1920-LR
1930-LR (a)
1920-LR

92-0785-2805
92-0775-2605 (b)
92-0785-2805

n/a
n/a
n/a

Application Guide

LOCK RIGHT
Open Case

POWERTRAX
Open Case

POWERTRAX
For Posi Case

BUICK® RIVIERA

1977-1978 - GM 10 BOLT 8.5" - 28 SPLINE AXLES

1920-LR

92-0785-2805

n/a

BUICK® ROADMASTER

(a) fits equal opening 7.5" case - for unequal opening 7.625" case use 1932-LR.

(b) fits equal opening 7.5" case - for unequal opening 7.625" case use 92-0776-2605

1991 - GM 10 BOLT 7.5" - 26 SPLINE AXLES

1930-LR (a)

92-0775-2605 (b)

n/a

1991-1996 - GM 10 BOLT 7.5"/7.625" - 28 SPLINE AXLES

1931-LR

92-0776-2805

n/a

1991-1996 - GM 10 BOLT 8.5" - 30 SPLINE AXLES

1921-LR

92-0785-3005

n/a

BUICK® SKYLARK

(a) fits equal opening 7.5" case - for unequal opening 7.625" case use 1932-LR.

(b) fits equal opening 7.5" case - for unequal opening 7.625" case use 92-0776-2605

1975-1979 - GM 10 BOLT 8.5" - 28 SPLINE AXLES

1920-LR

92-0785-2805

n/a

1977-1979 - GM 10 BOLT 7.5" - 26 SPLINE AXLES

1930-LR (a)

92-0775-2605 (b)

n/a

CADILLAC® FULL-SIZE

(a) fits equal opening 7.5" case - for unequal opening 7.625" case use 1932-LR.

(b) fits equal opening 7.5" case - for unequal opening 7.625" case use 92-0776-2605

1977-1984 - GM 12 BOLT 8.875" CAR

1910-LR

92-0788-3005

n/a

1982-1987 - GM 10 BOLT 7.5" - 26 SPLINE AXLES

1930-LR (a)

92-0775-2605 (b)

n/a

1984-1996 - GM 10 BOLT 8.5" - 28 SPLINE AXLES

1920-LR

92-0785-2805

n/a

1988-1990 - GM 10 BOLT 7.625" - 26 SPLINE AXLES

1932-LR

92-0776-2605

n/a

1991-1996 - 14 BOLT 9.5" - REAR

1950-LR

92-0795-3305

n/a

CADILLAC® SEVILLE

1976-1979 - GM 10 BOLT 8.5" - 28 SPLINE AXLES

1920-LR

92-0785-2805

n/a

CHEVROLET® BEL AIR

1955-1964 - GM CHEVY 8.2" 3RD MEMBER

n/a

n/a

n/a

1965-1970 - GM CHEVY 8.2" 10 BOLT

1940-LR

92-0782-2805

n/a

1965-1970 - GM 12 BOLT 8.875" CAR

1910-LR

92-0788-3005

n/a

1971-1975 - GM 10 BOLT 8.5" - 28 SPLINE AXLES

1920-LR

92-0785-2805

n/a

CHEVROLET® BISCAYNE

1958-1964 - GM CHEVY 8.2" 3RD MEMBER

n/a

n/a

n/a

1965-1970 - GM CHEVY 8.2" 10 BOLT

1940-LR

92-0782-2805

n/a

1971-1972 - GM 10 BOLT 8.5" - 28 SPLINE AXLES

1920-LR

92-0785-2805

n/a

CHEVROLET® BROCKWOOD

1969-1970 - GM CHEVY 8.2" 10 BOLT

1940-LR

92-0782-2805

n/a

1971-1972 - GM 10 BOLT 8.5" - 28 SPLINE AXLES

1920-LR

92-0785-2805

n/a

CHEVROLET® CAMARO

(a) fits equal opening 7.5" case - for unequal opening 7.625" case use 1932-LR.

(b) fits equal opening 7.5" case - for unequal opening 7.625" case use 92-0776-2605

1967-1969 - GM CHEVY 8.2" 10 BOLT

1940-LR

92-0782-2805

n/a

1967-1969 - GM 12 BOLT 8.875" CAR

1910-LR

92-0788-3005

n/a

1970 - GM 12 BOLT 8.875" CAR

1910-LR

92-0788-3005

n/a

1970-1981 - GM 10 BOLT 8.5" - 28 SPLINE AXLES

1920-LR

92-0785-2805

n/a

1982-1989 - GM 10 BOLT 7.5" - 26 SPLINE AXLES

1930-LR (a)

92-0775-2605 (b)

n/a

1985-1991 - GM 10 BOLT 7.75 - 9 BOLT

n/a

n/a

n/a

1990-2002 - GM 10 BOLT 7.5"/7.625" - 28 SPLINE AXLES

1931-LR

92-0776-2805

n/a

2010+ - 8.6" V8 CAMARO

n/a

n/a

n/a

CHEVROLET® CAPRICE

(a) fits equal opening 7.5" case - for unequal opening 7.625" case use 1932-LR.

(b) fits equal opening 7.5" case - for unequal opening 7.625" case use 92-0776-2605

1965-1972 - GM CHEVY 8.2" 10 BOLT

1940-LR

92-0782-2805

n/a

1965-1970 - GM 12 BOLT 8.875" CAR

1910-LR

92-0788-3005

n/a

1973-1988 - GM 10 BOLT 8.5" - 28 SPLINE AXLES

1920-LR

92-0785-2805

n/a

1977-1992 - GM 10 BOLT 7.5" - 26 SPLINE AXLES

1930-LR (a)

92-0775-2605 (b)

n/a

1989-1996 - GM 10 BOLT 8.5" - 30 SPLINE AXLES

1921-LR

92-0785-3005

n/a

1993-1996 - GM 10 BOLT 7.5"/7.625" - 28 SPLINE AXLES

1931-LR

92-0776-2805

n/a

CHEVROLET® CHEVELLE

1964 - GM CHEVY 8.2" 10 BOLT

1940-LR

92-0782-2805

n/a

1965-1972 - GM CHEVY 8.2" 10 BOLT

1940-LR

92-0782-2805

n/a

1965-1972 - GM 12 BOLT 8.875" CAR

1910-LR

92-0788-3005

n/a

1973-1977 - GM 10 BOLT 8.5" - 28 SPLINE AXLES

1920-LR

92-0785-2805

n/a

Application Guide

LOCK RIGHT
Open Case

POWERTRAX
Open Case

POWERTRAX
For Posi Case

CHEVROLET CHEVY II

1965-1969 - GM CHEVY 8.2" 10 BOLT	1940-LR	92-0782-2805	n/a
1965-1969 - GM 12 BOLT 8.875" CAR	1910-LR	92-0788-3005	n/a

CHEVROLET CORVETTE

1955-1962 - GM CHEVY 8.2" 3RD MEMBER	n/a	n/a	n/a
1963-1979 - GM EARLY CORVETTE	n/a	n/a	n/a
1980-1982 - DANA 44 CORVETTE	n/a	n/a	n/a
1984-1996 - DANA 36 CORVETTE	n/a	n/a	n/a
1984-1996 - DANA 44HD IRS	n/a	n/a	n/a
1997-2004 - GM CORVETTE LATE REAR	n/a	n/a	n/a

CHEVROLET ® EL CAMINO

(a) fits equal opening 7.5" case - for unequal opening 7.625" case use 1932-LR.

(b) fits equal opening 7.5" case - for unequal opening 7.625" case use 92-0776-2605

1959-1960 - GM CHEVY 8.2" 3RD MEMBER	n/a	n/a	n/a
1964 - GM CHEVY 8.2" 10 BOLT	1940-LR	92-0782-2805	n/a
1965-1972 - GM CHEVY 8.2" 10 BOLT	1940-LR	92-0782-2805	n/a
1965-1972 - GM 12 BOLT 8.875" CAR	1910-LR	92-0788-3005	n/a
1973-1977 - GM 10 BOLT 8.5" - 28 SPLINE AXLES	1920-LR	92-0785-2805	n/a
1978-1987 - GM 10 BOLT 7.5" - 26 SPLINE AXLES	1930-LR (a)	92-0775-2605 (b)	n/a

CHEVROLET ® IMPALA

(a) fits equal opening 7.5" case - for unequal opening 7.625" case use 1932-LR.

(b) fits equal opening 7.5" case - for unequal opening 7.625" case use 92-0776-2605

1959-1964 - GM CHEVY 8.2" 3RD MEMBER	n/a	n/a	n/a
1965-1970 - GM CHEVY 8.2" 10 BOLT	1940-LR	92-0782-2805	n/a
1965-1970 - GM 12 BOLT 8.875" CAR	1910-LR	92-0788-3005	n/a
1971-1985 - GM 10 BOLT 8.5" - 28 SPLINE AXLES	1920-LR	92-0785-2805	n/a
1977-1985 - GM 10 BOLT 7.5" - 26 SPLINE AXLES	1930-LR (a)	92-0775-2605 (b)	n/a
1994-1996 - GM 10 BOLT 7.5"/7.625" - 28 SPLINE AXLES	1931-LR	92-0776-2805	n/a
1994-1996 - GM 10 BOLT 8.5" - 30 SPLINE AXLES	1921-LR	92-0785-3005	n/a

CHEVROLET ® MALIBU

(a) fits equal opening 7.5" case - for unequal opening 7.625" case use 1932-LR.

(b) fits equal opening 7.5" case - for unequal opening 7.625" case use 92-0776-2605

1964 - GM CHEVY 8.2" 10 BOLT	1940-LR	92-0782-2805	n/a
1965-1967 - GM CHEVY 8.2" 10 BOLT	1940-LR	92-0782-2805	n/a
1973-1983 - GM 10 BOLT 8.5" - 28 SPLINE AXLES	1920-LR	92-0785-2805	n/a
1978-1983 - GM 10 BOLT 7.5" - 26 SPLINE AXLES	1930-LR (a)	92-0775-2605 (b)	n/a

CHEVROLET ® MONTE CARLO

(a) fits equal opening 7.5" case - for unequal opening 7.625" case use 1932-LR.

(b) fits equal opening 7.5" case - for unequal opening 7.625" case use 92-0776-2605

1970-1972 - GM CHEVY 8.2" 10 BOLT	1940-LR	92-0782-2805	n/a
1970-1972 - GM 12 BOLT 8.875" CAR	1910-LR	92-0788-3005	n/a
1973-1977 - GM 10 BOLT 8.5" - 28 SPLINE AXLES	1920-LR	92-0785-2805	n/a
1978-1988 - GM 10 BOLT 7.5" - 26 SPLINE AXLES	1930-LR (a)	92-0775-2605 (b)	n/a

CHEVROLET ® MONZA

(a) fits equal opening 7.5" case - for unequal opening 7.625" case use 1932-LR.

(b) fits equal opening 7.5" case - for unequal opening 7.625" case use 92-0776-2605

1975-1980 - GM 10 BOLT 7.5" - 26 SPLINE AXLES	1930-LR (a)	92-0775-2605 (b)	n/a
---	-------------	------------------	-----

CHEVROLET ® NOVA

(a) fits equal opening 7.5" case - for unequal opening 7.625" case use 1932-LR.

(b) fits equal opening 7.5" case - for unequal opening 7.625" case use 92-0776-2605

1964-1971 - GM CHEVY 8.2" 10 BOLT	1940-LR	92-0782-2805	n/a
1968-1971 - GM 12 BOLT 8.875" CAR	1910-LR	92-0788-3005	n/a
1972-1979 - GM 10 BOLT 8.5" - 28 SPLINE AXLES	1920-LR	92-0785-2805	n/a
1976-1979 - GM 10 BOLT 7.5" - 26 SPLINE AXLES	1930-LR (a)	92-0775-2605 (b)	n/a

CHEVROLET ® ONE-FIFTY SERIES

1955-1957 - GM CHEVY 8.2" 3RD MEMBER	n/a	n/a	n/a
--------------------------------------	-----	-----	-----

CHEVROLET ® TWO-TEN SERIES

1955-1957 - GM CHEVY 8.2" 3RD MEMBER	n/a	n/a	n/a
--------------------------------------	-----	-----	-----

CHEVROLET ® VEGA

(a) fits equal opening 7.5" case - for unequal opening 7.625" case use 1932-LR.

(b) fits equal opening 7.5" case - for unequal opening 7.625" case use 92-0776-2605

1975-1977 - GM 10 BOLT 7.5" - 26 SPLINE AXLES	1930-LR (a)	92-0775-2605 (b)	n/a
---	-------------	------------------	-----

Application Guide

LOCK RIGHT
Open Case

POWERTRAX
Open Case

POWERTRAX
For Posi Case

CHRYSLER® 300

1957-1968 - CHRYSLER 8.75" 741

1957-1968 - CHRYSLER 8.75" 742

1969-1971 - CHRYSLER 8.75" 489

1240-LR

n/a

n/a

1240-LR

n/a

n/a

1240-LR

n/a

n/a

CHRYSLER® CORDOBA

1975-1983 - CHRYSLER 8.25" 10 BOLT - 27 SPLINE AXLES

1975-1979 - CHRYSLER 9.25" 12 BOLT

1980-1983 - CHRYSLER 7.25"

1230-LR

92-0382-2705

92-0382-2725

1220-LR

92-0392-3105

92-0392-3125

n/a

n/a

n/a

CHRYSLER® FIFTH AVENUE

1983-1989 - CHRYSLER 7.25"

1983-1989 - CHRYSLER 8.25" 10 BOLT - 27 SPLINE AXLES

n/a

n/a

n/a

1230-LR

92-0382-2705

92-0382-2725

CHRYSLER® IMPERIAL

1957-1967 - CHRYSLER 8.75" 741

1957-1967 - CHRYSLER 8.75" 742

1981-1983 - CHRYSLER 8.25" 10 BOLT - 27 SPLINE AXLES

1240-LR

n/a

n/a

1240-LR

n/a

n/a

1230-LR

92-0382-2705

92-0382-2725

CHRYSLER® LEBARON

1977-1983 - CHRYSLER 7.25"

1977-1983 - CHRYSLER 8.25" 10 BOLT - 27 SPLINE AXLES

n/a

n/a

n/a

1230-LR

92-0382-2705

92-0382-2725

CHRYSLER® NEW YORKER

1957-1967 - CHRYSLER 8.75" 741

1957-1968 - CHRYSLER 8.75" 742

1969-1973 - CHRYSLER 8.75" 489

1972-1989 - CHRYSLER 8.25" 10 BOLT - 27 SPLINE AXLES

1974-1981 - CHRYSLER 9.25" 12 BOLT

1982-1989 - CHRYSLER 7.25"

1240-LR

n/a

n/a

1240-LR

n/a

n/a

1240-LR

n/a

n/a

1230-LR

92-0382-2705

92-0382-2725

1220-LR

92-0392-3105

92-0392-3125

n/a

n/a

n/a

CHRYSLER® NEWPORT

1957-1967 - CHRYSLER 8.75" 741

1957-1968 - CHRYSLER 8.75" 742

1969-1974 - CHRYSLER 8.75" 489

1972-1981 - CHRYSLER 8.25" 10 BOLT - 27 SPLINE AXLES

1974-1981 - CHRYSLER 9.25" 12 BOLT

1240-LR

n/a

n/a

1240-LR

n/a

n/a

1240-LR

n/a

n/a

1230-LR

92-0382-2705

92-0382-2725

1220-LR

92-0392-3105

92-0392-3125

CHRYSLER® SARATOGA

1957-1960 - CHRYSLER 8.75" 741

1957-1960 - CHRYSLER 8.75" 742

1240-LR

n/a

n/a

1240-LR

n/a

n/a

CHRYSLER® TOWN & COUNTRY

1957-1967 - CHRYSLER 8.75" 741

1957-1968 - CHRYSLER 8.75" 742

1969-1974 - CHRYSLER 8.75" 489

1972-1981 - CHRYSLER 8.25" 10 BOLT - 27 SPLINE AXLES

1974-1981 - CHRYSLER 9.25" 12 BOLT

1977-1981 - CHRYSLER 7.25"

1240-LR

n/a

n/a

1240-LR

n/a

n/a

1240-LR

n/a

n/a

1230-LR

92-0382-2705

92-0382-2725

1220-LR

92-0392-3105

92-0392-3125

n/a

n/a

n/a

CHRYSLER® WINDSOR

1957-1961 - CHRYSLER 8.75" 741

1957-1961 - CHRYSLER 8.75" 742

1240-LR

n/a

n/a

1240-LR

n/a

n/a

DODGE® ASPEN

1976-1980 - CHRYSLER 7.25"

1976-1980 - CHRYSLER 8.25" 10 BOLT - 27 SPLINE AXLES

n/a

n/a

n/a

1230-LR

92-0382-2705

92-0382-2725

Application Guide

LOCK RIGHT
Open Case

POWERTRAX
Open Case

POWERTRAX
For Posi Case

DODGE ® CHALLENGER

1970-1971 - CHRYSLER 7.25"	n/a	n/a	n/a
1970-1974 - CHRYSLER 8.25" 10 BOLT - 27 SPLINE AXLES	1230-LR	92-0382-2705	92-0382-2725
1970-1974 - CHRYSLER 8.75" 489	1240-LR	n/a	n/a
1970-1971 - CHRYSLER 8.75" 741	1240-LR	n/a	n/a
1970 - CHRYSLER 8.75" 742	1240-LR	n/a	n/a
1970-1971 - DANA 60 - 35 SPLINE AXLES - SEMI FLOAT	n/a	n/a	n/a

DODGE ® CHARGER

1966-1972 - CHRYSLER 8.75" 741	1240-LR	n/a	n/a
1966-1970 - CHRYSLER 8.75" 742	1240-LR	n/a	n/a
1966-1969 - DANA 60 - 23 SPLINE AXLES - SEMI FLOAT	n/a	n/a	n/a
1968-1971 - CHRYSLER 7.25"	n/a	n/a	n/a
1969-1978 - CHRYSLER 8.25" 10 BOLT - 27 SPLINE AXLES	1230-LR	92-0382-2705	92-0382-2725
1969-1974 - CHRYSLER 8.75" 489	1240-LR	n/a	n/a
1969-1972 - DANA 60 - 35 SPLINE AXLES - SEMI FLOAT	n/a	n/a	n/a
1974-1978 - CHRYSLER 9.25" 12 BOLT	1220-LR	92-0392-3105	92-0392-3125

DODGE ® CORONET

1957-1972 - CHRYSLER 8.75" 741	1240-LR	n/a	n/a
1957-1970 - CHRYSLER 8.75" 742	1240-LR	n/a	n/a
1966-1971 - CHRYSLER 7.25"	n/a	n/a	n/a
1967-1969 - DANA 60 - 23 SPLINE AXLES - SEMI FLOAT	n/a	n/a	n/a
1969-1976 - CHRYSLER 8.25" 10 BOLT - 27 SPLINE AXLES	1230-LR	92-0382-2705	92-0382-2725
1969-1974 - CHRYSLER 8.75" 489	1240-LR	n/a	n/a
1969-1970 - DANA 60 - 35 SPLINE AXLES - SEMI FLOAT	n/a	n/a	n/a
1973-1976 - CHRYSLER 9.25" 12 BOLT	1220-LR	92-0392-3105	92-0392-3125

DODGE ® DART

1963-1976 - CHRYSLER 7.25"	n/a	n/a	n/a
1966-1972 - CHRYSLER 8.75" 741	1240-LR	n/a	n/a
1968 - CHRYSLER 8.75" 742	1240-LR	n/a	n/a
1969-1972 - CHRYSLER 8.75" 489	1240-LR	n/a	n/a
1973-1976 - CHRYSLER 8.25" 10 BOLT - 27 SPLINE AXLES	1230-LR	92-0382-2705	92-0382-2725

DODGE ® DIPLOMAT

1977-1989 - CHRYSLER 7.25"	n/a	n/a	n/a
1977-1989 - CHRYSLER 8.25" 10 BOLT - 27 SPLINE AXLES	1230-LR	92-0382-2705	92-0382-2725

DODGE ® LANCER

1961-1962 - CHRYSLER 8.75" 741	1240-LR	n/a	n/a
1961-1962 - CHRYSLER 8.75" 742	1240-LR	n/a	n/a

DODGE ® MAGNUM

1978-1979 - CHRYSLER 8.25" 10 BOLT - 27 SPLINE AXLES	1230-LR	92-0382-2705	92-0382-2725
1978-1979 - CHRYSLER 9.25" 12 BOLT	1220-LR	92-0392-3105	92-0392-3125

DODGE ® MIRANDA

1980-1983 - CHRYSLER 7.25"	n/a	n/a	n/a
1980-1983 - CHRYSLER 8.25" 10 BOLT - 27 SPLINE AXLES	1230-LR	92-0382-2705	92-0382-2725

DODGE ® MONACO

1965-1972 - CHRYSLER 8.75" 741	1240-LR	n/a	n/a
1965-1970 - CHRYSLER 8.75" 742	1240-LR	n/a	n/a
1967-1978 - CHRYSLER 8.25" 10 BOLT - 27 SPLINE AXLES	1230-LR	92-0382-2705	92-0382-2725
1969-1974 - CHRYSLER 8.75" 489	1240-LR	n/a	n/a
1969-1970 - DANA 60 - 23 SPLINE AXLES - SEMI FLOAT	n/a	n/a	n/a
1969-1970 - DANA 60 - 35 SPLINE AXLES - SEMI FLOAT	n/a	n/a	n/a
1974-1978 - CHRYSLER 9.25" 12 BOLT	1220-LR	92-0392-3105	92-0392-3125

Application Guide

LOCK RIGHT
Open Case

POWERTRAX
Open Case

POWERTRAX
For Posi Case

DODGE ® POLARA

1960-1972 - CHRYSLER 8.75" 741	1240-LR	n/a	n/a
1960-1970 - CHRYSLER 8.75" 742	1240-LR	n/a	n/a
1967-1973 - CHRYSLER 8.25" 10 BOLT - 27 SPLINE AXLES	1230-LR	92-0382-2705	92-0382-2725
1969-1970 - DANA 60 - 23 SPLINE AXLES - SEMI FLOAT	n/a	n/a	n/a
1969-1970 - DANA 60 - 35 SPLINE AXLES - SEMI FLOAT	n/a	n/a	n/a
1970-1971 - CHRYSLER 7.25"	n/a	n/a	n/a
1969-1973 - CHRYSLER 8.75" 489	1240-LR	n/a	n/a

DODGE ® ROYAL MONACO

1977 - CHRYSLER 9.25" 12 BOLT	1220-LR	92-0392-3105	92-0392-3125
-------------------------------	---------	--------------	--------------

DODGE ® VIPER

1992-2009 - DANA 44HD IRS	n/a	n/a	n/a
---------------------------	-----	-----	-----

FORD ® CROWN VICTORIA

1987-2006 - FORD 8.8" - 28 SPLINE	1820-LR	92-0688-2807	92-0688-2827
2005-2010 - FORD 8.8" - 31 SPLINE	1822-LR	92-0688-3108	92-0688-3128

FORD ® FAIRLANE

1957-1970 - FORD 9" - 28 SPLINE	1810-LR	92-0690-2800	n/a
1964-1970 - FORD 8"	1810-LR	92-0680-2800	n/a

FORD ® FAIRMONT

1978-1979 - FORD 8"	1810-LR	92-0680-2800	n/a
1979-1983 - FORD 7.5"	1830-LR	92-0675-2805	92-0675-2825

FORD ® FALCON

1965-1970 - FORD 8"	1810-LR	92-0680-2800	n/a
---------------------	---------	--------------	-----

FORD ® GALAXIE

1959-1976 - FORD 9" - 28 SPLINE	1810-LR	92-0690-2800	n/a
---------------------------------	---------	--------------	-----

FORD ® GRANADA

1975-1979 - FORD 8"	1810-LR	92-0680-2800	n/a
1975-1980 - FORD 9" - 28 SPLINE	1810-LR	92-0690-2800	n/a

FORD® GRANADA

1980-1982 - FORD 7.5"	1830-LR	92-0675-2805	92-0675-2825
-----------------------	---------	--------------	--------------

FORD ® LTD

1965-1979 - FORD 9" - 28 SPLINE	1810-LR	92-0690-2800	n/a
1979-1986 - FORD 7.5"	1830-LR	92-0675-2805	92-0675-2825

FORD ® LTD II

1977-1979 - FORD 9" - 28 SPLINE	1810-LR	92-0690-2800	n/a
---------------------------------	---------	--------------	-----

FORD ® MAVERICK

1970-1977 - FORD 8"	1810-LR	92-0680-2800	n/a
---------------------	---------	--------------	-----

FORD ® MUSTANG

1964-1978 - FORD 8"	1810-LR	92-0680-2800	n/a
1965-1973 - FORD 9" - 28 SPLINE	1810-LR	92-0690-2800	n/a
1979-UP - FORD 7.5"	1830-LR	92-0675-2805	92-0675-2825
1986-2004 - FORD 8.8" - 28 SPLINE	1820-LR	92-0688-2807	92-0688-2827
2005-UP - FORD 8.8" - 31 SPLINE	1822-LR	92-0688-3108	92-0688-3128

FORD ® PINTO

1975-1980 - FORD 8"	1810-LR	92-0680-2800	n/a
---------------------	---------	--------------	-----

Application Guide

LOCK RIGHT
Open Case

POWERTRAX
Open Case

POWERTRAX
For Posi Case

FORD® RANCHERO

1957-1979 - FORD 9" - 28 SPLINE	1810-LR	92-0690-2800	n/a
---------------------------------	---------	--------------	-----

FORD® THUNDERBIRD

1957-1979 - FORD 9" - 28 SPLINE	1810-LR	92-0690-2800	n/a
1980-1995 - FORD 7.5"	1830-LR	92-0675-2805	92-0675-2825
1987-1997 - FORD 8.8" - 28 SPLINE	1820-LR	92-0688-2807	92-0688-2827

FORD® TORINO

1968-1976 - FORD 9" - 28 SPLINE	1810-LR	92-0690-2800	n/a
1971-1974 - FORD 8"	1810-LR	92-0680-2800	n/a

LINCOLN® TOWNCAR

1982-2005 - FORD 8.8" - 28 SPLINE	1820-LR	92-0688-2807	92-0688-2827
2005-2010 - FORD 8.8" - 31 SPLINE	1822-LR	92-0688-3108	92-0688-3128

LINCOLN® VERSAILLES

1977-1980 - FORD 9" - 28 SPLINE	1810-LR	92-0690-2800	n/a
---------------------------------	---------	--------------	-----

MERCURY BOBCAT

1975-1980 - FORD 8"	1810-LR	92-0680-2800	n/a
---------------------	---------	--------------	-----

MERCURY® CAPRI

1979-1986 - FORD 7.5"	1830-LR	92-0675-2805	92-0675-2825
1986 - FORD 8.8" - 28 SPLINE	1820-LR	92-0688-2807	92-0688-2827

MERCURY® COMET

1963-1977 - FORD 8"	1810-LR	92-0680-2800	n/a
1966-1969 - FORD 9" - 28 SPLINE	1810-LR	92-0690-2800	n/a

MERCURY® COUGAR

1967-1969 - FORD 8"	1810-LR	92-0680-2800	n/a
1967-1979 - FORD 9" - 28 SPLINE	1810-LR	92-0690-2800	n/a
1980-1997 - FORD 7.5"	1830-LR	92-0675-2805	92-0675-2825
1988-1997 - FORD 8.8" - 28 SPLINE	1820-LR	92-0688-2807	92-0688-2827

MERCURY® GRAND MARQUIS

1975-1978 - FORD 9" - 28 SPLINE	1810-LR	92-0690-2800	n/a
1979-1986 - FORD 7.5"	1830-LR	92-0675-2805	92-0675-2825
1980-1990 - FORD 8.8" - 28 SPLINE	1820-LR	92-0688-2807	92-0688-2827
1991 - FORD 8.8" - 28 SPLINE	1820-LR	92-0688-2807	92-0688-2827
1992-2006 - FORD 8.8" - 28 SPLINE	1820-LR	92-0688-2807	92-0688-2827
2005-2010 - FORD 8.8" - 31 SPLINE	1822-LR	92-0688-3108	92-0688-3128

MERCURY® MARAUDER

1963-1970 - FORD 9" - 28 SPLINE	1810-LR	92-0690-2800	n/a
---------------------------------	---------	--------------	-----

MERCURY® MARAUDER

2003-2004 - FORD 8.8" - 31 SPLINE	1822-LR	92-0688-3108	92-0688-3128
-----------------------------------	---------	--------------	--------------

MERCURY® MARQUIS

1967-1978 - FORD 9" - 28 SPLINE	1810-LR	92-0690-2800	n/a
1979-1986 - FORD 7.5"	1830-LR	92-0675-2805	92-0675-2825
1982-1986 - FORD 8.8" - 28 SPLINE	1820-LR	92-0688-2807	92-0688-2827

MERCURY® MONARCH

1975-1980 - FORD 8"	1810-LR	92-0680-2800	n/a
1979-1980 - FORD 7.5"	1830-LR	92-0675-2805	92-0675-2825

Application Guide

LOCK RIGHT
Open Case

POWERTRAX
Open Case

POWERTRAX
For Posi Case

MERCURY® MONTEGO

1968-1976 - FORD 9" - 28 SPLINE	1810-LR	92-0690-2800	n/a
1970-1974 - FORD 8"	1810-LR	92-0680-2800	n/a

MERCURY® ZEPHYR

1978-1983 - FORD 7.5"	1830-LR	92-0675-2805	92-0675-2825
-----------------------	---------	--------------	--------------

OLDSMOBILE® 442

1965-1968 - GM BOP 8.2"	n/a	92-0782-2801	n/a
1967-1971 - GM 8.5" O AXLE	n/a	n/a	n/a
1971 - GM 10 BOLT 8.5" - 28 SPLINE AXLES	1920-LR	92-0785-2805	n/a

OLDSMOBILE® 98

(a) fits equal opening 7.5" case - for unequal opening 7.625" case use 1932-LR.

(b) fits equal opening 7.5" case - for unequal opening 7.625" case use 92-0776-2605

1965-1970 - GM 8.5" O AXLE	n/a	n/a	n/a
1964-1970 - GM BOP 8.2"	n/a	92-0782-2801	n/a
1971-1984 - GM 10 BOLT 8.5" - 28 SPLINE AXLES	1920-LR	92-0785-2805	n/a
1977-1984 - GM 10 BOLT 7.5" - 26 SPLINE AXLES	1930-LR (a)	92-0775-2605 (b)	n/a

OLDSMOBILE CUTLASS

(a) fits equal opening 7.5" case - for unequal opening 7.625" case use 1932-LR.

(b) fits equal opening 7.5" case - for unequal opening 7.625" case use 92-0776-2605

1964-1970 - GM BOP 8.2"	n/a	92-0782-2801	n/a
1971-1977 - GM 10 BOLT 8.5" - 28 SPLINE AXLES	1920-LR	92-0785-2805	n/a
1978-1988 - GM 10 BOLT 7.5" - 26 SPLINE AXLES	1930-LR (a)	92-0775-2605 (b)	n/a
1985-1988 - GM 10 BOLT 8.5" - 28 SPLINE AXLES	1920-LR	92-0785-2805	n/a

OLDSMOBILE® DELMONT

1967-1968 - GM BOP 8.2"	n/a	92-0782-2801	n/a
1967-1968 - GM 8.5" O AXLE	n/a	n/a	n/a

OLDSMOBILE® DELTA 88

(a) fits equal opening 7.5" case - for unequal opening 7.625" case use 1932-LR.

(b) fits equal opening 7.5" case - for unequal opening 7.625" case use 92-0776-2605

1965-1970 - GM BOP 8.2"	n/a	92-0782-2801	n/a
1965-1970 - GM 8.5" O AXLE	n/a	n/a	n/a
1971-1985 - GM 10 BOLT 8.5" - 28 SPLINE AXLES	1920-LR	92-0785-2805	n/a
1977-1985 - GM 10 BOLT 7.5" - 26 SPLINE AXLES	1930-LR (a)	92-0775-2605 (b)	n/a

OLDSMOBILE® DYNAMIC

1964-1966 - GM BOP 8.2"	n/a	92-0782-2801	n/a
1965-1966 - GM 8.5" O AXLE	n/a	n/a	n/a

OLDSMOBILE® F85

1964-1967 - GM BOP 8.2"	n/a	92-0782-2801	n/a
1967-1970 - GM 8.5" O AXLE	n/a	n/a	n/a
1968-1970 - GM 12 BOLT 8.875" CAR	1910-LR	92-0788-3005	n/a
1971-1972 - GM 10 BOLT 8.5" - 28 SPLINE AXLES	1920-LR	92-0785-2805	n/a

OLDSMOBILE® HURST

1968-1969 - GM 8.5" O AXLE	n/a	n/a	n/a
1968-1969 - GM 12 BOLT 8.875" CAR	1910-LR	92-0788-3005	n/a

OLDSMOBILE® JETSTAR 88

1965-1966 - GM BOP 8.2"	n/a	92-0782-2801	n/a
1965-1965 - GM 8.5" O AXLE	n/a	n/a	n/a

OLDSMOBILE® OMEGA

(a) fits equal opening 7.5" case - for unequal opening 7.625" case use 1932-LR.

(b) fits equal opening 7.5" case - for unequal opening 7.625" case use 92-0776-2605

1973-1979 - GM 10 BOLT 8.5" - 28 SPLINE AXLES	1920-LR	92-0785-2805	n/a
1976-1979 - GM 10 BOLT 7.5" - 26 SPLINE AXLES	1930-LR (a)	92-0775-2605 (b)	n/a

OLDSMOBILE® SUPER 88

1964 - GM BOP 8.2"	n/a	92-0782-2801	n/a
--------------------	-----	--------------	-----

Application Guide

LOCK RIGHT
Open Case

POWERTRAX
Open Case

POWERTRAX
For Posi Case

PLYMOUTH® BARRACUDA

1964-1971 - CHRYSLER 7.25"	n/a	n/a	n/a
1966-1972 - CHRYSLER 8.75" 741	1240-LR	n/a	n/a
1968 - CHRYSLER 8.75" 742	1240-LR	n/a	n/a
1969-1974 - CHRYSLER 8.75" 489	1240-LR	n/a	n/a
1970-1971 - DANA 60 - 35 SPLINE AXLES - SEMI FLOAT	n/a	n/a	n/a

PLYMOUTH® BELVEDERE

1957-1970 - CHRYSLER 8.75" 741	1240-LR	n/a	n/a
1957-1970 - CHRYSLER 8.75" 742	1240-LR	n/a	n/a
1966-1970 - CHRYSLER 7.25"	n/a	n/a	n/a
1966 - DANA 60 - 23 SPLINE AXLES - SEMI FLOAT	n/a	n/a	n/a
1969-1970 - CHRYSLER 8.25" 10 BOLT - 27 SPLINE AXLES	1230-LR	92-0382-2705	92-0382-2725

PLYMOUTH® CARAVELLE

1982-1989 - CHRYSLER 7.25"	n/a	n/a	n/a
1982-1987 - CHRYSLER 8.25" 10 BOLT - 27 SPLINE AXLES	1230-LR	92-0382-2705	92-0382-2725

PLYMOUTH® CUD

1970-1974 - CHRYSLER 8.25" 10 BOLT - 27 SPLINE AXLES	1230-LR	92-0382-2705	92-0382-2725
1970-1974 - CHRYSLER 8.75" 489	1240-LR	n/a	n/a
1970-1972 - CHRYSLER 8.75" 741	1240-LR	n/a	n/a
1970-1971 - DANA 60 - 35 SPLINE AXLES - SEMI FLOAT	n/a	n/a	n/a
1973-1974 - CHRYSLER 9.25" 12 BOLT	1220-LR	92-0392-3105	92-0392-3125

PLYMOUTH® DUSTER

1970-1971 - CHRYSLER 7.25"	n/a	n/a	n/a
1970-1976 - CHRYSLER 8.25" 10 BOLT - 27 SPLINE AXLES	1230-LR	92-0382-2705	92-0382-2725
1970-1974 - CHRYSLER 8.75" 489	1240-LR	n/a	n/a
1970-1972 - CHRYSLER 8.75" 741	1240-LR	n/a	n/a
1973-1976 - CHRYSLER 9.25" 12 BOLT	1220-LR	92-0392-3105	92-0392-3125

PLYMOUTH® FURY

1957-1972 - CHRYSLER 8.75" 741	1240-LR	n/a	n/a
1957-1970 - CHRYSLER 8.75" 742	1240-LR	n/a	n/a
1967-1978 - CHRYSLER 8.25" 10 BOLT - 27 SPLINE AXLES	1230-LR	92-0382-2705	92-0382-2725
1966-1971 - CHRYSLER 7.25"	n/a	n/a	n/a
1970-1974 - CHRYSLER 8.75" 489	1240-LR	n/a	n/a
1969-1972 - DANA 60 - 35 SPLINE AXLES - SEMI FLOAT	n/a	n/a	n/a
1974-1975 - CHRYSLER 9.25" 12 BOLT	1220-LR	92-0392-3105	92-0392-3125

PLYMOUTH® GRAN FURY

1972-1989 - CHRYSLER 8.25" 10 BOLT - 27 SPLINE AXLES	1230-LR	92-0382-2705	92-0382-2725
1972 - CHRYSLER 8.75" 741	1240-LR	n/a	n/a
1972 - CHRYSLER 8.75" 742	1240-LR	n/a	n/a
1972 - DANA 60 - 35 SPLINE AXLES - SEMI FLOAT	n/a	n/a	n/a
1973-1974 - CHRYSLER 8.75" 489	1240-LR	n/a	n/a
1973-1981 - CHRYSLER 9.25" 12 BOLT	1220-LR	92-0392-3105	92-0392-3125
1982-1989 - CHRYSLER 7.25"	n/a	n/a	n/a

PLYMOUTH® GTX

1967-1971 - CHRYSLER 8.75" 741	1240-LR	n/a	n/a
1967-1970 - CHRYSLER 8.75" 742	1240-LR	n/a	n/a
1967-1969 - DANA 60 - 23 SPLINE AXLES - SEMI FLOAT	n/a	n/a	n/a
1969-1971 - CHRYSLER 8.75" 489	1240-LR	n/a	n/a
1969-1971 - DANA 60 - 35 SPLINE AXLES - SEMI FLOAT	n/a	n/a	n/a

PLYMOUTH® ROADRUNNER

1968-1972 - CHRYSLER 8.75" 741	1240-LR	n/a	n/a
1968-1970 - CHRYSLER 8.75" 742	1240-LR	n/a	n/a
1968-1969 - DANA 60 - 23 SPLINE AXLES - SEMI FLOAT	n/a	n/a	n/a
1969-1974 - CHRYSLER 8.75" 489	1240-LR	n/a	n/a
1969-1972 - DANA 60 - 35 SPLINE AXLES - SEMI FLOAT	n/a	n/a	n/a
1970-1975 - CHRYSLER 8.25" 10 BOLT - 27 SPLINE AXLES	1230-LR	92-0382-2705	92-0382-2725
1973-1975 - CHRYSLER 9.25" 12 BOLT	1220-LR	92-0392-3105	92-0392-3125

Application Guide

LOCK RIGHT
Open Case

POWERTRAX
Open Case

POWERTRAX
For Posi Case

PLYMOUTH ® SATELLITE

1965-1972 - CHRYSLER 8.75" 741	1240-LR	n/a	n/a
1965-1970 - CHRYSLER 8.75" 742	1240-LR	n/a	n/a
1966-1968 - CHRYSLER 7.25"	n/a	n/a	n/a
1969-1974 - CHRYSLER 8.25" 10 BOLT - 27 SPLINE AXLES	1230-LR	92-0382-2705	92-0382-2725
1969-1974 - CHRYSLER 8.75" 489	1240-LR	n/a	n/a
1971 - CHRYSLER 7.25"	n/a	n/a	n/a
1973-1974 - CHRYSLER 9.25" 12 BOLT	1220-LR	92-0392-3105	92-0392-3125

PLYMOUTH ® SAVOY

1957-1958 - CHRYSLER 8.75" 741	1240-LR	n/a	n/a
1957-1958 - CHRYSLER 8.75" 742	1240-LR	n/a	n/a

PLYMOUTH ® VALIANT

1960-1976 - CHRYSLER 7.25"	n/a	n/a	n/a
1966-1972 - CHRYSLER 8.75" 741	1240-LR	n/a	n/a
1968 - CHRYSLER 8.75" 742	1240-LR	n/a	n/a
1969-1972 - CHRYSLER 8.75" 489	1240-LR	n/a	n/a
1973-1976 - CHRYSLER 8.25" 10 BOLT - 27 SPLINE AXLES	1230-LR	92-0382-2705	92-0382-2725

PLYMOUTH ® VIP

1966-1969 - CHRYSLER 8.75" 741	1240-LR	n/a	n/a
1966-1969 - CHRYSLER 8.75" 742	1240-LR	n/a	n/a
1967-1969 - CHRYSLER 8.25" 10 BOLT - 27 SPLINE AXLES	1230-LR	92-0382-2705	92-0382-2725
1969 - CHRYSLER 8.75" 489	1240-LR	n/a	n/a
1969 - DANA 60 - 35 SPLINE AXLES - SEMI FLOAT	n/a	n/a	n/a

PLYMOUTH ® VOLARE

1976-1980 - CHRYSLER 7.25"	n/a	n/a	n/a
1976-1980 - CHRYSLER 8.25" 10 BOLT - 27 SPLINE AXLES	1230-LR	92-0382-2705	92-0382-2725

PONTIAC ® BONNEVILLE

(a) fits equal opening 7.5" case - for unequal opening 7.625" case use 1932-LR.

(b) fits equal opening 7.5" case - for unequal opening 7.625" case use 92-0776-2605

1964-1970 - GM BOP 8.2"	n/a	92-0782-2801	n/a
1971-1981 - GM 10 BOLT 8.5" - 28 SPLINE AXLES	1920-LR	92-0785-2805	n/a
1977-1986 - GM 10 BOLT 7.5" - 26 SPLINE AXLES	1930-LR (a)	92-0775-2605 (b)	n/a

PONTIAC ® CATALINA

(a) fits equal opening 7.5" case - for unequal opening 7.625" case use 1932-LR.

(b) fits equal opening 7.5" case - for unequal opening 7.625" case use 92-0776-2605

1964-1970 - GM BOP 8.2"	n/a	92-0782-2801	n/a
1971-1981 - GM 10 BOLT 8.5" - 28 SPLINE AXLES	1920-LR	92-0785-2805	n/a
1977-1981 - GM 10 BOLT 7.5" - 26 SPLINE AXLES	1930-LR (a)	92-0775-2605 (b)	n/a

PONTIAC ® EXECUTIVE

1967-1970 - GM BOP 8.2"	n/a	92-0782-2801	n/a
-------------------------	-----	--------------	-----

PONTIAC ® FIREBIRD

(a) fits equal opening 7.5" case - for unequal opening 7.625" case use 1932-LR.

(b) fits equal opening 7.5" case - for unequal opening 7.625" case use 92-0776-2605

1967-1969 - GM BOP 8.2"	n/a	92-0782-2801	n/a
1970-1981 - GM 10 BOLT 8.5" - 28 SPLINE AXLES	1920-LR	92-0785-2805	n/a
1970 - GM 12 BOLT 8.875" CAR	1910-LR	92-0788-3005	n/a
1982-1988 - GM 10 BOLT 7.5" - 26 SPLINE AXLES	1930-LR (a)	92-0775-2605 (b)	n/a
1985-1991 - GM 10 BOLT 7.75 - 9 BOLT	n/a	n/a	n/a
1990-2002 - GM 10 BOLT 7.5"/7.625" - 28 SPLINE AXLES	1931-LR	92-0776-2805	n/a

PONTIAC ® GRAND AM

(a) fits equal opening 7.5" case - for unequal opening 7.625" case use 1932-LR.

(b) fits equal opening 7.5" case - for unequal opening 7.625" case use 92-0776-2605

1973-1980 - GM 10 BOLT 8.5" - 28 SPLINE AXLES	1920-LR	92-0785-2805	n/a
1978-1980 - GM 10 BOLT 7.5" - 26 SPLINE AXLES	1930-LR (a)	92-0775-2605 (b)	n/a

PONTIAC ® GRAND LEMANS

(a) fits equal opening 7.5" case - for unequal opening 7.625" case use 1932-LR.

(b) fits equal opening 7.5" case - for unequal opening 7.625" case use 92-0776-2605

1975-1977 - GM 10 BOLT 8.5" - 28 SPLINE AXLES	1920-LR	92-0785-2805	n/a
1978-1983 - GM 10 BOLT 7.5" - 26 SPLINE AXLES	1930-LR (a)	92-0775-2605 (b)	n/a

Application Guide

LOCK RIGHT
Open Case

POWERTRAX
Open Case

POWERTRAX
For Posi Case

PONTIAC® GRAND PRIX

(a) fits equal opening 7.5" case - for unequal opening 7.625" case use 1932-LR.

(b) fits equal opening 7.5" case - for unequal opening 7.625" case use 92-0776-2605

1964-1969 - GM BOP 8.2"	n/a	92-0782-2801	n/a
1970-1977 - GM 10 BOLT 8.5" - 28 SPLINE AXLES	1920-LR	92-0785-2805	n/a
1970-1972 - GM 12 BOLT 8.875" CAR	1910-LR	92-0788-3005	n/a
1978-1987 - GM 10 BOLT 7.5" - 26 SPLINE AXLES	1930-LR (a)	92-0775-2605 (b)	n/a

PONTIAC® GRAND VILLE

1971-1975 - GM 10 BOLT 8.5" - 28 SPLINE AXLES	1920-LR	92-0785-2805	n/a
---	---------	--------------	-----

PONTIAC® GTO

1964-1972 - GM BOP 8.2"	n/a	92-0782-2801	n/a
1970-1972 - GM 12 BOLT 8.875" CAR	1910-LR	92-0788-3005	n/a
1973 - GM 10 BOLT 8.5" - 28 SPLINE AXLES	1920-LR	92-0785-2805	n/a

PONTIAC® LAURENTIAN

(a) fits equal opening 7.5" case - for unequal opening 7.625" case use 1932-LR.

(b) fits equal opening 7.5" case - for unequal opening 7.625" case use 92-0776-2605

1971-1972 - GM 10 BOLT 8.5" - 28 SPLINE AXLES	1920-LR	92-0785-2805	n/a
1977-1981 - GM 10 BOLT 7.5" - 26 SPLINE AXLES	1930-LR (a)	92-0775-2605 (b)	n/a

PONTIAC® LEMANS

(a) fits equal opening 7.5" case - for unequal opening 7.625" case use 1932-LR.

(b) fits equal opening 7.5" case - for unequal opening 7.625" case use 92-0776-2605

1964-1972 - GM BOP 8.2"	n/a	92-0782-2801	n/a
1970-1972 - GM 12 BOLT 8.875" CAR	1910-LR	92-0788-3005	n/a
1973-1977 - GM 10 BOLT 8.5" - 28 SPLINE AXLES	1920-LR	92-0785-2805	n/a
1978-1981 - GM 10 BOLT 7.5" - 26 SPLINE AXLES	1930-LR (a)	92-0775-2605 (b)	n/a

PONTIAC® PARISIENNE

(a) fits equal opening 7.5" case - for unequal opening 7.625" case use 1932-LR.

(b) fits equal opening 7.5" case - for unequal opening 7.625" case use 92-0776-2605

1976 - GM 10 BOLT 8.5" - 28 SPLINE AXLES	1920-LR	92-0785-2805	n/a
1977-1986 - GM 10 BOLT 8.5" - 28 SPLINE AXLES	1920-LR	92-0785-2805	n/a
1977-1986 - GM 10 BOLT 7.5" - 26 SPLINE AXLES	1930-LR (a)	92-0775-2605 (b)	n/a

PONTIAC® PHOENIX

(a) fits equal opening 7.5" case - for unequal opening 7.625" case use 1932-LR.

(b) fits equal opening 7.5" case - for unequal opening 7.625" case use 92-0776-2605

1977-1979 - GM 10 BOLT 7.5" - 26 SPLINE AXLES	1930-LR (a)	92-0775-2605 (b)	n/a
1977-1979 - GM 10 BOLT 8.5" - 28 SPLINE AXLES	1920-LR	92-0785-2805	n/a

PONTIAC® STAR CHIEF

1964-1966 - GM BOP 8.2"	n/a	92-0782-2801	n/a
-------------------------	-----	--------------	-----

PONTIAC® TEMPEST

1964-1970 - GM BOP 8.2"	n/a	92-0782-2801	n/a
1970 - GM 12 BOLT 8.875" CAR	1910-LR	92-0788-3005	n/a

PONTIAC® VENTURA

(a) fits equal opening 7.5" case - for unequal opening 7.625" case use 1932-LR.

(b) fits equal opening 7.5" case - for unequal opening 7.625" case use 92-0776-260

1971 - GM CHEVY 8.2" 10 BOLT	n/a	n/a	n/a
1972-1977 - GM 10 BOLT 8.5" - 28 SPLINE AXLES	1920-LR	92-0785-2805	n/a
1976-1977 - GM 10 BOLT 7.5" - 26 SPLINE AXLES	1930-LR (a)	92-0775-2605 (b)	n/a
1978 - GM 10 BOLT 8.5" - 28 SPLINE AXLES	1920-LR	92-0785-2805	n/a

Front Axle Application & FAQs

IMPORTANT FRONT AXLE APPLICATION INFORMATION

The Powertrax® No-Slip Traction System and Lock-Right Locker works well on the front axle of 4-wheel drive vehicles provided a couple of important guidelines are followed. The Powertrax® No-Slip Traction System should be used only on vehicles equipped with locking hubs on the front axle or with front axle disconnect. In addition, the vehicle must not be equipped with full time 4 wheel drive. Vehicles equipped with a Powertrax® No-Slip Traction System on the front axle should not be operated on the highway with the front hubs locked and 4-wheel drive engaged. Following these guidelines will ensure very on-road driveability while still providing maximum off-road traction.

FREQUENTLY ASKED QUESTIONS

What is a traction-adding differential?

A traction-adding differential provides engine power to the wheels with the most amount of traction. A stock/open differential provides engine power to the wheels with the least amount of resistance or the wheels with the least amount of traction.

Why do I need a Powertrax® traction-adding differential?

Powertrax® traction adding differentials can enhance the performance of your vehicle in many ways. The No-Slip Traction System and Lock-Right Locker will provide your light truck, sport utility, van, or performance car with maximum traction when you need it most. Whether you need the added traction for safety, recreation, work, or piece of mind, the Powertrax line of traction-adding differentials is what you need.

What is the difference between the No-Slip Traction System and the Lock-Right Locker?

While both products offer maximum traction, full wheel differentiation, and easy installation, each product has features and benefits that meet the needs of different customers. The No-Slip Traction System uses SynTRAC technology and is the latest design in traction adding differentials. It provides the maximum traction of a locking differential combined with the smooth and quiet operation of a limited-slip device. The Lock-Right Locker is our original product line that offers extreme value in a traction-adding differential. The Lock-Right provides maximum traction, but a light clicking noise can be heard when turning as the Lock-Right gears allow for wheel differentiation. On some vehicles the engine noise will overcome the clicking noise.

Can I install a Powertrax No-Slip Traction System or Lock-Right Locker myself?

In most vehicles, the Powertrax No-Slip Traction System and Lock-Right Locker can be installed by the home mechanic in just a few hours. Detailed instructions that are model specific are provided. Call or e-mail us if you have a question about your specific application.

What special tools and/or oils are required during installation?

The No-Slip Traction System and Lock-Right Locker do not require special tools or oils for installation. In most cases, a wrench and screwdriver are all you need. No special oil additives are required because the units are all gear (no frictional clutches).

What kind of maintenance is required once a No-Slip Traction System or Lock-Right Locker is installed in my vehicle?

We recommend you change the differential oil according to your vehicle manufacturer's specifications.

(Continued on next page)

Frequently Asked Questions (cont)

Can I install a Powertrax® product in the front and rear of my 4 WD?

In most cases where an application is available, the answer is yes. However, we do not recommend installing a unit in the front differential if the vehicle has a full time 4 WD and is primarily used on the pavement.

Is the No-Slip Traction System just for trucks/SUV's, or can it be installed in a car?

Installing a No-Slip Traction System in your performance street rod will give you spool performance when coming off the line, combined with full wheel differentiation when turning. Imagine two wheels gripping the pavement instead of one spinning effortlessly.

Do I need a stock/open differential case to install a Powertrax® product?

The No-Slip Traction System can be installed in a wide range of stock/open and limited-slip differential cases. For specific applications, please see our application chart or contact us via. phone or e-mail. The Lock-Right Locker can only be installed in stock/open differential cases.

How does a No-Slip Traction System or Lock-Right Locker affect the towing of my trailer?

The No-Slip Traction System or Lock-Right Locker will have no affect on the towing of your trailer on the road other than you will have more traction when you need it.

Can I tow my vehicle if it has a No-Slip Traction System or Lock-Right Locker installed?

Yes. If the unit is installed in the rear differential, the No-Slip Traction System or Lock-Right Locker will simply provide full wheel differentiation when turning. If the unit is installed in the front differential, we recommend unlocking the front wheel hubs and putting the transfer case in 2WD.

Does tire wear increase with a No-Slip Traction System or Lock-Right Locker installed?

No. The No-Slip Traction System and Lock-Right Locker provide full wheel differentiation when turning. Tire wear is minimized.

Will there be a decrease in gas mileage with the No-Slip Traction System or Lock-Right Locker installed in my vehicle?

No. The No-Slip Traction System and Lock-Right Locker will not have an effect on your "on the road" gas mileage. Off road, you could actually increase your mileage because it will take less effort to get through the loose traction conditions. With a standard open differential you will have to apply more power and get more wheel spin-up, thus using more gas.

What is the price of the No-Slip Traction System and Lock-Right Locker?

Please contact a local distributor or call us for a distributor near you. All our distributors offer competitive pricing.

Do you have applications for front wheel drive cars at this time?














Powertrax® does not offer applications for front wheel drive passenger cars at this time.

For Maximum Protection and
Performance use
Part # LUBE (pg 125)




RICHMOND GEAR Synthetic
Gear Oil

Installation Overview



 1. Remove cover and drain oil.	 2. Remove cross-shaft.	 3. Push axles in and remove C-clips.
 4. Rotate wheel to remove spider gears.	 5. Remove side gears, and for limited-slip differentials, remove friction plates.	 6. Install couplers, ring gear side first. Install C-clip on ring gear side only.
 7. Insert springs between drivers, on both sides	 8. Insert spacer in driver and seal together on ring gear side coupler	 9. Insert driver and spacer on opposite side coupler.
 10. Insert springs between drivers, on both sides.	 11. Check gap between drivers using check block provided.	 12. Push in axle and insert second C-clip thru slot in driver/spacer.
 13. Install cross-shaft. Twist and push to get past saddle springs.	 14. Test by holding driver side wheel forward. Sharply turn the passenger side wheel in opposite direction (to disengage the unit). Passenger wheel should rotate freely.	 15. Apply sealant to cover and reinstall. Add differential oil.

Warnings & Cautions



Please Read Carefully



The following  **DANGER**,  **WARNING** and  **CAUTION** information is supplied to you for your protection and to provide you with many years of trouble free and safe operation of your Richmond Gear product.

Read **ALL** instructions prior to operating transmission and/or ring and pinion. Injury to personnel, transmission or ring and pinion failure may be caused by improper installation, maintenance or operation.



- **It is dangerous to get under a jacked-up vehicle.** The vehicle could slip off the jack and fall on you. You could be crushed. Never place any part of your body under a vehicle that is on a jack. Never start or run the engine while the vehicle is on a jack. **If you need to get under a raised vehicle, take it to a service center where it can be raised on a lift.**



- Hot oil can cause severe burns. Use extreme care when removing lubrication plugs and when working close to a unit that has been in operation.
- Check lube level between scheduled lube changes to insure that proper lube level is maintained. Inspect vent plug to insure it is clean and operating. Inspect the tightness of mounting bolts, misalignment of connecting shafts, lube leakage, excessive heating, or any unusual noise or vibration.
- Serious personal injury may occur as a result of improperly performed maintenance, adjustments or repairs.
- Do not attempt any of the maintenance, checks or repairs described on the following pages if you are not fully familiar with these or other procedures with respect to the transmission, or are uncertain as to how to proceed. Have the necessary work done by a properly equipped and qualified workshop.
- Always be extremely careful when working on the transmission. Always follow commonly accepted safety practices and general common sense. Never risk personal injury.



- Do not operate the transmission or ring and pinion without proper lube and correct amount.
- For safe operation and to maintain the unit warranty, when changing a factory installed fastener for any reason, it becomes the responsibility of the person making the change to properly account for fastener grade, thread engagement, load, tightening torque and the means of torque retention.
- Mounting bolts should be periodically checked to ensure that the unit is firmly anchored for proper operation.
- These instructions are not intended to cover all details or variations in equipment, nor provide for every possible contingency to be met in connection with selection, installation, operation, and maintenance. Should further information be desired or should particular problems arise which are not covered sufficiently for the Buyer's purpose, the matter should be referred to Richmond Gear.

In the event of the resale of any of the goods, in whatever form, Resellers/Buyers will include the following language in a conspicuous place and in a conspicuous manner in a written agreement covering such sale:

The manufacturer makes no warranties or representations, express or implied, by operation of law or otherwise, as to the merchantability or fitness for a particular purpose of the goods sold hereunder. Buyer acknowledges that it alone has determined that the goods purchased hereunder will suitably meet the requirements of their intended use. In no event will the manufacturer be liable for consequential, incidental or other damages. Even if the repair or replacement remedy shall be deemed to have failed of its essential purpose under Section 2-719 of the Uniform Commercial Code, the manufacturer shall have no liability to Buyer for consequential damages.

Resellers/Buyers agree to also include this entire document including the danger, warnings and cautions above in a conspicuous place and in a conspicuous manner in writing to instruct users on the safe usage of the product.

This information should be read together with all other printed information supplied by Richmond Gear.