



# **Professional Communication Products**

**\* Amaturer**

**\* Citizenband**

**\* Cellular**

**\* GPS**

**\* Hi-Frequency**

# Table of Contents

<b>CITIZENBAND (CB) - FIBERGLASS ANTENNAS</b>	<b>2</b>
<b>CITIZENBAND (CB) - NO GROUND ANTENNAS</b>	<b>7</b>
<b>CITIZENBAND (CB) - BASE LOAD ANTENNAS</b>	<b>8</b>
<b>CITIZENBAND (CB) - TUNABLE BASE LOAD ANTENNAS</b>	<b>9</b>
<b>CITIZENBAND (CB) - MAGNET MOUNT ANTENNA KITS</b>	<b>10</b>
<b>CITIZENBAND (CB) - ALUMALITE CENTER LOAD ANTENNAS</b>	<b>11</b>
<b>CITIZENBAND (CB) - GLASS MOUNT ANTENNAS</b>	<b>12</b>
<b>AM/FM ANTENNAS</b>	<b>13</b>
<b>MOBILE TV ANTENNAS</b>	<b>14</b>
<b>SCANNER ANTENNAS</b>	<b>15</b>
<b>STAINLESS STEEL WHIPS</b>	<b>16</b>
<b>PRO SERIES BULK COAXIAL CABLE</b>	<b>17</b>
<b>COAXIAL CABLE ASSEMBLIES - ULTRA CLASSIC</b>	<b>18</b>
<b>COAXIAL CABLE ASSEMBLIES - MOLDED UHF CONNECTORS</b>	<b>20</b>
<b>ANTENNA STUDS</b>	<b>21</b>
<b>ALUMINUM ANTENNA MOUNTS</b>	<b>22</b>
<b>STAINLESS STEEL ANTENNA MOUNTS</b>	<b>25</b>
<b>ANTENNA MOUNTS</b>	<b>28</b>
<b>ANTENNA MOUNT ACCESSORIES</b>	<b>30</b>
<b>MICROPHONES &amp; SPEAKERS</b>	<b>31</b>
<b>RADIO ACCESSORIES</b>	<b>32</b>
<b>CONNECTORS</b>	<b>34</b>
<b>OEM REPLACEMENT PARTS</b>	<b>38</b>
<b>CB &amp; AMATEUR 10 METER - BASE STATION ANTENNAS</b>	<b>41</b>
<b>AMATEUR RADIO ANTENNAS</b>	<b>42</b>
<b>AMATEUR RADIO ANTENNA MOUNTS</b>	<b>44</b>

# CITIZENBAND (CB) - FIBERGLASS ANTENNAS



## BULLDOG ANTENNAS

## STANDARD FIBERGLASS ANTENNAS

750 Watt rated • 5/16" Durable fiberglass whip • Top Loaded ¼ wave helically wound antenna • 20 Gauge copper wire • Chrome plated 3/8-24 ferrule • Factory tuned and field adjustable • Available in black (B), white (W) or red (R) • Kits Includes: 3-Way aluminum mirror mount(s) with SO-239 stud & 9' Low loss RG-58 or RG-59 coax with molded PL259 connectors

Part No.	Length	Package	Case Qty	Single Kit No.	Case Qty	Dual Kit No.	Case Qty
JBC200	2 FT	SKIN	14	HSS995-2	12	HSD995-2	12
JBC300	3 FT	SKIN	40	HSS995-3	6	HSD995-3	6
JBC400	4 FT	SKIN	40	HSS995-4	6	HSD995-4	6



## PATRIOTIC RED-WHITE-BLUE ANTENNAS

## STANDARD FIBERGLASS ANTENNAS

750 Watt rated • 5/16" Durable fiberglass whip • Top Loaded ¼ wave helically wound antenna • 20 Gauge copper wire • Chrome plated 3/8-24 ferrule • Factory tuned and field adjustable

Part No.	Length	Package	Case Qty	Single Kit No.	Case Qty	Dual Kit No.	Case Qty
301RWB	3 FT	SKIN	40	N/A		N/A	
401RWB	4 FT	SKIN	40	N/A		N/A	



## ORIGINAL FLEX ANTENNAS

## FLEXIBLE FIBERGLASS ANTENNAS

500 Watt rated • 1/4" Flexible fiberglass whip • Top Loaded ¼ wave helically wound antenna • 22 Gauge copper wire • Chrome plated 3/8-24 ferrule • Factory tuned and field adjustable • Available in black (B), white (W) or red (R) • Kits Includes: 3-Way aluminum mirror mount(s) with SO-239 stud & 9' Low loss RG-58 or RG-59 coax with molded PL259 connectors

Part No.	Length	Package	Case Qty	Single Kit No.	Case Qty	Dual Kit No.	Case Qty
JBCF200	2 FT	SKIN	14	HSS995-F2	12	HSD995-F2	12
JBCF300	3 FT	SKIN	40	HSS995-F3	6	HSD995-F3	6
JBCF400	4 FT	SKIN	40	HSS995-F4	6	HSD995-F4	6



# CITIZENBAND (CB) - FIBERGLASS ANTENNAS

## SUPER FLEX ANTENNAS

## FLEXIBLE FIBERGLASS ANTENNAS

300 Watt rated • 3/16" Flexible fiberglass whip • Top Loaded ¼ wave helically wound antenna • 25 Gauge copper wire • Chrome plated 3/8-24 ferrule • Factory tuned and field adjustable • Available in black (B), white (W) or red (R) • Kits Includes: 3-Way aluminum mirror mount(s) with SO-239 stud & 9' Low loss RG-58 or RG-59 coax with molded PL259 connectors

Part No.	Length	Package	Case Qty	Single Kit No.	Case Qty	Dual Kit No.	Case Qty
SF2	2 FT	SKIN	14	HSS995-SF2	12	HSD995-SF2	12
SF3	3 FT	SKIN	40	HSS995-SF3	6	HSD995-SF3	6
SF4	4 FT	SKIN	40	HSS995-SF4	6	HSD995-SF4	6



## BIG DOG ANTENNAS

## HEAVY DUTY FIBERGLASS ANTENNAS

1000 Watt rated • Heavy duty 3/8" fiberglass whip • Top Loaded ¼ wave helically wound antenna • 18 Gauge copper wire • Chrome plated 3/8-24 ferrule • Factory tuned and field adjustable • Available in black (B), white (W) or red (R) • Kits Includes: 3-Way aluminum mirror mount(s) with SO-239 stud & 9' Low loss RG-58 or RG-59 coax with molded PL259 connectors

Part No.	Length	Package	Case Qty	Single Kit No.	Case Qty	Dual Kit No.	Case Qty
JBC200-1	2 FT	SKIN	14	HSS995-B2	12	HSD995-B2	12
JBC300-1	3 FT	SKIN	30	HSS995-B3	6	HSD995-B3	6
JBC400-1	4 FT	SKIN	30	HSS995-B4	6	HSD995-B4	6



## POWER DOG ANTENNAS

## HEAVY DUTY FIBERGLASS ANTENNAS

1200 Watt rated • Heavy duty 3/8" fiberglass whip • Top Loaded ¼ wave helically wound antenna • 16 Gauge copper wire • Chrome plated 3/8-24 ferrule • Factory tuned and field adjustable • Available in black (B), white (W) or red (R)

Part No.	Length	Package	Case Qty	Single Kit No.	Case Qty	Dual Kit No.	Case Qty
JBC200-1H	2 FT	SKIN	14	N/A		N/A	
JBC300-1H	3 FT	SKIN	30	N/A		N/A	
JBC400-1H	4 FT	SKIN	30	N/A		N/A	



# CITIZENBAND (CB) - FIBERGLASS ANTENNAS

## TRI-MAX ANTENNAS

## HEAVY DUTY FIBERGLASS ANTENNAS

1200 Watt rated • 3 Arm radial ground built into ferrule for broadband performance • Heavy duty 3/8" fiberglass whip • Top Loaded ¼ wave helically wound antenna • 16 Gauge copper wire • Chrome plated ferrule with 3/8-24 Stainless steel mounting screw • Factory tuned and field adjustable • Available in black (B), white (W) or red (R)

Part No.	Length	Package	Case Qty	Single Kit No.	Case Qty	Dual Kit No.	Case Qty
TM3	3 FT	SKIN	30	N/A		N/A	
TM4	4 FT	SKIN	30	N/A		N/A	



## WEATHER WATCH ANTENNAS

## STANDARD FIBERGLASS ANTENNAS

750 Watt rated • 5/16" Durable fiberglass whip • Top Loaded ¼ wave helically wound antenna with weather trap • 20 Gauge copper wire • Chrome plated 3/8-24 ferrule • Factory tuned and field adjustable • Available in black (B), white (W) or red (R) • Kits Includes: 3-Way aluminum mirror mount(s) with SO-239 stud & 9' Low loss RG-58 or RG-59 coax with molded PL259 connectors

Part No.	Length	Package	Case Qty	Single Kit No.	Case Qty	Dual Kit No.	Case Qty
JBCW200	2 FT	SKIN	14	HSS995-W2	12	HSD995-W2	12
JBCW300	3 FT	SKIN	40	HSS995-W3	6	HSD995-W3	6
JBCW400	4 FT	SKIN	40	HSS995-W4	6	HSD995-W4	6



## WEATHER FLEX ANTENNAS

## FLEXIBLE FIBERGLASS ANTENNAS

500 Watt rated • 1/4" Flexible fiberglass whip • Top Loaded ¼ wave helically wound antenna with weather trap • 22 Gauge copper wire • Chrome plated 3/8-24 ferrule • Factory tuned and field adjustable • Available in black (B), white (W) or red (R) • Kits Includes: 3-Way aluminum mirror mount(s) with SO-239 stud & 9' Low loss RG-58 or RG-59 coax with molded PL259 connectors

Part No.	Length	Package	Case Qty	Single Kit No.	Case Qty	Dual Kit No.	Case Qty
JBCFW200	2 FT	SKIN	14	HSS995-WF2	12	HSD995-WF2	12
JBCFW300	3 FT	SKIN	40	HSS995-WF3	6	HSD995-WF3	6
JBCFW400	4 FT	SKIN	40	HSS995-WF4	6	HSD995-WF4	6



# CITIZENBAND (CB) - FIBERGLASS ANTENNAS

## TUNABLE FLEX ANTENNAS

## FLEXIBLE FIBERGLASS ANTENNAS

500 Watt rated • 1/4" Flexible fiberglass whip • Stainless steel tuning tip • Top Loaded ¼ wave helically wound antenna with weather trap • 22 Gauge copper wire • Chrome plated 3/8-24 ferrule  
 • Factory tuned and field adjustable • Available in black (B), white (W) or red (R)

Part No.	Length	Package	Case Qty	Single Kit No.	Case Qty	Dual Kit No.	Case Qty
KF2	2 FT	SKIN	14	N/A		N/A	
KF3	3 FT	SKIN	40	N/A		N/A	
KF4	4 FT	SKIN	40	N/A		N/A	



## TUNABLE BULLDOG ANTENNAS

## STANDARD FIBERGLASS ANTENNAS

750 Watt rated • 5/16" Durable fiberglass whip • .100 Diameter 17-7 stainless steel tuning tip • Top Loaded ¼ wave helically wound antenna with weather trap • 20 Gauge copper wire • Chrome plated 3/8-24 ferrule • Factory tuned and field adjustable • Available in black (B), white (W) or red (R)

Part No.	Length	Package	Case Qty	Single Kit No.	Case Qty	Dual Kit No.	Case Qty
JBCWT300	3 FT	SKIN	40	N/A		N/A	
JBCWT400	4 FT	SKIN	40	N/A		N/A	



## TUNABLE BIG DOG ANTENNAS

## HEAVY DUTY FIBERGLASS ANTENNAS

1000 Watt rated • Heavy-duty 3/8" fiberglass whip • .125 Diameter 17-7 stainless steel tuning tip • Top Loaded ¼ wave helically wound antenna • 18 Gauge copper wire • Chrome plated 3/8-24 ferrule • Factory tuned and field adjustable • Available in black (B), white (W) or red (R)

Part No.	Length	Package	Case Qty	Single Kit No.	Case Qty	Dual Kit No.	Case Qty
T200-1	2 FT	SKIN	7	N/A		N/A	
T300-1	3 FT	SKIN	30	N/A		N/A	
T400-1	4 FT	SKIN	30	N/A		N/A	





# CITIZENBAND (CB) - FIBERGLASS ANTENNAS

## QUAD-ROD ANTENNAS

## HEAVY DUTY FIBERGLASS ANTENNAS

1500 Watt rated • 4-1/2' Heavy-duty 3/8" fiberglass whip • Unique 4 - 22 gauge wire wound design for ultra broadband performance • 4" .125 Diameter 17-7 stainless steel tuning tip with corona discharge cap • Heavy duty chrome plated 3/8-24 ferrule • Clear anti-static PVC jacket • Factory tuned and field adjustable • Available in black/gold or white/gold



Part No.	Length	Package	Case Qty	Single Kit No.	Case Qty	Dual Kit No.	Case Qty
QW45BG	4.5 FT	POLY BAG	10	N/A		N/A	
QW45WG	4.5FT	POLY BAG	10	N/A		N/A	



## FR SERIES ANTENNAS

## CONTINUOUS HELICAL FIBERGLASS ANTENNAS

300 Watt rated • Internal helically wound antenna • Contains linear load 22 gauge copper wire • 5/16" Durable fiberglass whip with chrome plated 3/8-24 ferrule • Factory tuned for low SWR • Available in 3, 4 or 8 foot lengths • Colors - black (B) or white (W)



Part No.	Length	Package	Case Qty	Single Kit No.	Case Qty	Dual Kit No.	Case Qty
FR3	3 FT	SKIN	40	HSS995-FR3	6	HSD995-FR3	6
FR4	4 FT	SKIN	40	HSS995-FR4	6	HSD995-FR4	6
FR96	8 FT	BULK	10	N/A		N/A	



## HD-FR SERIES ANTENNAS

## HEAVY DUTY CONTINUOUS HELICAL FIBERGLASS ANTENNAS

300 Watt rated • Internal helically wound antenna • Contains linear load 22 gauge copper wire • 3/8" Durable fiberglass whip with chrome plated 3/8-24 ferrule • Factory tuned for low SWR • Available in 3 or 4 foot lengths • Colors - black (B) or white (W)



Part No.	Length	Package	Case Qty	Single Kit No.	Case Qty	Dual Kit No.	Case Qty
FR3-38	3 FT	SKIN	30	N/A		N/A	
FR4-38	4 FT	SKIN	30	N/A		N/A	



# CITIZENBAND (CB) - NO GROUND ANTENNAS

## DINGO ANTENNA KIT

## NO-GROUND TUNABLE FIBERGLASS ANTENNA SYSTEM

500 Watt rated • 5/16" Durable fiberglass tunable tip antenna • Stainless steel mirror mount for durability • Patented chrome dome cable connection • 17' High quality low loss RG58 coax with molded PL259 connector • Factory tuned and field adjustable • Available in black (BK), white (W) or red (R)



Part No.	Length	Package	Case Qty
CB-NG3	3 FT	SKIN	6
CB-NG4	4 FT	SKIN	6



## DINGO II ANTENNA KIT

## NO-GROUND WINDOW CLIP ANTENNA SYSTEM

300 Watt rated • 24" Mini base load antenna • Aluminum window clip mount • Patented chrome dome cable connection • 17' High quality low loss RG58 coax with molded PL259 connector • Factory tuned and field adjustable • Available in black (BK) or white (W)



Part No.	Length	Package	Case Qty
CB-NGWC17	2 FT	SKIN	12



## PRO-GROUND ANTENNA

## NO-GROUND TUNABLE ANTENNA

300 Watt rated • No ground plane required for operation • Will work with fiberglass vehicles, boats RVs and motorcycles • May be used as a base station antenna • SO-239 Coax cable connector • 3/8-24 Mounting ferrule • Frequency range: 26.750 - 27.750MHz (less than 2.0:1) • Available in black only



Part No.	Length	Package	Case Qty
NGA-2	2 FT	SKIN	12
NGA-3	3 FT	SKIN	6
NGA-4	4 FT	SKIN	6





# CITIZENBAND (CB) - BASE LOAD ANTENNAS

## HALF-N-HALF SERIES ANTENNAS

## STANDARD BASE LOADED ANTENNAS

1000 Watt rated • 5/16" Durable fiberglass base • 18 Gauge copper wire • 17-7 .100 Diameter stainless steel whip • Chrome plated 3/8-24 threaded base • Factory tuned and field adjustable by adjusting whip • Available in black or white (W)

Part No.	Length	Package	Case Qty	Single Kit No.	Case Qty	Dual Kit No.	Case Qty
JBC1300	36 IN	SKIN	40	N/A		N/A	
JBC1400	48 IN	SKIN	40	N/A		N/A	
JBC1500	60 IN	SKIN	40	N/A		N/A	



## MONSTER BASE LOAD ANTENNAS

## HEAVY DUTY BASE LOADED ANTENNAS

1500 Watt rated • Massive 1/2" diameter fiberglass base • High power 14 gauge copper wire • 17-7 .125 Diameter stainless steel whip • Oversized chrome plated ferrules • 3/8-24 Stainless steel mounting screw • Factory tuned and field adjustable by adjusting whip • Available in black only

Part No.	Length	Package	Case Qty	Single Kit No.	Case Qty	Dual Kit No.	Case Qty
MBL3B	36 IN	SKIN	30	N/A		N/A	
MBL4B	48 IN	SKIN	30	N/A		N/A	



## OPEN COIL BASE LOAD ANTENNAS

## HIGH POWER BASE LOADED ANTENNAS

4000 Watt rated • High-tech helical coil design • Wide CB band coverage • 17-7 .100 Diameter stainless steel whip • Chrome plated ferrule and mast • 3/8-24 Stainless steel mounting screw • Field adjustable by adjusting whip • Available in white only

Part No.	Length	Package	Case Qty	Single Kit No.	Case Qty	Dual Kit No.	Case Qty
HBL4000	56 IN	SKIN	6	N/A		N/A	



# CITIZENBAND (CB) - TUNABLE BASE LOAD ANTENNAS

## IMPULSE ANTENNAS



350 Watt rated • Innovative TWIST-TO-TUNE COIL antenna • 17-7 Stainless steel whip • Fits standards 3/8-24 thread mounts  
 • Factory tuned and field adjustable • Available in black only

Part No.	Length	Package	Case Qty
IMP3000	30 IN	SKIN	24
IMP4000	40 IN	SKIN	24

## IMPULSE MAG MOUNT KIT



350 Watt rated • Impulse tunable base load CB antenna • 3" Heavy duty chrome plated magnet mount • 12' High quality low loss RG58 coax with molded PL259 connector • Factory tuned and field adjustable • Available in black only

Part No.	Length	Package	Case Qty
IMP3000M	30 IN	SKIN	6
IMP4000M	40 IN	SKIN	6

## KWIK TUNE ANTENNAS



25 Watt rated • Ring tunable base loaded CB antenna pretuned to 27 MHz • Unique high performance design for low SWR • Field tunable - No cutting needed • Adjust rings for superior performance • Chrome plated 3/8-24 threaded base

Part No.	Length	Package	Case Qty
JBC800	8 IN	SKIN	30
JBC2400	24 IN	SKIN	49
JBC3600	36 IN	SKIN	30
JBC4800	48 IN	SKIN	30

## KWIK TUNE MAG MOUNT KIT



25 Watt rated • Kwik Tune CB antenna pretuned to 27 MHz • 3" Heavy duty chrome plated magnet mount • 12' High quality low loss RG58 coax with molded PL259 connector • Factory tuned and field adjustable

Part No.	Length	Package	Case Qty
JBC112-8	8 IN	SKIN	20
JBC112-2400	24 IN	SKIN	12
JBC112-3600	36 IN	SKIN	6
JBC112-4800	48 IN	SKIN	6

## KWIK TUNE TRUNK MOUNT KIT



25 Watt rated • Kwik Tune CB antenna pretuned to 27 MHz • Heavy duty trunk lip mount • 15' High quality low loss RG58 coax with molded PL259 connector • Factory tuned and field adjustable

Part No.	Length	Package	Case Qty
JBC105-36	36 IN	SKIN	6
JBC105-48	48 IN	SKIN	6

# CITIZENBAND (CB) - MAGNET MOUNT ANTENNA KITS



**101**

## MAGNET MOUNT

25 Watt rated • 9" Super flexible CB antenna • Powerful 3" magnet with protective base • 12' High quality RG58 coax with PL259 connector • Weatherproof encapsulated connections • Available in black only

Part No.	Option	Length	Package	Case Qty
JBC101		12 IN	SKIN	20



**150**

## RUBBER DUCK MAGNET MOUNT

25 Watt rated • Virtually unbreakable conductive rubber CB antenna • Flexible and tough - great for high stress areas • 14-1/2" total height • Easy tuning with base tuning ring design • Fits standards 3/8-24 thread mounts • Kit includes 3" heavy duty chrome magnet mount with 12' RG58 coax and molded PL259 connector

Part No.	Option	Length	Package	Case Qty
JBC150M	MAGNET KIT		SKIN	10
JBC150	ANTENNA ONLY		SKIN	49



**270**

## FIBERGLASS WHIP MAGNET MOUNT

75 Watt rated • 15" Low profile fiberglass CB antenna • Base tunable with tuning sleeve • Powerful 3" magnet • 12' High quality RG58 coax with PL259 connector

Part No.	Option	Length	Package	Case Qty
CB270		15 IN	SKIN	10



**PC36**

## STAINLESS STEEL WHIP MAGNET MOUNT

300 Watt rated • Base loaded digitally wound 18 gauge coil • Powerful 3" black powder coated magnet mount • 36" 17-7 Stainless steel whip • 15' low loss RG58 coax with PL259 connector • Factory tuned and adjustable

Part No.	Option	Length	Package	Case Qty
PC36	STANDARD		SKIN	6
PC36S	WITH SPRING		SKIN	6

# CITIZENBAND (CB) - ALUMALITE CENTER LOAD ANTENNAS



## INTRUDER

## HIGH PERFORMANCE ANTENNAS

10,000 Watt rated • Lightweight aircraft aluminum design • 3" Outside diameter coil • Durable oversize stainless steel whip – 48" .200 diameter • Ultra broad band performance • Field Tunable • 5'6" Overall height • Available in platinum color finish

Part No.	Color	Package	Case Qty
MM490	PLATINUM	SKIN	4



## CHIMP II

## HIGH PERFORMANCE ANTENNAS

7,500 Watt rated • Lightweight aircraft aluminum design • Two durable welded coils • Durable oversize stainless steel whip – 36" .125 diameter • High power handling capability • 4' Overall height • Field Tunable • Available in black anodized finish

Part No.	Color	Package	Case Qty
A215BK	BLACK	SKIN	4



## CHIMP

## HIGH PERFORMANCE ANTENNAS

5,000 Watt rated • Lightweight aircraft aluminum design • Durable oversize stainless steel whip – 36" .125 diameter • Ultra broad band performance • Field Tunable • 4' Overall height • Available in black anodized or platinum color finish

Part No.	Color	Package	Case Qty
CH58	PLATINUM	SKIN	6
CH58B	BLACK	SKIN	6

# CITIZENBAND (CB) - GLASS MOUNT ANTENNAS

## STANDARD ON-GLASS ANTENNA

25 Watt rated • Proprietary torroidal transmission line transformer design • 24" Powder coated removable stainless steel whip • Low SWR (2.0 or less) • 14' RG58U low loss coax with 95% braid and PL259 connector • Frequency range: 26.965 - 27.405 MHz



Part No.	Option	Length	Package	Case Qty
CBG22	COMPLETE KIT	24 IN	SKIN	16
CBG-MF	MAST AND FOOT		BULK	10
RMT-KT	REMOUNT KIT		BULK	10

MADE IN  
  
 U. S. A.  
WITH GLOBAL COMPONENTS

## VECTOR - HIGH PERFORMANCE ON-GLASS ANTENNA

50 Watt rated • Coupler box utilizing transmission line transformer design • Factory tuned 1/2 wave removable antenna element • Tuning collar makes fine tuning easier than ever • 16' RG58U low loss coax with crimped PL259 connector • Frequency range: 26.965 - 27.405 MHz



Part No.	Option	Length	Package	Case Qty
V-CBGM	COMPLETE KIT	20 IN	SKIN	16
VCB-MF	MAST AND FOOT		BULK	10
RMT-KT	REMOUNT KIT		BULK	10

MADE IN  
  
 U. S. A.  
WITH GLOBAL COMPONENTS

# AM/FM ANTENNAS

## AM/FM ON-GLASS ANTENNA KIT



21" Overall height including adhesive mounting base • 17-7 Stainless steel antenna • 15' Coax cable with Motorola plug

Part No.	Option	Length	Package	Case Qty
PC-GMFM		21 IN	SKIN	16

## AM/FM HORIZONTAL MIRROR MOUNT KIT



31" Stainless steel antenna • Horizontal mirror mount with chrome plated SO239 • 9' RG62U coaxial cable with PL-259 TO Motorola plug

Part No.	Option	Length	Package	Case Qty
JBC332-FM	SINGLE GROOVE		SKIN	16
JBC332H-FM	DOUBLE GROOVE		SKIN	10

## AM/FM MIRROR MOUNT KIT



31" Stainless steel antenna • Heavy duty slim line mirror mount with chrome plated SO239 • 9' RG62U coaxial cable with PL-259 TO Motorola plug

Part No.	Option	Length	Package	Case Qty
JBC362H-FM	DOUBLE GROOVE		SKIN	10
SS-FM	31" STAINLESS STEEL WHIP		BULK	10
108MM-PL	9' RG58U COAX WITH PL TO MOTO		BULK	10

## AM/FM MAGNET MOUNT KIT



31" Stainless steel antenna • 3" Chrome plated magnet mount • 12' RG58AU coaxial cable with Motorola plug

Part No.	Option	Length	Package	Case Qty
JBC112-FM		31 IN	SKIN	12



# MOBILE TV ANTENNAS

## STEALTH - PATENTED TV ANTENNA KIT



Receives local HD and digital TV broadcasts • Supports VHF and UHF frequencies • Omni-directional long range reception • Delivers the best performance of any antenna in its class • 3/8-24 threaded antenna port built in for additional antenna • Kit includes 12' RG59 low loss cable, mirror mount, mounting hardware including SO239 and easy instructions • Available in black (B) or white (W)

Part No.	Option	Length	Package	Case Qty
117			CLAM PACK	9

## 3DTV OMNI DIRECTIONAL TV ANTENNA KIT



Receives local HD and digital TV broadcasts • Supports VHF and UHF frequencies • 3 - 16" Length 1/4" diameter fiberglass elements • Heavy duty aluminum antenna hub • Kit includes 9' RG59 low loss cable w/F-connection termination and 3-way deluxe aluminum mirror mount • Available in black (B), red (R) or white (W)

Part No.	Option	Length	Package	Case Qty
3D-MM		16 IN	SKIN	12
3D-HUB	3 ELEMENT HUB W/SO239		BULK	10
HS9PL-F	9' RG59 CABLE (PL TO F)		BULK	10

## MTV 2000 MINIATURE PORTABLE TV ANTENNA KIT



Receives local HD and digital TV broadcasts • Supports VHF and UHF frequencies • ProComm's exclusive encapsulated VHF loading coil/UHF trap • Unique black ABS molded circuit for TV reception and 75 Ohm impedance • Kit includes 12' 75 Ohm low loss cable w/F-connection termination and black coated horizontal mirror mount • 14" Black powder coated stainless steel elements

Part No.	Option	Length	Package	Case Qty
MTV2-MM		14 IN	SKIN	12

# SCANNER ANTENNAS



## SPIDER SCANNER BASE STATION ANTENNAS

30-1200 MHz - Ideal for all band scanners: low band, high band and UHF frequencies • Easy to assemble and install • High quality stainless steel and chrome plated components • Mounts on 1-1/4" to 2" mast pipe • Antenna connection: SO-239 • Available with 50' or 75' of low loss coax cable • Choice of high quality connectors: Motorola plug (/M) or BNC (/BN) • Replacement parts available

Part No.	Option	Length	Package	Case Qty
SP-800	ANTENNA ONLY		SKIN	8
SP-800/50	50' COAX		SKIN	8
SP-800/75	75' COAX		SKIN	8



## DISGUISE GLASS MOUNT SCANNER ANTENNA KIT

Multiband receiving antenna - covers 30 - 1200 MHz • Cellular style look • 22" 17-7 Stainless steel whip • Includes 15' RG58/U coax with transmission box and BNC connector

Part No.	Option	Length	Package	Case Qty
PC-SGM/BN	BNC		SKIN	12
SGM-RM	MAST ONLY		BULK	10
SGM-RMF	MAST AND FOOT		BULK	10
RMT-KT	REMOUNT KIT		BULK	10



## TRI-BAND SCANNER ANTENNAS

Tri-banded scanner antenna • 30 - 512 MHz frequencies • Stainless steel whip with wound center load • 3/8-24 thread to fit most antennas mounts • Available with magnet or mirror mounts which include 12' low loss coax with BNC connector

Part No.	Option	Length	Package	Case Qty
PC360	ANTENNA ONLY		SKIN	30
PC360MBN	MAGNET MOUNT		SKIN	6
PC360MMBN	MIRROR MOUNT		SKIN	6



## MINI MOBILE SCANNER ANTENNAS

Wide banded scanner antenna - Freq: 25 MHz to 1.2 GHz • ProComm's exclusive hermetically sealed, waterproof molded circuit • Includes 12' RG174 low loss coax with BNC connector • Available with magnet, mirror or window mounts

Part No.	Option	Length	Package	Case Qty
JBC290M/BN	MAGNET MOUNT		SKIN	10
JBC290MM/BN	MIRROR MOUNT		SKIN	10
JBC290WC/BN	WINDOW CLIP		SKIN	10



## STAINLESS STEEL SCANNER ANTENNA AND KITS

High quality 18" stainless steel whip • Frequency range: 25 - 960 MHz • Standard 3/8-24 thread ferrule • Magnet mount kit includes 3" chrome magnet mount and 12' RG58 95% shielded coax with BNC (/BN) or Motorola plug (/M) • Mirror mount kit includes heavy duty aluminum mirror mount and 9' RG58 95% shielded coax with BNC (/BN) or Motorola plug (/M)

Part No.	Option	Length	Package	Case Qty
JBC180	ANTENNA ONLY		SKIN	14
JBC180M3	MAGNET MOUNT		SKIN	6
JBC180MM	MIRROR MOUNT		SKIN	6
144MM-PL	MOTOROLA CABLE		BULK	10

# STAINLESS STEEL WHIPS



## .100 STAINLESS STEEL STINGERS

High quality USA made 17-7ph stainless steel rod •  
 Length: 24" - 52" •  
 Diameter - .100" • All stingers come with coronas •  
 Custom lengths available

Part No.	Option	Length	Package	Case Qty
30SST		30 IN	BULK	50
32SST		32 IN	BULK	50
40SST		40 IN	BULK	50
42SST		42 IN	BULK	50
48SST		48 IN	BULK	50
52SST		52 IN	BULK	50



.125 .100



## .125 STAINLESS STEEL STINGERS

High quality USA made 17-7ph stainless steel rod •  
 Length: 36 & 48" •  
 Diameter - .125" • All stingers come with coronas •  
 Custom lengths available

Part No.	Option	Length	Package	Case Qty
36/125SST		36 IN	BULK	50
48/125SST		48 IN	BULK	50



.125 .100



## STINGER BASES

Chrome plated 3/8-24 threaded base • Inside diameter" .100 or .125

Part No.	Option	Length	Package	Case Qty
CB52	.100		BULK	50
CB55	.125		BULK	50



## 102" STAINLESS STEEL ANTENNAS

High quality 17-7ph stainless steel rod • Overall length of 102" • Diameter is .200" base tapered to .100" tip •  
 Tipped with plated corona •  
 Minimum order quantity of 50 pieces applies

Part No.	Option	Length	Package	Case Qty
1020	SET SCREW	102 IN	BULK	72
1020C	CRIMPED	102 IN	BULK	72

# PRO SERIES BULK COAXIAL CABLE



## BULK COAX CABLE

SPOOLED CABLE • 500 Ft spools standard •  
Special lengths & volume purchases available

Part No.	Length	Color	Dielectric	Conductor	Braid	Impedance
PRO58U-500	500 FT	BLACK	SOLID PE - .116	20 GA SOLID	95% BARE COPPER	50 Ohm
PRO58U-1000	1000 FT	BLACK	SOLID PE - .116	20 GA SOLID	95% BARE COPPER	50 Ohm
PRO58AU-500	500 FT	BLACK	SOLID PE - .116	20 GA (19X33) STRANDED	95% BARE COPPER	50 Ohm
PRO58AU-1000	1000 FT	BLACK	SOLID PE - .116	20 GA (19X33) STRANDED	95% BARE COPPER	50 Ohm
PRO59AU-500	500 FT	BLACK	SOLID PE - .116	20 GA (19X33) STRANDED	85% BARE COPPER	75 Ohm
PRO59AU-1000	1000 FT	BLACK	SOLID PE - .116	20 GA (19X33) STRANDED	85% BARE COPPER	75 Ohm
PRO8X-500	500 FT	GRAY	FOAM PE - .155	16 GA (19X28) STRANDED	95% BARE COPPER	50 Ohm
PRO8X-1000	1000 FT	GRAY	FOAM PE - .155	16 GA (19X28) STRANDED	95% BARE COPPER	50 Ohm
PRO8XB-500	500 FT	BLACK	FOAM PE - .155	16 GA (19X28) STRANDED	95% BARE COPPER	50 Ohm
PRO8XB-1000	1000 FT	BLACK	FOAM PE - .155	16 GA (19X28) STRANDED	95% BARE COPPER	50 Ohm
PRO8XC-500	500 FT	CLEAR	FOAM PE - .155	16 GA (19X28) STRANDED	95% BARE COPPER	50 Ohm
PRO8XC-1000	1000 FT	CLEAR	FOAM PE - .155	16 GA (19X28) STRANDED	95% BARE COPPER	50 Ohm
PROS8XC-500	500 FT	CLEAR	FOAM PE - .155	16 GA (19X28) STRANDED	96% TINNED COPPER	50 Ohm
PROS8XC-1000	1000 FT	CLEAR	FOAM PE - .155	16 GA (19X28) STRANDED	96% TINNED COPPER	50 Ohm
PROSD8XC-500	500 FT	CLEAR	FOAM PE - .155	16 GA (19X28) STRANDED	96% TINNED COPPER	TRUE 75 Ohm
PROSD8XC-1000	1000 FT	CLEAR	FOAM PE - .155	16 GA (19X28) STRANDED	96% TINNED COPPER	TRUE 75 Ohm
PRO8UB-500	500 FT	BLACK	SOLID PE - .146	13 GA (7X21) STRANDED	95% BARE COPPER	50 Ohm
PRO174-1000	1000 FT	BLACK	SOLID PE - .060	26 GA (7X34) STRANDED	95% BARE COPPER	50 Ohm
PRO213-500	500 FT	BLACK	SOLID PE - .285	20 GA SOLID	100% FOIL & 95% COPPER	50 Ohm

# COAXIAL CABLE ASSEMBLIES - ULTRA CLASSIC



## RG58 CABLE - PRO SERIES



HIGH QUALITY RG58 • Bare copper stranded center conductor • High quality soldered PL259 or lug connectors • 95% bare copper braid • Polyethylene dielectric • Hand soldered connections

- 100% Tested • Replace (PL) with (L) to end of model number for lug connector • Available in black jacket only

Part No.	Length	Package	Case Qty
803PL	3 FT	SKIN	18
806PL	6 FT	SKIN	18
809PL	9 FT	SKIN	18
812PL	12 FT	SKIN	18
818PL	18 FT	SKIN	36
820PL	20 FT	SKIN	30
821PL	21 FT	SKIN	30
825PL	25 FT	BULK	20
850PL	50 FT	BULK	10
875PL	75 FT	BULK	10
8100PL	100 FT	BULK	10



## RG59 CO-PHASE CABLE - PRO SERIES



HIGH QUALITY RG59 • Bare copper stranded center conductor • High quality soldered PL259 or lug connectors • 95% bare copper braid • Polyethylene dielectric • Hand soldered connections

- 100% Tested • Replace (P) with (L) to end of model number for lug connector • Available in black jacket only

Part No.	Length	Package	Case Qty
DH9P	9 FT	SKIN	20
DH12P	12 FT	SKIN	20
DH18P	18 FT	SKIN	10
DH21P	21 FT	SKIN	10



## RG8U CABLE - PRO SERIES



LOW LOSS RG8U • Bare copper stranded center conductor • High quality soldered PL259 • 95% bare copper braid • Foam dielectric • Hand soldered connections

- 100% Tested • Available in black jacket only

Part No.	Length	Package	Case Qty
1RG8UB	12 IN	SKIN	18
1.5RG8UB	18 IN	SKIN	18
3RG8UB	3 FT	SKIN	18
6RG8UB	6 FT	SKIN	10
9RG8UB	9 FT	SKIN	10
12RG8UB	12 FT	SKIN	10
18RG8UB	18 FT	SKIN	10
20RG8UB	20 FT	BULK	10
21RG8UB	21 FT	BULK	10
25RG8UB	25 FT	BULK	10
50RG8UB	50 FT	BULK	10
75RG8UB	75 FT	BULK	10
100RG8UB	100 FT	BULK	10

# COAXIAL CABLE ASSEMBLIES - ULTRA CLASSIC



## RG8X CABLE - PRO SERIES



MINI 8 • Bare copper stranded center conductor • High quality soldered PL259 or lug connectors • 95% bare copper braid • Foam dielectric • Hand soldered connections • 100% Tested • Add (L) to end of model number for lug connector • Available in gray, black ( B ) or clear ( C )

Part No.	Length	Package	Case Qty
PR1-8X	12 IN	SKIN	18
PR1.5-8X	18 IN	SKIN	18
PR3-8X	3 FT	SKIN	18
PR6-8X	6 FT	SKIN	18
PR9-8X	9 FT	SKIN	18
PR12-8X	12 FT	SKIN	20
PR18-8X	18 FT	SKIN	20
PR20-8X	20 FT	SKIN	20
PR21-8X	21 FT	SKIN	20
PR25-8X	25 FT	BULK	10
PR50-8X	50 FT	BULK	10
PR75-8X	75 FT	BULK	10
PR100-8X	100 FT	BULK	10



## S8XC CABLE - PRO SERIES



SUPER MINI 8 • Tin plated copper stranded center conductor • Teflon dielectric soldered PL259 connectors • 96% tin plated copper braid • Foam dielectric • Hand soldered connections • 100% Tested • Add (L) to end of model number for lug connector • Available in clear jacket only

Part No.	Length	Package	Case Qty
PR3-S8X	3 FT	SKIN	18
PR6-S8X	6 FT	SKIN	18
PR9-S8X	9 FT	SKIN	18
PR12-S8X	12 FT	SKIN	20
PR18-S8X	18 FT	SKIN	20
PR20-S8X	20 FT	SKIN	20
PR21-S8X	21 FT	SKIN	20
PR25-S8X	25 FT	BULK	10
PR50-S8X	50 FT	BULK	10
PR75-S8X	75 FT	BULK	10
PR100-S8X	100 FT	BULK	10



## SD8XC CO-PHASE CABLE - PRO SERIES



SUPER DUAL MINI 8 • True 75 Ohm impedance • Tin plated copper stranded conductor • Teflon dielectric soldered PL259 connectors • 96% tin plated copper braid • Foam dielectric • Hand soldered connections • 100% Tested • Add (L) to end of model number for lug connector • Available in clear jacket only

Part No.	Length	Package	Case Qty
PR9-SD8X	9 FT	SKIN	10
PR12-SD8X	12 FT	SKIN	10
PR18-SD8X	18 FT	SKIN	10
PR21-SD8X	21 FT	SKIN	10



# COAXIAL CABLE ASSEMBLIES - MOLDED UHF CONNECTORS



## HI-SPEC STANDARD RG58 CABLE

RG58 • Bare copper stranded center conductor • Molded PL259 or lug connectors • bare copper braid • Polyethylene dielectric • Replace (PL) with (L) to end of model number for lug connector • Available in black jacket only

Part No.	Length	Package	Case Qty
HS803PL	3 FT	SKIN	18
HS806PL	6 FT	SKIN	18
HS809PL	9 FT	SKIN	18
HS812PL	12 FT	SKIN	20
HS818PL	18 FT	SKIN	20
HS821PL	21 FT	SKIN	20



## HI-SPEC CO-PHASE RG59 CABLE

RG59 • Bare copper stranded center conductor • Molded PL259 or lug connectors • bare copper braid • Polyethylene dielectric • Replace (P) with (L) to end of model number for lug connector • Available in black jacket only

Part No.	Length	Package	Case Qty
HSDH9P	9 FT	SKIN	10
HSDH12P	12 FT	SKIN	10
HSDH18P	18 FT	SKIN	10



## HI-SPEC RG8X CABLE

MINI 8 • Bare copper stranded center conductor • PL259 or lug connectors • bare copper braid • Polyethylene dielectric • Add (L) to end of model number for lug connector • Available in gray jacket only

Part No.	Length	Package	Case Qty
HS3-8X	3 FT	SKIN	18
HS6-8X	6 FT	SKIN	18
HS9-8X	9 FT	SKIN	18
HS12-8X	12 FT	SKIN	20
HS18-8X	18 FT	SKIN	20

# ANTENNA STUDS



**HEAVY-DUTY LUG STUD**

Part No.	Option	Package	Case Qty
JBC900	NO TERMINAL	SKIN	90
JBC901	WITH TERMINAL	SKIN	90



**STANDARD SO239 STUD**

Part No.	Option	Package	Case Qty
JBC910		SKIN	90



**HEAVY-DUTY DOUBLE HEX SO239 STUD**

Part No.	Option	Package	Case Qty
JBC910H		SKIN	70



**REPLACEMENT PARTS**

Part No.	Option	Package	Case Qty
DHN-38	CHROME PLATED DOUBLE HEX NUT	BULK	10
NYS-38	NYLON STEP WASHER	BULK	10
STR-38	STAR WASHER	BULK	10



**HEAVY-DUTY DOME SO239 STUD**

Part No.	Option	Package	Case Qty
JBC930		SKIN	36



**HEAVY-DUTY DOUBLE HEX RIGHT ANGLE SO239 STUD**

Part No.	Option	Package	Case Qty
RA910H		SKIN	24



**HEAVY-DUTY DOME RIGHT ANGLE SO239 STUD**

Part No.	Option	Package	Case Qty
RA930		SKIN	24



**STAINLESS STEEL DOUBLE HEX LUG STUD**

Part No.	Option	Package	Case Qty
JBC900SS		SKIN	90



**STAINLESS STEEL DOUBLE HEX SO239 STUD**

Part No.	Option	Package	Case Qty
JBC910HSS		SKIN	24



**STAINLESS STEEL DOME SO239 STUD**

Part No.	Option	Package	Case Qty
JBC930SS		SKIN	24

# ALUMINUM ANTENNA MOUNTS



## DELUXE 3-WAY MIRROR MOUNTS

Part No.	Option	Package	Case Qty
JBC995	W/ HD SO239	SKIN	72
JBC990	W/ LUG STUD	SKIN	72
JBC991	MOUNT ONLY	SKIN	72



## HEAVY-DUTY DOUBLE GROOVE MIRROR MOUNTS

Part No.	Option	Package	Case Qty
JBC995H	W/ HD SO239	SKIN	72
JBC990H	W/ LUG STUD	SKIN	72
JBC991H	MOUNT ONLY	SKIN	72



## SLIM LINE MIRROR MOUNTS

Part No.	Option	Package	Case Qty
JBC362	W/ HD SO239	SKIN	72
JBC363	W/ LUG STUD	SKIN	72
JBC361	MOUNT ONLY	SKIN	72



## HEAVY-DUTY SLIM LINE MIRROR MOUNTS

Part No.	Option	Package	Case Qty
JBC362H	W/ HD SO239	SKIN	72
JBC363H	W/ LUG STUD	SKIN	72
JBC361H	MOUNT ONLY	SKIN	72



## 4" HORIZONTAL MIRROR MOUNTS

Part No.	Option	Package	Case Qty
JBC332S	W/ HD SO239	SKIN	48
JBC333S	W/ LUG STUD	SKIN	48
JBC331S	MOUNT ONLY	SKIN	48



## 3" DOUBLE GROOVE HORIZONTAL MIRROR MOUNTS

Part No.	Option	Package	Case Qty
JBC332SH	W/ HD SO239	SKIN	48
JBC333SH	W/ LUG STUD	SKIN	48
JBC331SH	MOUNT ONLY	SKIN	48



## DELUXE TWO-SIDED MIRROR MOUNTS

Part No.	Option	Package	Case Qty
JBC1095	W/ 2 HD SO239S	SKIN	10
JBC1090	W/ 2 LUG STUDS	SKIN	10
JBC1091	MOUNT ONLY	SKIN	10



## 6" HORIZONTAL MIRROR MOUNTS

Part No.	Option	Package	Case Qty
JBC332	W/ HD SO239	SKIN	20
JBC333	W/ LUG STUD	SKIN	20
JBC331	MOUNT ONLY	SKIN	20

# ALUMINUM ANTENNA MOUNTS



**1-1/8" OMNI GRIP MIRROR MOUNTS - FREIGHTLINER**

Part No.	Option	Package	Case Qty
JBC535	W/ HD SO239	SKIN	36
JBC530	W/ LUG STUD	SKIN	36
JBC531	MOUNT ONLY	SKIN	36



**1-1/4" OMNI GRIP MIRROR MOUNTS - INTERNATIONAL**

Part No.	Option	Package	Case Qty
JBC545	W/ HD SO239	SKIN	36
JBC540	W/ LUG STUD	SKIN	36
JBC541	MOUNT ONLY	SKIN	36



**FORD FLAT BAR MIRROR MOUNTS**

Part No.	Option	Package	Case Qty
JBC338	W/ HD SO239	SKIN	20
JBC337	W/ LUG STUD	SKIN	20
JBC336	MOUNT ONLY	SKIN	20



**6" FLAT BAR MIRROR MOUNTS**

Part No.	Option	Package	Case Qty
JBC436	W/ HD SO239	SKIN	20
JBC437	W/ LUG STUD	SKIN	20
JBC435	MOUNT ONLY	SKIN	20



**HEAVY-DUTY MIRROR MOUNTS WITH DOME STUD**

Part No.	Option	Package	Case Qty
JBC935	3-WAY MOUNT	SKIN	36
JBC935H	DOUBLE GROOVE	SKIN	36



**DELUXE 3-WAY MIRROR MOUNTS WITH HEAVY-DUTY BEEHIVE STUD**

Part No.	Option	Package	Case Qty
JBC993		SKIN	36



**180° ADJUSTABLE BAR MIRROR MOUNTS**

Part No.	Option	Package	Case Qty
JBC492	W/ HD SO239	SKIN	72
JBC493	W/ LUG STUD	SKIN	72
JBC491	MOUNT ONLY	SKIN	72



**360° ADJUSTABLE BAR MIRROR MOUNTS**

Part No.	Option	Package	Case Qty
JBC592	W/ HD SO239	SKIN	72
JBC593	W/ LUG STUD	SKIN	72
JBC591	MOUNT ONLY	SKIN	72

# ALUMINUM ANTENNA MOUNTS



## 45° MOUNTS FOR GOOSENECK MIRRORS

Part No.	Option	Package	Case Qty
JBC462	W/ HD SO239	SKIN	72
JBC463	W/ LUG STUD	SKIN	72
JBC461	MOUNT ONLY	SKIN	72



## STANDARD FENDER MOUNTS

Part No.	Option	Package	Case Qty
JBC472	W/ HD SO239	SKIN	36
JBC473	W/ LUG STUD	SKIN	36
JBC471	MOUNT ONLY	SKIN	36



## HEAVY-DUTY BUMPER MOUNTS

Part No.	Option	Package	Case Qty
JBC482	W/ HD SO239	SKIN	36
JBC483	W/ LUG STUD	SKIN	36
JBC481	MOUNT ONLY	SKIN	36



## QUICK RELEASE HINGE MOUNTS

Part No.	Option	Package	Case Qty
JBC830	W/ HD SO239	SKIN	36
JBC831	W/ LUG STUD	SKIN	36
JBC833	MOUNT ONLY	SKIN	36



## SPARE TIRE MOUNT FOR '07 & UP JEEP WRANGLER, JK & RUBICON

Part No.	Option	Package	Case Qty
PC-A30	MOUNT ONLY	SKIN	12
PC-A30-01	W/ LUG STUD	SKIN	12
PC-A30-02	W/ SS SO239	SKIN	12
PC-A30-03	TERM. CABLE KIT	SKIN	12
PC-A30-04	ANTENNA KIT	SKIN	6

# STAINLESS STEEL ANTENNA MOUNTS



## HEAVY-DUTY STAINLESS STEEL 3-WAY MIRROR MOUNT

5/8" STUD MOUNTING HOLE • GRIPPER TABS IN BRACKET FOR SECURE MOUNTING

Part No.	Option	Package	Case Qty
VO991SSL	MOUNT ONLY	SKIN	36
VO993SSL	BEEHIVE STUD	SKIN	36



## STANDARD STAINLESS STEEL 3-WAY MIRROR MOUNT

1/2" STUD MOUNTING HOLE • GRIPPER TABS IN BRACKET FOR SECURE MOUNTING

Part No.	Option	Package	Case Qty
JBC991SS	MOUNT ONLY	SKIN	36
JBC995SS	W/SO239	SKIN	36
JBC991SS-03	TERM. CABLE KIT	SKIN	18

## STAINLESS STEEL TRAILER HITCH MOUNT



Part No.	Option	Package	Case Qty
SSTH20	MOUNT ONLY	SKIN	20
SSTH20-01	W/ LUG STUD	SKIN	20
SSTH20-02	W/ SS SO239	SKIN	20
SSTH20-03	TERM. CABLE KIT	SKIN	20



# ANTENNA MOUNTS



**HEAVY-DUTY BALL MOUNT WITH 3-1/2" BACK MOUNTING PLATE**

Part No.	Option	Package	Case Qty
JBC985-3	LUG CONNECTOR	SKIN	18
JBC985-3P	UHF CONNECTOR	SKIN	18



**HEAVY-DUTY BALL MOUNT WITH SPRING & 3-1/2" BACK MOUNTING PLATE AND BARREL SPRING**

Part No.	Option	Package	Case Qty
JBC986	LUG CONNECTOR	POLY BAG	10



**HEAVY-DUTY SURFACE MOUNT**

Part No.	Option	Package	Case Qty
JBC504	LUG TERMINAL	SKIN	24
SM-CD59/8X	FOR MINI 8	SKIN	24
SM-CD58K	FOR RG58	SKIN	24



**HEAVY-DUTY BEEHIVE SURFACE MOUNT WITH STAR WASHER**

Part No.	Option	Package	Case Qty
JBC989	SO239 CONNECTOR	SKIN	24



**TERMINATOR SERIES SURFACE MOUNT KIT**

Low profile heavy duty surface mount • Dual o-ring waterproof design • Uses ProComm's patented Terminator connector • High quality RG58 cable with nipple connector • NIP to UHF adapter included • Accepts standard 3/8-24 thread antennas

Part No.	Option	Package	Case Qty
TSM-18	18' COAX	SKIN	20



**TERMINATOR SERIES REPLACEMENT CABLE**

ProComm's patented Terminator connector • 18 Feet of high quality RG58 cable with PL-259 (UHF) connector or NIP-13 (FME to UHF) adapter • Chrome plated hex nut accepts standard 3/8-24 thread antennas

Part No.	Option	Package	Case Qty
HS818T-PL	PL259 CONNECTOR	SKIN	20
HS818T-NIP	FME TO UHF ADAPTER	SKIN	20

# ANTENNA MOUNTS

## 3" HEAVY DUTY CHROME PLATED MAGNET MOUNT WITH PL259



ADD (/BN) FOR BNC CONNECTOR

Part No.	Option	Package	Case Qty
JBC110-12	12' COAX	SKIN	20
JBC110-18	18' COAX	SKIN	20

## 5" HEAVY DUTY CHROME PLATED MAGNET MOUNT WITH 18' COAX



Part No.	Option	Package	Case Qty
JBC115	PL259 CONNECTOR	SKIN	9

## HEAVY DUTY FENDER MOUNT KIT



Aluminum fender mount • Chrome plated double hex nut • Uses ProComm's patented Terminator connector • High quality RG58 cable with nipple connector • NIP to UHF adapter included • Accepts standard 3/8-24 thread antennas

Part No.	Option	Package	Case Qty
JBC472C	18' COAX	SKIN	20

## WEATHERPROOF TRUNK LIP MOUNT WITH PL259 CONNECTOR



Part No.	Option	Package	Case Qty
JBC105	18' COAX	SKIN	20

## QUICK RELEASE VISE GRIP MOUNTS



Part No.	Option	Package	Case Qty
JBC955	W/ HD SO239	SKIN	20
JBC950	W/ LUG STUD	SKIN	20
JBC951	MOUNT ONLY	SKIN	20

# ANTENNA MOUNT ACCESSORIES



## CHROME PLATED FOLD-OVER MOUNT

Part No.	Option	Length	Package	Case Qty
JBC100	180° SWIVEL		SKIN	45



## CHROME PLATED QUICK DISCONNECT

Part No.	Option	Length	Package	Case Qty
JBC201L	STAINLESS STEEL SPRING & PIN		SKIN	24



## STAINLESS STEEL SPRINGS

Part No.	Option	Length	Package	Case Qty
JBC303	LIGHT DUTY	2-1/2 INCH	SKIN	35
JBC403	MEDIUM DUTY	4 INCH	SKIN	24
JBC404	HEAVY DUTY	5 INCH	SKIN	24



## EXTRA HEAVY DUTY BARREL SPRINGS

Part No.	Option	Length	Package	Case Qty
JBC305	CHROME PLATED		SKIN	18



## STAINLESS STEEL MOUNTING BARS

Part No.	Option	Length	Package	Case Qty
SSR50	VOLVO	4-1/2 INCH	SKIN	18
SSR50C	FREIGHTLINER CASCADIA	6-1/2 INCH	SKIN	10
SPM50	FREIGHTLINER SPOT MIRROR	6 INCH	SKIN	10

# MICROPHONES & SPEAKERS

## PREMIUM SERIES MICROPHONES



High sensitivity microphone cartridge • Ergonomic hand contour design • Blue LED operation indicator • Textured ABS plastic housing and thumb lever • Contoured black mesh microphone grill • 9' Heavy duty military spec microphone cord with strain relief • High quality chrome plated 4 or 5 pin microphone connector • Hand assembled and tested

Part No.	Option	Package	Case Qty
PSM4	DYNAMIC - 4 PIN	SKIN	30
PSM4NC	NOISE CANCELING - 4 PIN	SKIN	30
PSM4PM	POWER MIC - 4 PIN	SKIN	30
PSM5	DYNAMIC - 5 PIN	SKIN	30
PSM5NC	NOISE CANCELING - 5 PIN	SKIN	30
PSM5PM	POWER MIC - 5 PIN	SKIN	30

### PREMIUM SERIES SPEAKERS

#### PRESIDENTIAL

4" - 8 Ohm external speaker • 10 Watt rated • 10' cord with 3.5mm plug • Swivel mounting bracket and hardware included



Part No.	Package	Case Qty
JBCSP-1	SKIN	6

### PREMIUM SERIES SPEAKERS

#### NOISE CANCELING

4" - 8 Ohm external speaker • Noise cancelation adjustment • 10 Watt rated • 10' cord with 3.5mm plug • Swivel mounting bracket and hardware included



Part No.	Package	Case Qty
JBCSP-2	SKIN	6

### PREMIUM SERIES SPEAKERS

#### TALK BACK

4" - 8 Ohm external speaker • P.A. Talk back and noise cancelation • 10 Watt rated • 10' cord with 3.5mm plug • Swivel mounting bracket and hardware included



Part No.	Package	Case Qty
JBCSP-3	SKIN	6

### PREMIUM SERIES SPEAKERS

#### MINI SPEAKER

2-1/4" - 8 Ohm external speaker • 5 Watt rated • 6' cord with 3.5mm plug • Swivel mounting bracket and hardware included



Part No.	Package	Case Qty
JBCSP-5	SKIN	6

### PREMIUM SERIES SPEAKERS

#### MINI WEDGE SPEAKER

2-1/4" - 8 Ohm external speaker • Attractive wedge style • 5 Watt rated • 10' cord with 3.5mm plug • Swivel mounting bracket and hardware included



Part No.	Package	Case Qty
JBCSP-8	SKIN	6

### PREMIUM SERIES SPEAKERS

#### PA SPEAKER

5" Marine style white ABS horn • 15 Watt rated • Indoor/outdoor weatherproof • 10' cord with 3.5mm plug • Mounting bracket and hardware included



Part No.	Package	Case Qty
JBCPA-5W	SKIN	6

# RADIO ACCESSORIES

## NOISE CLIPPER



Reduces EMI noise (Electromagnetic interference) • Improves the dynamic range of CB and amateur radio • Simple to use - no power required

Part No.	Option	Package	Case Qty
JBCNR400		SKIN	18

## MAGNETIC MIC HOLDER



Part No.	Option	Package	Case Qty
JBCM1		SKIN	90

## 3 FINGER MIC HOLDER



Part No.	Option	Package	Case Qty
JBCM2		SKIN	90

## HEAVY-DUTY METAL MIC HOLDER



Part No.	Option	Package	Case Qty
JBCM2HD		SKIN	90

## PLASTIC ADHESIVE MIC HOLDER



Part No.	Option	Package	Case Qty
JBCM3	BLACK	SKIN	90

## PLASTIC BUDDY HOOK



Part No.	Option	Package	Case Qty
JBCM4	BLACK	SKIN	48

## METAL BUDDY HOOK



Part No.	Option	Package	Case Qty
JBCM5		SKIN	36

## HOOK-N-LOOP ADHESIVE PADS



Part No.	Option	Package	Case Qty
VEL-14	1" X 4" STRIP	SKIN	72
VEL-25	2" X 5" STRIP	SKIN	72

## 3-PIN POWER CORDS



16 Gauge wire • 3 Amp fuse  
• With or without molded plug

Part No.	Option	Package	Case Qty
JBCPC-3H	HARD WIRED	SKIN	18
JBCPC-3PH	LIGHTER PLUG	SKIN	18

## LIGHTER PLUGS



10 Amp fuse • With or without 16 gauge 4" leads

Part No.	Option	Package	Case Qty
HD-MCP		SKIN	24
HD-MCP4	W/4" LEADS	SKIN	24

## 12 VOLT POWER SOCKETS



16 Gauge wire • 10 Amp fuse • Molded outlet caps

Part No.	Option	Package	Case Qty
CPO1-2CSF	2-WAY	SKIN	18
CPO1-3CSF	3-WAY	SKIN	18

## UNIVERSAL RADIO HUMP MOUNT



Part No.	Option	Package	Case Qty
JBC1000		SKIN	24

# RADIO ACCESSORIES

## STANDARD RADIO BRACKET



Adjustable from 2" to 9-1/2"

Part No.	Option	Package	Case Qty
JBC1200		SKIN	70

## QUICK RELEASE RADIO BRACKET



Adjustable from 2" to 9-1/2"

Part No.	Option	Package	Case Qty
JBC1250		SKIN	70

## EXTRA WIDE RADIO BRACKET



Adjustable from 4" to 13"

Part No.	Option	Package	Case Qty
JBC1200L		SKIN	50

## PLASTIC REPLACEMENT RADIO



Part No.	Option	Package	Case Qty
JBC4KNP	4MM	SKIN	90
JBC5KNP	5MM	SKIN	90
JBC6KNP	6MM	SKIN	90

## METAL REPLACEMENT RADIO KNOBS



Part No.	Option	Package	Case Qty
JBC4KN	4MM	SKIN	90
JBC5KN	5MM	SKIN	90
JBC6KN	6MM	SKIN	90



# CONNECTORS



## UHF MALE CRIMP ON CONNECTOR

Part No.	Option	Package	Case Qty
PL-259C	FOR RG58 CABLE	BLISTER	16
PL259C-59	FOR RG59 CABLE	BLISTER	16
PL259C-8X	FOR RG8X CABLE	BLISTER	16



## UHF FEMALE CRIMP ON CONNECTOR

Part No.	Option	Package	Case Qty
PL-259FC	FOR RG58 CABLE	BLISTER	16
PL-259FC-59	FOR RG59 CABLE	BLISTER	16
PL-259-8X	FOR RG8X CABLE	BLISTER	16



## PL-259 CONNECTOR

Part No.	Option	Package	Case Qty
KPL-259	SOLDER STYLE	BLISTER	16



## PL-259 REDUCER

Part No.	Option	Package	Case Qty
UG-175	FOR RG58	BLISTER	16
UG-176	FOR RG59/8X	BLISTER	16



## UHF DOUBLE FEMALE 3" BULKHEAD

Part No.	Option	Package	Case Qty
UG-363		BLISTER	16



## UHF DOUBLE FEMALE ADAPTER

Part No.	Option	Package	Case Qty
PL-258		BLISTER	16



## UHF RIGHT ANGLE ADAPTER - MALE UHF TO FEMALE UHF

Part No.	Option	Package	Case Qty
UG-644		BLISTER	16



## UHF " T " ADAPTER - 3 FEMALE

Part No.	Option	Package	Case Qty
PL-1714		BLISTER	16



## UHF " T " ADAPTER - 1 MALE TO 2 FEMALE

Part No.	Option	Package	Case Qty
PL-1713		BLISTER	16



## BNC MALE CRIMP ON CONNECTOR

Part No.	Option	Package	Case Qty
BNC-10	FOR RG58	BLISTER	16
BNC-10-59	FOR RG59	BLISTER	16
BNC-10-8X	FOR RG8X	BLISTER	16
BNC-174	FOR RG174	BLISTER	16

# CONNECTORS



## BNC FEMALE CRIMP ON CONNECTOR

Part No.	Option	Package	Case Qty
BNC-15	FOR RG58	BLISTER	16
BNC-15-59	FOR RG59	BLISTER	16
BNC-15-8X	FOR RG8X	BLISTER	16



## BNC MALE ADAPTER

Part No.	Option	Package	Case Qty
BNC-26	FEMALE MOTOROLA	BLISTER	16
BNC-44	FEMALE UHF	BLISTER	16
BNC-51	FEMALE TNC	BLISTER	16



## TNC MALE CRIMP ON CONNECTOR

Part No.	Option	Package	Case Qty
TNC-10	FOR RG58	BLISTER	16
TNC-8X	FOR RG8X	BLISTER	16
TNC-9913C	BELDEN 9913	BLISTER	16
TNC-174M	FOR RG174	BLISTER	16



## TNC FEMALE CRIMP ON CONNECTOR

Part No.	Option	Package	Case Qty
TNC-15	FOR RG58	BLISTER	16
TNC-174	FOR RG174	BLISTER	16



## TNC MALE - TNC FEMALE RIGHT ANGLE CONNECTOR

Part No.	Option	Package	Case Qty
TNC-35		BLISTER	16



## TNC "T" CONNECTOR

Part No.	Option	Package	Case Qty
TNC-38		BLISTER	16



## MINI UHF MALE CRIMP ON CONNECTOR

Part No.	Option	Package	Case Qty
MPL-03	FOR RG58	BLISTER	16
MPL-03-59	FOR RG59	BLISTER	16
MPL-03-8X	FOR RG8X	BLISTER	16
MPL-174	FOR RG174	BLISTER	16



## MINI UHF FEMALE CRIMP ON CONNECTOR

Part No.	Option	Package	Case Qty
MPL-01	FOR RG58	BLISTER	16
MPL-01-59	FOR RG59	BLISTER	16



## MINI UHF FEMALE BULKHEAD

Part No.	Option	Package	Case Qty
MPL-04		BLISTER	16



## MINI UHF DOUBLE FEMALE

Part No.	Option	Package	Case Qty
MPL-06		BLISTER	16

# CONNECTORS



## MINI UHF RIGHT ANGLE ADAPTER

Part No.	Option	Package	Case Qty
MPL-08	MALE TO FEMALE	BLISTER	16



## MINI UHF MALE ADAPTER

Part No.	Option	Package	Case Qty
MPL-12	TO MINI UHF FEMALE	BLISTER	16



## MINI UHF FEMALE ADAPTER

Part No.	Option	Package	Case Qty
MPL-16	TO UHF MALE	BLISTER	16



## FME NIPPLE ADAPTER - MALE TO MALE

Part No.	Option	Package	Case Qty
NIP-9	TO N MALE	BLISTER	16
NIP-10	TO MINI UHF MALE	BLISTER	16
NIP-11	TO BNC MALE	BLISTER	16
NIP-12	TO TNC MALE	BLISTER	16
NIP-13	TO UHF MALE	BLISTER	16
NIP-14	TO SMA MALE	BLISTER	16



## FME NIPPLE ADAPTER - MALE TO FEMALE

Part No.	Option	Package	Case Qty
NIP-5	TO MINI UHF FEMALE	BLISTER	16



## FME FEMALE ROTATING NIPPLE CRIMP ON CONNECTOR

Part No.	Option	Package	Case Qty
NIP-58	FOR RG58	BLISTER	16
NIP-59	FOR RG59	BLISTER	16
NIP-8X	FOR RG8X	BLISTER	16
NIP-174	FOR RG174	BLISTER	16



## FME NIPPLE - MALE SPLICE ADAPTER

Part No.	Option	Package	Case Qty
NIP-3	MALE - MALE SPLICE	BLISTER	16



## N MALE CRIMP ON CONNECTOR

Part No.	Option	Package	Case Qty
N-11	FOR RG58	BLISTER	16
N-112	FOR RG8X	BLISTER	16
N-11-174	FOR RG174	BLISTER	16
N-01-9913C	FOR BELDEN 9913	BLISTER	16



## N MALE ADAPTER

Part No.	Option	Package	Case Qty
N-31	UHF FEMALE	BLISTER	16
N-33	TNC FEMALE	BLISTER	16



## SMA MALE CRIMP ON CONNECTOR

Part No.	Option	Package	Case Qty
SMA-19-58	FOR RG58	BLISTER	16
SMA-19-8X	FOR RG8X	BLISTER	16
SMA-19-174	FOR RG174	BLISTER	16

# CONNECTORS



## SMA FEMALE CRIMP ON CONNECTOR

Part No.	Option	Package	Case Qty
SMA-19F-58	FOR RG58	BLISTER	16
SMA-174F	FOR RG174	BLISTER	16



## SMA MALE ADAPTER

Part No.	Option	Package	Case Qty
SMA-29	BNC FEMALE	BLISTER	16
SMA-30	TNC MALE	BLISTER	16
SMA-31	TNC FEMALE	BLISTER	16
SMA-33	MINI UHF FEMALE	BLISTER	16



## SMA FEMALE ADAPTER

Part No.	Option	Package	Case Qty
SMA-39	BNC FEMALE	BLISTER	16
SMA-40	TNC MALE	BLISTER	16
SMA-41	TNC FEMALE	BLISTER	16



## MOTOROLA PLUG - MALE

Part No.	Option	Package	Case Qty
31.5713		BLISTER	16



## MOTOROLA PLUG - FEMALE

Part No.	Option	Package	Case Qty
31.5717		BLISTER	16



## ENCAPSULATING WEATHER BOOT

Part No.	Option	Package	Case Qty
SR-29B		BLISTER	16

# OEM REPLACEMENT PARTS



Low loss RG58U (single) or RG59U (dual) cable • High quality PL259 • Premium BNC connector



## BNC TO UHF MALE OEM REPLACEMENT CABLES

Part No.	Option	Length	Package	Case Qty
1SHBN	SINGLE	12 INCH	BULK	10
1DHBN	DUAL	12 INCH	BULK	10



Low loss RG58U (single) or RG59U (dual) cable • High quality PL259 • Female Mini UHF



## MINI UHF FEMALE TO UHF MALE OEM REPLACEMENT CABLES

Part No.	Option	Length	Package	Case Qty
1SH-FMPL	SINGLE	12 INCH	BULK	10
1DH-FMPL	DUAL	12 INCH	BULK	10



Low loss RG58U (single) or RG59U (dual) cable • High quality PL259 • Male Mini UHF



## MINI UHF MALE TO UHF MALE OEM REPLACEMENT CABLES

Part No.	Option	Length	Package	Case Qty
1SH-MPL	SINGLE	12 INCH	BULK	10
1DH-MPL	DUAL	12 INCH	BULK	10



Low loss RG58U cable • High quality PL259 • Male Motorola plug



## MOTOROLA MALE TO UHF MALE OEM REPLACEMENT CABLE

Part No.	Option	Length	Package	Case Qty
12SMMPL	SINGLE	12 INCH	BULK	10



Low loss RG58U (single) or RG59U (dual) cable • High quality PL259 • Female Motorola plug



## MOTOROLA FEMALE TO UHF MALE OEM REPLACEMENT CABLES

Part No.	Option	Length	Package	Case Qty
12MFPL	SINGLE	12 INCH	BULK	10
12DMFPL	DUAL	12 INCH	BULK	10

# OEM REPLACEMENT PARTS



Low loss RG58U cable • High quality SO239 • Premium BNC connector

## BNC TO UHF FEMALE OEM REPLACEMENT CABLE

Part No.	Option	Length	Package	Case Qty
12BNSO	SINGLE	12 INCH	BULK	10



Low loss RG58U cable • Premium BNC connector • Female Motorola plug

## BNC TO MOTOROLA FEMALE OEM REPLACEMENT CABLE

Part No.	Option	Length	Package	Case Qty
12MFBN	SINGLE	12 INCH	BULK	10



Designed as a upgraded replacement for multi-frequency OEM truck systems  
 • CB - AM/FM - Weather Frequencies • 750 Watt rated • 5/16" Durable fiberglass whip • Top Loaded ¼ wave helically wound antenna with frequency resonate copper stripping • Works with Volvo, Navistar & up to 2009 Freightliner trucks • Factory tuned and field adjustable • Available in black ( B ), white ( W ) or red ( R )

## MULTIBAND OEM REPLACEMENT FIBERGLASS ANTENNAS

Part No.	Option	Length	Package	Case Qty
MBW400	STANDARD	48 IN	BULK	10
MBW400T	TUNABLE TIP	48IN	BULK	10



Direct replacement antennas for 2010 and newer Freightliner P3 Cascadia multi-frequency truck systems • Day cab or sleeper models • 750 Watt rated • Heavy duty 3/8" fiberglass whip • Top Loaded ¼ wave helically wound antenna • 20 Gauge copper wire • Chrome plated 3/8-24 ferrule • Factory tuned and field adjustable • Available in black ( B ), white ( W ) or red ( R )

## FREIGHTLINER MULTIBAND REPLACEMENT ANTENNAS

Part No.	Option	Length	Package	Case Qty
FLP3D-MB42	DAY CAB	42 IN	BULK	10
FLP3S-MB54	SLEEPER	54 IN	BULK	10



Replacement antennas for traditional system 2010 and newer Freightliner P3 Cascadia trucks • Separate CB & AM/FM/Weather antennas to be used with single frequency systems • 750 Watt rated • Heavy duty 3/8" fiberglass whip • Top Loaded ¼ wave helically wound antenna • 20 Gauge copper wire • Chrome plated 3/8-24 ferrule • Factory tuned and field adjustable • Available in black ( B ), white ( W ) or red ( R )

## FREIGHTLINER TRADITIONAL SYSTEM REPLACEMENT ANTENNAS

Part No.	Option	Length	Package	Case Qty
FLP3-CB54	CB	54 IN	BULK	10
FLP3-RAD54	AM/FM/WEATHER	54 IN	BU;K	10



# OEM REPLACEMENT PARTS



Direct replacement multiplexor box for 2010 and newer Freightliner P3 Cascadia multi-frequency truck systems • Connects the multiband antenna to the respective AM/FM & CB radios

## MULTIPLEXOR BOX

Part No.	Option	Length	Package	Case Qty
MPX-FLP3			BULK	5



Direct replacement side body mount for OEM truck systems • 2010 and newer Freightliner P3 Cascadia or 2012 and newer Peterbilt 579 series trucks

## OEM REPLACEMENT SIDE BODY MOUNT

Part No.	Option	Length	Package	Case Qty
SBMFL1	FREIGHTLINER		BULK	10
SBMPB1	PETERBILT		BULK	10



1-1/2" Extra long coupler nut SO-239 stud • Direct replacement for enclosed molded mirror systems • Available with 3/4" hex SO-239 body • Replacement parts available

## OEM REPLACEMENT STUD

Part No.	Option	Length	Package	Case Qty
JBC910L	STANDARD		BULK	10
JBC91034L	3/4" HEX BODY		BULK	10
JBC91034L-1	BASE ONLY - 3/4" HEX		BULK	10
JBC91034L-HN	HEX COUPLER NUT		BULK	10
JBC91034L-ILW	STAR WASHER		BULK	10



Extended stud SO-239 base • 1-3/8" stud length including 3/8" un-threaded collar • 3/8-24 thread • 3/4" Hex base with 5/8-24 thread

## EXTENDED STUD SO-239 BASE

Part No.	Option	Length	Package	Case Qty
JBC91034L-1EXT			BULK	10



1-1/2" Extra long hex coupler nut • Custom 1/4-28 thread to standard 3/8-24 thread • Fits OEM sidebody mount for 2009 and older trucks

## CUSTOM THREAD COUPLER NUT

Part No.	Option	Length	Package	Case Qty
RHN3814			BULK	10

# CB & AMATEUR 10 METER - BASE STATION ANTENNAS



## PROTON BASE STATION ANTENNA

2000 Watt P.E.P. • Four section 18.5' Omni-directional 1/2 wave CB base station antenna • 10-12 Meter • Threaded rings offer precise tuning • Rugged 4-piece fiberglass construction with chrome plated ferrules • Mounting hardware included • UPS shippable

Part No.	Length	Package	Case Qty
PT99	18.5 FT	BULK	6



## PATRIOT BASE STATION ANTENNA

2000 Watt P.E.P. • Two section 12' Omni-directional 1/2 wave CB base station antenna • Threaded rings offer precise tuning • Extremely easy to install and operate • Mounting hardware included • UPS shippable

Part No.	Length	Package	Case Qty
PAT-12	12 FT	BULK	12



## UNIVERSAL GROUND PLANE KIT

Improves performance by 30% • Installs at the base of all ProComm base station antennas • Includes 4 - 6' long fiberglass radials with aluminum mounting hub • UPS shippable

Part No.	Length	Package	Case Qty
PCGPK-1	6 FT	BULK	12





# AMATEUR RADIO ANTENNAS

## PCF SERIES ANTENNAS



Power rated at 500 watt P.E.P. • Bottom section: 3/8" Heavy duty fiberglass rod, 18 Gauge copper wire, Standard 3/8-24 thread ferrule • Top section: .100" 17-7 Stainless steel whip (adjustable) • Available in black (B), white (W), clear (WG) or red ( R )



## HF FIBERGLASS ANTENNAS

Part No.	Option	Frequency	Bandwidth	Package	Case Qty
PCF6		6 METER	1000 KHz	SKIN	
PCF10		10 METER	550 KHz	SKIN	
PCF12		12 METER	300 KHz	SKIN	
PCF15		15 METER	210 KHz	SKIN	
PCF17		17 METER	175 KHz	SKIN	
PCF20		20 METER	150 KHz	SKIN	
PCF30		30 METER	100 KHz	SKIN	
PCF40		40 METER	75 KHz	SKIN	
PCF60		60 METER	40 KHz	SKIN	
PCF75		75 METER	40 KHz	SKIN	

## PCF SERIES ANTENNAS



Power rated at 350 watt P.E.P. • Bottom section: 3/8" Heavy duty fiberglass rod, 20 Gauge copper wire, Standard 3/8-24 thread ferrule • Top section: .125" 17-7 Stainless steel tip (adjustable) • Black color standard but also available in white (W), clear (WG) or red ( R )



## MINI HF FIBERGLASS ANTENNAS

Part No.	Option	Frequency	Bandwidth	Package	Case Qty
CS6M		6 METER	800 KHz	SKIN	
CS10M		10 METER	175 KHz	SKIN	
CS12M		12 METER	140 KHz	SKIN	
CS15M		15 METER	110 KHz	SKIN	
CS17M		17 METER	95 KHz	SKIN	
CS20M		20 METER	80 KHz	SKIN	
CS30M		30 METER	100 KHz	SKIN	
CS40M		40 METER	40 KHz	SKIN	
CS60M		60 METER	36 KHz	SKIN	
CS75M		75 METER	36 KHz	SKIN	

## PC SERIES ANTENNAS



350 Watt rated • Base loaded design • 5/16" Durable fiberglass base • 16 Gauge copper wire • .100" 17-7 Stainless steel tip (adjustable) • Chrome plated 3/8-24 threaded base • Available in black (B), white (W) or red (R)



## 5/8 WAVE 3db GAIN VHF ANTENNAS

Part No.	Option	Frequency	Bandwidth	Package	Case Qty
PC144		144-149 MHz		SKIN	
PC150		150-160 MHz		SKIN	
PC220		220-225 MHz		SKIN	

# AMATEUR RADIO ANTENNAS

## PC SERIES ANTENNAS

20" x .100" diameter 17-7  
Stainless steel whip •  
Chrome plated 3/8-24  
threaded base • 3"  
Chrome magnet mount •  
12' RG58 Cable with  
PL259 or BNC connector



## 2 METER MAGNET MOUNT KIT

Part No.	Option	Frequency	Bandwidth	Package	Case Qty
SS-FM20	ANTENNA ONLY			SKIN	
CD144M	PL259			SKIN	
CD144M/BN	BNC			SKIN	

## PC SERIES ANTENNAS

Includes 2 antennas for  
flexibility • 1 - SS-FM20  
Stainless steel antenna •  
1 - PC144 5/8 Wave  
base load antenna • 3"  
Chrome magnet mount •  
12' RG58 Cable with  
PL259 or BNC connector



## COMBO MAGNET MOUNT KIT

Part No.	Option	Frequency	Bandwidth	Package	Case Qty
PC144M	PL259			SKIN	
PC144M/BN	BNC			SKIN	

## NMO SERIES ANTENNAS

Durable 17-7 .100  
diameter stainless steel  
element • Black ABS  
plastic housing • NMO  
Style mounting •  
Stainless steel contact  
spring • Soldered gold  
contact plate



## QUARTER WAVE ANTENNAS

Part No.	Option	Frequency	Bandwidth	Package	Case Qty
PC-Q1		VHF-UHF	118-960	SKIN	
PCV-136		VHF	136-144	SKIN	
PCV-144		VHF	144-152	SKIN	
PCV-152		VHF	152-162	SKIN	
PCV-162		VHF	162-174	SKIN	
PCV-220		VHF	220-225	SKIN	
PCU-406		UHF	406-420	SKIN	
PCU-420		UHF	420-435	SKIN	
PCU-435		UHF	435-450	SKIN	
PCU-450		UHF	450-470	SKIN	
PCU-470		UHF	470-490	SKIN	
PCU-490		UHF	490-512	SKIN	
PCU-800		UHF	800-806	SKIN	

# AMATEUR RADIO ANTENNA MOUNTS



## TRI MAG MOUNT

Ultra Heavy Duty Triple Magnet Mount • 3 - 5" Magnets on a heavy duty aluminum frame for super stability • Heavy duty chrome plated stud with 3/8-24 thread or NMO mount • 18' RG58 Low loss cable with PL259 connector

Part No.	Option	Package	Case Qty
PCTM5	3/8"-24	BOX	3
PCTM5NMO	NMO	BOX	3



## QUAD MAG MOUNT

Ultra Heavy Duty Quadruple Magnet Mount • 4 - 5" Magnets on a heavy duty aluminum frame for super stability • Heavy duty chrome plated stud with 3/8-24 thread or NMO mount • 18' RG58 Low loss cable with PL259 connector

Part No.	Option	Package	Case Qty
PCTM54	3/8"-24	BOX	3
PCTM54NMO	NMO	BOX	3



## NMO 3-WAY MIRROR MOUNT

Includes 12' cable with PL259 connector • Optional connectors available - BNC (BN), Mini UHF (MPL), N-Male (N) or TNC (TN)

Part No.	Option	Package	Case Qty
CTMM/PL		SKIN	25



## NMO SURFACE MOUNT

Includes 17' cable with PL259 connector • Optional connectors available - BNC (BN), Mini UHF (MPL), N-Male (N) or TNC (TN)

Part No.	Option	Package	Case Qty
MSM-17/PL		SKIN	20



## NMO HIGH PROFILE FENDER MOUNT

Includes 12' cable with PL259 connector • Optional connectors available - BNC (BN), Mini UHF (MPL), N-Male (N) or TNC (TN)

Part No.	Option	Package	Case Qty
CFM/PL		SKIN	25



## NMO 3" MAGNET MOUNT

Includes 12' cable with PL259 connector • Optional connectors available - BNC (BN), Mini UHF (MPL), N-Male (N) or TNC (TN)

Part No.	Option	Package	Case Qty
CMAG/PL		SKIN	50



## NMO TRUNK MOUNT

Includes 15' cable with PL259 connector • Optional connectors available - BNC (BN), Mini UHF (MPL), N-Male (N) or TNC (TN)

Part No.	Option	Package	Case Qty
TLM/PL		SKIN	25



# **Professional Communication Products**

**\* Amaturer**

**\* Citizenband**

**\* Cellular**

**\* GPS**

**\* Hi-Frequency**

# INDEX

Citizen Band Performance Antennas.....	2
Citizen Band No Ground Antennas.....	3
Citizen Band Base Load Antennas.....	4-5
Citizen Band Top Load Fiberglass Antennas.....	6
Citizen Band Fiberglass Antenna Kits.....	7
Citizen Band Base Station Antenna.....	8
Citizen Band CB Glass Mount/AM FM Antenna Kits.....	9
Mobile TV Antennas.....	10
Mobile TV Accessories.....	11
Scanner Antennas and Kits.....	12
Antenna Mounts and Cable Adapters.....	13
Aluminum Mounts/Stainless Steel Mounts .....	14-15
Antenna/Radio Mount Accessories.....	16
Radio Accessories/Connectors.....	17
Cable Assemblies.....	18
Bulk Coax.....	19
Amateur Antennas.....	20-21
Amateur Antenna Kits.....	21
Microphones and Speakers.....	22
Cellular Dual Band Antennas.....	23
Cellular Glass Mount Antennas.....	24
Cellular Glass Mount Accessories.....	25
Cellular Magnet Mount Antennas.....	26
Cellular Surface Mount Antennas.....	27
Cellular Window Clip Antennas.....	28
Cellular Mount Accessories.....	28
Connectors.....	29-30



# INTRUDER

## Hi-Power Performance Antenna



- 10,000 Watt Rated
- 3" Outside Diameter Coil
- Lightweight **Aircraft Aluminum**
- Durable Oversize Stainless Steel Whip- 48" .200 Diameter
- Ultra Broad Band Performance
- Field Tunable
- 5'6" Total Height
- Available in Polished Aluminum and Multiple Colors

**Model No.**

- MM490**—Polished Aluminum
- BK490**—Black
- BL490**—Blue
- PU490**—Purple
- RD490**—Florescent Red

**Replacement Parts**

- MM490WT**— 48" Tapered Whip
- MM490WS**— Screws for Whip Ferrule



# CHIMP

## Open Coil Performance Antenna



- 5000 Watt Rated
- Lightweight **Aircraft Aluminum**
- Durable Oversize Stainless Steel Whip
- 36" .125 Outside Diameter Stainless Steel Whip
- Ultra Broad Band Performance
- Field Tunable
- 48" Total Height
- Available in Black (BK) and Polished Aluminum Finish

**Model No.**

- CH58**—Polished Aluminum
- CH58BK**—Black Anodized

**Replacement Parts**

- RW-CH58**- Whip
- WS-CH58**- Screws



# DOMINATOR



- 10,000 Watt Power Handling Capability
- Ultra Broad Bandwidth 10 & 11 Meter Frequency
- Heavy Duty Double Coil Design for Demanding Applications
- 36" 17-7 Quality Stainless Steel Whip
- Available in Chrome or Black Chrome Finish
- Total Height 66"

**Model No.**

- T215**—Chrome
- T215B**— Black





# DINGO

## CB- No Ground

### Fiberglass Antenna Kit

- 5/16" Fiberglass Tunable Tip Antenna
- **Stainless Steel Mirror Mount for Durability and Long Life**
- Patented Chrome Dome Cable Connection
- 17' High Quality Low Loss RG58 Coax with Molded PL259 Connector
- 500 Watt Rated
- Kits Available with 3' or 4' Antenna Length
- Available in Black (BK), White (W), or Red (R)

Model No.

**CB-NG3—3' Kits**

**CB-NG4—4' Kits**

**\*Made in the USA\***



# DINGO II

## CB - No Ground

### Window Clip Antenna Kit

- 24" Mini Base Load Antenna
- Aluminum Window Clip Mount
- Patented Chrome Dome Connector
- 17' High Quality Belden Coax Cable
- Available in Black or White

Model No.

**CB-NGWC17**

**\*Made in the USA\***



# GROUND ZERO II

## CB - No Ground

### Fiberglass Antenna

- 1/2 Wave Voltage Fed Antenna, No Ground Required
- Will Work on Fiberglass Vehicles, Boats, RV's and Even Motorcycles
- 10-11 Meter Range, Overall Length 48"
- Slide Tuning for Low SWR and Sideband Use
- 3/8"x24 Thread Mounting
- SO239 Connector

Model No.

**G23—3'**

**G24—4'**

**\*Made in the USA\***





30  
40

## IMPULSE Base Load Tunable CB Antenna

- Innovative Tunable Base Load CB Antenna
- Field Tunable for Lowest SWR
- Rated 350 Watts
- 17-7 Stainless Steel Whip
- Fits Standard 3/8-24 Mounts
- Factory Tested and Tuned

Model No  
**IMP3000 - 30"**  
**IMP4000 - 40"**  
\*Made in the USA\*



### Kits Available:

- |   |   |
|---|---|
| <p><b>Magnet Mount</b></p> <ul style="list-style-type: none"> <li>• 3" Heavy Duty Chrome Plated Magnet Mount</li> <li>• Patented Chrome Dome Termination</li> <li>• 12' RG58 Cable with PL259's</li> <li>• Impulse Antenna</li> </ul> <p>Model No<br/><b>IMP3000M</b><br/><b>IMP4000M</b></p> | <p><b>Mirror Mount</b></p> <ul style="list-style-type: none"> <li>• Heavy Duty 3-Way Mirror Mount w/ SO239 Connector</li> <li>• 12' RG58 Cable with PL259's</li> <li>• Impulse Antenna</li> </ul> <p>Model No<br/><b>IMP3000MM</b><br/><b>IMP4000MM</b></p> |
|---|---|



8"  
24  
36  
48

## KWIK TUNE Base Load Tunable CB Antenna

- Base Loaded Antenna Pre-Tuned for 27 MHz
- Unique High Performance Design for a Low SWR
- Field Tunable, No Cutting - Adjust Rings for Superior Performance
- Chrome Plated 3/8-24 Threaded Base

Model No  
**JBC800 - 8"**  
**JBC2400 - 24"**  
**JBC3600 - 36"**  
**JBC4800 - 48"**



### Kits Available:

- |   |  |
|---|--|
| <p><b>Magnet Mount</b></p> <ul style="list-style-type: none"> <li>• 3" Heavy Duty Chrome Plated Magnet Mount</li> <li>• Patented Chrome Dome Termination</li> <li>• 12' RG58 Cable with PL259's</li> <li>• Kwik Tune Antenna</li> </ul> <p>Model No<br/><b>JBC112-08</b><br/><b>JBC112-24</b><br/><b>JBC112-36</b><br/><b>JBC112-48</b></p> | <p><b>Truck Lip Mount</b></p> <ul style="list-style-type: none"> <li>• Heavy Duty Truck Lip Mount</li> <li>• 15 RG58 Cable with PL259's</li> <li>• Kwik Tune Antenna</li> </ul> <p>Model No<br/><b>JBC105-8</b><br/><b>JBC105-24</b><br/><b>JBC105-36</b><br/><b>JBC105-48</b></p> |
|---|--|



## HALF-N-HALF Base Loaded 1/4 Wave Antenna

- 5/16" Diameter Fiberglass Base with 16 Gauge Copper Wire
- 17-7 .100 Diameter Stainless Steel Whip
- Adjustable Stainless Steel Whip can be Raised or Lowered for Superior SWR
- Chrome Plated 3/8-24 Threaded Base
- Available in Black or White

Model No  
**JBC1300 - 36"**  
**JBC1400 - 48"**  
**JBC1500 - 60"**



60 48 36

## MONSTER Base Load Half-N-Half Antenna

- 3500 Watt Rated
- Base Loaded Quarter Wave Antenna
- Massive 1/2" Fiberglass Base with High Power 14 Gauge Copper Wire
- 17-7 1/8" Diameter Stainless Steel Whip
- Oversized Chrome Plated Ferrules
- 3/8-24 Stainless Steel Mounting Screw
- Tunable for Optimum SWR
- Available in Black Only

Model No  
**MBL-3B - 36"**  
**MBL-4B - 48"**






# 103 SERIES

## Heavy Duty CB Magnet Mounts

- 36" Base Loaded Antenna
- Powerful 3" Magnet with Protective Base
- Unique Design: Base Load May Be Removed from Magnet
- 17' Pre-Wired RG58 Cable to PL259 Connector
- JBC103S Includes Heavy Duty Spring
- Rated 75 Watts



Model No.  
**JBC103 - 36"**  
**JBC103S - with Shock Spring**

Replacement Whips  
**103**  
**103S**

# 101

## Magnet Mount Antenna

- 9" Super Flexible CB Antenna
- Powerful 3" Magnet with Protective Base
- 10' Low Loss RG58 Cable w/PL259 Connector
- Weatherproof Encapsulated Connections
- Rated 25 Watts




Model No.  
**JBC101**

# 270

## CB-Low Profile Magnet Mount

- 15" Low Profile Fiberglass CB Antenna
- **Base Tunable**
- Powerful 3" Magnet
- 12' High Quality RG58 Cable with PL259 Connector
- 75 Watt Rated



Sleeve  
Tuning

Model No.  
**CB270**  
\*Made in the USA\*

# 150

## Heavy Duty Rubber Duck Antenna

- Virtually Unbreakable Conductive Rubber CB Antenna
- Flexible and Tough; Great for High Stress Areas
- 14 1/2" Total Height
- Easy Tuning with **Base Tuning Ring** Design
- Standard 3/8" x 24 Ferrule



Ring  
Tuning

Model No.  
**150**  
Antenna Only

**150M -**  
Kit Includes 3" Heavy Duty Chrome Dome Magnet Mount, 12' RG58AU Coax and Molded PL259 Connector



## FR SERIES

5/16" Composite Wound Fiberglass Whips  
300 Watt Rated

- Internal Helically Wound Fiberglass Antenna
- Contains Linear Load 22 Ga. Wire
- 5/16" Fiberglass with 3/8"x24 Ferrule
- 3' or 4'
- Black or White Finish

Model No

**FR3 - 36"**

**FR4 - 48"**

**\*Made in the USA\***



## BULL DOG

5/16" Fiberglass Whips  
750 Watt Rated

- Top Loaded 1/4 Wave Helically Wound Antenna
- 20 Gauge Copper Wire
- Factory Tuned - Field Adjustable
- Available in Black (B), White (W), Red (R), Black/Gold (BG), White Gold (WG) or Red, White and Blue

Model No

**JBC200 - 24"**

**JBC300 - 36"**

**JBC400 - 48"**



**301RWB-Red, White & Blue 36"**

**401RWB-Red, White & Blue 48"**

**\*Made in the USA\***



## SUPER DOG

1/4" Flexi-Whips  
500 Watt Rated



- Top Loaded 1/4 Wave Helically Wound Antenna
- 22 Gauge Copper Wire
- Factory Tuned - Field Adjustable
- Available in Black (B), White (W), Red (R), Black/Gold (BG), White Gold (WG)

Model No

**JBCF200 - 24"**

**JBCF300 - 36"**

**JBCF400 - 48"**

**\*Made in the USA\***



## BIG DOG

3/8" Fiberglass Whips  
1000 Watt Rated

- Top Loaded 1/4 Wave Helically Wound Antenna
- Heavy Duty 3/8" Diameter Solid Fiberglass
- 18 Gauge Copper Wire
- Factory Tuned - Field Adjustable
- Available in Black (B), White (W), Red (R), Black/Gold (BG), White Gold (WG)

Model No

**JBC200-1 - 24"**

**JBC300-1 - 36"**

**JBC400-1 - 48"**

**\*Made in the USA\***



## WEATHER WATCH FIBERGLASS ANTENNAS

5/16" Solid Fiberglass CB  
Antenna with Weather Trap

- Top Loaded 1/4 Wave Helically Wound Antenna
- 16 Gauge Copper Wire
- 1000 Watt Rated
- Factory Tuned - Field Adjustable
- Available in Black, White, Red, Black/Gold, White Gold

Model No

**JBCW200 - 24"**

**JBCW300 - 36"**

**JBCW400-48"**

**\*Made in the USA\***



1/4" Flexible Fiberglass CB  
Antenna with Weather Trap

- Flexes Nearly 360°
- Top Loaded 1/4 Wave Helically Wound
- 22 Gauge Copper Wire
- 500 Watt Rated
- Available in Black, White, Red,

Model No

**JBCFW300 - 36"**

**JBCFW400 - 48"**

**\*Made in the USA\***

**New** **BULLDOG**  
**TUNABLE TIP ANTENNA**  
**WITH WEATHERBAND**

5/16" Fiberglass Whips  
750 Watt Rated

- Top Loaded 1/4 Wave Helically Wound Antenna with Tunable Tip
- 20 Gauge Copper Wound Wire
- .100 dia. 17-7 Stainless Steel Tunable Tip
- Factory Tuned - Field Adjustable
- Available in Black (B), or White (W).
- Available in 3' or 4' only

Model No  
**WT300-36'**  
**WT400-48"**

**\*Made in the USA\***

**New** **BIG DOG**  
**TUNABLE TIP ANTENNA**

3/8" Fiberglass Whips  
1000 Watt Rated

- Top Loaded 1/4 Wave Helically Wound Antenna
- Heavy Duty 3/8" Diameter Solid Fiberglass
- 18 Gauge Copper Wire
- Factory Tuned - Field Adjustable
- Available in Black (B), or White (W)

Model No  
**T200-1 - 24"**  
**T300-1 - 36"**  
**T400-1 - 48"**  
**T500-1 - 60"**  
**\*Made in the USA\***



Citizen  
Band

Fiberglass  
Antenna Kits

**FR SERIES**  
**Standard**

- 3-Way Aluminum Mirror Mount with **Heavy Duty Chrome Plated SD-239**
- 9' Low Loss RG-58 or RG-59 Coax with Molded PL2589 Connectors- Soldered Connection

Model No

Singles	Duals
<b>HSS995-FR3</b>	<b>HSD995-FR3</b>
<b>HSS995-FR4</b>	<b>HSD995-FR4</b>

**Terminator Series**

- **Patented Terminator Stud Connector**
- 3-Way Deluxe Aluminum Mirror Mount
- 18' Low Loss RG58 or RG59 Coax and Molded PL259 with Teflon Dielectric

Model No

Singles	Duals
<b>TS991-FR3</b>	<b>TD991-FR3</b>
<b>TS991-FR4</b>	<b>TD991-FR4</b>

**FME Series**

- 3-Way Aluminum Mirror Mount with **Heavy Duty FME Stud**
- 9' Low Loss RG58 or RG59 Coax with **Slimline Nipple Connector** to Molded UHF Connector

Model No

Singles	Duals
<b>TS996-FR3</b>	<b>TD996-FR3</b>
<b>TS996-FR4</b>	<b>TD996-FR4</b>

**Kits Available:**  
**SUPER DOG**  
**Standard**

- 3-Way Aluminum Mirror Mount with **Heavy Duty Chrome Plated SD-239**
- 9' Low Loss RG-58 or RG-59 Coax with Molded PL2589 Connectors- Soldered Connection

Model No

Singles	Duals
<b>HSS995-F2</b>	<b>HSD995-F2</b>
<b>HSS995-F3</b>	<b>HSD995-F3</b>
<b>HSS995-F4</b>	<b>HSD995-F4</b>

**Terminator Series**

- **Patented Terminator Stud Connector**
- 3-Way Deluxe Aluminum Mirror Mount
- 18' Low Loss RG58 or RG59 Coax and Molded PL259 with Teflon Dielectric

Model No

Singles	Duals
<b>TS991-F2</b>	<b>TD991-F2</b>
<b>TS991-F3</b>	<b>TD991-F3</b>
<b>TS991-F4</b>	<b>TD991-F4</b>

**FME Series**

- 3-Way Aluminum Mirror Mount with **Heavy Duty FME Stud**
- 9' Low Loss RG58 or RG59 Coax with **Slimline Nipple Connector** to Molded UHF Connector

Model No

Singles	Duals
<b>TS996-F2</b>	<b>TD996-F2</b>
<b>TS996-F3</b>	<b>TD996-F3</b>
<b>TS996-F4</b>	<b>TD996-F4</b>

**BULL DOG**  
**Standard**

- 3-Way Aluminum Mirror Mount with **Heavy Duty Chrome Plated SD-239**
- 9' Low Loss RG-58 or RG-59 Coax with Molded PL2589 Connectors- Soldered Connection

Model No

Singles	Duals
<b>HSS995-2</b>	<b>HSD995-2</b>
<b>HSS995-3</b>	<b>HSD995-3</b>
<b>HSS995-4</b>	<b>HSD995-4</b>

**Terminator Series**

- **Patented Terminator Stud Connector**
- 3-Way Deluxe Aluminum Mirror Mount
- 18' Low Loss RG58 or RG59 Coax and Molded PL259 with Teflon Dielectric

Model No

Singles	Duals
<b>TS991-2</b>	<b>TD991-2</b>
<b>TS991-3</b>	<b>TD991-3</b>
<b>TS991-4</b>	<b>TD991-4</b>


**FME Series**

- 3-Way Aluminum Mirror Mount with **Heavy Duty FME Stud**
- 9' Low Loss RG58 or RG59 Coax with **Slimline Nipple Connector** to Molded UHF Connector

Model No

Singles	Duals
<b>TS996-2</b>	<b>TD996-2</b>
<b>TS996-3</b>	<b>TD996-3</b>
<b>TS996-4</b>	<b>TD996-4</b>

**\*Add (B) for Black, (W) for White, (BG) for Black/Gold (WG) for White/Gold and ( R) for Red\***



# PATRIOT

CB Base Station Antenna

- **Now With Tuning Rings!!**
- Two -Section Omni Directional 1/2 Wave CB Base Station
- Threaded Tuning
- 2000 Watt P.E.P
- 10-12 Meter
- Rugged Fiberglass Construction with Chrome Plated Ferrules
- Single Coil Circuit for Optimum Tuning and Reliability
- Includes Mounting Hardware
- Extremely Easy to Install and Operate
- UPS Shippable; **12** per case

Model No.

**PAT-12**

**\*Made In The USA\***



# PATRIOT

## GROUND PLANE KIT



- Improves Performance by 30%
- Installs at the Base of the PAT-12
- Includes 4 -6 Foot Long Fiberglass Radials with Aluminum Mounting Hub
- UPS Shippable; **12** per case

Model No.

**PAT-12GPK**

**\*Made In The USA\***

## STAINLESS STEEL STINGERS

- Quality Stainless Steel Rod
- Length: 24"-52"
- Diameter: .100 or .125

All Stingers Come with Coronas

.100 Diam.

**30SS-T-30"**

**32SS-T-32"**

**40SS-T-40"**

**42SS-T-42"**

**48SS-T-48"**

**52SS-T-52"**

.125 Diam.

**36/125SS-T-36"**

**48/125SS-T-48"**

Custom Lengths Available  
Chrome Plated Brass Bases

**Model No**

**CB52- Base for .100 Rod**

**CB55- Base for .125 Rod**



## CLASSIC STAINLESS STEEL WHIPS

- 102" 17-7 Stainless Steel Element
- Chrome Plated 3/8-24 Threaded Base

**Model No**

**JBC1020**-Whip w/Heavy Duty Double Set Screw  
Removable Ferrule

**JBC1020C**-Whip w/Permanent Pressed on Base  
and Weather Seal O-Ring

**\*Made In The USA\***

**Replacement Parts**

**102SS-T**-Whip w/Tip only

**B102**-Removable Base Ferrule w/Double Set  
Screws

# GLASS MOUNT

## VECTOR

High Performance On-Glass CB Antenna

- New Tuning Collar makes tuning easier than ever!
- Optimized Removable 1/2 Wave Fiberglass Whip
- Easy Installation
- 16' RG58U Low Loss Cable with Soldered PL259
- 50 Watt Rated

**Model No**

**VCBGM**

**\*Made in the USA\***

**Replacement Parts Available**

**VCB-MF** Mast and Foot

**RMT-KT** Remount Kit



## STANDARD ON-GLASS CB ANTENNA KIT

- 22" Collinear Antenna
- Center Load Encapsulated in Flexible Plastic
- Easy Installation
- Freq: 25-30 MHz
- Low SWR (2.0 or Less) 15' RG58U Coax with PL-259 Connector

**Model No**

**CBGM**



# AM/FM ANTENNAS

## AM/FM On-Glass Antenna Kit

- 21" AM/FM On-Glass Antenna Kit
- 17-7 Stainless Steel Coil Antenna
- 15" Coax Cable with Motorola Plug

**Model No**

**PC-GMFM**



## AM/FM Horizontal Mirror Mount Kit

- 30" Stainless Steel Antenna
- Horizontal Mirror Mount with Chrome Plated S0239
- 9' RG58AU Coaxial Cable with Molded PL-259 to Motorola Plug

**Model No**

**JBC332-FM**



## AM/FM Mirror Mount Kit

- 30" Stainless Steel Antenna
- Heavy Duty Slimline Mirror Mount with Chrome Plated S0239
- 9' RG58AU Coaxial Cable with Molded PL-259 to Motorola Plug

**Model No**

**JBC362H-FM**



## REPLACEMENT PARTS FOR AM/FM KITS

**SSFM**- 30" Replacement 17-7 Stainless Steel Antenna


**108MM-PL**- 9' RG58 Coax Cable; PL-259 to Motorola Plug



# STEALTH

## Mobile TV Antenna


Patented



- Omni-Directional
- Long Range Reception
- Delivers the Best Performance of any Antenna in its Class
- Available in Mirror Mount or Magnet/Surface Mount
- Available in White or Black
- Can be Painted to Match Vehicle Finish
- 3/8—24 Threaded Antenna Port Built In so another Antenna can be Added
- Kit Includes 12' RG59 Low Loss Cable, Mounting Hardware (*including SD239 for optional Antenna Hook-up*), and Easy Instructions

*Shown With  
Optional CB  
Antenna*

*Built-In 3/8—  
24 Antenna  
Port*



**Mirror Mount**



**Magnet Mount**



*Clear Plastic Clamshell Packaging.*

*Can Be Hung on a Wall Set or Free  
Standing Base for Showcase or Counter  
Display*

**Model No:**

**117**—Mirror Mount

**117M**—Magnet/Surface Mount

**117A**—Mirror Mount with Amplifier

**117AM**—Magnet/Surface Mount with Amplifier

Please place a B or W after Desired part Number to Specify Black or White

# 3DTV OMNIDIRECTIONAL TV ANTENNA

- 3-16" Length 1/4" Diameter Fiberglass Radiating Elements
- Omni-Directional Performance
- Heavy Duty Aluminum Antenna Mounting Nut
- 9' Low Loss RG59 Coax-100% Shielded Coax- F-Connector Termination
- Available in Black [B], White [W], or Red [R]

**Model No:**

**3D-M** - Heavy Duty 5" Magnet Mount

**3D-MM** - 3-Way Deluxe Aluminum Mirror Mount (shown)

**3D-WC** - Window Clip

**\*Made in the USA\***



# RABBIT EAR TV ANTENNA KITS

- 2-16" Length 1/4" Diameter Fiberglass Elements
- Heavy Duty Aluminum Antenna Mounting Nut
- 9' Low Loss RG59 Coax-100% Shielded Coax- F- Connector Termination
- Available in Black [B], White [W], or Red [R]

Model No

- JBCTV-1-** Mirror Mount
- JBCTV-1M** Magnet Mount
- JBCTV-1WC-** Window Clip
- \*Made in the USA\***



# MTV 2000 MINIATURE PORTABLE TV ANTENNAS

- **ProComm's** Exclusive Encapsulated VHF Loading Coil/ UHF Trap
- Unique Black ABS Molded Circuit for TV Reception and 75 Ohm Impedance
- 12' *Belden* 75 Ohm Low Loss RG59 Cable
- F Connector
- Black Powder Coated Stainless Steel 14" Long Elements

Model No

- MTV2-M-** Magnet Mount
- MTV2-MM-** Mirror Mount
- MTV2-WC-** Window Clip
- \*Made in the USA\***



# MOBILE TV ACCESSORIES

## Mobile TV Antenna Amplifier

- 15 dB Gain; 50-900 MHz
- For UHF/VHF/FM

Model No  
**TV-A15**



## VHF-UHF Splitter

- 1-75 Ohm Input; 2-300 Ohm Output

Model No  
**TV-SP75**



## Standard Splitter

- 75-3000 Ohm

Model No  
**SPLITTER**



## Quality RG59U "F" Connector Cable Assemblies

Model No

- 803F-3'**
- 806F-6'**
- 812F-12'**
- 825F-25'**
- 850F-50'**
- 8100F-100'**



## REPLACEMENT TV ACCESSORIES

1/8" - 1/4" Dia.

## Replacement Fiberglass TV Antenna Elements

Model No

- TV-RWB-** Black
- TV-RWW-** White
- TV-RWR-** Red



## 9' RG59 Cable PL-to-F Connector

Model No  
**HS9PL-F**



## Replacement Hub with SO239 Connector

Model No

- TV-HUB-** Rabbit Ear 2 Element Kit
- 3D-HUB-** 3DTV 3 Element Kit



## SPIDER SCANNER BASE STATION ANTENNA



- 30-1200 MHz
- Ideal for ALL Band Scanners:  
Low Band, High Band, and UHF Frequencies
- Easy to Assemble and Install
- High Quality Stainless Steel and Chrome Plated Components
- Mounts on 1 1/4"-2" Mast Pipe
- Antenna Connection: SO-239
- Available with 50' or 75' of Low Loss Coax Cable
- Available with your Choice of High Quality Connectors

**Model No**  
**SP-800- Spider Antenna Only**  
**SP-800/50- Antenna with 50' Cable**  
**SP-800/75- Antenna with 75' Cable**  
**\*Made in the USA\***

**Replacement Cable For Spider Antennas**

<b>Motorola Plug</b>	<b>BNC Connector</b>
<b>HS825M- 25'</b>	<b>HS825BN-25'</b>
<b>HS850M- 50'</b>	<b>HS850BN-50'</b>
<b>HS875M- 75'</b>	<b>HS875BN-75'</b>
<b>HS8100M- 100'</b>	<b>HS8100BN-100'</b>

## MOBILE SCANNER ANTENNAS

### 18" Fiberglass Scanner Antenna

- Fits all Standard 3/8 x 24 Mounts
- 25-960 MHz

**Model No**  
**JBC380**

### 18" Stainless Steel Scanner Antenna

- Fits all Standard 3/8 x 24 Mounts
- 25-960 MHz

**Model No**  
**JBC180**

## Kits Available:

### 3" Magnet Mount

- 3" Chrome Plated Magnet w/Chrome Dome Termination
- 12' RG58 95% Shielded Coax
- Available with BNC (/BN) or Motorola Plug (/M)

**Model No**

**JBC380M3- Fiberglass Antenna Kit**  
**JBC180M3- Stainless Steel Antenna Kit**



### 3-Way Mirror Mount

- Heavy Duty Aluminum Mount
- 9' RG58 95% Shielded Coax
- Available with BNC (/BN) or Motorola Plug (/M)

**Model No**

**JBC380MM- Fiberglass Antenna Kit**  
**JBC180MM- Stainless Steel Antenna Kit**



### Aluminum Fender Mount

- 9' RG58 95% Shielded Coax
- Available with BNC (/BN) or Motorola Plug (/M)

**Model No**

**JBC380FM- Fiberglass Antenna Kit**  
**JBC180FM- Stainless Steel Antenna Kit**



### Trunk Lip Mount

- 9' RG58 95% Shielded Coax
- Available with BNC (/BN) or Motorola Plug (/M)

**Model No**

**JBC380TL- Fiberglass Antenna Kit**  
**JBC180TL- Stainless Steel Antenna Kit**



## DISGUISE SCANNER GLASS MOUNT ANTENNA KIT



- Multiband Receiving Antenna
- Cellular Look Styling
- 22" 17-7 Stainless Steel Whip
- Covers Full Frequency Range: 30-1200 MHz
- Includes 15' *Belden* RG58/U 95% Coax with Transmission Coupler Box
- Available with your Choice of Connectors: Motorola Plug (/M) or BNC (/BN)

**Model No**

**PC-SGM/M- With Motorola Plug**  
**PC-SGM/BN-With BNC Connector**  
**\*Made in the USA\***

### Glass Mount Replacement Parts

**SGM-RM- Replacement Antenna Mast Only**  
**SGM-RMF- Replacement Antenna Mast and Foot**  
**RMT-KT - Remount Kit includes Double Side Tape and Alcohol Cleaning Pad**

## MINI MOBILE SCANNER ANTENNAS

- Wide Banded Scanner Antenna- Freq: 25MHz to 1.2GHz
- 18" Black powder Coated Stainless Steel Element
- *ProComm Exclusive* Hermetically Sealed, Waterproof, Molded Circuit
- 12' Belden RG174 Low Loss Cable
- Available with your Choice of Connectors:



**Model No**

**JBC290M- Magnet Mount**  
**JBC290MM- Mirror Mount**  
**JBC290WC- Window Clip**  
**\*Made in the USA\***

## REPLACEMENT CABLE



12' RG58PL-Motorola Plug  
**144MMPL**



## PATENTED CHROME DOME MAGNET MOUNTS

*Field  
Repairable!*



### 5" Heavy Duty Magnet Mount

- Chrome Plated Housing
- Standard 3/8—24 Mounting
- 18' RG58AU 95% Braided Coax
- Molded PL259 Connectors

Model No

**JBC115**

*Field  
Repairable!*



### 3" Heavy Duty Magnet Mount

- Chrome Plated Housing
- Standard 3/8—24 Mounting
- RG58AU 95% Braided Coax
- Molded PL259 Connectors

Model No

**JBC110-12— 12' RG58AU Coax**

**JBC110-18— 18' RG58AU Coax**

**JBC110B- 12- Black; 12' RG58AU Coax**

**JBC110B- 18- Black; 18' RG58AU Coax**

## PATENTED TERMINATOR SERIES ANTENNA MOUNT KIT

### Low-Profile Heavy Duty Surface Mount Kit

- Heavy Duty Roof or Flat Surface Mount
- Dual O-Ring Waterproof Design
- Uses ProComm's Patented Terminator Connector
- High Quality RG58 Cable with Nipple Connector
- NIP-UHF Adapter Included
- Accepts Standard 3/8 x 24 Antennas

Model No

**TSM-18— 18' Cable**

### Terminator Series Replacement Parts

- Replacement Cable for Terminator Antenna
- PL259 to Terminator Stud Mount
- 18' Lengths Only

Model No

**HS818T-N Singles RG58**

**HSDH818T-N— Duals RG58**

**DHN-38— Chrome Plated Double Hex Nuts**

**NYS-38— Nylon Step Washers**

**STR- 38— Aluminum Star Washers**



## TRUNK MOUNTS

### Weatherproof Trunk lip Mount



- For Standard 3/8-24 Antennas
- RG58AU Coax
- Molded PL259 Connectors

Model No

**JBC105**

**JBC105-1 -No Coax**

### Super Heavy Duty Trunk Mount



- For LARGE Antennas
- 18' Coax and PL259 Connector

Model No

**JBC105S/H**

## HEAVY DUTY FENDER MOUNT KIT



- Heavy Duty Aluminum Fender Mount
- Heavy Duty Chrome Plated Double Hex Nut
- Uses ProComm's Patented Weatherproof Terminator Connector
- High Quality RG58 Cable with Nipple Connector
- NIP-UHF Adapter Included
- Accepts Standard 3/8 x 24 Antennas

Model No

**JBC472C- 18' Cable**

## CABLE ADAPTERS

- 12" RG58 Cable
- Male Motorola to Male PL259
- Ideal for Prewired Trucks



**12SMMPL**

- 12" RG58 Cable
- Female Motorola to Male PL259
- Ideal for Prewired Trucks



**12MFPL**

- 12" RG58 Cable
- BNC to SO239 Connector
- To be used with External CB Antenna to Handheld CB Radio



**12BNSO**

- 12" RG59 Cable
- Two Female Motorola to Male PL259
- Hooks Up to Dual Prewired Trucks



**12DMFPL**

- 12" RG58 AU Connector
- Motorola Female to BNC Connector
- Allows Existing Motorola-type Antenna System To be converted to Handheld Scanners using BNC Hook-up



**12MFBN**



**Heavy Duty Stud Connector**  
JBC900  
JBC901 with Lug



**Standard Non-Corrosive Brass SO239**  
JBC910



**Heavy-Duty Non-Corrosive Chrome-Plated Brass SO239**  
JBC910H



**Heavy Duty FME Stud**  
JBC920



**Extra Heavy-Duty SO239 for BIG Antenna Systems**  
JBC930



**1 1/8" Omni Grip Mirror Mount**  
JBC535 with HD SO239  
JBC530 with Stud  
JBC531 Mount Only  
**1 1/4" Omni Grip Mirror Mount**  
JBC545 with HD SO239  
JBC540 with Stud  
JBC541 Mount Only



**Deluxe 3-Way Mirror Mount**  
JBC995 with HD SO239  
JBC990 with Stud  
JBC996 with FME Stud  
JBC991 Mount Only



**Heavy Duty Double Groove Mirror Mount**

JBC995H with HD SO239  
JBC990H with Stud  
JBC996H with FME Stud  
JBC991H Mount Only



**Heavy Duty Aluminum 3-Way Mirror Mount with Top Beehive Mount**  
SO-239 for PL-PL Connections  
Add SS for Stainless Steel  
JBC993



**Slimline Mirror Mount**  
JBC362 with HD SO239  
JBC363 with Stud  
JBC365 with FME Stud  
JBC361 Mount Only

**Heavy Duty Slimline Mirror Mount**



JBC362H with HD SO239  
JBC363H with Stud  
JBC365H with FME Stud  
JBC361H Mount Only

**Extra Heavy Duty 3-Way Mirror Mount for BIG Antenna Systems**



JBC935 Double Groove Mount with SO239  
JBC935H Heavy Duty Double Groove Mount with SO239

**Heavy Duty Bumper Mount**



JBC482 with HD SO239  
JBC483 with Stud  
JBC485 with FME Stud  
JBC481 Mount Only

**360 ° Adjustable Bar Mirror Mount**



JBC592 with HD SO239  
JBC593 with Stud  
JBC595 with FME Stud  
JBC591 Mount Only

# STAINLESS STEEL MOUNTS




**Heavy Duty Stainless Steel Stud Connector**  
JBC900SS



**Super Heavy Duty Oversized All Stainless Steel SO239**  
Includes Allen Wrench  
JBC930SS



**Heavy Duty Deluxe 3 Way Mirror Mount**  
JBC991SS  
JBC995SS-with HD SO239



**Stainless Steel Truck/Fender Mount**  
SFM



**Stainless Steel Trailer Hitch Mount**

SSTH20- Mount Only  
SSTH21-with Stud  
SSTH25- Heavy Duty SO239  
SSTH35- Extra Heavy Duty SO239





180° Adjustable Bar Mirror Mount

- JBC492 with HD S0239
- JBC493 with Stud
- JBC495 with FME Stud
- JBC491 Mount Only



6" Standard Flat Bar Mirror Mount

- JBC436 with HD S0239
- JBC437 with Stud
- JBC435 Mount Only



6" Horizontal Mirror Mount

- JBC332 with HD S0239
- JBC333 with Stud
- JBC335 with FME Stud
- JBC331 Mount Only

45° Mirror Mounts for Gooseneck Mirrors



- JBC462 with HD S0239
- JBC463 with Stud
- JBC465 with FME Stud
- JBC461 Mount Only



Ford Flat Bar Mirror Mount

- JBC338 with HD S0239
- JBC337 with Stud
- JBC336 Mount Only



4" Horizontal Mirror Mount

- JBC332S with HD S0239
- JBC333S with Stud
- JBC335S with FME Stud
- JBC331S Mount Only



Quick Release Hinge Mount

- JBC830 with HD S0239
- JBC831 with Stud
- JBC833 Mount Only



Dual Antenna Aluminum Mirror Mount

- JBC440 with 2 HD S0239's
- JBC441 with 2 Stud's
- JBC443 Mount Only



3" Short Heavy Duty Horizontal Mirror Mount

- JBC332SH with HD S0239
- JBC333SH with Stud
- JBC335SH with FME Stud
- JBC331SH Mount Only



Quick Release Vise Grip Mount

- JBC955 with HD S0239
- JBC950 with Stud
- JBC951 Mount Only



Heavy Duty Gutter Mount

- JBC802 with HD S0239
- JBC803 with Stud
- JBC801 Mount Only



Standard Fender Mount

- JBC472 with HD S0239
- JBC473 with Stud
- JBC471 Mount Only



Heavy Duty Ball Mount with 3 1/2" Black Mounting Plate and Barrel Spring

JBC986



Heavy Duty Ball Mount with 3 1/2" Black Mounting Plate

- JBC985-3 with Lug Connector
- JBC985-3P with UHF Connector



Deluxe Two-Sided Mirror Mount

- JBC1095 with 2 -HD S0239's
- JBC1090 with 2 - Studs
- JBC1096 with 2 - FME Studs
- JBC1091 Mount Only



Patented Chrome Dome Surface Mount

- SM-CD59/BX
- SM-CD58K



Heavy Duty Surface Mount Lug Termination

JBC504



Heavy Duty Surface Mount with S0239 and Star Locking Washer

JBC989



# MW498

Stud Mount  
Patented

- Eliminates the need for Mating SO239/PL-259 Connectors
- All Soldered Connections
- Eliminates Mechanical Losses
- Moisture and Corrosion Resistant Design
- Unlimited power Handling
- Field Serviceable
- Industry Standard 3/8" x 24 Thread Hookup



MW498

Model No.

- MW498-75- (Connector Only) for RG58
- MW498-76- (Connector Only) for RG59/RG8X
- Add H for Double Groove
- Add 8X for Low Loss Mini 8

## ANTENNA MOUNT ACCESSORIES



Heavy Duty Stainless Steel 5" Spring  
JBC404



Medium Duty Stainless Steel 4" Spring  
JBC403



Heavy Duty Barrel Spring  
JBC305  
JBC305SS for Stainless



2 1/2" Medium Duty Spring  
JBC303



6" Stainless Steel Mounting Bar For Volvo Trucks  
SSR50



Heavy Duty Quick Disconnect with Chrome Plated Brass Body  
Stainless Steel Spring & Pin  
JBC201L



180° Antenna Swivel  
JBC100

Back In Stock!

## RADIO MOUNT ACCESSORIES



CB Slide Mounting Bracket Suitable for Most CB Radios  
JBC2700



Universal Radio Hump Mount  
JBC1000



Standard Adjustable Radio Bracket  
2" - 9 1/2"  
JBC1200



Adjustable Quick Release Radio Bracket  
2" - 9 1/2"  
JBC1250



Large Adjustable Radio Bracket  
4" - 13" Wide Body Radios  
JBC1200L

## POWER CORDS



- 2 Pin Molded Plug
- 20 GA CB Power Cord with 2 Amp. Fuse  
JBCPC-2



- 2 Pin Molded Plug
- 20 GA Power Cord with 2 Amp. Fuse & Cigarette Lighter Plug  
JBCPC-2P



- 3 Pin Molded Plug
- 20 GA Power Cord with 2 Amp. Fuse  
JBCPC-3



- 3 Pin Molded Plug
- 20 GA Power Cord with 2 Amp. Fuse & Cigarette Lighter Plug  
JBCPC-3P



- 3 Pin Molded Plug
- 16 GA Heavy Duty Power Cord with 3 Amp. Fuse  
JBCPC-3H



- 3 Pin Molded Plug
- 16 GA Heavy Duty Power Cord with 3 Amp. Fuse & Cig. Lighter Plug  
JBCPC-3PH

# RADIO ACCESSORIES



Hook-N-Loop Adhesive  
**VEL-26-2" x 6" Strip**  
**VEL-14-1" x 4" Strip**



2 Piece Female Cigarette Lighter Receptacle with Molded Rubber Strain Reliefs  
**FCR**



**JBC-C4**—Female 4 Pin Screw On Mic Connector  
**JBC-C5**—Female 5 Pin Screw On Mic Connector



3 Piece Male Cigarette Lighter Plug with Spring Loaded 3 Amp Fuse, Single Ground Tab & Molded Rubber Strain Relief  
**MCP**



180° 5 Pin Din Mic Connector with Locking Quick Release  
**JBC-C5X**



Cig. Lighter Male-2 Female Adapter  
**JBCMCP-2F**  
 Cig. Lighter Male-3 Female Adapter  
**JBCMCP-3F**



Fully Molded Cig. Lighter Male-2 Female "Y" Adapter  
**CPOI-2CSF**  
 Fully Molded Cig. Lighter Male-3 Female "Y" Adapter  
**CPOI-3CSF**



4MM Plastic Radio Replacement Knobs  
**JBC4KNP**  
 5MM Plastic Replacement Knobs  
**JBC5KNP**  
 6MM Plastic Replacement Knobs  
**JBC6KNP**



4MM All Brass Radio Replacement Knobs  
**JBC4KN**  
 5MM All Brass Replacement Knobs  
**JBC5KN**  
 6MM All Brass Replacement Knobs  
**JBC6KN**



Magnetic Mic Holder  
**JBCMHI**



3 Finger Mic Holder  
**JBCMHI2**



Adhesive Plastic Mic Holder  
**JBCMHI3**  
 Glow In The Dark Holder  
**JBCMHI3G**



Plastic Buddy Hook  
**JBCMHI4**  
 Glow in the Dark  
**JBCMHI4G**



Metal Buddy Hook  
**JBCMHI5**

# CONNECTORS



Ultra-Classic Amphenol  
**PL-259A**



Male UHF Crimp for RG-58  
**PL-259C-58**  
 Male UHF Crimp for RG-59  
**PL-259C-59**  
 Male UHF Crimp for RG-8X  
**PL259C-8X**



PL-259 Reducer for RG-58  
**UG-175**  
 PL-259 Reducer for RG-59/RG-8X  
**UG-176**



Field Install PL-259 for RG8U  
 Installs with Pocket Knife and Pliers  
**58FCP**



Female UHF Crimp for RG-58  
**PL-259FC-58**  
 Female UHF Crimp for RG-59  
**PL-259FC-59**



Kalibur PL259 Connector  
**KPL259** Bakelite Dielectric  
**KPL259T** Teflon Dielectric  
**KPLS259** Silver/Teflon Dielec-



3" UHF Double Female Bulkhead  
**UG-363**



UHF Double Female Adapter  
**PL-258**



Right Angle Male UHF-Female UHF  
**UG-644**



Female UHF T Adapter  
**PL-1714**



UHF Male-Female T Adapter  
**PL-1713**



Male Motorola Plug  
**MP-2**



UHF Double Male  
**PL-260**



Encapsulating Weather Boot for PL-259  
**SR-298**



BNC Male UHF Female  
**BNC-44**



BNC Male Motorola Female  
**BNC-26**



BNC Male Crimp Connector  
**BNC-10-** For RG58



Slimline Nipple Connector  
**NIP-58-** For RG58  
**NIP-8X-** For Mini 8

# FME SERIES CONNECTORS



**FME-58** Screw on Nipple for RG-58  
**FME-59** Screw on Nipple for RG-59  
**FME-8X** Screw on Nipple for RG-8X



UHF Female Nipple Adapter  
**FME-02**



Nipple-Male BNC  
**NIP-11**



Nipple-Male UHF  
**NIP-13**

# QUALITY "ULTRA CLASSIC" CABLE ASSEMBLIES

- *Belden* Cable
- *Amphenol* and *Kalibur* Connectors Available
- All Hand Soldered Connec-
- 100 % Tested

\*Made In The USA\*

## RG8X



### MINI 8

- Bare Copper Stranded Conductor
  - Foam Dielectric
  - 95% Bare Copper Braid Available in Gray, Black or Clear
  - Plug to Plug or Plug to Lug; Add **L** for Lug
  - Lengths Available at Right
- 1-8X.....12"  
1.5-8X.....18"  
3-8X.....3'  
6-8X.....6'  
9-8X.....9'  
12-8X.....12'  
  
18-8X.....18'  
20-8X.....20'  
21-8X.....21'  
25-8X.....25'  
50-8X.....50'  
75-8X.....75'  
  
100-8X.....100'

## S8XC



### Super Mini 8 with Teflon dielectric PL259's I

- Tinned Copper Stranded Conductor
  - Foam Dielectric
  - 96% Tinned Copper Braid
  - Available in Clear Jacket Only
  - Plug to Plug or Plug to Lug; Add **L** for Lug
  - Lengths Available at Right
- 3-S8XC.....3'  
6-S8XC.....6'  
9-S8XC.....9'  
12-S8XC.....12'  
18-S8XC.....18'  
20-S8XC.....20'  
21-S8XC.....21'  
25-S8XC.....25'  
50-S8XC.....50'  
75-S8XC.....75'  
100-S8XC.....100'

## SD8XC



### Super Dual Mini 8 with Teflon dielectric PL259's I

- *True 75 OHM Impedance*
  - Tinned Copper Stranded Conductor
  - Cellular Foam Polyethylene Dielectric
  - 96% Tinned Copper Braid
  - Available in Clear Jacket Only
  - Lengths Available at Right
- Plug-Plug  
SD8X9.....9'  
SD8X12.....12'  
SD8X18.....18'  
SD8X21.....21'  
Plug-Lug  
SD8X9L.....9'  
SD8X12L.....12'  
SD8X18L.....18'  
SD8X21L.....21'

## RG58



### RG58

- Bare Copper Stranded Center Conductor
  - Polyethylene Dielectric
  - 95% Bare Copper Braid
  - Available in Black Jacket Only
  - Plug to Plug or Plug to Lug; Add **L** for Lug
  - Lengths Available at Right
- 803PL.....3'  
806PL.....6'  
809PL.....9'  
812PL.....12'  
818PL.....18'  
821PL.....21'  
825PL.....25'  
850PL.....50'  
875PL.....75'  
8100PL.....100'  
809L.....9'  
812L.....12'  
818L.....18'  
821L.....21'

## RG59



### RG59

- Bare Copper Stranded Conductor
  - Foam Polyethylene Dielectric
  - 95% Bare Copper Braid
  - Available in Black Jacket Only
  - Plug to Plug or Plug to Lug
  - Lengths Available at Right
- PL-PL  
DH9P.....9'  
DH12P.....12'  
DH18P.....18'  
DH21P.....21'  
  
PL-Lug  
DH9L.....9'  
DH12L.....12'  
DH18L.....18'  
DH21L.....21'

## RG8U



### Low Loss RG8U

- Bare Copper Stranded Conductor
  - Foam Dielectric
  - 95% Bare Copper Braid
  - Available in Black, or White
  - Plug to Plug
  - Lengths Available at Right
- 1RG8U.....12"  
1.5RG8U.....18"  
3RG8U.....3'  
6RG8U.....6'  
9RG8U.....9'  
12RG8U.....12'  
18RG8U.....18'  
20RG8U.....20'  
21RG8U.....21'  
25RG8U.....25'  
50RG8U.....50'  
75RG8U.....75'  
100RG8U.....100'

# STANDARD "HI SPEC" COAX ASSEMBLIES



### RG58

- Stranded Coax
  - Molded Plug-Plug PL259's or Plug to Lug; add **L** for Lug
  - Lengths at Right
- HS803PL.....3'  
HS806PL.....6'  
HS809PL.....9'  
HS812PL.....12'  
HS818PL.....18'  
  
HS809L.....9'  
HS812L.....12'  
HS818L.....18'  
HS821L.....21'



### RG59

- Dual Coax
  - Molded Plug-Plug PL259's or Plug to Lug; add **L** for Lug
  - Lengths at Right
- HSDH9L.....9'  
HSDH12P.....12'  
HSDH18P.....18"  
  
HSDH9L.....9'  
HSDH12L.....12'  
HSDH18L.....18'



### RG8X

- Mini 8 Coax
  - Molded Plug-Plug PL259's or Plug to Lug; add **L** for Lug
  - Lengths at Right
- HS8-8X.....3'  
HS6-8X.....6'  
HS9-8X.....9'  
HS12-8X.....12"  
HS18-8X.....18"  
  
HS9-8XL.....9'  
HS12-8XL.....12"  
HS18-8XL.....18"





# ARMOR FLEX

## Ground-Enhancing Low Loss Mini Cable Assemblies

- Unique Double Braid Cable For Maximum Shielding
- Aluminum Magnesium Alloy Exposed Exterior Ground Enhancing Braid To Ensure Optimum SWR and Improved Operation
- Ultra High Quality Super Mini 8 Low Loss Cable For the Best Performance
- 98% Tinned Copper Braid and Tinned Copper Conductor
- All Soldered Kalibur Bakelite PL-259 Connectors



### Singles

- AF3-3 Foot**
- AF9- 9 Foot**
- AF12- 12 Foot**
- AF18- 18 Foot**

### Duals

- AF9D- 9 Foot**
- AF12D-12 Foot**
- AF18D- 18 Foot**

# QUALITY BULK COAX CABLE FOR "DO-IT-YOURSELFERS"

500 ft. Spools Standard

Special Lengths & Volume Purchases Available

\*Made in the USA\*

### RG58U95

*(Black Jacket)*

- 20 Ga. Solid Bare Copper
- Solid Polyethylene— .116
- Bare Copper Braid— 95%
- 50 OHM Impedance

**RG58U-500**  
**RG58U-1000**

### RG58AU95

*(Black Jacket)*

- 20 Ga. (19x33) Stranded Bare Copper
- Solid Polyethylene— .116
- Bare Copper Braid— 95%
- 50 OHM Impedance

**RG58AU-500**  
**RG58AU-1000**



### RG174

*(Black Jacket)*

- 26 Ga. (7x34) Stranded Bare Copper
- Solid Polyethylene— .060
- Tinned Copper Braid— 95%
- 50 OHM Impedance

**RG174-1000**

### RG59AU95

*(Black Jacket)*

- 20 Ga. (19x33) Stranded Bare Copper
- Solid Polyethylene— .116
- Bare Copper Braid— 95%
- 75 OHM Impedance

**RG59AU-500**  
**RG59AU-1000**

### RG8UB

*(Black Jacket)*

- 13 Ga. (7x21) Stranded Bare Copper
- Solid Polyethylene— .146
- Bare Copper Braid— 95%
- 50 OHM Impedance

**RG8UB-500**

### RG8X Mini 8

*(Grey (G), Clear, (C), or Black (B) Jacket)*

- 16 Ga. (19x28) Stranded Bare Copper
- Cellular Foam Polyethylene— .155
- Bare Copper Braid— 95%
- 50 OHM Impedance

**RG8X-500**  
**RG8X-1000**

### RG8UW

*(White Jacket)*

- 13 Ga. (7x21) Stranded Bare Copper
- Cellular Foam Polyethylene— .285
- Bare Copper Braid— 95%
- 50 OHM Impedance

**RG8UW-500**

### S8XC Super Mini 8

*(Clear Jacket)*

- 16 Ga. (19x28) Stranded Tinned Copper
- Cellular Foam Polyethylene— .155
- Tinned Copper Braid— 96%
- 50 OHM Impedance

**S8XC-500**  
**S8XC-1000**

### RG213

*(Black Jacket)*

- 13 Ga. (7x21) Stranded Bare Copper
- Solid Polyethylene— .285
- Bare Copper Braid— 95%
- 50 OHM Impedance

**RG213-500**

### SDBXC Super Dual Mini 8

*(Clear Jacket)*

- 20 Ga. (19x28) Stranded Tinned Copper
- Cellular Foam Polyethylene— .155
- Tinned Copper Braid— 96%
- True 75 OHM Impedance

**SDBXC-500**  
**SDBXC-1000**

## PCF SERIES HF FIBERGLASS ANTENNA

- Bottom Section: 3/8" Fiberglass with 18 GA. Wire
- Top Section: .125" 17-7 Stainless Steel (Adjustable)
- Power Rated at 500 Watts P.E.P
- Bottom Ferrule is Standard 3/8" x 24 Thread
- Available in Black (B), White (W), Red (R) or Clear (WG)

Model No.	Band	Bandwidth
<b>PCF6</b>	6 Meters	1000 KHz
<b>PCF10</b>	10 Meters	550 KHz
<b>PCF12</b>	12 Meters	300 KHz
<b>PCF15</b>	15 Meters	210 KHz
<b>PCF17</b>	17 Meters	175 KHz
<b>PCF20</b>	20 Meters	150 KHz
<b>PCF30</b>	30 Meters	100 KHz
<b>PCF40</b>	40 Meters	75 KHz
<b>PCF75</b>	75 Meters	40 KHz



## MINI HF FIBERGLASS ANTENNA

- First of Its Kind Shortened HF Antennas
- Bottom Section- 3/8" Fiberglass with 20 ga. Wire
- Top Section- .100 17-7 Stainless Steel Tip (Adjustable)
- Power Rating 350 Watts

Model No.	Band	Bandwidth
<b>CS6</b>	6 Meters	800 KHz
<b>CS10</b>	10 Meters	175 KHz
<b>CS12</b>	12 Meters	140 KHz
<b>CS15</b>	15 Meters	110 KHz
<b>CS17</b>	17 Meters	95 KHz
<b>CS20</b>	20 Meters	80 KHz
<b>CS30</b>	30 Meters	100 KHz
<b>CS40</b>	40 Meters	40 KHz
<b>CS75</b>	75 Meters	36 KHz



## PC Series

### 5/8 Wave 3db Gain VHF Antenna

- 5/16" Dia. Fiberglass Base
- 16 Ga. Copper Wire
- 17-7 Stainless Steel Whip
- 350 Watt Rated

Model No

**PC144**— 144-149 MHz

**PC150**— 150-160 MHz

**PC220**— 220-225 MHz

\* Made in the USA\*



### SS-FM20 Stainless Steel Antenna

- 20" 17-7 Stainless Steel VHF Quarterwave Antenna
- 3/8" x 24 Thread Ferrule

Model No

**SS-FM20**



### CD144M

#### 2 Meter Magnet Mount Antenna Kit

- SS-FM20 Stainless Steel Antenna
- 3" Chrome Magnet Mount
- 12' RG58 Cable with PL259 or BNC Connector

Model No

**CD144M**

Add /BN for BNC Connector



### PC144M

#### Combo Kit

Includes 2 Antenna Systems for Optimum Performance and Flexibility

- 1 SS-FM20 Stainless Steel Antenna
- 1— PC144 5/8 Wave Fiberglass Base Antenna
- 3" Chrome Dome Magnet Mount
- 12' Low Loss Cable with PL259 or BNC Connector

Model No

**PC144M**





## QUARTERWAVE ANTENNAS



- Durable 17-7 .100 Dia Stainless Steel Element
- Long Lasting Black Powder Coating
- Black ABS Plastic Housing
- NMO Style Mounting
- Moisture Seal Internal O ring
- Stainless Steel Contact Spring
- Soldered Gold Contact Plate

VHF Frequency:  
118-225 MHz

UHF Frequency:  
118-806 Mhz

Model No.	Freq.	Model No.	Freq.
<b>PCQ1</b> (Field Tunable)	118-960	<b>PCQ1</b> (Field Tunable)	118-960
<b>PCV136</b>	136-144	<b>PCU406</b>	406-420
<b>PCV144</b>	144-152	<b>PCU420</b>	420-435
<b>PCV152</b>	152-162	<b>PCU435</b>	435-450
<b>PCV162</b>	162-174	<b>PCU450</b>	450-470
<b>PCV220</b>	220-225	<b>PCU470</b>	470-490
		<b>PCU490</b>	490-512
		<b>PCU800</b>	800-806

## NMO MOUNTING KITS AVAILABLE:

Includes Cable and PL259 Connector



NMO 3-Way Mirror Mount  
**CTMM/PL**



NMO Surface Mount  
**MSM/PL**



NMO Low Profile Fender Mount  
**SFM/PL**



NMO High Profile Fender Mount  
**CFM/PL**



3\"/>



NMO Trunk Mount  
**TLM/PL**



## PC SERIES Dual Band Magnet Mount Kits

- Mast Components: .100\"/>

Model No.

144/440 MHz 2 Meter- 70cm

**PC144-440**

150-158 / 461-470 MHz Business Bands

**PC150-461**

Add /BN to Model No. for BNC Connector

\*Made In The USA\*

## DUAL BAND MICROTECH ANTENNA

- 2 Meter, 70 cm Magnet Kit
- 144-148 and 440-450 MHz
- 1- 1/8\"/>

25 Watts (70cm)

Model No.

**MT144-440**



## TRI MAG

Ultra Heavy Duty Triple Magnet Mount

- 3- 5\"/>

Model No.

**PCTM5**

As Above Except with NMO Antenna Mount

**PCTM5NMO**



## QUAD MAG

Ultra Heavy Duty Quadruple Magnet

- 4- 5\"/>

Model No.

**PCTM54**

As Above Except with NMO Antenna Mount

**PCTM54NMO**



Amateur  
Antennas/Kits

# PREMIUM SERIES MICROPHONES



- High Sensitivity Microphone Cartridge
- Ergonomic Hand Contour Design
- Blue LED Operation Indicator
- Textured ABS Plastic Housing and Thumb Lever
- Contoured Black Mesh Microphone Grill
- 9' Heavy Duty Mil Spec Microphone Cord with Strain Relief
- High Quality Chrome Plated 4 or 5 Pin Microphone Connector
- Hand Assembled and Tested

Model No.

**PSM4**— 4 Pin Dynamic

**PSM4NC**— 4 Pin Noise Canceling Mic

**PSM4PM**— 4 Pin Power

**PSM5**— 5 Pin Dynamic

**PSM5NC**— 5 Pin Noise Canceling

**PSM5PM**— 5 Pin Power Mic

# SPEAKERS



- 4" - 8 OHM 10 Watt External Speaker
- 10' Cord
- 3.55MM Plug
- Swivel Mounting Base

**JBCSP-1**



- 4" - 8 OHM 10 Watt External Speaker
- Noise Canceling
- 10' Cord
- 3.55MM Plug
- Swivel Mounting Base

**JBCSP-2**



- 4" - 8 OHM 10 Watt External Speaker
- P.A. Talk Back & Noise Canceling
- 10' Cord
- 3.55MM Plug
- Swivel Mounting Base

**JBCSP-3**



- 2 1/4" - 8 OHM 5 Watt External Speaker
- 6' Cord
- 3.55MM Plug
- Includes Sun Visor Clip and Dashboard Mount Bracket

**JBCSP-4**



- 2 1/4" - 8 OHM 5 Watt Weatherproof External Speaker
- 6' Cord
- 3.55MM Plug
- Swivel Mounting Bracket

**JBCSP-5**



- 8 OHM Surface Mount External Speaker
- **Only 1 1/2" Diameter!**
- Housing Rotates 360° for optimum Performance
- Complete with Mounting Hardware

**JBCSP-6**



- Attractive Wedge Style External Speaker
- Weatherproof 8 OHM Impedance
- Complete with Mounting Hardware

**JBCSP-8**



- 5" Marine Style
- White Enamel Weatherproof
- Indoor/Outdoor
- 15 Watt Rating

**JBCPA-5W**

# NOISE CLIPPER

Improves the dynamic range of CB or Amateur Radio! Amplifies the signal and reduces the noise!

The NOISE CLIPPER.....  
Because don't you already have  
enough static in your life!!!!!!

**JBCNR400**



**New**

# CELLULAR DUAL BAND MOBILE ANTENNAS

- Dual Band— 800 and 1900 MHz Cellular Digital and Analog Phones
- Durable ABS Molded Dual Phase Shift PCS/Cellular Whip
- Low Profile Coupler Box for Glass Mount
- Magnet Mount and Window Clip uses ProComm's Mini RG174 Low Loss Coaxial Cable
- To Specify Connector Type Add to Model No- /TN for TNC, /LTN for Loose TNC, /MU for Mini UHF, /LMU for Loose Mini UHF, /NIP for Slimline Nipple, /EZ for EZ Kit

**Operating Frequencies:****Cellular** 829-896 MHz, 5dB Gain**PCS** 1700-1900 MHz 3dB Gain**Model No**


- DB35GM**— Glass Mount Cellular Antenna Kit
- DB35M**— Magnet Mount Cellular Antenna Kit
- DB35WC**— Window Clip Cellular Antenna Kit
- DB35SM**— Surface Mount Cellular Antenna Kit
- ANT-DB35**— Surface Mount Antenna Only

**\*Made In The USA\*****Replacement Parts**

- RM-DB35GM**— Replacement Mast for Glass Mount
- RM-DB35M**— Replacement Mast for Magnet Mount
- RM-DB35A**— Replacement Mast for Surface Mount

**Advanced  
Circuit Board  
Technology**

ANT-DB35



DB35M

DB35GM

**New**

# MULTIBAND TRUCKER ANTENNA

- Dual Band— 800 and 1900 MHz Cellular Digital and Analog Phones
- Advanced Printed Circuit Board Technology
- Tuned Ground Plane Radials for Optimum Cellular Reception
- 12' of High Spec Low Loss RG174 Cable with Nipple Connector for Superior Cellular Performance
- Fits Standard 3/8-24 Mounts

**Operating Frequencies:****Cellular**- 824-896 MHz.**PCS**- 1700-1900 MHz**Model No****CT400**— 24" Cellular Trucker Antenna**\*Made In The USA\*****Dual Band  
Antennas**

# GLASS MOUNT CELLULAR ANTENNAS

Frequency: 824-896 Mhz

- High Quality Black Powder Coating for Long Lasting Finish
- .100 Stainless Steel Elements for Durability
- Superior SWR— <1.5:1
- Euro-Style Design
- Also Available for 896-960 MHz
- **Every Kit Includes:**

RG58 Stranded Conductor 96% Braid Cable  
 Your Choice of Connector:  
 Chrome TNC w/Molded Strain Relief  
 Slimline Nipple Connector  
 Chrome Mini UHF w/Molded Strain Relief  
 EZ Kit: Nipple Connector w/both TNC and MU  
 Adapters



5db

### Whistle Free Antenna Kit

- 5 db Whistle Free Whip with Base
- Antenna Coupler Box
- 15' *Belden* Cable Assembly with Connectors
- Alcohol Cleaning Swab

**PCGM-5**

### 7db Hi Performance Antenna Kit

- 7db Hi Performance Whip with Base
- Antenna Coupler Box
- 15' *Belden* Cable Assembly with Connectors
- Alcohol Cleaning Swab

**PCGM-7**



3db

### Open Coil Antenna Kit

- 3 db Open Coil Whip with Base
- Antenna Coupler Box
- 15' *Belden* Cable Assembly with Connectors
- Alcohol Cleaning Swab

**PCGM-3**



To Specify Connector Type:  
 Add To Model No:

- /TN for TNC; /LTN for Loose TNC
- /MU for Mini UHF; /LMU for Loose Mini UHF
- /NIP for Slimline Nipple; /EZ for EZ Kit

# ECONO-GLASS ANTENNAS

- 3db Open Coil Antenna
- Antenna Coupler Box
- 12' Coax with Connectors
- Alcohol Swab

**GM-3**



- 5db Closed Coil Antenna
- Antenna Coupler Box
- 12' Coax with Connectors
- Alcohol Swab

**GM-5**



\*Made In The USA\*

# PC SERIES GLASS MOUNT REPLACEMENT PARTS

## Glass Mount Replacement Mast

For All Styles of **ProComm** Series Glass Mount Antennas

- Model No  
**RM-14**— Unity Gain  
**RM-3**— 3db  
**RM-5**— 5db  
**RM-7**— 7db



## Replacement Mast and Base

For All Styles of **ProComm** Series Glass Mount Antennas

- Model No  
**RFM-14**— Unity Gain  
**RFM-3**— 3db  
**RFM-5**— 5db  
**RFM-7**— 7db



## Base Only

Replacement Base For All Styles of **ProComm** Series Glass Mount Antennas

- Model No  
**RF**



## Glass Mount Coupler Box

For All Styles of **ProComm** Series Glass Mount Antennas

- Model No  
**RCB**  
**RCB-DB**



## Adhesive Remount Kit

For All Styles of **ProComm** Series

- Model No  
**RMT-KT**

Double-Sided Tape

Alcohol Wipe

# MOUNTING ACCESSORIES

## All Brass NMO Mount



- Gold Plated Contact
- Soldered Ground Lug
- Black Plastic Protective Cap

Model No

- MOT034**— Standard Design  
**MOT038**— 3/8" Thick Plate Design

## 3 Way Aluminum Mirror Mount



Model No.

**JBC991**

## Stainless Steel Truck/Fender Mount



Model No.

**SFM**

# INSTALLATION CABLE HARNESS

**\*Made In The USA\***

15' *Belden* Low Loss  
 RG58 Stranded Conductor  
 96% Braid Cable  
 Your Choice of Connectors

## TNC-Mini UHF Connectors

**15' TNC/MU**



## Mini UHF-Mini UHF Connectors

**15' MU/MU**



## MU-Butt Cut Connectors

**15' MU**



Kit Contains Nipple Connector  
 with Both TNC & MU Adapters

**15' EZ**



Call *ProComm* for ALL your Custom Cable Assembly Needs!



# MULTIBAND SUCTION CUP ANTENNA



- Attaches to Inside Vehicle Window
- Voltage Fed, Dual Band Cellular/PCS
- ProComm's Exclusive Low Loss RG174 Cable
- Available with Right Angle Nokia, TNC or Nipple Connector
- Slim Line Design for Easy Transportation
- Only 5" Overall Height
- Doubles the Signal Strength
- Easy Release Suction Cups
- Versatile Mounting on all Glass Surfaces

Model No.  
**MB-SC2**

**\*Made in the USA\***

Available with Your Choice of Connectors:

TNC, MUHF, NIP, or NK

Model #: **MB-SC2/TN, MU, NIP, or NK**

Frequency:

**Cellular:**                      **PCS:**

**824-896 MHz**      **1.7-1.99 GHz**

**Gain: 3dB**

**Impedance: 50 Ohm**

**Height: 5" Overall**

**Whip: 17-7 Stainless Steel**

**Cable: 8' Low Loss RG174**

**Connector: Right Angle Nokia (NK),  
TNC (/TN), Nipple (NIP), or MU (/MU)**

# MULTIBAND MINI-MAG ANTENNAS



- 25 Watts Power
- Unity Gain
- 50 OHM Impedance
- 17-7 Stainless Steel Whip
- With 10' RG174U Cable

Frequency:

**Cellular:**                      **PCS:**

**824-960 MHz**      **1.7-1.99 GHz**

**\*Made In The USA\***

Available with Your Choice of Connectors:

TNC, MUHF, or NIP

Model #: **MB-MM2/TN, MU, NIP, SMA, or SMB**

# ECM SERIES MAGNET MOUNT ANTENNA

Frequency: 824-896 Mhz

- 2 1/2" Mini Magnet Mount with No Scratch Protective Base
- 12' Low Loss **ProComm** RG58/AU— 96% Coax
- **ProComm's Exclusive** Molded Weatherproof Base Circuit
- Quality Factory Terminated Connectors

**To Specify Connector Type:**

Add After Model Number:

**/TN** for TNC; **/MU** For Mini UHF;  
**/NIP** for Slimline Nipple; **/EZ** for EZ  
Kit



**ECM-14**  
Unity Gain  
Antenna

**ECM-3**  
3 db  
Open  
Coil  
Antenna

**ECM-5**  
5 db  
Whistle  
Free  
Antenna

**ECM-7**  
7 db  
Hi  
Performance  
Antenna




# SURFACE MOUNT ANTENNAS

Frequency: 824-896 Mhz

- Quality 17-7 .100 Diameter Stainless Steel Elements
- Black Powder Coating Finish
- All Soldered Terminations
- NMO Style Mounting with Spring Contact
- Corrosion Resistant— Brass Threaded Contact Pin

To Specify Connector Type:  
Add After Model Number:  
/TN for TNC; /MU For Mini UHF;  
/NIP for Slimline Nipple; /EZ for EZ Kit



<b>ANT-14</b> Freq: 824-896 MHz VSWR: < 1:1.5 Height: 5"	<b>ANT-3</b> Freq: 824-896 MHz VSWR: < 1:1.5 Height: 14"	<b>ANT-5</b> Freq: 824-896 MHz VSWR: < 1:1.5 Height: 14 3/4"	<b>ANT-7</b> Freq: 824-896 MHz VSWR: < 1:1.5 Height: 20 1/2"	<b>EF-3</b> Freq: 824-896 MHz VSWR: < 1:1.5 Height: 20 "
---	---	---	---	---

## KITS AVAILABLE:



### CMAG Series Deluxe Magnet Mount Kit

- 3" Low Profile Magnet Mount
- All Brass NMO Mount w/Gold Contact Pin
- 15' Low Loss *Belden* RG58/AU 96% Coax
- No Scratch protective Base
- Durable Black Finish

Model No  
**CMAG-** Mount Only  
**CMAG-14-** Unity Kit  
**CMAG-3-** 3db Kit  
**CMAG-5-** 5db Kit  
**CMAG-7-** 7db Kit  
**CMAG-EF-** 3db Elv. Kit



### CFM Series High Profile Fender Mount Kit

- Aluminum Fender Mount
- All Brass NMO Mount w/Gold Contact Pin
- 12' Low Loss *Belden* RG58/AU 96% Coax

Model No  
**CFM-** Mount Only  
**CFM-3-** 3db Kit  
**CFM-5-** 5db Kit  
**CFM-7-** 7db Kit  
**CFM-EF-** 3db Elv. Kit



### CTMM Series Mirror Mount Kit

- 3 Way Aluminum Mirror Mount
- All Brass NMO Mount w/Gold Contact Pin
- 12' Low Loss *Belden* RG58/AU 96% Coax

Model No  
**CTMM-** Mount Only  
**CTMM-3-** 3db Kit  
**CTMM-5-** 5db Kit  
**CTMM-7-** 7db Kit  
**CTMM-EF-** 3db Elv. Kit



### SFM Series Low Profile Fender Mount Kit

- Stainless Steel 90° Fender Mount
- All Brass NMO Mount w/Gold Contact Pin
- 12' Low Loss *Belden* RG58/AU 96% Coax

Model No  
**SFM-** Mount Only  
**SFM-3-** 3db Kit  
**SFM-5-** 5db Kit  
**SFM-7-** 7db Kit  
**SFM-EF-** 3db Elv. Kit



### TLM Series Trunk Mount Kit

- Low Profile Trunk Mount
- All Brass NMO Mount w/Gold Contact Pin
- 18' Low Loss *Belden* RG58/AU 96% Coax

Model No  
**TLM-** Mount Only  
**TLM-3-** 3db Kit  
**TLM-5-** 5db Kit  
**TLM-7-** 7db Kit  
**TLM-EF-** 3db Elv. Kit



### MSM Series Surface Mount Kit

- All Brass NMO Surface Mount w/Gold Contact Pin
- Available w/15' or 18' Low Loss *Belden* RG58/AU— 96% Coax
- Protective Plastic Cap
- Available for 3/8" Thick Plate Design (/38)

**MSM-15** 15' Cable  
**MSM-** Mount Only  
**MSM-14-** Unity Kit  
**MSM-3-** 3db Kit  
**MSM-5-** 5db Kit  
**MSM-7-** 7db Kit  
**MSM-EF-** 3db Elv. Kit

**MSM-18** 18' Cable  
**MSM/18-14-** Unity Kit  
**MSM/18-3-** 3db Kit  
**MSM/18-5-** 5db Kit  
**MSM/18-7-** 7db Kit  
**MSM/18-EF-** 3db Elv. Kit

# WINDOW CLIP ANTENNAS

Frequency: 824-896 Mhz

- Stainless Steel Elements with Black Powder Coated Finish
- Soldered Antenna Terminations
- Black Anodized Aluminum Window Bracket
- Weatherproof Molded Circuit
- Soldered Circuit Terminations
- 12' Low Loss RG174 Coax Cable
- Protective Vinyl Pad

**\*Made In The USA\***

To Specify Connector Type:

Add To Model No:

**/TN** for TNC; **/LTN** for Loose TNC

**/MU** for Mini UHF; **/LMU** for Loose Mini UHF

**/NIP** for Slimline Nipple; **/EZ** for EZ Kit



PC-WC3



PC-WC5



PC-WC14


# YAGI ANTENNAS

- Frequency: 806-896 MHz
- VSWR: < 1.5 : 1
- 300 Watts Maximum Power
- 50 Ohms Input Impedance
- Sturdy, Durable Aluminum
- 12' Low Loss RG174 Coax Cable
- Protective Vinyl Pad

**Y850-4- 4 Element 9dB Gain**

**Y850-8- 8 Element 12dB Gain**

For Black **/B**, For White **/W**



## POWER PRODUCTS



Double Female Y Cord Adapter

**CPDI-2CSF**

Triple Female Y Cord Adapter

**CPDI-3CSF**



2 Piece Female Cigarette  
Lighter Receptacle

**FCR**



3 Piece Male Cigarette Lighter Plug  
with 3 Amp Fuse

**MCP**

## PHONE MOUNTS

**Flex Mounts**

Supports Up to 7 lbs.

Complete w/all Hardware and Metal Plate

**\*Made In The USA\***

**5FM- 5"**

**7FM- 7"**

**9FM- 9"**

**11FM- 11"**

**13FM- 13"**

**15FM- 15"**

**23FM- 23"**

**27FM- 27"**





## TNC CONNECTORS



TNC Female for NEC Cellular Phones  
**TNC-3**



TNC Male Crimp For Proflex  
**TNC-8**



TNC Female Bulkhead for RG58  
**TNC-11**



TNC Female Crimp for RG58  
**TNC-15**



TNC Male Right Angle Crimp for RG58  
**TNC-16**



TNC Double Female  
**TNC-33**



TNC Male-TNC Female Right Angle  
**TNC-35**



TNC "T" Connector  
**TNC-38**



TNC Male- UHF Female  
**TNC-45**



TNC Male- BNC Female  
**TNC-46**



TNC Push-On Male Crimp for RG58  
**TNC-66**



Push-On Male TNC Connector  
**TNC-77**



TNC Female Crimp for RG174  
**TNC-174F**



TNC Male Crimp for RG174  
**TNC-174M**

## MINI UHF CONNECTORS



Male UHF Female Crimp for RG58  
**MPL-01**



Mini UHF Female Crimp for RG59  
**MPL-01-59**



Mini UHF Male Crimp for RG58  
**MPL-03IP**



Mini UHF Male Crimp for RG58 (Black)  
**MPL-03B**



Mini UHF Female Bulkhead  
**MPL-04**



Mini UHF Double Female  
**MPL-06**



Mini UHF Male-Mini UHF Female Right Angle  
**MPL-08**



Mini UHF Male-UHF Female  
**MPL-12**



Mini UHF Male-TNC Female  
**MPL-14**



Mini UHF Female-UHF Male  
**MPL-16**



Mini UHF Female-TNC Male  
**MPL-18**



Push-On Male Mini UHF Crimp for RG58  
**MPL-66**



Mini UHF Male Crimp for RG174  
**MPL-174**

## NIPPLE CONNECTORS



Nipple- Mini UHF Female  
**NIP-5**



Nipple-N Male  
**NIP-9**



Nipple- Mini UHF Male  
**NIP-10**



Nipple-Male BNC  
**NIP-11**



Nipple-Male TNC  
**NIP-12**



Nipple-Male UHF  
**NIP-13**



Rotatable Nipple for RG58  
**NIP-58**



Rotatable Nipple for RG59  
**NIP-59**












Rotatable Nipple for RG8X  
**NIP-8X**



Rotatable Nipple For RG174  
**NIP-174**









## BNC CONNECTORS

-  BNC Male Crimp for RG8X  
**BNC-8X**
-  BNC Male Crimp for RG58  
**BNC-10**
-  BNC Male Crimp for RG59  
**BNC-59**
-  BNC Male Crimp for RG174  
**BNC-174**
-  BNC Female Bulkhead Chassis  
**BNC-11**
-  BNC Female Crimp for RG58  
**BNC-15**
-  BNC Male-Female Motorola  
**BNC-26**
-  BNC Male-Female UHF  
**BNC-44**
-  BNC Male-Female TNC  
**BNC-51**

## N-CONNECTORS

-  N Male Clamp Style For RG8U  
**N-01**
-  N-Male Clamp Style for *Belden* 9913  
**N-01-9913**
-  N-Male Clamp Style for *Belden* N-01-9913C  
**N-01-9913C**
-  N Female Clamp Style for RG8U  
**N-02**
-  N Male Crimp for RG58  
**N-11**
-  N Male Crimp for RG8X  
**N-112**
-  N Male Crimp for RG213  
**N-01-9913C**

## SMA SERIES

-  SMA Crimp for RG58  
**SMA-19-58**
-  SMA Male-TNC Female  
**SMA-31**
-  SMA Male-Mini UHF Female  
**SMA-33**
-  SMA Female-BNC Female  
**SMA-39**
-  SMA Female-TNC Male  
**SMA-40**
-  SMA Female-TNC Female  
**SMA-41**
-  SMA Female-Mini UHF Male  
**SMA-42**
-  SMA Female-Mini UHF Female  
**SMA-43**

## STRAIN RELIEFS



Small Strain Relief for RG58  
**SR-MU**



Large Strain Relief for RG58  
**SR-58L**