




PART LIST

ITEM	PART #	Q' TY
1	4#	10
2	14#	3
3	16#	3
4	22#	2
5	23#	2
6	3#	20
7	8#	2
8	24#	3
9	25#	3
10	20#	10
11	5#	5
12	10#	1
13	10-1#	1
14	17#	6
15	17-1#	4
16	1#	2
17	2#	3
18	6#	4
19	7#	6
20	11#	4
21	12#	4
22	13#	2
23	15#	4
24	9#	3
25	18#	3
26	19#	3
27	26#	3
28	21#	10
29	18-1#	3
30	27-1#	10
31	27-2#	22
32	28#	10
33	29#	16
34		2
35		20
36		20
37		2
38		
39		
40		
41		
42		

43		11
44		6
45		4
46		10
47		6
48		12
49		40
50		12
51		20
52	37#	2
53	38#	6
54		16
55		1
56		1
57		1





USE M 8X32mm bolt
and M8 wingnut





ALL cover put on including outside cover



Use $\phi 8 \times 50$ mm sing ball pin



Use nylon strap


**to fix outside cover on the door , please use
10pcs 8m cable on both sides .
4 corners and top corner tightened with 6pcs
8M calbe tightened to the floor**



Use M8X75mm bolt and M8 wingnut to tighten this four corners

Anchor

Cable routing



Thicker line mean top cover

Black dot is anchor

Thin line is cable